DAILY RAINFALL

DORSETSHIRE

1911 — 1920

ABBOTSBURY	MARKET ST	1916 — 1917
ABBOTSBURY	CASTLE GDNS	1914 – 1916
ABBOTSBURY	LITTLE BREDY	1911 — 1915
ABBOTSBURY	NEW BARN.	1911 — 1920
ASHMORE RECTORY		1911 — 1919
BEAMINSTER	HAMILTON LODGE	1912 — 1920
BEAMINSTER	VICARAGE	1911 — 1914
BEAMINSTER	FLEET STREET	1911 —
BERE REGIS	BLOXWORTH HSE.	1911 — 1920
BERE REGIS	BARROW HILL	1911 — 1920
BLANDFORD	BRYANSTON GDNS	1913 — 1920
BLANDFORD	LONGTHORNS	1911-1912, 14, 1915
BLANDFORD	RANSTON GDNS	1912 — 1913
BLANDFORD	THE RECTORY	1915 — 1916
BOURTON		1915 — 1920
BRADFORD PEVERELL		1911 — 1920
BRANKSOME	ALDERNEY W.W.	1911 — 1920
BRANKSOME	BOURNE VALLEY GASWORKS	1911 — 1920
BRIDPORT	CONEYGAR	1911 — 1920
BRIDPORT	WESTLANDS	1918
BROADSTONE	LYPIATT COTTAGE	1911 — 1917
BROADSTONE HOUSE		1916 1920
BROADSTONE	DUNYEATS	1911 —
BROADWINSOR	BLACKDOWN HOUSE	1911 — 1920
BROADWINSOR	VICARAGE	1911 — 1915
BUCKHORN.	WESTON RECTORY	1911 — 1915
CAME RECTORY		1916 – 1917
CATTISTOCK	BELL COTTAGE	1914 – 1919
CATTISTOCK	CATTISTOCK LODGE	1911 — 1920

CHARMINSTER		—— 1918
CHARMINSTER	BROOK LANDS	1911 — 1914
CHARMOUTH	HAMMOND MEAD	—— 1914
CHARMOUTH	LESLIE COTTAGE	1911, 1913-1914
CHARMOUTH		1911 —— 1914
CHARMOUTH	LUTTRELL HSE	1915 — 1917
CHEDINGTON	COURT	1911 — 1920
CHICKERELL	MONTERVIDEO	1911 — 1920
CHICKERELL	RECTORY	1911 — 1912
CORFE MULLEN	PUMP STATION	1911 — 1920
CORFE MULLEN	FOREST HILL	1911 —— 1920
CORFE CASTLE	KINGSTON VICARAGE	1911 — 1920
CORFE CASTLE	BUCKNOWLE HOUSE	1918 —— 1920
CREECH GRANGE		1911 —— 1920
DORCHESTER	W. W.	1911 —— 1920
DORCHESTER	KINGSCOTE	1914 —— 1920
DORCHESTER	STINSFORD	1917, 1919
DORCHESTER	WOLLASTON HSE	1911 —— 1920
DORCHESTER	WARMWELL HOUSE	1911-1914, 1916
EAST LULWORTH		1911 —— 1918
EVERSHOT	MELBURY HSE	1911 —— 1920
FONTWELL	MAGNA	1913-1915, 1920
GILLINGHAM		1911 —— 1920
GUSSAGE	ST MICHAEL MANOR	1911 —— 1920
HERRINGTON	HOUSE	1912 —— 1913
HOLTON HEATH		—— 1920
HOLWELL	WESTROW HSE.	1911 —— 1920
HORTON	VICARAGE	1911 —— 1920
IWERNE COURTNAY	THE RECTORY	1919 —— 1920
IWERNE	MINSTER	1911 —— 1920
KINSON	EGLINTON	1919 — 1920
LANGTON	MATRAVERS	—— 1915
LEIGH	VICARAGE	1911 —— 1920
LYME REGIS		1912-1914, 1917-1918
LYME REGIS	BOAT CLOSE	1914 —— 1920

LYME REGIS	HIGHCLIFF.	1912 — 1920
LYME REGIS	HOLME CLEVE	1911 — 1915
LYME REGIS		1911 —
MAIDEN NEWTON	WYNFORD HOUSE	1911, 1918-1920
MILTON ABBAS	MILTON ABBEY	1911 — 1915
MORETON	OAKERWOOD	1914 — 1920
NETHERBURY		1912, 1914-1915
NETHER COMPTON	RECTORY	1916 — 1919
PARKSTONE	BEN-HUR	1911 — 1920
PARKSTONE	FIRGROVE	1916 — 1920
PIDDLETRENTHIDE		— 1914
PORTLAND	H.M BREAKWATER	1911 — 1920
PORTLAND	EASTON	1911 — 1914
PORTLAND BILL	HIGH LIGHTHOUSE	1919 — 1920
PIDDLETOWN	VICARAGE	1911-1913, 1916-1920
SHAFTESBURY		1911 — 1920
SHERBORNE		— 1914
SHERBORNE	CASTLE	1911 — 1920
STUDLAND		— 1914
STOBOROUGH	KING BARROW	1912 — 1916
STURMINSTER	BAILIE HOUSE	1911 — 1920
STURMINSTER	NEWTON RIVERSIDE	1911 — 1917
STURMINSTER	NEWTON VICARAGE	1911 — 1915
SWANAGE		— 1915
SWANAGE	ROYAL VICTORIA HOTEL	1911 — 1913
TOLLER PORCORUM	VICARAGE	1916 — 1919
TOLPUDDLE	THE VICARAGE	1916 — 1920
TURNWORTH		1914 — 1920
TYNEHAM	HOUSE	1914-15, 1917
UPWEY	FRIAR WADDON	1915 — 1920.
UPWEY	PORTLAND W.W.	1911 — 1920
WAREHAM	BINNEGER HALL	1911 — 1915
WAREHAM	SOUTH STREET	1911 — 1920
WAREHAM	EAST HOLME	1911 — 1920
WAREHAM	TRIGON	1911 — 1920

WAREHAM	WORGATE HILL W.W.	1911 – 1913
WARWELL BEECH		— 1917
WEST LULWORTH	VICARAGE	1911 – 1914
WEST MOORS		1914 – 1915
WEYMOUTH	FLEET HOUSE	1911 – 1916
WEYMOUTH	SPRINGFIELD	1914 – 1920
WEYMOUTH	WESTHAM THE NOTHE	1911 – 1920
WEYMOUTH	MASSANDRA	1911 – 1913
WIMBORNE	ST. GILES HSE.	1911 – 1920
WIMBORNE	CODFORD HSE.	1911 – 1920
WIMBORNE	WESTFIELD	1911-14 1916-1920
WIMBORNE	ROYSTON	1911 – 1917
WIMBORNE	STONEHAM	1911 – 1914
WINTERBORNE	WHITCHURCH VIC.	1911 – 1920
WINTERBORNE	STEEPLETON	1911 – 1913
WITCHAMPTON		1911 – 1917
WYNFORD EAGLE		1912 – 1915

ABBOTSBURY

MARKET ST.

DORSET

1916 — 1917

FORM A.
BRITISH RAINFALL.

20. JAN 1917

REGI

J. F. Whit

Kept at Market St

Abbots

in the County of Dor

by

ge in.

ound ft. in.

Level ft.

IMPORTANT NOTE. result entered to the previous day. If an Obse rule, he is earnestly requested to add the reading the space provided for it at the end of this of rain, the selection and placing o Rainfall Organization are given in " application to Dr. H. R. Mill, 62, Camden N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·02	·07		·28				·70	·85	·34		1
2	·18	·06	·01		·01					·36	·08		2
3	·02	·79	·01		·01				·03	·70	·21		3
4	·08	·26	~~·01~~		·04	·20			·03	·04	·50		4
5	·01	·02	·01		·14	·06				·09	·29		5
6		·09	·04		·06	·05	·64				·75		6
7		·05	·39		·07					·02	1·50	·11	7
8		·05	·32		·25					·02	·08	·26	8
9		·05			·02		·02				·02	·13	9
10		·73	·01	·01	·05		·03				·04	·32	10
11	·02		·01	·02		·05						·13	11
12	·03	·03	·11	·04	·17		·19	·03	·02	·01		·01	12
13		·19	·14				·02	·10		·06	·01		13
14		·48		·03	·07			·03					14
15	·01	·48	·04					·02					15
16	·06	·08		·31			·04	·32					16
17	·15	·13						·56	·27	·60	·68	·92	17
18	·01	·05	·12						·15	·02	·10	·21	18
19	·05		·70	·06							·10	1·03	19
20	·08	·46	·17							·01	·16	·79	20
21	·01	·22	·22	·02	·07		·01				·02	·50	21
22			·01			·09				·12	·02		22
23		·05		·01		·10		·17		·08	·07	·01	23
24		·08		·03	·51			·06		·45	·06	·39	24
25		·50	·13					·30	·02	·03	·11		25
26		·35				·25			1·12	·86			26
27	·02	·06	1·10			·20		·01	·54	·39		·02	27
28		·21	·07	·03				·09	·24	·30	·08	·31	28
29		·43				·42		2·67	·30	·33	~~·03~~	·42	29
30		X	·01					·07		·50	·03	·01	30
31		X		X		X		·07	X	·32	X		31
Total	·83	5·92	3·69	·56	1·75	1·42	·95	4·44	3·42	5·96	5·25	5·57	YEAR'S TOTAL 3[illegible]·76
Rain Days.	15	26	21	10	14	9	7	14	11	22	22	17	188

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

20 JAN 1917

REGISTER OF RAINFALL IN 1916

J. F. White
Kept at Market St
Abbotsbury
in the County of Dorchester
by Dorset.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·02	·07		·28				·70	·65	·34		1
2	·18	·06	·01		·01					·36	·08		2
3	·02	·79	·01		·01				·03	·70	·21		3
4	·08	·26	~~·01~~		·04	·20			·03	·04	·50		4
5	·01	·02	·01		·14	·06				·09	·29		5
6	-	·09	·04		·06	·05	·64				·75		6
7		·05	·39		·07					·02	1·50	·11	7
8		·05	·32		·25					·02	·08	·26	8
9		·05			·02		·02				·02	·13	9
10		·73	·01	·01	·05		·03				·04	·32	10
11	·02		·01	·02		·05						·13	11
12	·03	·03	·11	·04	·17		·19	·03	·02	·01		·01	12
13		·19	·14				·02	·10		·06	·01		13
14		·48		·03	·07			·03					14
15	·01	·48	·04					·02					15
16	·06	·08		·31			·04	·32					16
17	·15	·13						·56	·27	·60	·68	·92	17
18	·01	·05	·12						·15	·02	·10	·21	18
19	·05	-	·70	·06							·10	1·03	19
20	·08	·46	·17							·01	·16	·79	20
21	·01	·22	·22	·02	·07		·01				·02	·50	21
22		-	·01			·09				·12	·02		22
23		·05		·01		·10		·17		·08	·07	·01	23
24		·08		·03	·51			·06		·45	·06	·39	24
25		·50	·13					·30	·02	·03	·11		25
26		·35				·25			1·12	·86			26
27	·02	·06	1·10			·20		·01	·54	·39		·02	27
28		·21	·07	·03				·09	·24	·30	·08	·31	28
29		·43				·42		2·67	·30	·33	~~·03~~	·42	29
30		X	·01					·01		·50	·03	·01	30
31		X		X		X		·07	X	·32	X		31
Total	·83	5·92	3·69	·56	1·75	1·42	·95	4·44	3·42	5·96	5·25	5·57	YEAR'S TOTAL 39·76
Rain Days.	15	26	21	10	14	9	7	14	11	22	22	17	188

W. 8,000. X. 15.

1600

FORM A.
BRITISH RAINFALL.

19. JAN 19

REGISTER OF RAINFALL IN 1917

Kept at Market St - Abbotsbury

in the County of Dorset

by J. F. White

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·18		·12		·43	·03		·08		1
2			·05	·12							·04		2
3		·06					·58	·03		·03	·63		3
4			·43	·02				~~0~~		·34			4
5	·04		·10	·14		·11		·04	·14	·18	·04		5
6			·04			·01				·05	·05		6
7	·44						·05	·37		·15	·02	·02	7
8			·27	·01			·60	·90	·15	·28	·07	·30	8
9	·29		·17	·01			·02	·02	·15	·14	·09		9
10	·23		·34	·22				·12					10
11	·05		·49	·08	13			·08		·30	·02		11
12	·07		·03	·01	80					·22	·01		12
13			·20		~~13~~			·07	·01	·13			13
14			·10	·10				·03				·02	14
15							·01		·03	·22	~~·03~~	·09	15
16		·20		·04						·73		·78	16
17		·02		·17			·31	·22	·67	·15	·03		17
18		·11	·03			·05	·10		·31				18
19		·50				·01			·28				19
20		·15				·23			·03				20
21	·01		·21			·01		·03		·14			21
22								·06		·08			22
23		·25			·09			·08				·08	23
24	·01	·10	·01			·01	·44			·19			24
25		·01	·01						·08				25
26					·22			·53	·10	·12			26
27			·02		·33	·27		·93					27
28			·03		·18	·34		·03				·01	28
29			·05		·06	·07	·16					·05	29
30		X	·18				·61	·17		·36		·15	30
31		X	·02	X		X		·02	X	·38	X	·02	31
Total	1·14	1·40	2·55	1·72	1·81	1·23	2·88	4·26	1·98	4·19	1·08	1·52	YEAR'S TOTAL 25·46
Rain Days.	8	9	21	13	7	11	10	19	12	19	11	10	150

W. 8,000, VIII. 16

DORSET

ABBOTSBURY GDNS:

1914 -1916

FORM A.
BRITISH RAINFALL.
11 JAN 1915

REGIST 4

Kept at Abbotsbury g.

in the County of Dorse a.m

by H Kempshall Abbotsbury

8 in.

above Ground 1 ft. in.

" Sea Level ft.

IMPORTANT NOTE.— nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						3		57					1
2				10							104		2
3				15	40								3
4				30	20			85			75	70	4
5	15		11	15	5						30		5
6		20										30	6
7							120						7
8	7		85										8
9	15			20		30			128				9
10		34		8	30				43				10
11		20	50					75				80	11
12			28				10		38			109	12
13		50	26						10			57	13
14						70		100			45	15	14
15							12	15		48	25		15
16													16
17		62	30									57	17
18		8	23				15		45			53	18
19		12	76				180					10	19
20		30	26									30	20
21		70								33			21
22		23			28								22
23		20	38							30			23
24		6	2										24
25	7		36					40				70	25
26			6				35				45	45	26
27												30	27
28	3		38				10				15	60	28
29	25		14		25					34	50	4	29
30			12								40	60	30
31	7									94		20	31
Total	79	355	501	98	148	103	382	372	264	239	429	800	YEAR'S TOTAL 37.70
Rain Days.	7	12	16	6	6	3	7	6	5	5	9	11	99

W.7,000, XI. 13

1

REGIST 4

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at Abbotsbury Gardens

in the County of Dorset 3

by H Kempshall

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Abbotsbury

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						3		57					1
2				10							104		2
3				15	40								3
4				30	20			85			75	70	4
5	15		11	15	5						30		5
6		20										30	6
7							120						7
8	7		85										8
9	15			20		30			128				9
10		34		8	30				43				10
11		20	50					75				80	11
12			28				10		38			109	12
13		50	26						10			57	13
14						70		100			45	15	14
15							12	15		48	25		15
16													16
17		62	30									57	17
18		8	23				15		45			53	18
19		12	76				180					10	19
20		30	26									30	20
21		70								33			21
22		23			28								22
23		20	38							30			23
24		6	2										24
25	7		36					40				70	25
26			6				35				45	45	26
27												30	27
28	3		38				10				15	60	28
29	25		14		25					34	50	4	29
30			12								40	60	30
31	7									94		20	31
Total	79	3.55	5.01	98	148	103	3.82	3.72	264	239	429	800	YEAR'S TOTAL 37.70
Rain Days.	7	12	16	6	6	3	7	6	5	5	9	11	99

W.7,000, XI. 13

Abbotsbury Gardens
Dorchester
Jan 8th 1915

Dear Sir

I am sending you our actual rainfall for 1914 & the days I measured it. It is not quite accurate as to the actual days on which the rain fell as I am away some days & I take the measurements myself, for instance I was away from June 30 to July 6th & the 120 on July 7th was for the whole time but it is generally accurate

Yours faithfully

H Kempshall

The heaviest fall I have measured in one year here was unusually heavy & already to Jan 8th the year I have measured 190

HK

Ckd by own stats 4.v.16

1705

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Castle Gdns Abbotsbury

in the County of Dorset

by H Kempshall

3

Lat. .... Long. ....

Time of Observation 9. a.m

Nearest Railway Station Abbotsbury

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level ...... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	23	28						35	25			26	1
2	70	10		30				15		60		52	2
3			30	5						20		50	3
4	5	8											4
5	2	38						30				45	5
6	85	24		39				7				20	6
7	11	45		11								40	7
8	2	58										100	8
9											40		9
10													10
11		15	15								100	25	11
12	40	55			50					10	40		12
13	42	35			95		80	10					13
14	1						41					98	14
15	7				25				22	15		30	15
16		110			30		135					20	16
17		35											17
18		26			35								18
19							18						19
20	18			27						8			20
21		65					39		15	43			21
22	43		50			13	84		3			34	22
23		15	12						20	100		70	23
24				12			5		55	85			24
25				10		38			5	3		105	25
26		8				2	10		10			90	26
27						15				50			27
28						18			50	10		6	28
29						18		5	6		30	14	29
30	26					7					80	30	30
31							15	15		250		(33)	31
Total	375	575	107	134	235	111	427	117	211	654	290	888	YEAR'S TOTAL 41.24
Rain Days.	14	16	4	7	5	7	9	7	10	12	5	19	~~115~~

✓ [illegible] 1673

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Abbotsbury Castle Gardens

in the County of Dorset

by H Kempshall

Lat. Long.

Time of Observation 9. A M

Nearest Railway Station Abbotsbury

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	22		9		30				65	35			1
2	10									40	58		2
3		80								70	32		3
4	10	34				25							4
5	8				23	2			24	6	75		5
6			10							11	80		6
7	1		35		10						140	75	7
8			35		25						10	30	8
9							65						9
10		80											10
11													11
12			15		20		20	5				9	12
13			16	8			1						13
14					10			10					14
15		50		28				14					15
16				8			3	48				80	16
17	26	25						25		70	75		17
18									40			20	18
19	7		84								40		19
20													20
21	10	65	36	15								185	21
22						5		20			10		22
23						8		5		30		90	23
24					50					50	12		24
25		40											25
26		35	15			20		30	130	70			26
27			110			20			54	45			27
28			4						16			30	28
29		60				35		260	30	70	8	40	29
30		✕								65			30
31		✕		✕		✕			✕	36	✕		31
Total	94	469	369	69	168	115	89	417	359	598	540	499	YEAR'S TOTAL 3776 37·86
Rain Days.	8	9	11	4	7	7	4	9	7	13	11	9	99

W. 8,000, VIII. 16

ABBOTSBURY

LITTLEBREDY

DORSET

1911 - 1915

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Stilwell cw

F ... 11

Kept at The Par... ... in.

... ove Ground ... ft. 7

in the County of ... „ Sea Level 372 ft.

by The Rev C ... a.m.

from Aug. 5

Portisham

Name Dorchester

Distance 7m Direction NEE

IMPORTANT NO... nd the result entered to the previous day. If an ... niversal rule, he is earnestly requested to add the r... year in the space provided for it at the end of ... ement of rain, the selection and pla... British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—			—	—	—	·03	—	—	·03	·42	1
2	—	—	—	—	·49	—	—	·05	—	·10	·19		2
3	—	—	—	·40	·17	—	—	—	·05	—	·11	·10	3
4	—	—	·10	—	—	—	—	—		—	·22	·30	4
5	·09	—	·01	—	—	—	—	·11	—	·08	·06	—	5
6	·49	—	·13	—	—	—	—	—	—	·02	·02	·74	6
7	·12	—	—	—	—	—	—	—	—	—	·40	·01	7
8	·01	—	·32	—	—	—	—	—	—		·14	·59	8
9	·05	—	—	—	—	—		—	—	—	·07	·37	9
10	·16	·05	·61	—	—	—	—	—	—	—	—	·17	10
11	·46	—	·01	—	·02	—	—	—	—	—	1.30	—	11
12	—	—	1·15	—	—	—	—	—	—	—	·04	·21	12
13	—	—	—	—	—	—	—	—	·28	—	—	·37	13
14	—	—	—	—	—	—	—	—	—	—	—	·79	14
15	—	·12	—	—	—	—	—	—	—	—	·28	·05	15
16	—	·01	—	—	—	·51	—	—	—	—	·72	·48	16
17	—	—	·26	—	—	·08	—	—	—	—	·23	·42	17
18	—	·12	·09	·09	·10	·17	—	—	—	·04	—	·32	18
19	—	·01	—		—	·16		—	·16	·13	·02	·62	19
20	·02	·02	·20	·05	—	—	—	—	·06	·39	—	·68	20
21	—	·33	·04	·01	—	·04	—	—	·11	·59	—	·08	21
22	·27	·01	—	·02	—	·10	—	—	·15	·50	—	·59	22
23	·01	·10	·02		—	·10	—	—	·31	·32	·03	·44	23
24	·01	·24	—		—	·17	—	·25	—	·93	—	·18	24
25	—	·01	—	·26	—	·04	—	—	·08	[illegible]	—	·01	25
26	—	·15	+1	·43	·40	—	—	·05	—	·57	—	·39	26
27	—	·57	—	·01	—	—	—	—	·05	·52	·21	·10	27
28	—	·35	—	·62	—	—	—	·18	—	—	·13	—	28
29	—		—	·10	—	·24	·18 Th.	—	·18	·38	—	—	29
30	—		—	—	—	·07	—	—	—	·1[illegible]	·50	·01	30
31	—		·01		—		—	—				—	31
Total	1·42	2·09	3·06 3·06	1.99	1.18	1.68	·18	·67	1.43	4.78	4.80	8.65	TOTAL for year 32·23
No. of Rain Days	12	14	14	10	5	11	1	6	10	15	19	26	32 23

9,000, IX. '10.

143

Stilwell c/o

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Parsonage Littlebredy

in the County of Dorset 3

by The Rev C E R Romilly
for Aug. 5 A. C. Moule

RAIN GAUGE	Pattern	
	Diameter of top .... in.	
	Height of top above Ground	ft. 7
	" " " Sea Level	372 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Dorchester Portisham
Distance 7 m Direction NEE ?

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—			—	—	—	·03	—	—	·03	}	1
2	—	—	—	—	·49	—	—	·05	—	·10	·19	·42 }	2
3	—	—	—	·40	·17	—	—	—	·05	—	·11	·10	3
4	—	—	·10	—	—	—	—	—		—	·22	·30	4
5	·09	—	·01	—	—	—	—	·11	—	·08	·06	—	5
6	·49	—	·13	—	—	—	—	—	—	·02	·02	·74	6
7	·12	—	—	—	—	—	—	—	—	—	·50	·01	7
8	·01	—	·32	—	—	—	—	—	—		·14	[illegible]	8
9	·05	—	—	—	—	—		—	—	—	·07	·39	9
10	·16	·05	·61	—	—	—	—	—	—	—	—	[illegible]	10
11	·46	—	·01	—	·02	—	—	—		—	1.30	—	11
12	—	—	1·15	—	—	—	—	—	—	—	·04	·21	12
13	—	—	—	—	—	—	—	—	·28	—	—	·37	13
14	—	—	—	—	—	—	—	—	—	—	—	·79	14
15	—	·12	—	—	—	—	—	—	—	—	·28	·35	15
16	—	·01	—	—	—	·51	—	—	—	—	·72	·43	16
17	—	—	·26	—	—	·08	—	—	—	—	·23	·42	17
18	—	·12	·09	·09	·10	·17	—	—	—	·04	—	·36	18
19	—	·01	—		—	·16	—	—	·16	·13	·02	·62	19
20	·02	·02	·20	·05	—	—	—	—	·06	·29	—	·68	20
21	—	·33	·04	·01	—	·04	—	—	·11	·39	—	·08	21
22	·27	·01	—	·02	—	·10	—	—	·14	·50	—	·59	22
23	·01	·10	·07		—	·10	—	—	·31	·32	·03	·44	23
24	·01	·24	—		—	·17	—	·25	—	·73	—	·18	24
25	—	·01	—	·26	—	·04	—	—	·08	[illegible]	—	·01	25
26	—	·15	·11	·43	·40	—	—	·05	—	·51	—	·39	26
27	—	·57	—	·01	—	—	—	—	·05	[illegible]	·21	·10	27
28	—	·35	—	·62	—	—	—	·18	—	—	·15	—	28
29	—		—	·10	—	·24	·18th	—	·18	·56	—	—	29
30	—		—	—	—	·07	—	—	—	·13	·50	·01	30
31	—		·01		—		—	—		—		—	31
Total	1·72	2·09	3·06 3.06	1.99	1.18	1.68	·18	·67	1.43	4.78	4.80	8.65	TOTAL for year 32·23
No. of Rain Days	12	14	14	10	5	11	1	6	10	15	19	26	3223

9,000, IX. '10.

143

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 2 JAN 1913

Kept at Littlebredy

in the County of Dorset 3

by A. C. Moule

RAIN GAUGE
Pattern —
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 355 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Portesham
Distance 2½ m Direction S.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·12

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.02	—	—	.16	—	—	.10	.99	—	.29	1
2	—	—	.39	—	—	—	.10	—	—	—	—	—	2
3	—	—	.15	.01	—	.55	—	.97	.07	—	—	.05	3
4	.21	—	.56	—	—	.40	—	.99	—	—	.56	—	4
5	.65		.23	—	.05	—	—	.76	—	—	.09	.27	5
6	.46	—	.01	—	.34	.19	.06	.56	—	—	—	.08	6
7	—	.95	.16	—	.31	1.25	—	.14	—	—	—	.34	7
8	1.06	.21	.25	.01	—	.01	.01	.03	—	—	—	.14	8
9	.02	.16	.18	.03	—	.01	—	.18	—	—	—	.68	9
10	.11	—	—	—	—	—	.05	.18	—	—	—	.29	10
11	[illegible]	.08	.08		—	—	—	.02	—	—	—	.58	11
12	.02	.34	.32	.05	.08	—	.04	.44	—	—	—	—	12
13	—	.16		—	—	—	—	—	—	—	.09	.06	13
14	.45	.05	.51	—		—	—	.04	—	—	—	.01	14
15		.37	—	.01	.02	.67	—	.03	—	—	—	.47	15
16	1.29	.03	.47	—	.09	—	—	.44	—	.19	.12	—	16
17	.21	—	.51	—	—	.20	—	1.04	—	—	—	.02	17
18	.39	—	.18	—	—	—	—	.30	—	.02	—	.01	18
19	.01	.08	.16	—	—	—	.10	.06	—	—	.01	—	19
20	.03	.13	.44	—	.23	—	—	.08	—	.29	.02	—	20
21	—	.55	.18	—	.81	—	—	.20	—		—	—	21
22	.38	.42	.11	—	.02	—	.22	.17	—	.32	—	.21	22
23	.26	.30		—	—	—	—	1.28	—	.04	.25	.26	23
24	.16	.09	.35	—	—	.33	—	.22	—	—	—	.38	24
25	.20	—	.01	—	—	.17	—	.23	—	.27	.33	.64	25
26	—	.02	—	—	—	—	.10	.08	—	.47	.27	.07	26
27	—	.13	.01	—	—	.33	.50	.03	—	.71	—	.45	27
28	—	.07	—	—	—	.04	.15	.56	.19	.70	.77	1.19	28
29	—	.13	—	—	—	.02	.16	.26	.70	.66	—	—	29
30	—	×	.12	—	.03	.19	.10	.03	.65	.24	—	—	30
31	—	×	.67	×	—	×	24	.02	×	.02	×	.12	31
Total	6.91	4.27	6.07	.11	1.98	4.52	1.86	8.44	1.71	4.92	2.51	6.61	TOTAL for year 49.91
No. of Rain Days.	18	20	26	5	11	15	13	28	5	14	10	22	187

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

10 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Littlebredy

in the County of Dorset 3

by A. C. Moule

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level c. 355 ft. }

Time of Observation 9 am.

Nearest Railway Station { Name
Distance Direction }

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

	Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
	1	—	.49	.15	~~.13~~ .08	—	—	—	—	.15	.11	.41	—	1	
	2	.03	.07	.01	~~.08~~	.12	—	.02	—	—	.09	.12	.04	2	
	3	}	—	.03	—	.29	—	—	—	—	—	—	.13	3	
	4	1.04 }	—	.09	—	.21	—	—	—	.20	.28	}	.04	4	
	5	1.36 .29	.62 .06	.28 —	.17 —	.91 .29	.15 .15	.02 —	—	1.53 1.18	.46 —	.82 .29 }	.30 .09	5	
	6	.02	.09	.04	—	.06	.17	—	—	—	1.36	.02	.49	6	
	7	—	.45	.09	—	.44	.09	.39	—	—	.29	.36	—	7	
	8	—	}	—	—	.22	—	.16	—	—	.03	—	.12	8	
	9	—	.37 }	—	—	—	—	.01	.08	—	—	.25	.02	9	
	10	1.88 .50	1.53 —	.41 —	.88 —	1.66 .03	.41 —	.58 —	.08 —	1.53 —	2.38 .20	1.76 .31	.93 —	10	
	11	.84	—	—	.14	.64	—	—	—	—	.10	.38	—	11	
	12	—	—	—	[illegible]	.29	—	—	—	—	.03	.52	—	12	
	13	.25	—	.05	}	—	—	—	.07	.45	—	.27	—	13	
	14	.27	—	.11	.17 }	× .16	—	—	—	.43	—	—	.01	14	
	15	3.72 .48	1.55 .02	.88 .31	.97 .58	2.75 —	.41 —	.63 .05	.19 .04	3.05 × .64	—	2.93 —	.94 —	15	
	16	.12	—	.35	.03	—	—	—	—	.01	—	—	—	16	
	17	.03	—	—	.01	—	—	—	—	—	—	.01	—	17	
	18	.02	—	.14	.10	—	—	—	—	—	—	—	—	18	
86	19	.86	—	}	—	.04	—	.01	—	.82	—	.07	—	19	
	20	4.87 .12	1.55 —	1.62 .25 }	1.42 .31	2.79 —	.48 .07	.64 —	.19 —	3.88 —	2.71 .22	3.32 .31	—	20	14
	21	—	—	.40	.40	—	—	—	—	—	.10	.26	—	21	
	22	.46	—	.19	—	—	—	—	.04	.21	.07	—	.20	22	
	23	—	—	—	—	—	.03	—	—	—	—	.13	.52	23	
	24	.03	—	—	}	—	.01	—	—	—	—	—	—	24	
	25	5.36 —	1.66 .11	2.21 —	2.16 .34 }	2.79 —	.52 —	.64 —	.23 —	4.09 —	2.88 —	3.78 .07	1.66 —	25	
	26	—	—	—	.22	—	—	—	.27	—	—	—	.24	26	
	27	.13	—	.28	.44	—	—	—	—	—	.04	—	—	27	
	28	.57	—	.08	.28	—	—	—	—	—	}	—	.01	28	
	29	.14	×	.46	.39	.06	—	—	.08	—	.53 }	—	—	29	
	30	.67	×	}	—	—	—	—	× —	.59	3.86 .41	—	—	30	
	31	.17	×	.13 }	×	—	×	—	.83	×	.11	×	—	31	
	Total	7.04	1.66	3.16	3.49	2.85	.52	.64	1.41	4.68	3.97	3.78	1.91	TOTAL for year	
	No. of Rain Days.	22	9	20	16	13	6	6	7	10	17	17	12	35.11	
			31	51	67	80	86	92	99	109	126	143	155		

00, X. '11.

See 92

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. JAN 1915 R

Kept at Littlebredy
in the County of Dorset 3
by A. C. Moule

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Portesham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ....ft. 9 in.
" " " " Sea Level ? 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .50

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—		.41	—	—		.25	1
2	—	—	—	.07	.03	.02		—	—	—	1.42	.11	2
3	—	—	.06	.18	.54	—		—	—	—		.03	3
4	—	—	.09	.34	.27	—		.76	—	—	.92	.45	4
5	—	—	.22 .07	.76 .17	.95 .11	—	.68	1.17 —	—	—	2.57 .23	.84 —	5
6	—	.24	.01	.13	.09	.02	—	.01	—	—	—	.41	6
7	—	.68	.24	.07		.01	—	.11	.01	—	—	.23	7
8	.18	.06	.66	.20	.10	.05	—	.20	.04	—	—	.05	8
9		.01	.32	.19	.30	.27	~~.30~~ .31	.09	.93	—	—	—	9
10	.36 .18		1.46 .01	1.52 .17	1.45 .01	.38 .01	.99 —	1.58 —	1.48 .50	—	2.58 .01	1.53 —	10
11	—	1.53 .54	.58	—	.01	.03	.09	—	—	—	.01	.83	11
12	—	.22 ~~.34~~	.25	—	—	—	—	—	.40		—	.87	12
13	—	.41	.30	—	—	~~.65~~	.04	—	.18		.19	.67	13
14	—	.31	.25	—	—	.65	.11	.93	.01	.28	.42	.17	14
15	—	2.47 —	3.06 .22	1.52 —	1.46 —	1.08 —	1.28 .05	2.73 .22	2.13 —	.47 .19	3.62 .42	4.07 —	15
16	.02	—	—	—	—	—	—	—	.64	—	—	—	16
17	—	.82	.28	—	—	—	—	—	—	—	—	.59	17
18	—	.09	.18	—	—	—	.35	—	.08	—	—	.59	18
19	—	.21	.45	—	—	—	1.38	—	.08	—	.10	.10	19
20	—	3.95 .36	4.27 .30	—	—	1.07 .01		—	2.93 —	—	3.72 —	5.77 .42	20
21	—	.68	.15	—	—	—		—	—	.36	—	—	21
22	—	.23	.15	—	.24	.14		.07	—	.10	—	—	22
23	—	.33	.30	—	—	—	.10	—	—	.45	—	—	23
24	—	.04	.07	—	.03	—	—	—	—	—		.04	24
25	.38 —	5.23 —	5.38 .44	—	1.73 —	1.21 —	3.22 .11	3.55 .75	—	2.03 .65	3.97 .25	6.42 .61	25
26	.07	.01	.08	—	—	—	.10	.03	—	.05	.42	.78	26
27	.09	.01	—	—	—	—	—	—	—	—	.06	.35	27
28	.02	.23	.51	—	—	—	.12	—	—	—	.17	.62	28
29	.51	×	.23	—	.26	~~.60~~	.06	—	—	.28	.94	.05	29
30	—	×	.16	.03	—		—	—	—	.23	.47	.63	30
31	.10	×	—	×	.01	×	.26	—	×	.63	×	.06	31
Total	1.17	5.48	6.36	1.55	2.00	?1.21	?3.76	3.58	2.93	3.22	6.03	8.91	YEAR'S TOTAL 46.20
Rain Days.	9	20	26	10	14	? 10✓	? (18)	11	10	13✓	18✓	23	~~179~~ (182)

total fall 4.97 probably correct.

W. 7,500, XI. 12

.24 1713

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
7 JAN 1916

Kept at Littlebredy

in the County of Dorset 3

by Rev A C Moule

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Portesham G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level c. 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .24

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.50+	.40	–	–	.02	–	–	.45	.90	.34	.01	× .24	1
2	.76	.13	.17	.07		.07	–	.36	.04	.27	–	.52	2
3	–	.07	.22		.34	.02	–	–	–	.07	–	.47	3
4	.03	–	–	.06	–	.01	–	–	–	–	–	.30	4
5	1.55 .26	.97 .37	.39 –	.13 –	.36 –	.10 –	–	1.26 .45	.94 –	.68 –	–	2.12 .59	5
6	1.02	.29	–	.47	–	–	.71	.03	–	–	–	.21	6
7	.16	.70	–	.03	–	–	.26		–	–	–	.47	7
8	.04	.55	–	–	–	–	–	.05	–	–	.03	.14	8
9	.16	.09	–	.03	–	–	–	–	–	–	.28	.85	9
10	3.04 .11	2.60 –	.51 .12	.72 .06	–	–	.97 –	1.34 –	–	.03	–	4.04 .25	10
11	.18	.16	.04	.04	–	–	–	–	–	–	1.52	–	11
12	.27	.54	–	.07	.53	–	–	.03	–	.05	.51	–	12
13	.01	.35	–	–	.88	–	–	–	.07	–	.05	.03	13
14	.02	–	–	–	–	–	×	1.39 .02	.16	–	–	1.38	14
15	3.59 .07	3.65 – ×	.55 –	.83 –	1.98 .21	–	×	–	1.18 .01	.78 .02	2.49 .09	5.72 .27	15
16	–	1.22	–	–	.26	–	× 2.91	.10	–	–	–	.22	16
17	–	.44	–	–	.15	–	–	.06	–	–	–	–	17
18	–	.21	–	–	.01	–	–	–	–	–	–	–	18
19	.02	–	–	–	–	–	–	–	–	–	–	–	19
20	3.81 .20	5.52 –	.55 –	.98 .15	2.40 –	.21 .11	3.88 –	1.55 –	–	.93 .15	–	5.99 .05	20
21	.22	.68	–	.02	–	–	.39	–	.09	.48	–	.10	21
22	.11	.08	.42	–	–	.03	1.51	–	.03	–	–	.26	22
23	–	–	.28	–	–	–	–	–	.32	?2.00	–	.80	23
24	–	–	.01	–	–	–	–	–	.54	?1.00	–	.71	24
25	4.14 –	6.28 –	1.26 –	–	–	.50 .26	5.78 –	–	2.17 .01	4.41 –	–	8.24 .38	25
26	.03	.13	–	–	–	.02	–	–	.12	–	–	1.01	26
27	–	.01	–	–	–	.11	.18	–		.64	–	–	27
28	–	.03	–	–	–	.18	~~.18~~	.01	.49	.06	–	.04	28
29	~~.16~~		–	–	–	.09	–	–	.05	.10	.30	.05	29
30	.16		–	–	–	.04	–	–	–	1.42	.73	.41	30
31	–		–		–		.20	.16		2.26		.20	31
Total	4.33	6.45	1.26	1.00	2.40	.94	6.16	1.72	2.83	?8.89	3.52	9.95	YEAR'S TOTAL 49.45?
Rain Days.	20	19	7	10	8	11	(9)	12	14	15	9	25	159 ?

W. 8,000. X. 14.

P.T.O.

Note

I was unfortunately away from home on 23, 24 October when one of the heaviest falls of recent years occurred. My gardener put down the figures which I have entered. The exact 2 inches & 1 inch. seem to me to be so improbable that I have marked them ? but the total, as you will probably see from the returns of neighbouring places, is not at all impossible. At Chardstock to the west I myself measured I think 2.99 on the two days in question & I heard that at Upwey to the east about 2.75 was measured on one of the days. All accounts agree that here there was very heavy rain after 9. a.m. on the 24th (not as at Chardstock where the figures were I think – 23: 2.96; 24: .03.), so that it is quite possible that 2.26 on the 31st was really the greatest fall of the month.

But I am sorry that there should be uncertainty about this considerable fall, & also about that of 14, 15, 16 July. In the latter case I measured it myself on my return home, at 9. a.m. ~~of th~~ on the 17th.

A. C. Moule

DORSET.

ABBOTSBURY,
"NEW BARN"
1911 -1920

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGIS 11

Kept at New Barn C ... 5 in.

... ove Ground 1 ft. 6 in.

in the County of Dorset ... „ Sea Level 111 ft.

... A.M.

by James C P Wh ... Name Abbotsbury
Distance 2¼ m Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
none.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·05				·03			·01		1
2	·01			·27	·22			·03		·06	·09	·03	2
3					·11						·03	·20	3
4			·11						·04	·01	·10	·15	4
5	·04							·08		·09	·05	·22	5
6	·48		·16							·09	·04	·62	6
7	·07										·36	·01	7
8	·01										·24	·57	8
9	·04		·12								·11	·25	9
10	·10	·12	·49									·26	10
11	·25	·01	·08								·98	·01	11
12			·98								·08	·19	12
13									·15			·39	13
14		·09										·54	14
15	·01	·01				·02					·17	·07	15
16						·38					·51	·15	16
17			·16			·10				·01	·40	·40	17
18		·11	·15	·08	·06	·11				·04	·03	·35	18
19		·04				·14			·10	·06	·02	·20	19
20	·01	·02	·23					·01	·05	·14		·94	20
21		·16	·02	·02		·02			·09	·57		·11	21
22	·23	·01		·03		·08			·04	·23		·50	22
23	·02	·13	·05			·16			·14	·28	·05	·21	23
24		·14				·28		·14		·52		·18	24
25		·02		·09		·05				·10		·01	25
26		·03		·24	·41				·04	·34	·01	·24	26
27		·33	·06	·03						·94	·10	·11	27
28		·46		·40				·21	·07		·17	·01	28
29				·11	·01	·23			·09	·30	·01	·02	29
30						·02	·19			·15	·11	·05	30
31			·05									·01	31
Total	1·30	1·68	2·66	1·32	·81	1·59	·19	·50	·81	3·93	3·67	7·00	TOTAL for year 25·46
No. of Rain Days	13	15	13	10	5	12	1	6	10	17	22	30	154

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGIS 11

Kept at New Barn Abbotsbury

in the County of Dorset 3

by James C P White

Rain Gauge: Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 111 ft.

Time of Observation 8 A.M.

Nearest Railway Station: Name Abbotsbury
Distance 2¼ M Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
none.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·05				·03			·01		1
2	·01			·27	·22			·03		·06	·09	·03	2
3					·11						·03	·20	3
4			·11						·04	·01	·10	·15	4
5	·04							·08		·09	·05	·22	5
6	·48		·16							·09	·04	·62	6
7	·07										·36	·01	7
8	·01										·24	·57	8
9	·04		·12								·11	·25	9
10	·10	·12	·49									·26	10
11	·25	·01	·08								·98	·01	11
12			·98								·08	·19	12
13									·15			·39	13
14		·09										·54	14
15	·01	·01				·02					·17	·07	15
16						·38					·51	·15	16
17			·16			·10				·01	·40	·40	17
18		·11	·15	·08	·06	·11				·04	·03	·35	18
19		·04				·14			·10	·06	·02	·20	19
20	·01	·02	·23					·01	·05	·14		·94	20
21		·16	·02	·02		·02			·09	·57		·11	21
22	·23	·01		·03		·08			·04	·23		·50	22
23	·02	·13	·05			·16			·14	·28	·05	·21	23
24		·14				·28		·14		·52		·18	24
25		·02		·09		·05				·10		·01	25
26		·03		·24	·41				·04	·34	·01	·24	26
27		·33	·06	·03						·94	·10	·11	27
28		·46		·40				·21	·07		·17	·01	28
29				·11	·01	·23			·09	·30	·01	·02	29
30						·02	·19			·15	·11	·05	30
31			·05									·01	31
Total	1·30	1·68	2·66	1·32	·81	1·59	·19	·50	·81	3·93	3·67	7·00	TOTAL for year 25·46
No. of Rain Days	13	15	13	10	5	12	1	6	10	17	22	30	154

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
6 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at New Barn, Abbotsbury
in the County of Dorset 3
by James C P White

Lat. Long.
Time of Observation 8 A.M.
Nearest Railway Station Abbotsbury G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·03			·14			·05	1·30		·01	1
2			·39	·03			·09					·31	2
3			·09			·35	·02	·63	·05			·02	3
4	·19	·05	·41		·02	·23		·02			·44		4
5	·38	·11	·25		·06			·56			·05	·15	5
6	·57	·14	·02		·18	·05	·11	·86				·11	6
7		·40	·11		·35	1·05		·15				·15	7
8	·53	·22	·32		·01	·01		·01				·15	8
9	·03	·03	·15	·02	·01	·03	·02	·14				·38	9
10	·01	·05		·05				·12		·01		·39	10
11	·10	·04	·02					·07			·04	·42	11
12	·02	·25	·16	·04	·16		·04	·32		·01	·01		12
13	·01		·02								·04	·04	13
14	·04		·26		·03			·08					14
15	·30	·20	·04	·02	·02	·59		·01			·01	·35	15
16	·75	·02	·30		·07	·02		·11		·06	·19	·01	16
17	1·14	·02	·24			·14		·56				·05	17
18	·58	·01	·44					·16		·02	·02	·01	18
19	·04	·04	·27			·01	·09	·06					19
20	·02	·05	·41		·18	·02		·01		·25	·02		20
21		·23	·25		·61			·08		·17			21
22	·36	·47	·09		·01		·15	·16		·08	·02	·13	22
23	·17	·28	·34					·58		·35	·15	·19	23
24	·04	·05	·01			·09		·16		·01		·16	24
25	·36					·16		·22		·13	·18	·45	25
26		·02					·14	·08		·35	·22	·20	26
27		·06	·02			·18	·49	·05		·55		·34	27
28		·08				·02	·04	·44	·10	·66	·43	·72	28
29		·15				·05	·09	·12	·68	·27	·05		29
30			·07		·03	·08	·04	·06	·56	·20			30
31			·65				·18	·01		·02		·05	31
													YEAR'S TOTAL
Total	5·64	2·97	5·36	·16	1·74	3·22	1·50	5·83	1·44	4·44	1·87	4·79	38·96
Rain Days.	20	23	26	5	14	18	13	28	5	17	15	23	207

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2 JAN 1914

Kept at New Barn, Abbotsbury

in the County of Dorset

by James C. P. White

3

Lat. Long.

Time of Observation 8. A.M.

Nearest Railway Station Abbotsbury 2 miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·43	·14	·04	·01				·15	·04	·20		1
2	·04	·05		·10	·03		·02			·04	·07	·01	2
3	·75	·01	·04	·08	·27							·05	3
4	·13		·03	·01	·21				·02	·37	·04	·06	4
5	·03	·11			·15	·12			1·10		·13	·15	5
6		·08	·05		·03	·13				1·30	·01	·44	6
7	·02	·30	·06		·29	·09	·32			·17	·23	·02	7
8		·28			·24	·02				·03		·08	8
9	·22	·05			·08		·04	·12			·12	·02	9
10	·92	·02		·01	·04					·15	·31	·01	10
11		·02		·08	·22	·03				·11	·36	·01	11
12	·09	·02	·01		·43	·01				·01	·33		12
13	·28		·02	·02				·04	·31		·12		13
14	·25		·10	·03	·32				·42	·01	·03		14
15	·19	·02	·38	·26			·08	·03	·60			·01	15
16	·05		·28	·05		·04	·02		·09				16
17	·02		·01	·01									17
18	·87		·08	·05		·02			·40		·02		18
19	·18		·03		·04	·04	·03			·02			19
20	·01		·13	·18		·05				·10	·02		20
21	·37		·26	·31				·01		·15	·44		21
22			·19	·07				·06	·17	·07	·02	·10	22
23	·03					·03				·01	·05	·60	23
24				·04	·01	·01				·01	·02		24
25		·14		·24						·01		·02	25
26		·02		·17				·25		·01	·01	·12	26
27	·05		·20	·32						·06			27
28	·46		·14	·32						·17	·01	·02	28
29	·22		·33	·29	·09			·06		·12			29
30	·44			·01					·18	·21			30
31	·05				·03		·01	·75		·19			31
Total	5·68	1·55	2·48	2·69	2·49	·59	·52	1·32	3·44	3·36	2·54	1·72	YEAR'S TOTAL 28·38
Rain Days.	24	14	19	22	17	12	7	8	10	23	20	16	192

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at New Barn Abbotsbury

in the County of Dorset 3

by James C P White

Lat. Long.
Time of Observation 8 A.M.
Nearest Railway Station Abbotsbury G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·02			·02	·37			·06	·05	1
2	·01			·05	·01	~~02~~	·31	·03			·93	·25	2
3			·04	·11	·38	~~38~~			·01	·02	·02	·02	3
4			·01	·20	·06	~~06~~	·31	·82			·85	·39	4
5	·11		·05	·11	·04	~~04~~	·30				·62	·01	5
6		·24		·18	·07	~~07~~	·02				·07	·28	6
7	·03	·35	·17	·04	·01	~~01~~ ·05	·28	·04	·07		·01	·15	7
8	·05	·11	·30	·03	·07	~~07~~ ·04		·09	·01		·01	·06	8
9	·01	·01	·32	·12	·02	~~02~~ ·13		·02	1·04			·01	9
10	·06	·27	·01	·07	·16	~~16~~ ·02		·01	·30			·01	10
11		·15	·43	·01	·02	~~02~~ ·06	·08		·03		·01	·63	11
12		·09	·25						·30	·01	·01	·68	12
13		·35	·20						·11	·09	·10	·69	13
14		·19	·16			1·00	·14	·98		·21	·35	·16	14
15	·02	·01	·11				·02	·19		·25	·30	·02	15
16	·01								·30				16
17		·52	·26						·02			·50	17
18		·02	·22				·10		·09			·49	18
19		·10	·60			·02	1·82		·04		·08	·07	19
20		·30	·18			·01						·34	20
21		·65	·18							·28		·02	21
22		·13	·04		·29	~~29~~	·05	·03		·03		·02	22
23		·15	·30			·01	·02			·28	·11		23
24		·15	·03		·03					·12	·04	·03	24
25	·02	·01	·25				·02	·34	·01	·41	·22	·38	25
26	·04	·01	·07				·13	·05	·02	·05	·04	·75	26
27	·07	·02								·01		·27	27
28	·02	·10	·30		·02		·16			·01	·18	·55	28
29	·23		·20		·25		·05	·01		·16	·30	·04	29
30	·02		·08	·17			·01			·21	·55	·62	30
31	·05				·02		·07			·48		·05	31
Total	·75	3·93	4·77	1·11	1·45	1·34	3·91	2·98	2·35	2·62	4·86	7·54	YEAR'S TOTAL 37·61
Rain Days.	15	22	26	12	15	9	19	13	14	16	21	29	211

W. 8,000. X. 14.

1704

FORM A.
BRITISH RAINFALL.
5. JAN 1916

Exd f N

REGISTER OF RAINFALL IN 1915

Kept at New Barn, Abbotsbury

in the County of Dorset

3

by James. C. P. White

Lat. Long.

Time of Observation 8. A.M.

Nearest Railway Station Abbotsbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·26			·02			·22	·07	·23	·02	·32	1
2	·30	·10	·08	·03	·27	·05		·30	·03	·31		·40	2
3	·35	·08	·11	·07		·02				·09		·75	3
4	·02	·02		·03	·02							·29	4
5	·05	·42		·39				·36				·40	5
6	·79	·11		·02			·53	·05		·01		·14	6
7	·20	·54		·03			·32				·02	·52	7
8	·06	·75					·02	·04			·01	·10	8
9	·02	·06		·03							·37	·74	9
10	·17	·02	·03	·08						·03		·23	10
11	·04	·10	·08	·02				·01			·97		11
12	·18	·43		·07	·55			·02		·04	·38		12
13	·02	·33			·89				·08	·02	·04	·02	13
14	·01	·03					·31	·06	·06	·05		·81	14
15	·06	·01			·20		·03	·06			·10	·30	15
16		·98			·26		1·14	·05	·01			·21	16
17		·34			·04			·01	·02			·02	17
18		·21			·01		·02		·02	·02			18
19	·01	·01			·25		·13						19
20	·19			·09	·01	·12				·06		·07	20
21	·20	·31					·10		·12	·31		·08	21
22	·15	·13	·26			·03	·82		·03			·20	22
23		·01	·22						·21	·90		·70	23
24			·02	·07			·04		·67	·64		·42	24
25			·02	·07		·25			·02	·02		·36	25
26	·02	·06					·14		·09			·93	26
27		·02				·11			·02	·48		·03	27
28		·08				·22		·01	·41	·10		·05	28
29						·12			·06	·17	·19	·03	29
30	·15	✕		·01		·05				·78	·53	·20	30
31		✕		✕		✕	·16	·09	✕	1·62	✕	·40	31
Total	3·27	5·41	·82	1·01	2·52	·97	3·76	1·28	1·92	5·88	2·63	8·72	YEAR'S TOTAL 38·19
Rain Days.	21	25	8	14	11	9	13	13	16	19	10	27	186

W. 8,000. X. 15.

✓ Entd JW 1672

FORM A. BRITISH RAINFALL. 10. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at New Barn, Abbotsbury

in the County of Dorset

by James C P White

Lat. ______ Long. ______

Time of Observation 8. A.M.

Nearest Railway Station Abbotsbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·07		·27				·73	·70	·21		1
2	·17	·07								·35	·13		2
3	·02	·85			·03				·17	·65	·22		3
4	·07	·32			·04	·15			·04	·08	·39		4
5	·02	·02	·02		·14	·05				·07	·35		5
6		·05	·02		·07	·03	·64		·01	·03	·75		6
7	·02	·08	·38		·07					·03	1·10	·12	7
8		·05	·34		·29						·10	·27	8
9		·03			·02		·02				·02	·14	9
10		·72		·03	·05		·02				·03	·29	10
11			·02	·03		·11			·02		·02	·14	11
12	·04	·05	·16	·03	·17		·14	·04		·04	·01		12
13		·18	·15	·03				·03		·03	·02		13
14	·01	·42						·04		·02			14
15		·52	·07					·05		·04		·02	15
16	·07	·07		·29			·04	·25	·04	·01		·98	16
17	·20	·11		·08				·59	·25	·56	·71	·02	17
18	·03	·07	·12	·02					·11	·02	·09	·23	18
19	·04	·01	·68	·07							·18	·04	19
20	·17	·50	·17								·04	1·30	20
21		·24	·20	·01	·07		·02				·06	·58	21
22			·03		·02	·08				·14	·01	·57	22
23		·07		·01		·04		·18		·02	·05	·01	23
24		·03		·03	·28			·05	·01	·45	·06	·42	24
25		·74	·08					·34		·03	·11	·02	25
26		·15	·02			·13			1·01	·92	·05	·02	26
27		·05	·98			·12		·03	·55	·47		·01	27
28	·03	·18	·03	·03				·06	·55	·36	·03	·29	28
29		·25				·33		2·40	·17	·09	·03	·42	29
30		X						·01		·42		·02	30
31		X		X		X		·05	X	·27	X	·02	31
Total	97	5·83	3·54	·66	1·52	1·04	·88	4·12	3·66	5·80	4·77	5·93	YEAR'S TOTAL 38·72
Rain Days.	14	26	18	12	13	9	6	14	13	24	25	22	196

W. 8,000, VIII. 16

Exd [illegible]

1599

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at New Barn, Abbotsbury
in the County of Dorset
by James C P White

Lat. .... Long. ....
Time of Observation 8. A.M.
Nearest Railway Station Abbotsbury S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·06	·17		·09		·41	·01		·07	·01	1
2	·01		·04	·13				·03		·01	·02		2
3	·04						·60			·03	·82		3
4		Snow ·05	·46	·01				·01		·26	·01		4
5	·05		·10	·08		·11		·02	·16	·16	·03		5
6			·03	·02		·05		·02		·03	·05		6
7	·38						·11	·35		·22		·05	7
8	·25		Snow ·26	·02			·72	·81	·12	·28	·12	·30	8
9	·02		·16	·02			·03	·01	·10	·16	·11		9
10	·21		·35	·20	·02			·12		·02			10
11	·05		·55	·07	·11			·09		·20	·08		11
12	·08		·03		·69			·01		·15	·01		12
13			·22					·11	·02	·05			13
14			·08	·10				·03					14
15							·02	·02	·04	·16		·09	15
16		·20	·01	·07				·02	·01	·73		·84	16
17		·06	·01	·21		·05	·28	·16	·55	·07			17
18		·10		·01		·10	·10		·32				18
19		·47	·03			·04	·01		·36				19
20		·10	·03		·32	·20			·02			·02	20
21			Snow ·26							·10			21
22			Snow ·06		·01			·08		·11			22
23		·23			·10			·07		·07			23
24		·10				·01	·27			·10	·02		24
25		·01	·04					·01	·07	·02			25
26			·02		·20		·01	·37	·09	·02	·03		26
27					·32	·33		·97					27
28			·06		·19	·40		·10				·01	28
29		·01	·02		·05	·11	·16			·35		·05	29
30		×	·13				·58	·15	·01			·10	30
31		×	·06	×		×	·03	·01	×	·37	×	·03	31
Total	1·11	1·33	3·07	1·11	2·01	1·49	2·92	3·98	1·88	3·67	1·37	1·50	YEAR'S TOTAL 25·44
Rain Days.	10	10	24	13	10	11	13	24	14	23	12	10	174

W. 8,000, IX. 17.

1.21

Exd ML80

18

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
9. 1. 10

Kept at New Barn, Abbotsbury
in the County of Dorset
by James C P White

Lat. Long.
Time of Observation 8. A.M.
Nearest Railway Station Abbotsbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·13		·04	·06			·44			·66	·07	1
2		·24		·15				·14			·06	·10	2
3		·08		·28	·18					·05	·04	·04	3
4		·03	·01	·01				·10	·30		·66	·11	4
5		·06	·18		·48			·35	1·03	·12		·07	5
6	·32	·10		·19				·20	·07			·16	6
7	·03	·15		·02	·14			·04	·15	·13	·20	·08	7
8	·03	·13							·04	·16	·03	·02	8
9	·04			·09		·09	·50		·44	·17		·43	9
10	·01			·21			·47		·06	·16		·53	10
11				·06			·11		·17	·05	·10	·04	11
12		·09	·08		·46				·10	·02		·04	12
13	·05				·02		·70		·50	·03		·01	13
14	·19		—		·02	·03	·05		·36	·22		·07	14
15	·84			·28	·02		·17		·01	·08		·14	15
16	·38		·02	·10					·37		—	·03	16
17	·16			·14			·44		·01			·10	17
18	·75		·02			·68	·01		·29			·26	18
19	·05		·21				·42		·02			·03	19
20	·06	·11	·02	·16		·02	·19	·03	·28	·05			20
21	·05	·02	·02				·36		·60	·08		·25	21
22	·05		·02		·02		·38		·15	·04		·10	22
23	·13				·04				·05			·03	23
24	·01	·21							·24		·14	·07	24
25	·02			·02				·58		·01	·08	·03	25
26	·02						·09		·01	·03	·13	·24	26
27		·11					·02	·06	·21	·02	·15	·02	27
28	·01	·05	·18	·02						·03	·02	·02	28
29	·02		·13						1·63	·02	·02	·04	29
30	·02	X	·50						·08	·04	·13	·02	30
31	·03	X	·20	X		X		·06	X	·05	X		31
Total	3·27	1·51	1·59	1·77	1·44	·82	3·91	2·00	7·17	1·56	2·42	3·15	YEAR'S TOTAL 30·61
Rain Days	23	14	13	15	10	4	14	10	25	21	14	29	192

W. 6,500, VII. 18. w w c

1507

JAN

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at New Barn, Abbotsbury

in the County of Dorset

by James C P White

Lat. Long.

Time of Observation 8. AM

Nearest Railway Station Abbotsbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39		·13		·01		·45			·12	·03	·76	1
2	·18		·02				·08		·25		·02	·02	2
3	·60		·50		·15		·02		·25		·03	·06	3
4	·56		·82		·02			·13	·33		·05	·01	4
5	·03	·30	·43						·13		·21	·04	5
6	·46	·46	·14		·02							·24	6
7	·33	·36	·26	·12									7
8	·30		·32										8
9	·06		·02	·17	·04				·02		·48		9
10	·18		·16	·06	·04					·02	·02	·14	10
11	·10		·09	·25	·22		·08					·07	11
12	·30		·03	·01	·02						·03	·03	12
13	·07	·14	·11	·40	·25						·01	·05	13
14	·44	·11		·18			·03		·03			·17	14
15	·24	·10		·08	·03		·08			·08		·28	15
16	·02	·80			·02						·08	·02	16
17	·02	·21									·06	·02	17
18	·02	·04	·88				·10	·02			·12		18
19	·70	·70	·64			·04	1·20	·10	·05		·05	·05	19
20	·46	·03	·04			·44		·19	·02		·03	·01	20
21	·01	·77					·03		·03		·01	·05	21
22	·01	·02					·09		·21		·02	·03	22
23			·02					·03		·40	·02	·02	23
24						·08	·01			1·76	·05	·10	24
25	·11	·02		·05		·04		·35			·02	·10	25
26	·06	·05	·04	·03				·04	·04		·02	·35	26
27	·11	·03	·06	·28			·33	1·04				·07	27
28	·02		·36					·89			·54	·67	28
29			·01	·06				·11		·06		·07	29
30		×		·13		·09		·25			·47	·67	30
31		×		×		×			×		×	·49	31
Total	5·78	4·14	5·08	1·82	·82	·69	2·50	3·15	1·36	2·44	2·37	4·59	YEAR'S TOTAL 34·74
Days with ·01 in. or more	26	16	21	13	11	5	12	11	11	6	22	27	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1421

6 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at New Barn Abbotsbury

in the County of Dorset

by James C P White

Lat. Long.
Time of Observation 8 A M
Nearest Railway Station Abbotsbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30		·04	·11	·33		·25		·02	·33	·23	·76	1
2	·30		·02	·14				·15	·14	·14		·08	2
3	·16	·01	·01	·03			·23			·30		·03	3
4		·05	·03				·36	·58		·16			4
5			·14	·12	·02		·22	·16		·05			5
6			·24		·33		·42	·01		·19			6
7	·03			·31			·28					·14	7
8	·03	·03		·25	·09		·25					·02	8
9	·40	·02	·04	·04		·15	·04	·02					9
10	·53	·04	·09	·09		·33	·50				·03		10
11	·25	·02	·15	·53	·21	·03	·27						11
12	·26	·02		·21	·07	·14	·02				·01	Snow ·35	12
13	·16	·01	·61	·02							·05		13
14	·05	·02	·33	·51			·07		·25	·04	·19	·02	14
15	·13	·03	·08	·10	·15	·17			·05	·75	·03		15
16	·02	·01	·01			·03	·13		·14	·04			16
17				·13	·15		·06		·25				17
18	·07	·01	·01	·03	·04	·26			·02			·01	18
19	·03			·27		·09			·28				19
20	·04	·05		·08		·76	·02	·44				·04	20
21	·01						·30		·01	·02		·21	21
22	·05			·35			·02					·34	22
23	·01						·12	·08				·38	23
24	·01		·12								·39	·06	24
25	·09	·02	·14		·14		·56				·02	·01	25
26	·44	·01	·15		·02		·01					·11	26
27		·01	·01	·05		·14					·10	·20	27
28	·94	·03	·14	·11	·02		·11		·02		·03	·08	28
29	·23	·02	·34	·02					·01		·13	·19	29
30	·10					·15	·05		·35		·49	·25	30
31	·04		·23				·01			·36		·20	31
TOTAL	4·68	·41	2·93	3·50	1·57	2·25	4·30	1·44	1·54	2·38	1·70	3·48	YEAR'S TOTAL 30·18
Days with ·01 in. or more	26	18	21	21	12	11	23	7	12	11	12	20	194
Days with ·04 in. or more	19	3	15	17	9	9	18	5	7	10	7	15	134

88

FORM A2.
BRITISH RAINFALL.
26 JAN 1912
305

REGIST

DORSET.

ASHMORE RECTORY

1911 – 1919

Kept at Ashmore
in the County of Dorsetshire
by Rev. A. J. Reed

in.
Ground 1 ft. 3 in.
Sea Level 700 ft.

ame
istance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12		·05								·02	·07	1
2	·02		·03	·40	·33			·07			·22	·32	2
3					·15			·01			·07	·15	3
4	·01		·14	·02							·22	·53	4
5	·19		·02	·02		·62		·14			·06	·03	5
6	·15		·17								·42	·89	6
7	·02		·01									·05	7
8	·08		·26							·04	·12	·54	8
9	·16		·02								·05	·67	9
10	·11		·31		·68						·02	·38	10
11	·53	·06			·01						·86	·06	11
12			·81		·05			·25			·04	·33	12
13		·07	·01						·70		·01	·34	13
14		·02										·72	14
15		·01	·03							·02	·23	·06	15
16	·01	·02				·43					·65	·66	16
17		·17	·03			·20					·39	·63	17
18		·21		·05	·09	·44				·07	·04	·55	18
19		·06	·04			·10			·27	·26	·01	·77	19
20	·04		·17	·05				·11		·11		·84	20
21	·21			·01		·01		·01	·01	·66		·04	21
22		·06	·39			·24			·25	·24		·45	22
23	·02	·14	·06			·08		·13		·14	·07	·34	23
24		·18				·70			·02	·44		·16	24
25	·01	·03		·35				·12	·07	·12		·12	25
26		·04	·02	·11	·04	·01		·05	·01	·15	·01	·49	26
27		·55	·14	·14					·11	·17	·06	·23	27
28		·17	·01	·36				·15			·11		28
29				·73		·30	·12	·04	·20	·36	·01		29
30				·61		·18				·24	·04		30
31										·03		·03	31
Total	1·68	1·79	2·72	2·85	1·35	3·31	·12	1·08	1·64	3·05	3·73	10·45	TOTAL for year 33·77
No. of Rain Days	15 ~~13~~	16✓	22 ~~15~~	17 ~~16~~	7	13 ~~14~~	1	11 ~~13~~	10 ~~11~~	15	24 ~~25~~	28	(174)

9,000, IX. '10.

88

308

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIST

Kept at Ashmore Rectory

in the County of Dorsetshire 4

by Rev. A. J. Reed

RAIN GAUGE	Diameter of top	8 in.
	Height of top above Ground	1 ft. 3 in.
	" " " Sea Level	700 ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12		·05								·02	·07	1
2	·02		·03	·40	·33			·07			·22	·32	2
3					·15			·01			·07	·15	3
4	·01		·14	·02							·22	·53	4
5	·19		·02	·02		·62		·14			·06	·03	5
6	·15		·17								·42	·89	6
7	·02		·01								×	·05	7
8	·08		·26							·04	·12	·54	8
9	·16		·02								·05	·67	9
10	·11		·31		·68						·02	·38	10
11	·53	·06	×		·01						·86	·06	11
12			·81		·05			·25			·04	·33	12
13		·07	·01						·70		·01	·34	13
14		·02										·72	14
15		·01	·03							·02	·23	·06	15
16	·01	·02				·43					·65	·66	16
17		·17	·03			·20					·39	·63	17
18		·21		·05	·09	·44				·07	·04	·55	18
19		·06	·04			·10			·27	·26	·01	·77	19
20	·04		·17	·05				·11		·11		·84	20
21	·21		×	·01		·01		·01	·01	·66		·04	21
22		·06	·39			·24			·25	·24		·45	22
23	·02	·14	·06			·08		·13		·14	·07	·34	23
24		·18				·70			·02	·44		·16	24
25	·01	·03		·35				·12	·07	·12		·12	25
26		·04	·02	·11	·04	·01		·05	·01	·15	·01	·49	26
27		·55	·14	·14					·11	·17	·06	·23	27
28		·17	·01	·36				·15			·11		28
29				·73		·30	·12	·04	·20	·36	·01		29
30				·61		·18				·24	·04		30
31										·03		·03	31
Total	1·68	1·79	2·72	2·85	1·35	3·31	·12	1·08	1·64	3·05	3·73	10·45	TOTAL for year 33·77
No. of Rain Days	15 ~~13~~	16	22 ~~15~~	17 ~~16~~	7	13 ~~11~~	1	11 ~~13~~	10 ~~11~~	15	24 ~~25~~	28	(174)

9,000, IX. '10.

JL

Ex. S. C.

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Ashmore Rectory

in the County of Dorsetshire 4

by Rev. A. J. Reed

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01						·75	·34	·04	·69	·03	·40	1
2	·01		·29			·30	·39	·10			·02	·06	2
3	·01		·19	·06		·20	·01		·04		·34		3
4	·22		·69			·61		·70					4
5	·58		·12			·68		·02	·01		·01	·26	5
6	·60	·20	·06		·19		·04	·85				·09	6
7		·50	·70		·33		·02	·57			·02		7
8	·43	·14	·05	·04		·54	·10	·85			·01	·23	8
9	·04	·06	·15	·14		·69	·02	·90				·60	9
10	·01	·13	·05			·01	·02	·12		·02	·09	·29	10
11	·07	·26	·01			·04	·01	·13				·41	11
12	·10	·05	·09		·04		·04	·21				·01	12
13		·04	·04					·03		·02	·03	·10	13
14	·27	·08	·29					·24		·03		·01	14
15	·25	·06	·02		·10	·78		·03				·35	15
16	1·02	·03	·44					·16		·09	·04		16
17			·21			·06		·90				·18	17
18	·50	·04	·19					·28		·05	·01		18
19	·01	·22	·14				·18	·37		·02	·03	·05	19
20	·10	·08	·49		·13			·47		·33	·08		20
21	·01	·26	·20		·40		·18	·26		·27	·02		21
22	·34	·17	·16			·26	·06	·96		·03	·03	·05	22
23	·17	·39	·12		·01			·10	·01	·05	·25	·25	23
24	·17		·02			·35	·04	·90		·07		·28	24
25	·15	·07				·21	·01	·10		·26	·29	·72	25
26	·01						·38	·29			·54	·25	26
27		·06					1·00	·18		1·31	·02	·31	27
28		·04				·23			·13	·83	·53	·50	28
29		·35	·03			·06	·40	·65	1·83	·86	·01		29
30						·35	·05	·09	·64	·29		·01	30
31			·73				·05			·06		·14	31
Total	5·08	3·23	5·48	·24	1·20	5·37	3·75	10·80	2·70	5·28	2·40	5·55	TOTAL for year 51·08
No. of Rain Days.	24 ~~17~~	21	25	3	7	17	20	28	7	19	20	28	219

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
6- JAN 1914

REGISTER OF RAINFALL IN 19*13*

Kept at Ashmore Rectory E+BL

in the County of Dorset 4

by Revd. A. J. Reed

Lat. 50° 57½′ Long. 2° 7½ W.
Time of Observation 9.45 AM.
Nearest Railway Station Semley
Diameter of Rain Gauge Eight in.
Height of top of Gauge above Ground — ft. 15 in.
" " " " Sea Level abut 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.21	.17	.04	-	.05	-	-	.45	-	-	.31	1
2	.03	.07	-	.03	.06	-	-	-	.02	.58	.19	.04	2
3	.64	.01	.04	.08	.63	-	-	-	-	-	.25	.11	3
4	.68	-	.02	-	.60	-	-	-	1.58	.24	.10	.12	4
5	.12	.03	-	-	.20	.30	.37	-	.42	-	.11	.14	5
6	.13	.07	.35	-	.18		-	-	-	.88	.12	.64	6
7	.15	.33		-	.54	-	-	.08	-	.49	.21	.01	7
8	-	.04	-	-	.30	-	-	.05	-	.03	.25	.05	8
9	-	.14	-	-	.09	.07	.12	.13	.07	.02	.48	.03	9
10	1.07	-	.07	.02	.08	-	.04	.02	-	.44		-	10
11	.08	-	-	.34	.19	-	-	-	-	.07	.58	.01	11
12		-	-	-	.74	-	-	-	.03	.02	.34	-	12
13	.08	-	.06	-	-	-	-	-	.16	-	.17	-	13
14		-	.18	-	.04	-	-	-	.10	-	.25	-	14
15	.15	.15	.80	.45	-	-	.17	.05	.08	-	.02	-	15
16	.32	-		.18	-	-		-	.03	-		-	16
17	.34	.03	.38		-	.10		-	-	-	.03	-	17
18	.12	-		.09	-	.05	.07	-	.01	.03	.07	-	18
19	1.27	-	.10		.08	-		-	.55	-		-	19
20	-	-	.10	.22	-	.19		-	-	.39	.23	-	20
21	.02	-	.49	.34	-	-		-	-	.05	.69	-	21
22	.68	-	.23	.01	.01	.02	-	.10	.28	-	.04	.10	22
23	.01	-	.01	-	-	-	-	-	-	-	-	.75	23
24	.04	.04	-	.11	-	-	-	-	.01	.03	-		24
25		-	-	.18	-	-	-	-	-	.01	.02	.37	25
26	.18	.18	-	.63	-	-	-	.31	.01	.04	.02		26
27		-	.28		-	-	-	-	-	.06	-	.04	27
28		-	.05	.20	-	-	-	.05	-	.30	-		28
29	.14		.55	.55	-	-	-	.03	.02	.33	-	-	29
30	.42		-	.06	.08	-	-	.01	-	.62	.01	-	30
31	.10		.04		.02	-	-	.92		.23		-	31
Total	6.78	1.30	3.92	3.53	3.84	.78	.77	1.75	3.82	4.86	4.18	2.72	YEAR'S TOTAL 38.25
Rain Days.	23	12	14	20	19	16	7	6	11	16	20	14	178

? Days

DL/

291 B

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Ashmore

in the County of Dorsetshire 4

by A. J. Reed

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01	.12								1.00	.08	1
2			.17					.75			1.06	.26	2
3		.01	.02	.14	.51		.85				.02		3
4	.15		.07	.26	.11			.98				.27	4
5	.06		.15	.33	.13		.79	.21			1.30	.01	5
6	.01	.36	.03	.15	.03	.09	.02	.04			.03		6
7			.06		.12		.17	.24				.50	7
8	.06	.98	.66	.11	.11	.13			.81			.04	8
9	.12		.14	.26	.05	.32		.19				.21	9
10		.50		.08				.03	.33		.02		10
11		.30	.63		.41	.03	.31		.30				11
12			.19	.01			.01		.35	08	.15	1.90	12
13		.47	.36						.11	.13	.27		13
14		.28				.44	.38	.43		.47	.36	.36	14
15			.46				.32	.29		.05	.24		15
16							.12		.25			.01	16
17		.53	.24				.01				.01	.65	17
18		.05	.10									.48	18
19		.11	.43			.19	1.34				.09		19
20		.69	.09									.48	20
21		.86				.18	.01			.10		.01	21
22		.13	.04		.25	.12	.06			.50			22
23			.25			.02	.10			.30		.08	23
24		.13					.17			.06	.12		24
25			.31				.23	.30		.29	.05	.33	25
26		.01	.09				.06	.04		.09		.62	26
27	.20	.01	.02								.47		27
28	.01	.01			.01		.04					1.12	28
29	.01		.41		.23					.37	1.78	.03	29
30	.29		.09		—					.19	.41	.86	30
31	.11						.12			1.00		.21	31
Total	1.02	5.44	5.13	1.34	1.96	1.52	5.11	3.50	2.15	3.63	7.38	8.51	YEAR'S TOTAL 4669
Rain Days.	11	21	25	9	12	11	21	14	8	13	20	27!	([illegible]5)

W.7,000, XI. 13

8L

Ins-any est. by obr.

1769
293

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.

Kept at Ashmore

in the County of Dorsetshire 4

by A. J. Reed

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·35	29						2.95				·25	1
2		·19	21	·08	·02	·11			29	·28		·48	2
3	·92	·08	17									·43	3
4	·02		·01		·08					·09		·71	4
5		1·08	·02						·01				5
6	·95			·62								·19	6
7	·27	·90			·35		·85				·01	·24	7
8	·08	·50		·12			·15				·38	·10	8
9		·10		28								·45	9
10	·34	·02	·03							·03		·17	10
11	·05										·80	·01	11
12	·16	·65	·04	·25	·71					·06	·20	–	12
13	·03	·36			·73				·16	·01	·07	·07	13
14		·08							·09			·91	14
15	·12	·01					·43			·01	·08	·30	15
16		1·14			·45		1·06		·01			·09	16
17					·35					·01		·01	17
18		·14			·05							·01	18
19	·01						·12			·01			19
20	·31			14	·35					·09		·15	20
21	·09	·43					·12		·01	·58		·22	21
22	·08	·21	·50				1·01		·02	·05		–	22
23		·08	·10	10					·20	1·50		·51	23
24			·01				·14		·52	1·40		·62	24
25				·09					·01	·06			25
26	·01			·06			·46					·83	26
27						·39				·53		–	27
28		·20								·07	·01	–	28
29						·52			·64		·24	·33	29
30	·14	X								·64	·56	·25	30
31	·01	X		X		X			X	1·20	X	·30	31
Total	3·94	6·46	1·09	1·74	3·09	1·02	~~4·44~~ 8·49	~~[illegible]~~	1·96	6·62	2·35	7·63	YEAR'S TOTAL (44·39)
Rain Days.	22	21	11	9	11	5	12	21	12	22 20			

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
5 JAN 19

REGISTER OF RAINFALL IN 1916

Kept at Ashmore Rectory
in the County of Dorset
by Revd. A. J. Reed

Lat. 50° 57½ Long. 2° 7½ W.
Time of Observation 9.45 AM
Nearest Railway Station Semley
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 15 in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.21			.50						.50(?		1
2			.03		.02	.49					.25		2
3		1.04			.02						1.84		3
4	.72	.24	.04		.09		1.18		.43	.75		.01	4
5		.03	.05		.35	.21				.20	1.65		5
6	.08	.12			.20					.08			6
7	.01	.14	.30								1.20	.20	7
8	.01				.31						.10	.13	8
9		.01			.07		.09				.04		9
10	.04	.65	.02	.11		.63					.02	.30	10
11	.02			.26	.01					.11		.05	11
12	.10		.20	.24	.12		.18			.13			12
13		.28			.16			.37		.01			13
14	.05	.45						.05					14
15		.15			.02			.96		1.02			15
16		.11	.01	.33	.01		.02						16
17	.21	.37		.18					.35				17
18	.03	.12	.15						.06				18
19			.50	.18					.01		.42		19
20	.01	.10	.46	.26					.03			2.70	20
21	.04	.06	.13		.05			.03					21
22	.03									.65			22
23		.08	.01	.09							.33		23
24					.35			.02		.45			24
25			1.11			.49		.61		.80			25
26		1.80						.28	.40				26
27						.03	.50	.16	.46				27
28			.06						.30	.97	.10	1.10	28
29								2.38	.65				29
30		✕								.57			30
31		✕		✕		✕		.08	✕	.45	✕	.06	31
Total	1.60	5.96	3.07	1.65	2.28	1.85 ~~1.82~~	1.97	4.94	2.69	6.19	6.45	4.55	YEAR'S TOTAL 43.20
Rain Days.	17	22	20	11	16	?	?	?	?	?	?	?	

W. 8,000. X. 14.

1652

FORM A.
BRITISH RAINFALL.

26. JAN 191

REGISTER OF RAINFALL IN 1917

Kept at Ashmore Rectory

in the County of Dorset

by Revd. A. J. Reed

Lat. 50° 57½′ Long. 2° 7½′

Time of Observation 9.45 a.m.

Nearest Railway Station Semley L&S.W.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 15 in.

" " " " Sea Level 700. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.19			.53	1.12			.39		1
2	.01		.13	.41					.01		.23		2
3				.03									3
4		.09	.35					.09	.27				4
5			.05			.10						.23	5
6			.33								.15		6
7	1.00							.19		1.00			7
8			.23				.62	.74			.27		8
9				.02					.16				9
10	.10		.90	.41	.09			.19					10
11								.02		.24	.02		11
12			.02							.30			12
13			.20	.32			-	.13			.01		13
14			.15							.01			14
15							.50	.03					15
16	.02				.36			.22	.75	.75	.02		16
17		.15		.29			.39			.30			17
18	.01	.05				.15	.10						18
19	.03	.45	.22					.30					19
20			.05		.36								20
21		.05	.29										21
22		.33						.10		.03			22
23					.13			.13		.27	.05		23
24							.06	.01					24
25		.24	.02							.03			25
26					1.52			.55			.18		26
27								1.15				.83	27
28						2.10	.06	.37					28
29			.40							.75			29
30		X					.56		.75				30
31		X		X		X		.12	X		X		31
Total	1.17	1.36	3.34	1.67	2.46	2.35	2.84	5.46	1.94	3.68	1.32	1.06	YEAR'S TOTAL 28.65
Rain Days.	1.17												

W. 8,000, IX. 17.

[illegible] cnd for auth by JB

69

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

28. 1. 19

Kept at Ashmore Rectory
in the County of Dorset.
by Revd. A. J. Reed

Lat. 50° 57½' Long. 2° 7½'
Time of Observation 9.45 a.m.
Nearest Railway Station Semley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 15 in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following: .16

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		.03											
1		.39		.22	.09			.78					1
2	.16							.21	.18	.50?	2.23		2
3			.10		.20			.52					3
4		.08			.08								4
5		.07	~~20~~	.20				.47	1.80				5
6	.17	.12						.02		.28			6
7		.20	.~~28~~	.38	.45			.04					7
8		.17								.41			8
9		.02				1.35	.63		.52			.65	9
10	.10			.09			.40			.33			10
11							.60		.29				11
12		.09			.45		.70						12
13	.59				.09				.54				13
14			.17	.62	.02		.68						14
15									.16				15
16							.01		.33				16
17	1.91			.20			.52		.05				17
18	.60						.07						18
19			.17	.03			.18		.43				19
20	.32	.09		.22		.06			.21				20
21		.08					1.00			.62			21
22	.07				.15								22
23	.21				.25								23
24		.25					.18		1.90		1.23		24
25	.01							.83					25
26													26
27		.15	.50					.16					27
28	.01	.06											28
29													29
30	.01	X	.75										30
31	.02	X		X		X			X		X	3.00	31
Total	4.18	1.80	1.69	1.96	1.78	1.41	4.97	3.03	6.41	2.14	3.46	3.65	YEAR'S TOTAL 36.48
Rain Days.													

W, 6,500, VII. 18. w w c

1556

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ashmore Rectory
in the County of Dorset
by Revd. A. J. Reed

Lat. 50° 57½' Long 2° 7½'
Time of Observation 9.45 a.m.
Nearest Railway Station Semley Station
Diameter of Funnel of Rain Gauge 8 in in.
Height of top of Gauge above Ground • ft 15 in.
" " " " Sea Level 700 ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	6.09	2.77	2.12	2.01	1	35	2.21	5.10	1.75	1.45	3.75	5.74	YEAR'S TOTAL 34.34 ✓
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Wrote re 28 II 13

Kept at Hamil

in the County of

by FIENNES

IMPORTAN
previous day.
requested to add
for it at the end
the selection and
Organization are
Dr. H. R. Mill,

BEAMINSTER

HAMILTON LODGE

DORSET

1912 — 1920

912

FORM A.
BRITISH RAINFALL.

4 - JAN 191

Long. 2.44

n 9.0 a.m.

tation Bridport (GWR) 5 miles

Gauge 5 in.

uge above Ground – ft. 12 in.

„ Sea Level 210. ft.

n. and the result entered to the
st universal rule, he is earnestly
ng year in the space provided
easurement of rain,
he British Rainfall
e on application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·14			·41	-	-	·04	·77	-	·35	1
2			·61	·01		·01	·13	-	-	·02	-	·01	2
3			·25			·38	·03	·86	·01	-	·01	·06	3
4	·13	·01	1·16			·23	-	·08	-	-	·31	-	4
5	·78	·25	·31		·01	·02	-	·81	-	-	·01	·23	5
6	·54	·06	·01		·34	·14	·33	·40	-	-	-	·01	6
7	·08	·53	·25		·08	·81	·01	·14	-	-	-	·30	7
8	·65	·35	·64	·01			-	·08	-	-	-	·03	8
9	·12	·02	·32	·03		·05	·06	·11	-	-	-	·42	9
10	·09	·16					·04	·25	-	-	·01	·37	10
11	·05	·04				·07	·01	·02	-	-	·04	·54	11
12	·02	·42	·22	·05			·05	·28	-	·02	-	·02	12
13		·01	·02				-	-	-	-	·02	·09	13
14	·24		·47		·13		-	·06	-	-	-	·07	14
15	·42	·35		·02	·18	·56	-	·01	-	-	-	·21	15
16	·95	·05	·64		·09	·01	-	·27	-	·16	·05	-	16
17	·79	·01	·17		·02	·10	-	1·49	-	-	-	·02	17
18	·12	·03	·09				-	·30	-	·02	·01	·03	18
19	·01	·04	·07			·03	·10	·17	-	-	·01	-	19
20	·02	·03	·38		·08		·01	·23	-	·29	-	-	20
21		·34	·24		·54		-	·16	-	·12	-	-	21
22	·46	·61	·08		·12	·03	·10	·06	-	·09	·03	·13	22
23	·44	·47	·30			·04	-	·67	-	·09	·15	·23	23
24	·09	·05	·02			·50	-	·18	-	-	-	·29	24
25	·10					·10	-	·37	-	·19	·27	·53	25
26		·04					·04	·18	-	·55	·60	·37	26
27		·06	·03 ·03			·49	·79	-	-	1·12	-	·44	27
28		·10				·24	·09	·41	·24	·83	·55	·61	28
29		·19				·15	·09	·08	·83	·65	·03	·02	29
30			·01		·04	·14	·08	·01	·42	·16	-	-	30
31			·45				·32	-	-	·02		·25	31
Total	6·10	4·22	6·88✓	0·12	1·63	4·51	2·28	7·68	1·54	5·10	2·10	5·63	YEAR'S TOTAL 47·79✓
Rain Days.	20	24	24	5	11	21	17	26	5	16	15	25	209✓

W. 7,500, XI. ·12

Wrote ~ 28 II 13 Corrected

FORM A.
BRITISH RAINFALL.

4 - JAN 19

"Fleet

9|2

Long. 2·44

~~Kept~~ at Hamilton Lodge, Beaminster = July - Dec.

in the County of Dorset.

by FIENNES TROTMAN,

Time of Observation 9·0 a.m.

Nearest Railway Station Bridport (GWR) 5 miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 12 in.

" " " " Sea Level 210. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14			·41	-	-	·04	·77	-	·35	1
2			·61	·01		·01	·13	-	-	·02	-	·01	2
3			·25			·38	·03	·86	·01	-	·01	·06	3
4	·13	·01	1·16			·23	-	·08	-	-	·31	-	4
5	·78	·25	·31		·01	·02	-	·81	-	-	·01	·23	5
6	·54	·06	·01		·34	·14	·33	·40	-	-	-	·01	6
7	·08	·53	·25		·08	·81	·01	·14	-	-	-	·30	7
8	·65	·35	·64	·01			-	·08	-	-	-	·03	8
9	·12	·02	·32	·03		·05	·06	·11	-	-	-	·42	9
10	·09	·16					·04	·25	-	-	·01	·37	10
11	·05	·04				·07	·01	·02	-	-	·04	·54	11
12	·02	·42	·22	·05			·05	·28	-	·02	-	·02	12
13		·01	·02				-	-	-	-	·02	·09	13
14	·24		·47		·13		-	·06	-	-	-	·07	14
15	·42	·35		·02	·18	·56	-	·01	-	-	-	·21	15
16	·95	·05	·64		·09	·01	-	·27	-	·16	·05	-	16
17	·79	·01	·17		·02	·10	-	1·49	-	-	-	·02	17
18	·12	·03	·09				-	·30	-	·02	·01	·03	18
19	·01	·04	·07			·03	·10	·17	-	-	·01	-	19
20	·02	·03	·38		·08		·01	·23	-	·29	-	-	20
21		·34	·24		·54		-	·16	-	·12	-	-	21
22	·46	·61	·08		·12	·03	·10	·06	-	·09	·03	·13	22
23	·44	·47	·30			·04	-	·64	-	·09	·15	·23	23
24	·09	·05	·02			·50	-	·18	-	-	-	·29	24
25	·10					·10	-	·37	-	·19	·27	·53	25
26		·04					·04	·18	-	·55	·60	·37	26
27		·06	·03 ·03			·49	·79	-	-	1·12	-	·44	27
28		·10				·24	·09	·41	·24	·83	·55	·61	28
29		·19				·15	·09	·08	·83	·65	·03	·02	29
30			·01		·04	·14	·08	·01	·42	·16	-	-	30
31			·45				·32	-		·02		·25	31
Total	6·10	4·22✓	6·88✓	0·12	1·63	4·51	2·28	7·68	1·54	5·10	2·10	5·63	YEAR'S TOTAL 47·79✓
Rain Days.	20	24✓	24	5	11	21	17	26	5	16	15	25	209✓

W. 7,500, XI. ·12

✓ Ex 3d

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
4 JAN 1914

Kept at Hamilton Lodge, Beaminster
in the County of Dorset 3
by Fiennes Trotman

Lat. 50 48 Long. 2·44
Time of Observation 9 a.m.
Nearest Railway Station Bridport G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 12 in.
" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·36	·28	·06	·02				·18	·02	·29		1
2	·09	·06	·02	·03	·23		·08		·02	·07	·19	·01	2
3	·19		·06	·05	·30				·02			·21	3
4	1·52		·10	·02	·33				·09	·32	·07	·06	4
5	·23	·05	·03		·12	·08			·56		·21	·18	5
6	·03	·09	·18		·05	·22	·04			1·59	·03	·41	6
7	·01	·48	·05		·53	·08	·22			·38	·39	·01	7
8	·01	·18		·01	·30		·02					·02	8
9		·06			·11	·04	·05	·06	·01	·11	·38	·01	9
10	·37	·01	·02	·01	·04	·02		·07		·08	·30		10
11	·94	·01		·15	·14	·01				·07	·30	·01	11
12					·44				·03	·02	·18	·01	12
13	·14		·01	·01				·12	·61		·11		13
14	·29		·12	·02					·20		·02		14
15	·27	·02	·35	·69				·06	·61		·09		15
16	·13		·46	·09		·02			·07				16
17	·02		·03	·01					·01				17
18	·03		·35	·13							·10		18
19	1·00		·05		·01	·03	·01		·70	·01			19
20	·08		·11	·15		·03			·01	·18	·31		20
21			·12	·44	·02			·04		·10	·70		21
22	·46		·41	·18		·05	·01	·01	·16	·01		·11	22
23	·01		·02			·02					·19	·64	23
24	·01	·01		·08									24
25		·06		·25								·02	25
26		·01		·58				·28				·16	26
27	·07		·23	·50				·01		·04		·01	27
28	·30		·04	·46						·26		·01	28
29	·17		·50	·32	·01			·04		·43		·04	29
30	·64							·03		·63			30
31	·12		·05				·16	·89		·15			31
Total	7·14	1·40	3·59	4·24	2·65	·60	·59	1·61	3·28	4·47	3·86	1·95	YEAR'S TOTAL 35·38
Rain Days.	26	13	23	22	15	11	8	11	15	18	17	17	196

W.7,000, XI. 13

E41MC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Hamilton Lodge, Beaminster
in the County of Dorset 3
by [illegible]

Lat. 50·48 Long. 2·44
Time of Observation 9. a. m.
Nearest Railway Station Crewkerne L&SWR Bridport G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 210. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·01		·03	·17	·51			·23	·08	1
2					·10	·01	·46	·03			1·73	·38	2
3			·06	·16	·65		·02	·06			·16	·05	3
4	·11		·03	·39	·09		·24	·62			·64	·50	4
5	·04		·10	·18	·17		·10				·07	·06	5
6		·35	·02	·09	·08		·01	·02				·38	6
7	·01	·86	·07	·10	·08	·02	·20	·12	·03			·55	7
8	·03	·01	·55	·02	·13	·11		·15	·03			·13	8
9	·02	·01	·66	·28	·09	1·79		·07	·84				9
10	·09	·44	·02	·14	·06	·04			·40			·01	10
11		·18	·59	·01	·09	·14	·15				·01	·45	11
12		·10	·16						·27	·03		·56	12
13		·75	·48				·03		·10	·22	·29	·61	13
14		·43	·29			·44	·15	·64	·03	·25	·52	·10	14
15	·04		·25				·18	·50	·02	·06	·21	·02	15
16			·01						·81				16
17		·73	·17						·01			1·02	17
18		·05	·09				·60		·06			·34	18
19		·11	·57						·10		·08	·14	19
20		·56	·22			·02	1·91					·63	20
21		·72	·06			·07				·28		·02	21
22		·05	·02		·26	·03	·10	·04		·36			22
23		·18	·38		·03		·02			·28		·01	23
24		·05	·03		·05					·43	·07	·04	24
25	·04		·45				·06	·84		·76	·06	·49	25
26	·01	·02	·11				·08	·65		·06	·28	·73	26
27	·16	·01									·09	·40	27
28	·02	·40	·52		·02		·04			·01	·34	1·14	28
29	·31		·29		·14		·06			·09	·64	·02	29
30	·02	X	·14							·38	·56	·77	30
31	·13	X		X	·06	X	·47		X	·69	X	·16	31
Total	1·03	6·01	6·36	1·38	2·10	2·70	5·05	3·65	2·70	3·90	5·98	9·79	YEAR'S TOTAL 50·65
Rain Days.	14	20.	28	10	16	11.	20	13	12	14	17	28.	203.

W. 8,000. X. 14.

Ex JL

1605

FORM A. BRITISH RAINFALL. 8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hamilton Lodge, Beaminster

in the County of Dorset 3

by Fiennes Trotman

Lat. 50·48 Long. 2·44

Time of Observation 9.0 a.m.

Nearest Railway Station Crewkerne L&SWR Bridport G.W.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 12 in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
15 1	1.03	·20	—	—	—	—	—	.25	·18	·28	.04	·32	1
2	·53	·22	·16	·09	—	·02	—	·28	·08	·11	—	·28	2
3	·06	·14	·16	·04	·15	—	—	—	—	·12	—	·49	3
4	·06	·08	—	—	·01	—	—	—	—	—	—	·49	X 4
5	·07	·46	—	·21	·01	—	·02	·24	—	—	—	·59	5
6	·79	·14	—	·46	—	—	·65	·01	—	—	—	·18	6
7	·25	·87	—	·16	—	—	·18	·01	—	—	—	·26	7
8	·11	·38	—	—	—	—	—	·07	—	—	·02	·05	8
9	—	·03	—	·03	—	—	—	—	—	—	·40	·78	9
10	·24	·09	·04	·05	—	—	—	—	—	·03	—	·10	10
11	·16	·10	·02	·16	—	—	—	—	—	·01	1.10	·05	X 11
12	·30	·54	—	·10	·52	—	—	·09	—	·10	·43	—	12
13	·02	·34	—	—	·70	—	—	—	·09	—	·08	·01	13
14	·03	·05	—	—	—	—	·16	·14	·08	—	—	2·06	14
15	·14	·01	—	—	·21	—	·10	·01	·01	·03	·09	·13	15
16	—	1·94	—	—	·36	—	1.49	—	—	—	—	·13	16
17	—	·53	—	—	·09	—	—	·15	—	—	—	·01	17
18	—	·29	—	—	—	—	—	—	—	—	—	—	18
19	·01	—	—	—	·33	—	·14	—	—	—	—	—	19
20	·16	—	—	·09	—	·03	—	—	—	·03	—	·05	20
21	·20	·33	—	—	—	·01	·11	—	·02	·90	—	·08	21
22	·17	·08	·34	·03	—	·05	·93	—	·01		—	·36	22
23	—	·01	·14	—	—	—	·12	—	·45	1·99	—	·36	23
24	—	—	—	·07	—	—	·08	—	·25	·37	—	·54	24
25	—	—	·05	·10	—	·41	·01	—	·01	—	—	·25	25
26	·01	·20	—	—	—	·12	·16	—	·06	—	—	·99	X 26
27	—	·09	—	—	—	·21	·04	—	·05	·77	—	—	27
28	—	·02	—	—	—	·16	—	·02	·44	·05	·02	·03	28
29	—	X	—	—	—	·21	·07	·01	—	·01	·39	·02	29
30	·16	X	—	—	—	·05	—	—	—	·85	·61	·44	30
31	—	X	—	X	—	X	·17	·01	X	·93	X	·30	31
99 Total	4.50	7.14	·91	1.59	2.38	1.27	4.43	1.29	1.73	6.58	3.18	9.35	YEAR'S TOTAL 44·35
Rain Days.	20	24	7	13	9	10	16	13	13	16	10	27	178

W. 8,000. X. 15.

1706
1605

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Hamilton Lodge
Beaminster
in the County of Dorset
by Fiennes Trotman

Lat. 50·48 Long. 2·44
Time of Observation 9. a. m.
Nearest Railway Station Crewkerne 6 miles ~~Bridport 5 miles~~
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 12 in.
" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date. 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·02	·04	—	·19	·03	—	—	·38	·21	·45	—	1
2	·16	·08	·01	—	·01	—	—	—	·01	·40	·07	—	2
3	·04	1·31	—	—	·10	·01	—	—	·02	·90	·37	—	3
4	·16	·24	—	—	·11	·48	—	—	·02	·01	·63	—	4
5	·01	·09	·05	·01	·16	·13	—	—	—	·04	·28	—	5
6	·03	·13	·03	—	·11	·03	1·01	—	—	·16	1·03	—	6
7	·02	·09	·41	—	·04	·04	·16	—	—	·12	·88	·19	7
8	—	·11	·20	—	·37	—	—	—	—	—	·12	·28	8
9	—	·09	—	—	·10	·04	·02	—	—	·05	·04	·18	9
10	—	·61	—	·05	·14	·02	·11	—	—	—	·13	·15	10
11	—	—	·06	·02	·01	·02	—	—	·01	—	—	—	11
12	·05	·08	·07	·05	·19	—	·09	·05	—	·02	—	—	12
13	—	·31	·17	·03	—	—	·11	·21	—	—	—	—	13
14	·04	·60	—	·02	·03	—	—	·17	—	·09	—	—	14
15	·01	·13	·06	·05	—	—	—	·35	—	—	—	—	15
16	·16	·09	—	·32	—	—	·05	·32	·01	·11	—	—	16
17	·34	·19	—	·08	—	—	—	·02	·24	·72	·72	—	17
18	·01	·02	·14	·01	—	—	—	—	·14	·03	·13	·13	18
19	·17	—	·68	·02	—	—	—	—	—	—	·15	·11	19
20	·13	·56	·23	—	—	—	—	—	—	—	·18	1·77	20
21	·01	·17	·30	—	·09	·01	·01	—	—	—	—	·47	21
22	—	—	·01	—	—	·09	—	·03	—	·33	—	·65	22
23	—	·15		·04	—	·10	—	·19	—	·03	·23	·03	23
24	—	·04		·14	·86	·01	—	·10	—	·94	·12	·33	24
25	—	·78	·03	—	—	—	—	·63	·01	—	·15	·05	25
26	—	·26	·03	—	—	·49	—	·30	1·21	·93	·03	—	26
27	—	·06	1·09	—	—	·01	—	·04	·31	·38	—	·01	27
28	—	·30	·04	—	—	—	—	·23	·25	·89	·01	·38	28
29	—	·49	·01	—	—	·59	—	2·13	·27	·18	—	·25	29
30	—	✕	—	—	—	—	—	·01	·01	·85	—	·01	30
31	—	✕	—	✕	—	✕	—	·08	✕	·30	✕	·01	31
99 Total	1·64	6·98	3·66	·84	2·49	2·10	1·56	5·86	2·92	9·67	5·72	5·00	YEAR'S TOTAL 46·44
Rain Days.	16	26	20	13	15	16	8	16	14	22	19	17	202

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

1605

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Hamilton Lodge, Beaminster

in the County of Dorset

by F. Trotman

Lat. 50·48 Long. 2·44

Time of Observation 9 am

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·11	·37	—	·21	—	·51	—	—	·05	—	1
2	—	—	—	·06	—	·27	—	·06	—	—	—	—	2
3	·05	—	—	·05	—	—	·49	·03	—	·13	·52	—	3
4	—	12	·37	·35	—	—	—	—	—	·29	—	·01	4
5	·10	—	·27	—	—	·06	—	—	16	·15	·10	—	5
6	—	—	·03	—	—	·02	—	—	—	·09	·08	—	6
7	·45	—	—	—	—	—	·16	·27	—	·25	·06	·04	7
8	·18	—	·18	·06	—	—	·85	·69	·15	·34	·21	·20	8
9	—	—	·14	·01	·04	—	·08	·11	·04	·06	·08	—	9
10	·31	—	·44	·21	—	—	—	·41	·11	—	—	—	10
11	·04	—	·50	·15	·03	—	—	—	—	·24	·08	—	11
12	·11	—	·01	—	·46	—	—	—	—	·32	·01	—	12
13	—	—	·19	·02	—	·06	—	·22	·02	·07	—	—	13
14	—	—	·04	·12	·04	—	·61	·32	·02	—	—	—	14
15	—	—	—	·02	—	—	·04	·10	·02	·26	—	·84	15
16	—	16	—	·13	—	—	—	—	—	·57	—	·17	16
17	·01	·02	—	·16	·01	—	·38	·14	1·09	·18	—	·01	17
18	—	·14	—	—	—	—	·13	·03	·74	—	—	—	18
19	—	·78	·08	—	—	·04	—	—	·15	—	—	—	19
20	—	·04	·06	—	·42	·25	—	·05	·06	—	—	—	20
21	—	—	·20	—	—	·04	—	—	—	·12	—	—	21
22	—	—	·01	—	—	·11	—	·09	—	·06	—	—	22
23	—	·21	—	—	·11	—	—	·25	—	·07	—	·02	23
24	—	·09	·02	—	—	·04	·19	·06	—	·08	—	—	24
25	—	·03	·02	—	—	—	·21	·17	·15	·06	—	—	25
26	—	—	—	—	·33	·02	—	·69	·17	·03	·06	—	26
27	—	—	—	—	·42	·25	—	1·09	—	—	—	·01	27
28	—	·02	·12	—	·07	·93	—	·14	—	—	—	·05	28
29	—	X	·09	—	·11	·17	·17	—	—	·33	—	·17	29
30	—	X	·26	—	—	—	·75	·16	—	·03	—	—	30
31	—	X	·15	X	—	X	—	·02	X	·20	X	·03	31
99 Total	1·25	1·61	3·29	1·71	2·04	2·47	4·06	5·61	2·88	3·93	1·25	1·55	YEAR'S TOTAL 31·65.
Rain Days.	8	10	21	13	11	14	12	22	13	22	10	11	167

1.52

W. 8,000, IX. 17.

from original ret'd to Rev H. a Boys

Ex RG

53

1605

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Beaminster Hamilton Lodge

in the County of Dorsetshire

by F Troteman   Rev H. a Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.13	—	—	.09	—	—	.66	—	.02	1.09	.06	1
2	—	.57	—	.14	—	—	—	.07	—	.08	.08	.41	2
3	—	.11	.03	.07	.17	—	—	.08	.01	—	.12	.04	3
4	—	.03	.03	—	—	—	—	.12	.33	.23	1.43	.46	4
5	—	—	.32	.06	.19	—	—	.51	.38	.15	—	.08	5
6	.18	.19	—	.15	—	—	—	.02	.11	.01	—	.31	6
7	—	.17	—	.01	.26	.02	—	.02	.40	.29	.42	.29	7
8	.05	.27	—	—	—	—	.02	—	.10	.17	—	.04	8
9	.02	—	—	07	—	.20	.55	—	.74	.34	—	.78	9
10	.07	—	—	.33	—	—	.23	—	.16	.08	.05	.57	10
11	—	—	.12	.01	—	—	.85	—	.16	.01	.04	.05	11
12	—	.14	.14	—	.40	—	.17	—	.05	.13	—	—	12
13	.12	.01	—	—	.05	—	.39	—	.70	.54	—	.01	13
14	.31	—	—	—	.03	.20	.05	—	.26	.09	—	.12	14
15	1.39	—	—	.65	.03	.07	.35	—	.02	—	—	.28	15
16	.43	—	—	.22	—	.11	.03	—	.51	—	—	.07	16
17	.21	—	—	.11	—	—	.31	—	.01	—	—	.34	17
18	1.15	—	—	—	—	.79	.14	—	.18	—	—	.21	18
19	.13	.03	.05	—	—	—	.13	—	.02	.05	—	.06	19
20	.04	.19	—	.15	—	.01	.01	.01	.34	.12	—	—	20
21	.06	.06	.01	—	—	.01	05	—	.62	.11	—	.23	21
22	.04	—	—	—	.13	—	1.35	—	.18	.02	.03	.14	22
23	.15	—	—	—	.08	.05	.42	.01	.10	—	.17	.06	23
24	—	.18	—	—	—	—	.19	.02	.14	—	.12	.12	24
25	.06	—	—	.11	.05	—	.09	.72	—	.02	.10	.01	25
26	01	—	—	—	—	—	.18	—	.05	.03	.12	.27	26
27	—	.14	.03	—	—	.01	—	.13	.21	.02	14	—	27
28	—	.10	.30	.01	—	.01	—	—	.06	05	—	01	28
29	—		.33	—	—	—	—	—	1.26	—	—	.02	29
30	—		.76	—	—	—	—	—	.01	06	16	01	30
31	—		.17		—		—	.02		07		—	31
99 Total	4.42	2.32	2.29	2.09	1.48	1.48	5.51	2.39	7.11	2.69	4.07	5.05	YEAR'S TOTAL 40.90
Rain Days.	17	15	12	14	11	11	19	13	27	23	14	27	203

W, 6,500, VII. 18. W W C

1541
1605

20 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hamilton Lodge, Beaminster
in the County of Dorsetshire
by F. Trotman per Boys

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·64	—	·14	·03	·14	—	·69	—	·03	·25	·03	1·22	1
2	·22	·01	·01	—	·01	—	·02	—	·31	·01	·07	·02	2
3	·97	—	·31	—	·05	—	—	—	·28	—	·09	·13	3
4	·33	·41	·56	—	—	·03	—	·06	·73	—	·04	·10	4
5	·03	·33	·70	—	—	—	·16	—	·34	—	·07	·11	5
6	·92	·14	·05	—	—	—	—	—	·01	—	·02	·41	6
7	·29	—	·37	·12	—	—	—	—	—	—	—	·05	7
8	·30	—	·27	·02	—	—	—	—	—	—	—	—	8
9	·06	—	·02	·20	·03	—	—	—	·01	—	·49	—	9
10	·29	—	·44	—	·02	—	—	—	—	·03	·05	·36	10
11	·02	—	·22	·21	·47	—	·26	—	—	—	—	·10	11
12	·17	—	·02	·16	—	·05	—	—	—	·09	·04	·16	12
13	·11	·02	·06	·77	—	—	·06	—	—	·05	·01	·17	13
14	·76	·05	—	·60	·17	—	·10	—	·03	·01	—	·34	14
15	·21	·07	—	·09	·02	—	—	—	—	·13	—	·20	15
16	·01	·78	—	—	·02	—	—	·01	—	—	·14	—	16
17	—	·21	—	—	—	—	—	—	—	—	·20	·03	17
18	·09	·20	·87	—	—	—	·37	·06	—	—	·14	—	18
19	1·05	·38	·75	—	—	·04	·71	·25	·21	—	·16	·04	19
20	·88	·03	·06	—	—	·30	—	·23	—	—	—	·03	20
21	·01	1·16	—	—	—	—	·13	—	·06	—	—	·10	21
22	—	·03	—	—	—	—	·10	—	·26	—	—	·06	22
23	—	—	·01	—	—	·01	—	—	—	·53	·02	·02	23
24	—	—	—	·02	—	·06	—	—	—	·97	·20	·25	24
25	·20	—	—	·19	—	·02	—	·38	—	—	—	·13	25
26	·08	—	·08	·08	—	·01	—	·08	·01	—	·03	·63	26
27	·15	·01	·03	·23	—	—	·07	1·34	—	—	—	·03	27
28	—	—	·37	·01	—	—	—	·37	—	—	·45	·54	28
29	·01	X	·05	·08	—	—	—	·10	—	·08	—	·02	29
30	—	X	—	·09	—	·15	—	·73	—	·02	·62	1·00	30
31	—	X	·04	X	—	X	—	—	X	—	X	·41	31
99 TOTAL	7·80	3·83	5·43	2·90	·93	·67	2·67	3·61	2·28	2·17	2·87	6·66	YEAR'S TOTAL 41·82
Days with ·01 in. or more	24	15	22	16	9	9	11	11	12	11	19	27	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REGISTER OF RAINFALL IN 1920.

1605

14 FEB 1921
BRITISH RAINFALL

Kept at Hamilton Lodge, Beaminster
in the County of Dorset
by Frances Trotman

Lat. 50.48 Long. 2.44
Time of Observation 9 a.m
Nearest Railway Station Crewkerne 6 miles N / Bridport 5 " S
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 210. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 20	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	-	.02	.20	.43	-	.47	.03	.09	.15	.19	.54	1
2	.69	-	-	.15	-	-	.03	.32	.07	.13	-	.20	2
3	.08	.09	-	.02	.01	-	.33	-	.04	.43	-	.03	3
4	-	.01	-	-	-	-	.32	1.10	-	.29	-	-	4
5	-	-	.16	.07	.10	-	.59	.88	-	.27	-	.01	5
6	-	-	.17	.09	.29	-	.25	-	-	.02	-	-	6
7	.02	-	.01	.41	.03	-	.63	-	-	-	-	-	7
8	.05	.06	-	.38	.02	-	.39	-	-	-	-	.06	8
9	.67	.01	.01	.05	.03	.07	.20	-	-	-	-	-	9
10	.82	.15	.19	.02	-	.16	.72	-	-	-	-	.01	10
11	.32	-	.20	.49	.34	.02	.24	-	-	-	-	-	11
12	.29	.10	.03	.20	-	.19	.02	-	-	-	.10	.12	12
13	.22	.02	.65	.07	-	-	-	-	-	.03	-	.02	13
14	.06	.03	.32	.78	-	-	.03	-	.23	.54	.51	.02	14
15	.03	.08	.14	.37	.34	.18	-	-	.02	.32	.07	-	15
16	-	.01	.02	.04	-	.03	.22	-	.07	.06	-	-	16
17	.02	-	.01	.23	.34	.06	.02	-	.32	-	-	-	17
18	.08	-	-	.03	.03	.23	.08	.36	.09	-	-	.04	18
19	.03	-	-	.34	-	.30	-	-	.15	-	-	-	19
20	.02	.24	-	.27	-	.53	-	-	-	-	-	.47	20
21	-	-	-	.08	-	-	.16	-	-	-	-	.09	21
22	.02	-	-	.26	-	-	.01	-	.05	-	-	.44	22
23	.04	-	-	-	-	-	.52	.02	-	-	-	.63	23
24	.03	.03	.34	-	.02	-	-	.01	-	-	.21	.13	24
25	-	.15	.10	-	.33	-	.80	-	-	-	.01	-	25
26	.21	-	.24	-	-	-	.04	-	-	-	.18	.26	26
27	.63	-	.08	.09	.01	.20	.03	-	-	-	.03	.35	27
28	.85	.02	.18	.04	.02	.01	.16	-	-	-	-	.21	28
29	.38	.02	.23	.08	-	-	-	-	-	-	.50	.40	29
30	.20	╳	-	.02	.04	.32	.04	-	.74	.07	.31	.48	30
31	.07	╳	.25	╳	-	╳	-	-	╳	.55	╳	.21	31
99 Total	5.91	1.02	3.35	4.78	2.38	2.30	6.30	2.72	1.87	2.86	2.11	4.72	YEAR'S TOTAL 40.32
Rain Days.	25	15	20	25	16	13	24	7	11	12	10	21	199
	18	7	14	21	8	10	18	4	10	10	8	16	144

W. VII. 15. W W C

BEAMINSTER
VICARAGE
DORSET
1911 — 1914

1605
FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

911

Kept at Beam

in the County of D

by A. A. L

p 5 in.
above Ground 1 ft. in.
„ Sea Level 216 ft.

ion { Name
Distance Direction

IMPORTANT … and the result entered to the
previous day. If a… universal rule, he is earnestly
requested to add the… g year in the space provided
for it at the end o… surement of rain,
the selection and … e British Rainfall
Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	—	·04	·01	—	—	·04	—	—	·01	·04	1
2	·02	—	—	·08	·54	—	—	·12	—	·15	·25	·44	2
3	—	—	—	—	·20	—	—	—	—	—	·13	·11	3
4	—	·01	·08	—	—	—	—	·02	—	·01	·15	·41	4
5	·21	—	·04	—	—	—	—	·09	—	·08	·15	—	5
6	·57	—	·13	—	—	—	—	—	—	—	·07	·91	6
7	·09	—	—	·02	—	—	—	—	—	—	·36	—	7
8	·01	—	·26	—	—	—	—	—	—	—	·09	·75	8
9	·03	—	—	—	—	—	—	—	—	—	·12	·48	9
10	·23	·07	·71	—	·59	—	—	—	—	—	—	·35	10
11	·69	—	·02	—	·09	—	—	—	—	—	1·05	·02	11
12	·01	—	1·19	—	—	—	—	·01	—	—	·08	·28	12
13	—	—	—	—	—	—	—	—	·22	·07	·01	·36	13
14	—	·02	—	—	—	—	—	—	—	—	—	·97	14
15	—	·01	·03	—	—	·01	—	—	—	—	·42	·01	15
16	—	·02	—	—	—	·39	—	—	—	—	·80	·44	16
17	—	·03	·11	—	—	·20	—	—	—	·04	·26	·58	17
18	—	·18	·03	·11	·07	·07	—	—	—	·02	·02	·43	18
19	—	·02	—	·04	—	·09	—	—	·35	·16	·04	·59	19
20	·04	·03	·17	·03	—	—	—	—	·19	·14	—	·57	20
21	·01	·18	—	—	—	·02	—	—	·22	·75	—	·10	21
22	·19	·05	·01	·02	—	·02	—	—	·14	·41	—	·59	22
23	·02	·15	·02	—	—	·36	—	—	·11	·17	·02	·59	23
24	—	·19	—	—	—	·29	—	·21	·01	·29	—	·23	24
25	·01	·05	·01	·15	—	·10	—	·23	·08	·13	—	·21	25
26	—	·14	—	·42	·32	—	—	·04	—	·26	·02	·36	26
27	—	·45	·12	·01	—	—	—	·02	·05	·50	·06	·12	27
28	—	·34	—	·38	—	—	—	·15	—	—	·26	·01	28
29	—	—	—	·73	—	·19	·13	·01	·10	·52	—	—	29
30	—	...	—	—	·03	·07	—	—	·02	·27	·56	·02	30
31	—	...	—	....	—	....	—	—	....	—	....	—	31
99 Total	2.14	1·94	2·93	2·03	1·85	1·81	·13	·94	1·49	3·97	4·93	9·97	TOTAL for year 34·13
No. of Rain Days.	15	17	15	12	8	12	1	11	11	17	22	27	168

W. 8,000, X. '11.

FORM A2. BRITISH RAINFALL.
5 - JAN 1912
1605

REGISTER OF RAINFALL IN 1911

Kept at Beaminster Vicarage

in the County of Dorset 3

by A. A. Leonard

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 216 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	—	·04	·01	—	—	·04	—	—	·01	·04	1
2	·02	—	—	·08	·54	—	—	·12	—	·15	·25	·44	2
3	—	—	—	—	·20	—	—	—	—	—	·13	·11	3
4	—	·01	·08	—	—	—	—	·02	—	·01	·15	·41	4
5	·21	—	·04	—	—	—	—	·09	—	·08	·15	—	5
6	·57	—	·13	—	—	—	—	—	—	—	·07	·91	6
7	·09	—	—	·02	—	—	—	—	—	—	·36	—	7
8	·01	—	·26	—	—	—	—	—	—	—	·09	·75	8
9	·03	—	—	—	—	—	—	—	—	—	·12	·48	9
10	·23	·07	·71	—	·59	—	—	—	—	—	—	·35	10
11	·69	—	·02	—	·09	—	—	—	—	—	1·05	·02	11
12	·01	—	1·19	—	—	—	—	·01	—	—	·08	·28	12
13	—	—	—	—	—	—	—	—	·22	·07	·01	·36	13
14	—	·02	—	—	—	—	—	—	—	—	—	·97	14
15	—	·01	·03	—	—	·01	—	—	—	—	·42	·01	15
16	—	·02	—	—	—	·39	—	—	—	—	·80	·44	16
17	—	·03	·11	—	—	·20	—	—	—	·04	·26	·58	17
18	—	·18	·03	·11	·07	·07	—	—	—	·02	·02	·43	18
19	—	·02	—	·04	—	·09	—	—	·35	·16	·04	·59	19
20	·04	·03	·17	·03	—	—	—	—	·19	·14	—	·57	20
21	·01	·18	—	—	—	·02	—	—	·22	·75	—	·10	21
22	·19	·05	·01	·02	—	·02	—	—	·14	·41	—	·59	22
23	·02	·15	·02	—	—	·36	—	—	·11	·17	·02	·59	23
24	—	·19	—	—	—	·29	—	·21	·01	·29	—	·23	24
25	·01	·05	·01	·15	—	·10	—	·23	·08	·13	—	·21	25
26	—	·14	—	·42	·32	—	—	·04	—	·26	·02	·36	26
27	—	·45	·12	·01	—	—	—	·02	·05	·50	·06	·12	27
28	—	·34	—	·38	—	—	—	·15	—	—	·26	·01	28
29	—	—	—	·73	—	·19	·13	·01	·10	·52	—	—	29
30	—	...	—	—	·03	·07	—	—	·02	·27	·56	·02	30
31	—	...	—	....	—	....	—	—	....	—	....	—	31
99 Total	2.14	1·94	2·93	2·03	1·85	1·81	·13	·94	1·49	3·97	4·93	9·97	TOTAL for year 34·13
No. of Rain Days.	15	17	15	12	8	12	1	11	11	17	22	27	168

W. 8,000, X. '11.

Dorset c a

1605

BRITISH RAINFALL FORM A2.
6 - JAN 1913

cord for anth

REGISTER OF RAINFALL IN 1912

W. P.

Kept at Beaminster Vicarage

in the County of Dorset. 3

by The Rev: G. C. Hutchings

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation 9. a.m

Nearest Railway Station
Name Crewkerne
Distance 6 m. Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·10	—	—	·41	—	—	·04	·83	—	·33	1
2	—	—	·60	·01	—	·01	·13	—	—	—	—	~~·33~~	2
3	—	—	·24	—	—	·38	·03	·86	·02	—	·02	·01	3
4	·13	·01	1·26	—	—	·23	—	·07	—	~~·83~~	·31	·06	4
5	·77	·26	·26	—	·01	·02	—	·81	—	—	·01	·19	5
6	·60	·06	·02	—	·34	·14	·33	·40	—	—	—	·04	6
7	·08	·53	·24	—	·08	·81	·01	·15	—	—	—	·29	7
8	·65	·31	·69	·01	—	—	—	·09	—	—	—	·04	8
9	·10	·03	·28	·03	—	·05	·06	·11	—	—	—	·41	9
10	·05	·15	—	—	—	—	·04	·25	—	—	·01	·37	10
11	·07	·04	—	—	—	·07	·01	·03	—	—	·04	·49	11
12	·02	·40	·22	·05	—	—	·05	·28	—	—	—	·02	12
13	·01	—	·02	—	—	—	—	—	—	·02	·03	·09	13
14	·24	—	·45	—	·13	—	—	·05	—	—	—	·06	14
15	·40	·35	—	·02	·18	·56	—	·01	—	—	—	·21	15
16	·93	·05	·65	—	·09	·01	—	·27	—	·15	·05	—	16
17	·74	—	·16	—	·02	·10	—	1·43	—	—	—	·02	17
18	·08	·04	·08	—	—	—	—	·30	—	·02	·02	·03	18
19	·01	·04	·06	—	—	·03	·10	·18	—	·02	—	·01	19
20	·04	·05	·38	—	·08	·04	·01	·23	—	·30	·04	—	20
21	—	·34	·25	—	·54	—	—	·16	—	·26	—	—	21
22	·46	·60	·08	—	·12	·03	·10	·09	—	—	·04	·13	22
23	·43	·51	·31	—	—	·04	—	·57	—	·05	·15	·23	23
24	·09	·06	·03	—	—	·50	—	·18	—	—	—	·29	24
25	·11	·02	—	—	—	·10	—	·32	—	·22	·24	·53	25
26	—	·04	—	—	—	·04	·04	·18	—	·51	·60	·34	26
27	—	·05	·03	—	—	·49	·79	—	—	1·10	·01	·46	27
28	—	·11	—	—	—	·24	·10	·41	·23	·83	·50	·61	28
29	—	·21	—	—	—	·15	·08	·08	·83	·60	·03	·02	29
30	—	×	·01	—	·04	·14	·09	·03	·42	·21	—	—	30
31	—	×	·46	×	—	×	·32	—	×	—	×	·26	31
99 Total	6·01	4·26	6·88	·12	1·63	4·51	2·29	7·54 7·54	1·54	5·12	~~2·09~~ 2·13	5·54	TOTAL for year 47·57
No. of Rain Days.	21	23	24	5	11	21	17	26	5	15 ✓	16	26	47·57 210

W. 8,000, X. '11.

✓ Ex D L

1605

BRITISH RAINFALL. FORM A.
4-JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at, The Vicarage, Beaminster

in the County of Dorset

by Miss Dorothy Hutchings

3

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	·01	·47	·26	·06	·02	—	—	—	·19	·02	·29	—	1
2	·10	·07	·02	·04	·21	—	·08	—	·01	·07	·21	·02	2
3	·16	·01	·10	·06	·30	—	—	—	·03	—	—	·20	3
4	1·49	—	·06	·02	·33	—	—	—	·11	·32	·05	·06	4
5	·25	·05	·03	—	·14	·08	—	—	·59	—	·20	·19	5
6	·03	·10	·18	—	·10	·23	·04	—	—	1·59	·04	·42	6
7	·02	·48	·05	—	·50	·07	·20	—	—	·38	·40	·01	7
8	·02	·17	—	·01	·25	—	·04	—	—	—	—	·01	8
9	—	·07	—	—	·12	·04	·02	·06	·02	·11	·39	·01	9
10	·33	·02	·02	·01	·04	·02	—	·07	—	·08	·30	—	10
11	·95	·01	—	·16	·13	·01	—	—	—	·07	·31	·02	11
12	—	·01	—	—	·41	—	—	—	·02	·02	·17	·01	12
13	·15	—	·02	·01	—	—	—	·13	·64	—	·12	—	13
14	·28	—	·12	·03	—	—	—	—	·20	—	·03	—	14
15	·29	—	·36	·70	—	—	—	—	·62	—	·09	—	15
16	·13	—	·45	·09	—	·02	—	—	·07	—	—	—	16
17	·02	—	·03	·01	·02	—	—	—	·01	—	—	—	17
18	·04	—	·33	·13	—	—	—	—	—	—	·11	—	18
19	·95	—	·08	—	·01	·04	—	—	·72	·01	—	—	19
20	·09	—	·10	·15	—	·03	—	—	·01	·18	·32	—	20
21	—	—	·13	·45	·03	—	—	·03	—	·10	·71	—	21
22	·46	—	·39	·17	—	·02	—	·01	·15	—	—	·12	22
23	·01	—	·03	—	—	·03	—	—	—	—	·20	·70	23
24	—	·02	—	·08	—	—	—	—	—	—	—	—	24
25	—	·07	—	·25	—	—	—	—	—	—	—	·01	25
26	—	·01	—	·60	—	—	—	·31	—	—	—	·17	26
27	·08	—	·22	·56	—	—	—	·02	—	·04	—	·01	27
28	·30	—	·04	·46	—	—	—	—	—	·26	—	·01	28
29	·18		·48	·34	·01	—	—	·03	—	·43	—	·04	29
30	·65		—	—	—	—	—	·03	—	·63	—	—	30
31	·13		·06		—		·17	·96		·02		—	31
99 Total	7·12	1·56	3·56	4·39	2·62	·59	·55	1·65	3·39	4·33	3·94	2·01	YEAR'S TOTAL 35·71
Rain Days.	25	14	23	22	16	11	6	10	15	17	17	17	193

W.7,000, XI. 13

interpolated from Hamilton Lo. (by Boys)

From Mid-Wessex Assoc. REGISTER OF RAINFALL IN 1914

FORM A. 1605
BRITISH RAINFALL.
25 MAR 1915

Kept at Beaminster Vicarage

in the County of Dorset - 3

by Mrs D. Hutchings
Rev A A Boys.

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in. *	
14 1	-	-	.02	·01	-	·03	·17	·50	-	-	·23	(·08)	1
2	-	-	-	-	·10	·03	·48	·03	-	-	1·75	(·38)	2
3	-	-	·08	·12	·65	-	·02	·07	-	-	·15	(·05)	3
4	·11	-	·03	·38	·09	-	·25	·64	-	-	·64	(·50)	4
5	·04	-	·12	·18	·17	-	·11	-	-	-	·09	(·06)	5
6	-	·37	·02	·08	·10	-	·01	·02	-	-	-	(·38)	6
7	·01	·89	·09	·10	·09	·02	·20	·12	·03	-	-	(·55)	7
8	·04	·02	·57	·04	·13	·13	-	·14	·03	-	-	(·13)	8
9	·04	·01	·66	·29	·09	1·79	-	·07	·86	-	-	(-)	9
10	·10	·46	·02	·14	·06	·04	-	-	·41	-	-	(·01)	10
11	-	·17	·61	·02	·09	·16	·17	-	-	-	·01	(·45)	11
12	-	·10	·16	-	-	-	-	-	·27	·04	-	(·56)	12
13	-	·74	·50	-	-	-	·03	-	·10	·21	·27	(·61)	13
14	-	·43	·27	-	-	·42	·15	·66	·04	·25	·51	(·10)	14
15	·05	-	·25	-	-	-	·18	·51	·02	·06	·21	(·02)	15
16	-	-	·01	-	-	-	-	-	·81	-	-	-	16
17	-	·76	·15	-	-	-	-	-	·02	-	-	(1·02)	17
18	-	·05	·09	-	-	-	·60	-	·06	-	-	(·34)	18
19	-	·13	·57	-	-	-	-	-	·12	-	·10	(·14)	19
20	-	·56	·25	-	-	·02	1·93	-	-	-	-	(·63)	20
21	-	·72	·06	-	-	·09	-	-	-	·29	-	(·02)	21
22	-	·04	·02	-	·28	·01	·11	·05	-	·37	-	(-)	22
23	-	·18	·36	-	·03	-	·02	-	-	·27	-	(·01)	23
24	·01	·07	·03	-	·05	-	-	-	-	·43	·07	(·04)	24
25	·04	-	·46	-	-	-	·06	·84	-	·77	·06	(·49)	25
26	·01	·03	·11	-	-	-	·08	·05	-	·06	·29	(·73)	26
27	·16	·01	-	-	-	-	-	-	-	-	·09	(·40)	27
28	·02	·43	·50	-	·03	-	·05	-	-	·02	·33	(1·14)	28
29	·31		·29	-	·14	-	·06	-	-	·08	·63	(·02)	29
30	·02		·03	-	-	-	-	-	-	·38	·56	(·77)	30
31	·13		-		-		·48	-		·70		(·16)	31
99 Total	1·09	6·17	6·33	1·36	2·10	2·74	5·16	3·70	2·77	3·93	5·99	(9·79)	TOTAL for year (51·13)
No. of Rain Days	15	20	28	10	15	11	20	13	12	14	17	(28)	(203)

* Original lost, record copied from Mr Trotman, Hamilton Lodge, Beaminster.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

from

Lat 50 48
2.44

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

REG 1911

DORSET.

BEAMINSTER,
"FLEET STREET"
1911

Kept at Fleet Street Be

in the County of Dor

by Jas Andrew

top 5 in.

above Ground 1 ft. 0 in.

" Sea Level 200 ft.

9 am

ion { Name
Distance Direction

IMPORTANT NOTE.— should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.05	.01			.04			.02	.06	1
2	.02			.06	.56			.11		.17	.24	.46	2
3					.18						.11	.10	3
4		.01	.08							.01	.14	.44	4
5	.17		.03					.09		.08	.13	.01	5
6	.61		.16								.06	.92	6
7	.08		.01	.02							.38		7
8	.01		.27								.11	.78	8
9	.04										.12	.54	9
10	.12	.08	.73		.62						.02	.33	10
11	.63	.01	.02		.10						.95	.03	11
12	.01		1.11								.05	.26	12
13			~~.01~~						.22	.06		35	13
14		.02								.01		1.02	14
15		.01	.03			.01					.42	.01	15
16		.02				.36					.78	.44	16
17	.01	.03	.11			.22				.04	.27	.59	17
18		.18	.03	.13	.08	.08				.03	.03	.49	18
19		.02		.05		.12			.36	.23	.04	.57	19
20	.04	.03	.19	.04					.19	.12		.64	20
21	.01	.18	.01	.03		.02			.14	.80		.08	21
22	.18	.03	.02			.01			.15	.42		.60	22
23	.01	.14	.02			.29			.13	.17	.02	.61	23
24		.20				.28		.21	.02	.30		.22	24
25	.02	.04	.02	.14		.10		.21	.07	.12		.18	25
26		.12		.44	.32			.04		.22	.03	.39	26
27		.44	.13	.02				.02	.05	.53	.03	.12	27
28		.40		.39				.15			.25		28
29				.77		.19	.14	.01	.13	.47	.01		29
30					.03	.07			.02	.22	.58	.03	30
31										01			31
Total	1.96	1.96	2.98	2.14	1.90	1.75	.14	.88	1.48	4.01	4.79	10.27	TOTAL for year 34.26
No. of Rain Days	15	18	18	12	8	12	1	9	11	19	23	27	173

9,000, IX. '10.

fm [redacted] Lat 50 48
2.44

REG[redacted]1911

FORM A2.
BRITISH RAINFALL
20 FEB 1912

Kept at Fleet Street Beaminster

in the County of Dorset 3

by Jas Andrew Jr (H Stilwell)

Pattern

Rain Gauge: Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 200 ft.

Time of Observation 9 am

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.05	.01			.04			.02	.06	1
2	.02			.06	.56			.11		.17	.24	.46	2
3					.18						.11	.10	3
4		.01	.08							.01	.14	.44	4
5	.17		.03					.09		.08	.13	.01	5
6	.61		.16								.06	.92	6
7	.08		.01	.02							.38		7
8	.01		.27								.11	.78	8
9	.04										.12	.54	9
10	.12	.08	.73		.62						.02	.33	10
11	.63	.01	.02		.10						.95	.03	11
12	.01		1.11								.05	.26	12
13			.01						.22	.06		35	13
14		.02								.01		1.02	14
15		.01	.03			.01					.42	.01	15
16		.02				.36					.78	.44	16
17	.01	.03	.11			.22				.04	.27	.59	17
18		.18	.03	.13	.08	.08				.03	.03	.49	18
19		.02		.05		.12			.36	.23	.04	.57	19
20	.04	.03	.19	.04					.19	.12		.64	20
21	.01	.18	.01	.03		.02			.14	.80		.08	21
22	.18	.03	.02			.01			.15	.42		.60	22
23	.01	.14	.02			.29			.13	.17	.02	.61	23
24		.20				.28		.21	.02	.30		.22	24
25	.02	.04	.02	.14		.10		.21	.07	.12		.18	25
26		.12		.44	32			.04		.22	.03	.39	26
27		.44	.13	.02				.02	.05	.53	.03	.12	27
28		.40		.39				.15			.25		28
29				.77		.19	.14	.01	.13	.47	.01		29
30					.03	.07			.02	.22	.58	.03	30
31										01			31
Total	1.96	1.96	2.98	2.14	1.90	1.75	.14	.88	1.48	4.01	4.79	10.27	TOTAL for year 34.26
No. of Rain Days	15	18	18	12	8	12	1	9	11	19	23	27	173

9,000, IX. '10.

BERE REGIS

BARROW HILL

DORSET

1911 — 1920

FORM A2.

BRITISH RAINFALL.
4 - JAN 1912

Kept at Barrow

in the County of

by A L

5 in.

ve Ground 1 ft. in.

Sea Level about 120 ft.

G a m

Name Wool

Distance 5 miles Direction South

IMPORTANT N d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the year in the space provided for it at the end of rement of rain, the selection and pla British Rainfall Organization are given in n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	–	–	–	–	–	–	–	–	–	–	.13	1
2	–	–	–	.08	.40	–	–	.06	–	–	.15	.41	2
3	–	–	–	–	.16	–	–	.01	–	.04	.10	.14	3
4	–	–	.04	–	–	–	–	–	.05	.02	.24	.48	4
5	.02	–	–	–	–	.91	–	.05	–	.06	.09	–	5
6	.81	–	.24 .24	–	–	–	–	–	–	.08	.61	.91	6
7	.02	–	–	–	–	–	–	–	–	–	.58	–	7
8	–	–	.16	–	–	–	–	–	–	–	.22	.75	8
9	.10	–	.03	–	–	–	–	–	–	–	.03	.55	9
10	.04	.10	.66	–	.03	–	–	–	–	–	.02	.33	10
11	.60	–	.02	–	–	–	–	–	–	–	1 .36	–	11
12	–	–	87	–	–	–	–	.03	–	–	.17	.21	12
13	–	–	–	–	–	–	–	–	.19	–	–	.44	13
14	–	.17	–	–	–	–	–	–	–	–	–	.49	14
15	–	.03	.07	–	–	.04	–	–	–	–	.29	.05	15
16	–	.01	–	–	–	.60	–	–	–	–	.76	.42	16
17	–	.01	.02	–	.34	.06	–	–	–	–	.72	.47	17
18	–	.05	.10	.05	–	.28	–	–	–	.09	.04	.60	18
19	–	.12	–	–	–	.35	–	–	.25	.09	.06	.10	19
20	.07	.03	.25	–	–	–	–	.01	.08	.10	–	.95	20
21	.05	.32	.03	–	–	–	–	–	.04	.69	–	.12	21
22	.20	.01	.06	.01	–	.10	–	–	.09	.30	–	.52	22
23	–	.17	.04	–	–	.09	–	–	.07	.33	.09	.40	23
24	–	.13	–	–	–	.37	–	.32	–	.50	–	.36	24
25	–	.04	–	.09	–	.06	–	–	.04	.01	–	.07	25
26	–	.01	–	.34	.05	–	–	.01	–	.44	–	.33	26
27	–	.42	.04	.05	–	–	–	.01	.05	.76	–	.17	27
28	–	41	–	.55	–	–	–	18	–	–	.16	.01	28
29	–	x	–	.39	–	.15	.23	–	.10	.38	–	–	29
30	–	x	–	–	–	.02	–	–	.05	.20	.02	–	30
31	–	X	–	x	–	X	–	–	–	–	x	–	31
Total	1.93	2.03	2.63	1.56	.98	2.83	.23	.68	1.01	4.09	5.11	9.41	TOTAL for year 32.4[illegible]
No. of Rain Days.	10	16	15	8	5	12	1	9	11	16	19	25	147

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Barrow Hill. Bere Regis

in the County of Dorset 3

by A Lucas

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level about 120 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Wool
Distance 5 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	–	–	–	–	–	–	–	–	–	–	.13	1
2	–	–	–	.08	.40	–	–	.06	–	–	.15	.41	2
3	–	–	–	–	.16	–	–	.01	–	.04	.10	.14	3
4	–	–	.04	–	–	–	–	–	.05	.02	.24	.48	4
5	.02	–	–	–	–	.91	–	.05	–	.06	.09	–	5
6	.81	–	·24 .24	–	–	–	–	–	–	.08	.01	.91	6
7	.02	–	–	–	–	–	–	–	–	–	.58	–	7
8	–	–	.16	–	–	–	–	–	–	–	.22	.75	8
9	.10	–	.03	–	–	–	–	–	–	–	.03	.55	9
10	.04	.10	.66	–	.03	–	–	–	–	–	.02	.33	10
11	.60	–	.02	–	–	–	–	–	–	–	1 .36	–	11
12	–	–	87	–	–	–	–	.03	–	–	.17	.21	12
13	–	–	–	–	–	–	–	–	.19	–	–	.44	13
14	–	.17	–	–	–	–	–	–	–	–	–	.49	14
15	–	.03	.07	–	–	.04	–	–	–	–	.29	.05	15
16	–	.01	–	–	–	.60	–	–	–	–	.76	.42	16
17	–	.01	.02	–	.34	.06	–	–	–	–	.72	.47	17
18	–	.05	.10	.05	–	.28	–	–	–	.09	.04	.60	18
19	–	.12	–	–	–	.35	–	–	.25	.09	.06	.10	19
20	.07	.03	.25	–	–	–	–	.01	.08	.10	–	.95	20
21	.05	.32	.03	–	–	–	–	–	.04	.69	–	.12	21
22	.20	.01	.06	.01	–	.10	–	–	.09	.30	–	.52	22
23	–	.17	.04	–	–	.09	–	–	.07	.33	.09	.40	23
24	–	.13	–	–	–	.37	–	.32	–	.50	–	.36	24
25	–	.04	–	.09	–	.06	–	–	.04	.01	–	.07	25
26	–	.01	–	.34	.05	–	–	.01	–	.44	–	.33	26
27	–	.42	.04	.05	–	–	–	.01	.05	.76	–	.17	27
28	–	.41	–	.55	–	–	–	18	–	–	.16	.01	28
29	–	x	–	.39	–	.15	.23	–	.10	.38	–	–	29
30	–	x	–	–	–	.02	–	–	.05	.20	.02	–	30
31	–	X	–	x	–	X	–	–	–	–	x	–	31
Total	1.93	2.03	2.63	1.56	.98	2.83	.23	.68	1.01	4.09	5.11	9.41	TOTAL for year 32.4[illegible]
No. of Rain Days.	10	16	15	8	5	12	1	9	11	16	19	25	147

W. 8,000, X. '11.

84M2

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

3 - JAN 1913

Kept at Barrow Hill - Bere Regis

in the County of Dorset 3

by N. Lucas

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name Wool
Distance 5 m Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·06	—	—	·24	—	—	·03	·77	—	·34	1
2	—	—	·25	—	—	·03	·26	·04	—	·02	—	—	2
3	—	—	·05	—	—	·60	—	·60	·01	—	—	·02	3
4	·25	Snow ·06	·75	—	—	·30	—	·03	—	—	·28	—	4
5	·30	·05	·29	—	·02	—	—	·76	—	—	·02	·71	5
6	·92	·08	—	—	·13	·01	·45	·41	—	—	—	·17	6
7	·02	·42	·04	—	·20	·70	·29	·04	—	—	—	·08	7
8	·65	·27	·45	—	—	·06	·01	—	—	—	—	·02	8
9	·01	·02	·28	—	—	·04	·04	·07	—	—	—	·36	9
10	—	·10	—	—	—	·05	·01	·38	—	—	—	·45	10
11	·05	·11	—	—	—	·02	—	·29	—	—	—	·50	11
12	·02	·41	·02	—	·67	·01	·03	·37	—	—	—	—	12
13	—	·01	·03	—	—	·02	·01	—	—	—	—	·04	13
14	·16	—	·01	—	—	—	—	·21	—	·04	—	·02	14
15	·26	·20	·29	—	·04	·48	—	·02	—	—	·03	·34	15
16	1·06	·02	·50	—	·05	—	—	·17	—	·08	·14	—	16
17	1·00	—	·27	—	—	·05	—	·85	—	—	—	·09	17
18	·15	·01	·25	—	—	—	—	·29	—	·04	—	·02	18
19	—	·05	·27	—	—	—	·04	·42	—	—	—	—	19
20	·02	·03	·47	—	·15	·01	·06	·04	—	·35	·02	—	20
21	—	·26	·46	—	·27	—	—	·21	—	·12	—	—	21
22	·29	·60	·02	—	—	·26	·02	·11	—	·02	—	·14	22
23	·14	·28	·28	—	—	—	—	·50	—	·21	·16	·60 }	23
24	·31	·07	·01	—	—	·20	—	·19	—	—	—	}	24
25	·25	·01	—	—	—	·23	—	·17	—	·06	·37	·72	25
26	—	·06	—	—	—	—	·33	·39	—	·44	·38	·37	26
27	—	·06	—	—	—	·25	·89	—	—	·77	—	·50	27
28	—	·12	—	—	—	·08	·14	·57	·08	·71	·38	·64	28
29	—	·16	—	—	—	·03	·13	·10	1·95	·55	·06	—	29
30	—	X	·06	—	·22	·04	·03	·02	·63	·16	—	—	30
31	—	X	·78	X	·01	X	·24	·02	X	—	X	·12	31
Total	5·86	3·46	5·86	—	1·76	3·71	2·98	7·27	2·70	4·33	1·84	5·65	TOTAL for year
No. of Rain Days.	18	24	23	—	10	22	17	27	5	15	10	22	45·42

W. 8,000, X. '11.

193

Dorset IX a

FORM A.
BRITISH RAINFALL.

4 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at Barrow Hill. Bere Regis
in the County of Dorset E R 3
by A Lucas

Lat. ' Long.
Time of Observation 9 a m
Nearest Railway Station Wool 5 miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	.32	.20	.19	–	–	–	–	.41	–	.27	–	1
2	.11	.14	–	.01	–	–	–	–	–	–	.07	–	2
3	.07	.01	.03	.09	.27	–	–	–	.08	–	–	.16	3
4	.85	–	.18	.02	.11	–	–	–	.46	.42	.08	–	4
5	.18	.06	–	–	–	.05	.04	–	1.10	.16	–	.15	5
6	.03	.15	.08	–	.10	.16	.06	–	–	1.35	–	.85	6
7	.02	.55	.01	–	.30	.07	.54	–	–	.48	.26	.02	7
8	–	.28	–	–	.38	.01	–	–	–	.04	–	.09	8
9	–	.08	–	–	.03	–	.03	1.24	–	–	.22	–	9
10	.20	.01	–	–	.03	–	–	–	–	.30	.40	–	10
11	1.00	–	–	.20	.19	–	–	–	–	.13	.72	–	11
12	–	–	–	–	.46	.02	–	–	.01	–	.33	–	12
13	.15	–	.02	–	–	–	–	.03	.25	–	.19	–	13
14	.32	–	.18	–	.03	–	–	–	.44	.03	.02	–	14
15	.53	.05	.31	.60	–	–	.15	.05	.06	–	–	–	15
16	.16	–	.16	.19	–	.03	–	–	.16	–	–	–	16
17	.09	–	–	.06	–	–	–	–	–	–	.05	–	17
18	.04	–	.25	.10	–	–	–	–	–	–	.05	–	18
19	.68	–	–	–	.03	.21	.01	–	.45	–	–	–	19
20	.22	–	.25	.15	–	.03	–	–	–	.37	.17	–	20
21	–	–	.30	.31	.03	–	.06	–	–	.08	.65	–	21
22	.49	–	.20	.02	–	–	.05	.20	.28	–	–	–	22
23	.01	–	–	–	–	.06	–	.02	–	–	.07	.93	23
24	–	.02	–	.10	–	–	–	–	–	–	.01	–	24
25	–	.13	–	.28	–	–	–	–	–	–	–	–	25
26	–	–	–	.45	–	–	–	.22	–	–	–	.27	26
27	.12	–	.21	.08	–	–	–	–	–	–	–	–	27
28	.17	–	.04	.25	–	–	–	–	–	.26	–	–	28
29	.16	×	.51	.68	.14	–	–	.11	–	.46	–	Snow .02	29
30	.68	×	–	–	.02	–	–	–	.02	.45	–	–	30
31	.05	×	02	×	.02	×	–	.61	×	.22	×	–	31
Total	6.31	1.80	2.95	3.78	2 14	.64	94	2.48	3.72	4.75	3.56	2.49	YEAR'S TOTAL 35.56
Rain Days.	24	12	17	18	15	9	8	8	12	14	16	8	161

W.7,000, XI. 13

Ex LMRC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
6 JAN 1915

Kept at Barrow Hill, Bere Regis
in the County of Dorset 3
by A Lucas

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Wool
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level About 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	–	–	–	.36	–	–	.11	.14	1
2	–	–	–	–	–	–	.55	–	–	–	1.98	.20	2
3	–	–	.01	.11	.54	–	.06	.07	–	–	–	.02	3
4	.03	–	.05	.24	.19	.01	.18	.84	–	–	.40	.42	4
5	.02	–	.07	.23	.10	–	.60	.18	–	–	.39	.01	5
6	–	.26	–	.09	.05	–	.03	.08	–	–	.07	.52	6
7	–	.65	.12	.12	–	–	.19	–	.01	–	–	.34	7
8	05	.17	.55	.02	.01	.15	–	.12	–	–	–	.07	8
9	.02	–	.48	.17	.04	.04 (7)	–	.02	.50	–	.02	.18	9
10	.04	.43	–	.15	–	.02	–	–	.18	–	–	.03	10
11	–	.21	.57	–	–	–	.36	–	–	–	–	.93	11
12	–	.05	.07	–	–	–	–	–	.27	.16	–	.45	12
13	–	.65	.57	–	–	–	–	–	.07	.07	.15	.76	13
14	–	40	.31	–	–	.84	.24	.52	.07	.30	.49	.31	14
15	–	–	24	–	–	–	.83	.39	–	.15	.30	.01	15
16	–	–	–	–	–	–	.07	–	.34	–	–	–	16
17	–	.17	.13	–	–	–	–	–	–	–	–	1.04	17
18	–	–	.14	–	–	–	.12	–	03	–	–	.59	18
19	–	.16	.58	–	–	–	1.35	–	05	–	.05	.13	19
20	–	.64	.16	–	–	.13	–	–	–	–	–	.58	20
21	–	.69	–	–	–	–	–	–	–	.23	–	–	21
22	–	.11	–	–	.33	.09	–	–	–	.07	–	–	22
23	–	.10	.41	–	–	.04	.04	–	–	.28	–	–	23
24	–	.03	–	–	.04	–	–	–	–	.17	.09	–	24
25	.04	–	.25	–	–	–	.15	.33	–	.44	.04	.35	25
26	–	–	.10	–	–	–	–	07	–	.05	.27	.72	26
27	.04	–	–	–	–	–	–	–	–	–	.05	.30	27
28	–	.16	.37	–	–	–	.14	–	–	.18	.22	.91	28
29	.36		.20	–	.10	–	–	–	–	.18	.53	.02	29
30	.01	╳	.13	–	03	–	–	–	–	.37	.78	.63	30
31	.08	╳	–	╳	–	╳	.12	–	╳	46	╳	.07	31
Total	.69	4.88	5.57	1.13	1.43	1.35	5.03	2.98	1.52	3.11	6.94	9.53	YEAR'S TOTAL 43.10
Rain Days.	10	16	21	8	10	8	16	11	9	14	17	26	166

W. 8,000. X. 14.

Ex D L

1735

FORM A.
BRITISH RAINFALL.
15. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Barrow Hill. Bere Regis

in the County of Dorset 3

by A Lucas

Lat. Long.

Time of Observation 9. a m

Nearest Railway Station Wool

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.33	.16	—	—	.01	—	—	.09	.32	.33	—	.25	1
2	.38	—	.16	.05	—	04	—	.38	—	.19	—	.40	2
3	.34	.12	.15	.07	—		—	.04	—	22	—	.54	3
4	.02	—	—	—	.08	—	—	—	—	—	—	.42	4
5	.05	.85	—	.01	—	—	—	.16	—	—	—	.54	5
6	.82	.12	—	.47	—	—	.44	.01	—	—	—	.24	6
7	.11	.78	—	.07	—	—	.26	—	—	—	—	.55	7
8	.06	.56	—	—	—	—	—	.04	—	—	—	.92	8
9	—	.08	—	.06	—	—	—	—	—	—	.43	.54	9
10	.31	—	.04	03	—	—	—	—	—	.02	—	.20	10
11	.06	.16	—	—	—	—	—	—	—	—	1.25	—	11
12	.17	.55	—	.03	.53	—	—	—	—	.05	.40	—	12
13	.01	.39	—	—	1.05	—	—	—	.09	—	.08	—	13
14	.06	—	—	—	—	—	.35	.01	.03	—	—	1.43	14
15	17	—	—	—	.12	—	.63	—	—	.05	06	.28	15
16	—	1.51	—	—	.18	—	1.18	.01	—	—	—	.19	16
17	—	.55	—	—	.13	—	.02	.11	—	—	—	—	17
18	—	.20	—	—	.12	—	—	.01	—	—	—	—	18
19	—	.05	—	—	.08	—	.09	—	—	—	—	—	19
20	.17	—	—	.08	—	—	—	—	—	.01	—	.14	20
21	.04	.63	—	—	—	—	—	—	.13	.29	—	.17	21
22	.08	.09	.42	.06	—	—	.64	—	.01	.01	—	.10	22
23	—	—	.10	—	—	—	.06	—	.36	.87	—	.49	23
24	—	—	—	.06	—	—	.01	—	.61	1.38	—	.60	24
25	—	—	—	—	—	.41	—	—	—	—	—	.34	25
26	—	.15	—	—	—	.03	.21	—	—	—	—	1.09	26
27	—	.03	—	—	—	.08	—	—	—	.54	—	.07	27
28	—	.06	—	—	—	.13	—	—	.56	—	—	.05	28
29	—	X	—	—	—	.10	.08	—	—	.04	.20	.05	29
30	.19	X	—	—	—	.23	—	—	—	.44	.80	.45	30
31	—	X	—	X	—	X	.02	.23	X	1.03	X	.36	31
Total	3.37	7.04	.87	.99	2.30	1.02	3.99	1.09	2.11	5.47	3.22	10.41	YEAR'S TOTAL 41.88
Rain Days.	18	19	5	11	9	7	13	11	8	15	7	25	148

W. 8,000. X. 15.

1699

Ered Feby

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
12 JAN 1917

Kept at Barrow Hill, Bere Regis
in the County of Dorset
by A Lucas

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Wool
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.22	.06	.07	—	.83	.01	—	—	.61	.24	.37	—	1
2	.27	.18	—	—	—	—	—	—	—	.16	.02	—	2
3	.02	.91	—	—	—	.01	—	—	.01	.78	.39	—	3
4	.11	.17	—	—	.07	.18	—	—	.18	.02	.65	—	4
5	.12	.04	.01	—	.26	.10	—	—	—	.07	.62	—	5
6	.02	.06	.02	—	.13	.11	— WD	—	—	08	1.01	—	6
7	04	—	.30	—	04	.04	.72	—	—	05	.95	.15	7
8	—	.02	.25	—	.28	.01	.03	—	—	—	.03	.27	8
9	—	.07	—	—	.03	.09	—	—	—	—	.01	.23	9
10	—	.80	—	.04	.04	.02	.02	—	—	—	.09	.46	10
11	—	—	.03	.08	—	.05	.06	—	—	—	—	.02	11
12	.05	.05	.10	.03	.09	—	—	.03	—	—	—	—	12
13	—	.24	.44	—	06	—	.03	—	—	.06	—	—	13
14	.02	.56	.07	.01	—	—	.02	—	—	—	—	—	14
15	—	13	.08	—	—	—	—	—	—	.02	—	—	15
16	.10	.04	—	.24	—	—	—	.24	—	—	—	.11	16
17	.20	.17	—	.05	—	—	.03	—	.14	.02	.56	—	17
18	.05	.06	.14	—	—	—	—	.19	.22	.74	.08	.19	18
19	16	—	.61	.05	—	—	—	—	.01	.03	.14	.23	19
20	.17	.25	.22	—	—	—	—	—	—	—	.15	2.32	20
21	.01	.29	.49	—	.07	—	—	—	—	—	—	.29	21
22	—	—	—	03	—	.03	—	—	—	.23	.02	.54	22
23	—	.04	—	—	—	.06	—	.15	—	.63	.26	.01	23
24	—	.05	—	—	.18	—	—	.10	—	.05	.10	.40	24
25	—	.25	.12	.02	—	.10	—	.57	.01	.52	.08	.01	25
26	—	.05	.02	—	—	—	—	.13	.82	.03	.01	—	26
27	—	.04	1.02	—	—	.18	.04	—	.87	.66	—	—	27
28	—	14	.01	.07	—	—	—	.08	.16	.45	—	32	28
29	—	.47	.02	—	—	.38	—	2.03	56	.28	—	.46	29
30	—	X	—	—	—	—	—	—	—	.90	—	—	30
31	—	X	—	X	—	X	—	.07	X	.39	X	—	31
Total	1.56	5 14	4 02	.62	2.08	1.37	.95	3.59	3 59	6.41	5.54	6.01	YEAR'S TOTAL 40.88
Rain Days.	16	25	19	10	12	15	8	10	11	22	17	16	182

W. 8,000, VIII. 16

√ 1629

Exd. M

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Kept at Barrow Hill, Bere Regis.
in the County of Dorset
by A. Lucas.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wool.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	{	—	.08	—	.65	.02	—	.06	—	1
2	.01	—	—	.49	—	—	—	.06	.01	.02	.01	—	2
3	—	—	—	.04	—	—	.45	.03	—	.15	.34	—	3
4	.03	.05	.43	—	—	—	—	.01	—	.23	—	—	4
5	.11	—	.11	.22	—	.10	—	.04	.12	.04	—	—	5
6	—	—	.10	—	—	—	—	.14	—	.14	.19	—	6
7	.36	—	—	—	—	—	.26	1.15	—	.28	.03	.12	7
8	.22	—	{	—	—	—	.83	.14	.04	.34	.19	.19	8
9	—	—	.32	.05	.02	—	.03	—	.03	.04	—	—	9
10	.12	—	.42	.28	.01	—	—	—	—	—	.06	—	10
11	.05	—	.55	.09	.03	—	—	—	—	.34	.03	—	11
12	.02	—	—	—	.23	—	—	—	.02	.19	—	—	12
13	—	—	.22	—	—	.01	—	.15	.02	.11	—	—	13
14	—	—	.18	—	—	—	—	.10	.02	{	—	—	14
15	—	—	—	.15	—	—	—	.12	.01	1.52	—	.18	15
16	—	.14	—	—	.02	—	—	—	.01	—	—	.49	16
17	—	.02	—	.16	—	.10	.24	.22	.71	.14	—	—	17
18	—	.14	—	—	—	.23	.10	—	.57	—	—	—	18
19	—	.38	.03	—	—	—	—	—	.29	—	—	—	19
20	—	.04	.09	—	.35	.01	—	—	.01	—	—	.02	20
21	—	—	.32	—	—	.09	—	—	—	.02	—	—	21
22	—	—	—	—	—	.10	—	.05	—	.08	—	—	22
23	—	.19	—	—	.12	—	—	.12	—	.09	—	—	23
24	—	.19	—	—	—	.02	.08	.02	—	.25	.01	—	24
25	—	.08	—	—	—	—	.25	.05	.01	.02		—	25
26	—	—	.03	—	.26	—	—	.53	.13	—	.01	.02	26
27	—	—	—	—	1.41	.21	—	1.22	—	—	—	—	27
28	—	—	.08	—	.09	.56	—	.19	—	—	—		28
29	—	—	.02	—	.08	.14	.10	.01	—	.46	—	.12	29
30	—	✕	.23	—	—	—	.54	.25	—	—	—		30
31	—	✕	.04	✕	—	✕	.05	.02	✕	.22	✕	.01	31
Total	.92	1.23	3.20	1.48	2.62	1.68	2.96	5.30	1.96	5.04	.96	1.15	YEAR'S TOTAL 28.50
Rain Days.	8	9	16	8	11	12	11	22	16	20	10	8	151

W. 8,000, IX. 17.

1.46

Ex° 91 83

48

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

9. 1. 18

Kept at Barrow Hill Bere Regis

in the County of Dorset.

by A Lucas.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Wool

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·02	—	·01	·09.	—	—		—	·01	·88	·05	1
2	—	·31	—	·10	—	—	—	·94	—	—	·14.	·27.	2
3	—	·10	—	·32.	·16.	—	—	·05.	·01	·03.	·05	·03	3
4	—	·05.	—	—	—	—	—	·07.	·13.	—	1.31.	·12.	4
5	·20	·09.	·24	—	·40.	—	—	·25	·08.	·22	—		5
6	—	·11	—	·26.	—	—	—	·10.	·02	·04	—	·05	6
7	—	·22	—	·07.	·20.	·01.	—	·01.	·09.	·08	·31	·24	7
8	·05	·08	—	—	—	—	—	—	·67.	·20.	—	·03	8
9	—	—	—	·23	—	·06	·29	—	·47.	·25.	·01	·34	9
10	—	—	—	·10.	—	—	·53	—	—	·26.	—	·45	10
11	—	—	—	·02.	—	—	·09.	—	—	·03.	·03.	—	11
12	—	·12	—	—	·34.	—	·08	—	—	·02	—	·04	12
13	·13	—	—	—	·04	—	·57.	—	·64.	~~·20~~.	—	·02	13
14	·21	—	—	—	·02	·10	·01.	—	·26.	·23.	—	·12	14
15	1.51	—	—	·34.	·02	·01.	·22	—	—	—	—	·19.	15
16	·45.	—	—	·04.	—	—	·01	—	·23	—	—	·03	16
17	·22	—	·05	·14.	—	—	·57.	—	·08.	—	—	·31.	17
18	·87.	—	—	—	—	·40.		—	·45.	—	—	·14.	18
19	·11	—	—	·01.	—	—	·41	—		·03.	—	·06.	19
20	·02	·20.	·22	·18.	—	—	·09	—	·56		—	—	20
21	·14	·04	—	—	—	·01	—	—	·92	·23	—	·22	21
22	·06	—	—	—	·19	—	·62	—	·10	—	—	·12	22
23	·22	·03.	—	—	·03.	—	·38.	—	·29.	—	·07.	—	23
24	—	·21	—	—	—	·01	—	—	—	—	·13.	—	24
25	—	—	—	—	·21.	—	·01.	·50	—	—	·02	—	25
26	—	—	—	—	—	—	·19	—	·03.	·07.	·14	·34.	26
27	—	·09	·01	—	—	—	·03	·06.	·27.	·02	·14	—	27
28	—	—	·31	—	—	·01	—	—	—	·04	·03.	·01	28
29	—	—	·13	—	—	—	—	—	1·49	·08.	—	·04	29
30	—	X	·45.	—	—	—	—	—	—	—	·10	·07	30
31	—	X	·10.	X	—	X	—	·10.	X	·02	X	—	31
Total	4·19	1·67	1·51	1·91	1·43	·91	4·10	2·08	6·79	1·86	3·36	3·29	YEAR'S TOTAL 33·40
Rain Days.	13	14	8	13	11	8.	16.	9.	19.	18.	14.	23.	166

W. 6,500. VII. 18. W W C

5412 1535

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

9 JAN 20

Kept at Barrow Hill, Bere Regis.
in the County of Dorset.
by A. E. Lucas.

Lat. .... Long. ....
Time of Observation 9. a. m.
Nearest Railway Station Wool.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ....ft. 12 in.
„ „ „ „ Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·41.	–	·07.	·10	·01.	–	·28	–	·30.	·16	·04.	·91.	1
2	·21.	–	·02	–	·04	–	·09	–	·30.	–	–	·05.	2
3	·98.	–	·50.	–	·07	–	·16	–	·32	–	–	·09	3
4	·41.	·16	·72	–	–	·01	·01	·02	·37.	–	·07.	·02	4
5	·07.	·40	·51	–	·09	–	–	–	·01	–	·15.	·12.	5
6	·46	·18	·12	·04	–	–	–	–	–	–	·03	·14	6
7	·32	–	·46	·04	–	–	–	–	–	–	·01	–	7
8	·29	–	·22	–	–	–	–	–	–	–	–	–	8
9	·12	–	·01	·26	·10	–	–	–	–	–	·37.	–	9
10	·21.	–	·32	·07	–	–	–	–	–	–	·02.	·33.	10
11	·15.	–	·06	·20.	·17.	–	·09.	–	–	–	–	·11.	11
12	·16.	–	–	·01.	–	–	·11.	–	–	·08	·04	–	12
13	·08	·04.	·09	·50	–	–	·01.	–	–	–	–	·14.	13
14	·76	·13	–	·32	·22	–	·09.	–	·06	–	–	·16	14
15	·44.	·10.	–	·04.	–	–	–	–	–	·06	–	·50.	15
16	·02	1·01.	–	–	–	–	–	·01	–	–	·12.	–	16
17	·09.	·11	–	–	·02	–	–	–	–	–	·14	·03.	17
18	–	·38.	·70.	–	–	–	·06	·04.	–	–	·13.	–	18
19	·84.	·02	·57	–	–	·11.	1.10.	·22	– }	–	·04.	·05.	19
20	·45.	·80	·04	–	–	·50	–	·24	·09.	–	–	–	20
21	–	–	–	–	–	–	·06	–	·02	·	–	·03	21
22	–	–	·02	–	–	–	·08	–	·50	–	·03	·07	22
23	–	–	–	–	–	–	–	·01	–	·12	·04	·04	23
24	–	–	–	·08	–	·12	·15.	·02	–	·90.	–	·17	24
25	·10.	·07.	–	·02	–	·03	–	·20.	–	–	–	·15.	25
26	·05.	·12.	·08.	·06.	–	–	–	·07.	·08.	–	·11	·70	26
27	·11.	–	·04	·32.	–	–	–	1·00	–	–	–	·02	27
28	–	–	·38	–	–	–	·07.	·64.	–	–	·81.	·47	28
29	–	–	·01.	–	–	–	–	·06	–	·03.	·03.	·07	29
30	–	✕	–	·10.	–	·10	–	·42.	–	–	·59.	·83.	30
31	·01.	✕	·02.	✕	–	✕	–	–	✕	–	✕	·39.	31
TOTAL	6·74	3·52.	4·96	2·16	·72	·87	2·36	2·95.	1·75.	1·35	2·77.	5·62	YEAR'S TOTAL 35·77.
Days with ·01 in. or more	23.	13.	21.	15.	8.	6	14	13.	10.	6.	18.	24	171.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1449

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

5 JAN 1921

Kept at Barrow Hill, Bere Regis, Wareham
in the County of Dorset.
by A. E. Lucas.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Wool.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	·05	·10	·38	—	·37	·02	·01	·32	·31	·61	1
2	·32	—	—	·10	—	—	·05	·25	·09	·20	—	·16	2
3	·06	·06	—	·02	—	—	·19	—	·01	·16	—	·02	3
4	—	·04	—	·04	—	—	·23	·68	—	·27	—	·01	4
5	—	—	·19	·07	—	—	·27	·10	—	·24	—	—	5
6	·03	—	·09	—	·29	—	·50	—	—	·04	—	—	6
7	·04	—	·01	·20	·03	—	·29	—	—	—	—	—	7
8	—	·05	—	·23	·06	—	·36	·04	—	—	—	—	8
9	·40	—	·02		—	·06	·01	—	—	—	—	—	9
10	·91	·04	·08	·11	—	·49	·68	—	—	—	—	—	10
11	·18	—	·12	·52	·23	·12	·18	—	—	—	—	snow ·01	11
12	·20	·05	—	·20	·01	·77	·01	—	—	—	·04	snow. ·02	12
13	·17	·03	·48	·03	—	—	—	—	—	—	·05	—	13
14	·01	·02	·41	·55	—	—	·02	—	·31	·30	·52	—	14
15	·04	·07	·02	·15	·12	·20	—	—	·04	·68	·06	—	15
16	—	—	·03	·02	—	·02	·10	—	·11	·01	—	—	16
17	—	—	—	·13	·27	—	·04	—	·42	—	—	—	17
18	·12	—	—	·03	·01	·15	·05	·43	·04	—	—	—	18
19	·03	—	—	·30	—	·11	—	—	·09	—	—	—	19
20	·02	·09	—	·15	·04	·47	—	—	—	—	—	·19	20
21	—	—	—	—	—	—	·29	—	·01	—	—	·13	21
22	·07	—	—	·17	—	—	·01	—	·03	—	—	·36	22
23	·01	—	—	—	—	—	·18	·02	—	—	·10	·44	23
24	·02	·02	·21	—	—	—	—	—	—	—	—	·19	24
25	—	—	·26	—	·03	—	·73	—	—	—	—	—	25
26	·16	—	·44	—	·16	—	·01	—	—	—	·10	·11	26
27	·47	—	·03	·05	—	·09	—	—	—	—	·05	·27	27
28	·68	·01	·08	·02	—	—	·10	—	—	—	—	·08	28
29	·51	—	·20	·21	—	·01	—	—	—	—	·23	·42	29
30	·14	✕	—	—	—	·09	·05	—	·31	—	·38	·62	30
31	·03	✕	·28	✕	—	✕	—	—	✕	·39	✕	·28	31
TOTAL	4·69	·48	2·92	3·40	1·63	2·58	4·72	1·54	1·47	2·61	1·84	3·92	YEAR'S TOTAL 31·80
Days with ·01 in. or more	24	11	18	23	12	12	23	7	12	10	10	17	179
Days with ·04 in. or more	17	7	13	17	8	10	18	5	8	9	10	13	135

(44.283). 10/19. (52.638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

BERE REGIS
BLOXWORTH HOUSE
DORSET
1911 —— 1920.

Kept at Bloxw
in the County of
by F. G. L.

5 in.
…ove Ground 1 ft. 6 in.
„ Sea Level 118 ft.
10 am
…on Name Wareham
Distance 6 miles Direction South

IMPORTANT … and the result entered to the previous day. If a … universal rule, he is earnestly requested to add th… …g year in the space provided for it at the end … …surement of rain, the selection and placing of rain gauges, and … …e British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.02								.03	.03	1
2	.02			.05	.35			.05		.12	.14	.31	2
3	-				.18				.05		.13	.12	3
4	.02								.03	.02	.29	.43	4
5	.14		.06			.19		.07		.21	.10		5
6	.58		.21								.08	.95	6
7	.03		.01								.42	.04	7
8	.02	.03									.18	.73	8
9	.11		.21								.06	.50	9
10	.10	.10	.59									.28	10
11	.52	.03	.02		.01						1.47	.01	11
12			.93								.08	.26	12
13		.01	.02						.32			.40	13
14		.16				-						.45	14
15		.04	.05			.06					.29	.08	15
16						.39					.68	.34	16
17	.02	.02	.14		.05	.07					.57	.50	17
18		.15	.06	.06		.24				.10	.03	.55	18
19		.09		.02		.21			.36	.18	.10	.73	19
20	.08	.06	.29	.02					.14	.12		.53	20
21	.05	.34	.06			.02			.10	.92		.11	21
22	.23	.06	.09	.02		.14			.04	.31		.58	22
23		.14	.04			.18			.12	.54	.11	.37	23
24		.12				.33		.30	.05	.35		.32	24
25	.02	-		.09		.06				.18		.09	25
26		.13		.37				.04		.30	.02	.32	26
27		.43	.07	.08				.04	.08	.73	.11	.20	27
28		.23		.52				.17			.10	-	28
29		-		.50		.24	.27		.15	.40	.01	-	29
30						.02				28	.11	.01	30
31													31
Total	1.96	2.14	2.87	1.73	.59	2.15	.27	.67	1.44	4.76	5.11	9.23	TOTAL for year
No. of Rain Days.	15	17	17	10	4	13	1	6	11	15	22	27	32.92

on 158 days

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Bloxworth House Nr. Wareham

in the County of Dorset 3

by F. G. L. Lane

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 118 ft.

Time of Observation 10 am

Nearest Railway Station
Name Wareham
Distance 6 miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·02								·03	·03	1
2	·02			·05	·35			·05		·12	·14	·31	2
3	-				·18				·05		·13	·12	3
4	·02								·03	·02	·29	·43	4
5	·14		·06			·19		·07		·21	·10		5
6	·58		·21								·08	·95	6
7	·03		·01								·42	·04	7
8	·02	·03	—								·18	·73	8
9	·11		·21								·06	·50	9
10	·10	·10	·59									·28	10
11	·52	·03	·02		·01						1·47	·01	11
12			·93								·08	·26	12
13		·01	·02						·32			·40	13
14		·16										·45	14
15		·04	·05			·06					·29	·08	15
16						·39					·68	·34	16
17	·02	·02	·14		·05	·07					·57	·50	17
18		·15	·06	·06		·24				·10	·03	·55	18
19		·09		·02		·21			·36	·18	·10	·73	19
20	·08	·06	·29	·02					·14	·12		53	20
21	·05	·34	·06			·02			·10	·92		·11	21
22	·23	·06	·09	·02		·14			·04	·31		·58	22
23		·14	·04			·18			·12	·54	·11	·37	23
24		·12				·33		·30	·05	·35		·32	24
25	·02	-		·09		·06				·18		·09	25
26		·13		·37				·04		·30	·02	·32	26
27		·43	·07	·08				·04	·08	·73	·11	·20	27
28		·23		·52				·17			·10	-	28
29		-		·50		·24	·27		·15	·40	·01	-	29
30						·02				28	·11	·01	30
31													31
Total	1·96	2.14	2·87	1.73	·59	2.15	·27	·67	1·44	4·76	5·11	9·23	TOTAL for year
No. of Rain Days.	15	17	17	10	4	13	1	6	11	15	22	27	32·92

on 158 days

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Exd

REGISTER OF RAINFALL IN 1912

Kept at Bloxworth House - Wareham

in the County of Dorset 3

by F. [illegible]

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 118 ft.

Time of Observation 10 am

Nearest Railway Station
Name Wareham
Distance 6½ Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·05	-	·02	·24	-	-	·03	·76	·02	·30	1
2	-	-	·21	-	-	·05	·41	-	-	·02	-	-	2
3	-	-	·10	-	-	·68	-	·70	·02	-	·02	·30	3
4	·21	·02	·78	-	-	·55	-	·01	-	-	·30	·01	4
5	·69	·23	·24	-	-	-	-	·56	·01	-	·02	·13	5
6	·20	·02	-	-	·26	·06	·38	·39	-	-	-	·07	6
7	·	·48	·21	-	·15	·58	·13	·05	-	-	-	·11	7
8	·71	·20	·33	-	-	·10	-	-	-	-	-	·03	8
9	·02	·05	·36	·03	-	·20	·04	·30	-	-	-	·46	9
10	·02	·10	·01	-	-	·05	·01	·27	-	-	02	·43	10
11	·06	[illegible]	·02	-	-	·08		·45	-	-	-	·54	11
12	[illegible]	[illegible]	·14	·03	·73	·02	·03	·34	-	-	·03	-	12
13	·01	[illegible]	·01	-	-	-	-	-	-	-	·02	-	13
14	·18	·03	·27	-	-	-	-	·23	-	·04	-	·03	14
15	·30	·18	-	-	·10	·54	-	·03	-	-	-	·33	15
16	1·11	·02	·38	-	·11	·02	-	·24	-	·09	13	·	16
17	·73	-	·47	-	-	·05	-	·81	-	-	-	14	17
18	·07	·01	·21	-	-	-	-	·18	-	-	-	·03	18
19	·02	·06	·37	-	-	·07	-	·42	-	-	-	-	19
20	·09	·25	·44	-	·12	-	·14	·04	-	·41	·05	-	20
21	-	·34	·41	-	·25	-	-	·22	-	·24	-	-	21
22	·30	·40	·10	-	-	·20	·05	·17	-	·05	·02	·16	22
23	[illegible]	[illegible]	22	-		-	-	·64	-	·17	·16	·31	23
24	·29	·07	-	-	-	·37	·02	·10	-	-	·44	·34	24
25	·21	-	-	-	-	·06	-	·20	-	·21	·46	·72	25
26	·01	·05	-	-	·	-	·35	·20	-	·35	-	·42	26
27	-	·04	-	-	-	·25	1·60	·57	-	·78	-	·42	27
28	-	·12	-	-	-	·14	·07	-	·10	·76	·46	·50	28
29	-	·13	-	-	-	·03	·11	·10	1·81	·37	-	-	29
30	-	-	·08	-	·11	·06	·03	-	·70	·13	-	-	30
31	-	-	·66		-	-	·28	·02	-	-	-	09	31
Total	[illegible]	3.48	6.07	·06	1.85	4.40	3.65	7.24	2.67	4 38	2.15	5.87	TOTAL for year 47.88
No. of Rain Days.	21	24	23	2	9	22	15	25	6	14	14	22	197

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

Kept at Bloxworth House
in the County of Dorset 3
by F. G. A. Lane

Lat. .... Long. ....
Time of Observation 10. a.m
Nearest Railway Station Wareham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.32	.16	.21	-	-	-	-	.41	-	.41	.02	1
2	.04	.14	-	-	.05	-	-	-	-	-	.12	.01	2
3	.12	-	.03	.14	.26	-	-	-	.04	-	-	.14	3
4	.74	-	.15	-	.31	-	.06	-	.58	.43	.11	.07	4
5	.28	.06	-	-	.08	.06	.58	-	.98	.15	.21	.21	5
6	.03	.18	-	-	.03	.20	.05	-	-	1.34	-	.72	6
7	.03	.46	.09	-	.41	.10	-	-	-	.32	.26	.05	7
8	-	.29	-	-	.26	-	.02	-	-	-	.05	.06	8
9	.02	.06	-	-	.02	-	.02	1.65	-	.01	.26	-	9
10	.41	.03	-	-	.05	-	-	.01	-	.24	.50	-	10
11	.85	-	-	.23	.27	-	-	-	.01	.18	.35	.02	11
12	-	.02	-		.42	-	-	-	-	-	.45	-	12
13	.13	-	.04	.01	-	-	-	.03	.32	-	.20	-	13
14	.32	.03	.13	.02	.05	-	-	-	.35	-	.02	-	14
15	.70	.07	.38	.74	-	-	.17	.10	.36	-	.02	-	15
16	.10	-	.42	.02	-	.04	-	-	.01	-	-	-	16
17	.09	.04	-	.15	-	-	-	-	-	-	.04	-	17
18	.05	-	.27	.12	-	-	-	-	-	-	.04	-	18
19	.73	-	.03	-	.06	.20	-	-	.40	-	-	-	19
20	.15	-	.28	.16	-	-	-	-	-	.35	.21	-	20
21	.54	-	.24	.33	.05	-	.10	-	-	.08	.70	-	21
22	.02	-	.18	.05	-	-	-	.22	.28	.02	-	.15	22
23	-	-	.03	-	-	.03	-	.02	-	-	.08	.73	23
24	.03	.02	-	.13		.04	-	-	-	-	.03	-	24
25	-	.12	-	.26	-	-	-	-	-	.02	-	-	25
26	-	-	-	.41	-	-	-	.25	-	.03	-	.29	26
27	.05	-	.21	.10	-	-	-	.01	-	-	-	-	27
28	.18	.01	.06	.21	-	-	-	-	-	.33	-	-	28
29	.18	-	.50	.75	.15	-	-	.08	-	.23	-	-	29
30	.65	-	-	-	.05	-	-	-	.05	.48	-	-	30
31	.10	-	.03	-	-	-	-	.65	-	.07	-	-	31
Total	6.57	1.85	3.23	4.04	2.52	.67	1.00	3.02	3.79	4.28	4.06	2.47	YEAR'S TOTAL 37.50 ✓
Rain Days.	26	15	18	18	16	7	7	10	12	16	19	12	176 ✓

W.7,000, XI. 13

[illegible] Cor. by Dorset F.C. 15.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Bloxworth House - Bloxworth

in the County of Dorset 3

by F. Gill Lane

Lat. Long.

Time of Observation 10 am

Nearest Railway Station Wareham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ~~8~~ ft. 6 B in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	.35	-	-	.25	.12	1
2	-	-	.02	-	-	-	.42	-	-	-	1.70	.31	2
3	-	-	.04	.14	.59	-	.06	.13	-	-	.02	.02	3
4	.07	-	.05	.25	.19	-	.16	1.19	-	-	.43	.54	4
5	.03	-	.09	.24	.11	-	.55	.09	-	-	.49	.03	5
6	-	.22	-	.14	.08	-	.09	.03	-	-	.02	.69	6
7	.01	.62	.13	.12	.02	-	.21	.07	.01	-	-	.23	7
8	.05	.21	.75	.10	.02	.05	-	.31	-	-	-	.06	8
9	.02 ~~.01~~	-	.43	.16	.08	-	-	.02	.81	-	.02	.41	9
10	.04	-	-	.08	.10	-	-	-	.31	-	-	.04	10
11	-	.44	.59	-	.05	.06	.47	-	-	-	.05	.71	11
12	-	.17	15	-	-	-	-	-	.37	.28	.15	48	12
13	-	.07	.53	-	-	-	-	-	.16	.06	.10	.80	13
14	-	.58	.45	-	-	.74	.31	.47	-	.56	.50	.49	14
15	.02	.46	.26	-	-	-	.65	.28	-	.05	.33	-	15
16			-	-	-	-	.06	-	.38	-	-	.01	16
17		.89	.15	-	-	-	-	-	-	-	-	1.29	17
18		.63	.12	-	-	-	.14	-	-	-	-	.69	18
19		.12	.74	-	-	-	1.35	-	-	-	.11	.08	19
20		.79	.16	-	-	.16	-	-	-	-	-	.44	20
21		.75	-	-	-	-	-	-	-	.30	-	-	21
22		.12	-	-	.38	.13	.07	.05	-	.10	-	-	22
23		.06	.38	-	-	-	.02	-	-	.25	-	-	23
24		.05	.02	-	-	-	-	-	-	.15	.12	-	24
25	.03	-	.22	-	-	-	.22	.35	-	.40	.05	.40	25
26	-	-	.12	-	-	-	.10	.04	-	.08	.31	.63	26
27	.04	-	-	-	-	-	-	-	-	.02	.25	.29	27
28	.02	.17	38	-	-	-	.10	-	-	.05	.20	.90	28
29	.35	-	.19	-	.11	-	-	-	-	.37	.52	.04	29
30	.02 ~~.01~~	×	.11	-	-	-	-	-	-	.29	.85	.80	30
31	.05	×	-	×	.03	×	14	-	×	52	×	.26	31
Total	.75 ~~.73~~	5.75	6.02	1.23	1.76	1.14	5.12	3.38	2.04	3.48	6.47	10.76	YEAR'S TOTAL 47.90
Rain Days.	13	17	23	8	12	5	18	13	6	15	20	26	176

W. 8,000. X. 14.

Esd. L.N. 1737

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Bloxworth House

in the County of Dorset 3

by F. G. A. Lane

Lat. Long.

Time of Observation 10 am

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.29	.20	-	-	.01	-	-	.15	.35	32	.01	.19	1
2	.63	.26	.16	.07	-	.04	-	.42	-	.19	-	.55	2
3	.20	.07	.15	.08	.11	-	-	.04	-	.25	-	.57	3
4	.03	.78	-	-	-	-	-	-	-	-	-	.33	4
5	.06	-	-	.06	-	-	-	.18	-	-	-	.58	5
6	.80	.16	-	.41	-	-	1.17	.02	-	-	-	.30	6
7	.19	.75	-	.12	-	-	.10	-	-	-	-	.46	7
8	.08	.68	-	-	-	-	-	.06	-	-	.10	.14	8
9	.03	.06	-	.09	-	-	-	-	-	-	.44	.86	9
10	.33	.04	-	.03	-	-	-	-	-	.02	-	.21	10
11	.10	.13	.06	.05	-	-	-	.01	-	.01	1.31	.01	11
12	.17	.64	-	-	.64	-	-	-	-	.06	.35	-	12
13	.01	.36	-	-	1.23	-	-	-	.10	-	-	.02	13
14	.08	.01	-	-	-	-	.36	-	.03	-	-	1.36	14
15	.15	-	-	-	.17	-	.66	-	-	-	.19	.28	15
16	-	1.39	-	-	.25	-	1.32	.02	-	-		.22	16
17	-	.60	-	-	.21	-	.01	.09	-	-		-	17
18	-	.41	-	-	.02	-	.01	.01	-	-		-	18
19	-	-	-	-	.21	-	.10	-	-	-		-	19
20	.22	-	-	.14	.05	-	-	-	-	.04		.07	20
21	.09	.36	.05	-	-	-	.28	-	.14	34		.14	21
22	.08	.18	.48	.08	-	-	.85	-	-	.02		.30	22
23	.02	-	.10	-	-	-	.09	-	.36	1.18		.54	23
24	-	-	-	.08	-	-	-	-	.56	1.55		.55	24
25	-	-	.05	.04	-	.20	-	-	-	-		.41	25
26	.02	.15	-	-	-	.04	.19	-	-	-		1.00	26
27	-	.05	-	-	-	.07	-	-	-	.43		-	27
28	-	.10	-	-	-	.14	-	-	.55	.06	05	06	28
29	-	-	-	-	-	.13	-	-	-	.03	24	.17	29
30	.22	✕	-	-	-	.27	-	-	-	.53	.85	.31	30
31	-	✕	-	✕	-	✕	.03	.20	✕	1.20	✕	44	31
Total	3.80	7.38	1.05	1.25	2.90	.89	5.17	1.20	2.09	6.23	3.54	10.07	YEAR'S TOTAL 45.57
Rain Days.	21	21	7	12	10	7	13	11	7	16	9	26	160

W. 8,000. X. 15.

1701

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Bloxworth House · Bloxworth
in the County of Dorset
by F. G. A. Lane

Lat. .... Long. ....
Time of Observation 10 a.m.
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.22	.06	.11	-	.98	.01	-	-	.56	.23	.15	-	1
2	.26	.22	.02	-	-	-	-	-	-	.17	.18	-	2
3	.05	.90	-	-	-	.02	-	-	-	.76	.27	-	3
4	.17	.18	-	-	.09	.29	-	-	.21	.03	.89	-	4
5	.08	.07	.05	-	.21	.13	-	-	-	.09	.46	-	5
6	.01	.09	.02	-	.13	.18	.65	-	-	.08	1.11	-	6
7	.01	-	.40	-	.04	.03	.06	-	-	.03	.98	.17	7
8	-	.07	.11	-	.32	-	-	-	-	-	.06	.30	8
9	-	.12	-	-	.01	.24	.03	-	-	-	.02	.26	9
10	-	.74	.03	.05	.05	-	.02	-	-	-	.10	.18	10
11	-	-	.03	.11	.15	.21	.08	-	-	-	-	-	11
12	.05	.07	.29	.04	-	-	-	.07	-	.08	.02	-	12
13	-	.27	.18	-	-	-	-	.03	-	-	-	-	13
14	.03	.57	.07	-	.09	-	-	.01	-	.03	-	-	14
15	-	.18	.17	.07	-	-	-	.08	-	.07	-	-	15
16	.11	.10	.02	.19	-	-	.01	.35	-	.10	-	.12	16
17	.17	.23	-	.11	-	-	-	.03	.21	.65	.60	-	17
18	.07	.05	.18	-	-	-	-	.15	.22	-	.19	.20	18
19	.22	-	.64	.07	-	.02	-	-	.04	-	.16	.28	19
20	.21	.38	.50	-	-	-	-	-	-	-	.09	1.96	20
21	.01	.17	.21	-	.09	-	-	-	-	-	-	.29	21
22	-	-	-	-	-	-	-	-	-	.35	.05	63	22
23	.04	.11	-	-	-	.02	-	.18	-	-	.27	-	23
24	-	.02	-	.03	.26	.09	-	.12	-	.47	.10	39	24
25	-	.38	-	-	-	-	-	.61	.01	.05	.14	-	25
26	-	.12	.14	-	-	.11	-	.04	.64	.70	.02	-	26
27	-	.04	.96	-	-	.15	.41	.02	.94	.45	-	-	27
28	-	.26	.02	.08	-	-	-	.16	.29	.20	-	.36	28
29	-	.55	.03	-	-	.43	-	2.17	.57	.40	-	.39	29
30	-	✕	-	-	-	-	-	-	-	.45	-	.02	30
31	-	✕	-	✕	-	✕	-	.09	✕	.50	✕	.02	31
Total	1.71	5.95	4.18	.75	2.42	1.93	1.26	4.11	3.69	5.89	5.86	5.57	YEAR'S TOTAL 43.32
Rain Days.	16	25	21	9	12	14	7	15	10	21	20	15	185

W. 8,000, VIII. 16

1030

FORM A.
BRITISH RAINFALL.

4. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Bloxworth House - Bloxworth

in the County of Dorset

by F. Giffane

Lat. ______ Long. ______

Time of Observation 10. am

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ±18 inches in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
Snow ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·14	·19	-	·10	-	·75	-	-	·07	-	1
2	-	-	·06	·42	-	-	-	·06	·05	·63	-	-	2
3	·07	-	-	·07	-	-	·40	·03	-	·21	·21	-	3
4	-	·02	·47	-	-	-	-	-	·02	·18	·02	-	4
5	·13	-	·15	20	-	·12	-	·05	·15	·14	·12	-	5
6	-	-	·11	-	-	-	-	·06	-	·19	-	-	6
7	·29	-	-	-	-	-	·41	·17	-	·21	·09	·10	7
8	·43	-	·22	·02	-	-	·93	1·20	·09	·43	·21	·20	8
9	-	-	-	·02	·10	-	·03	-	·03	·05	·09	-	9
10	·16	-	·38	·31	-	-	-	·36	-	-	-	-	10
11	·05	-	·48	·21	·06	-	-	-	-	·36	·02	-	11
12	-	-	·03	-	·33	-	-	-	-	·22	-	·01	12
13	-	-	·18	·02	-	-	-	·14	-	·04	-	-	13
14	-	-	·11	·06	-	-	-	·06	-	-	-	-	14
15	-	-	-	-	-	-	-	·31	·02	·30	-	·30	15
16	·06	·16	-	·10	·02	-	-	-	·03	1·31	-	·55	16
17	·03	·02	-	·14	·01	·23	·28	·26	·72	·19	-	-	17
18	·03	·09	-	-	-	·25	-	-	·69	-	-	-	18
19	·06	·39	·09	-	-	-	-	-	·27	-	-	-	19
20	-	·05	·12	-	·34	·09	-	-	·03	-	-	-	20
21	-	·03	·31	-	-	-	-	-	-	·05	-	-	21
22	·04	-	-	-	-	·12	-	·07	-	·11	-	-	22
23	-	·18	-	-	·11	-	-	·14	-	·15	-	·03	23
24	-	·20	-	-		·02	·10	·04	-	·27	-	-	24
25	-	·12	-	-		-	·10	·06	·05	·02	-	-	25
26	-	-	·03	-	·30	·04	-	·67	·10	·02	·05	-	26
27	-	-	-	-	1·78	·23		1·06	-	-	-	-	27
28	-	-	·08	-	·10	·63		·24	-	-	-	-	28
29	-	-	·04	-	·44	·20	·10	·04	-	·67	-	·15	29
30	-	X	·18	-	-	-	·56	·25	-	-	-	-	30
31	-	X	·09	X	-	X	·05	·05	X	·24	X	·01	31
Total	1·35 ✓	1,26 ✓	3,27 ✓	1·76 ✓	3.59 ✓	2.03 ✓	2·96 ✓	6·07 ✓	2,25 ✓	5.39 ✓	·88 ✓	1·35 ✓	YEAR'S TOTAL 32,16 ✓
Rain Days.	11 ✓	10 ✓	19 ✓	12 ✓	11 ✓	11 ✓	10 ✓	22 ✓	13 ✓	22 ✓	9 ✓	8 ✓	158 ✓

W. 8,000, IX. 17.

Ex MOS

49

FORM A.
BRITISH RAINFALL.
9. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Bloxworth House Wareham

in the County of Dorset.

by F. G. A. Lane

Lat. .... Long. ——

Time of Observation 10 am

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 18 in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. -

Date	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·27	-	-	·07	-	-	·79	-	-	·67	·02	1
2	-	·11	-	·08	-	-	-	·18	-	-	·37	·29	2
3	-	·05	·02	·39	·23	-	-	·14	·10	-	·14	·02	3
4	-	·08	-	·01	-	-	-	·09	·13	·02	1·05	·15	4
5	-	·11	·31	·07	·37	-	-	·33	·14	·27	-	·06	5
6	·23	·24	-	·22	-	-	-	·07	·01	-	-	·15	6
7	-	·09	-	·02	·25	·02	-	-	·31	·13	·34	·09	7
8	-	·16	-	-	-	-	-	-	·10	·21	-	·05	8
9	-	-	-	·26	-	·08	·22	-	·65	·18	-	·36	9
10	·05	-	-	·13	-	-	·64	-	·44	·38	·02	40	10
11	-	-	-	·03	-	-	·09	-	·08	·03	·03	·06	11
12	-	·11	-	-	·40	-	·05	-	·03	-	-	·01	12
13	·13	-	-	-	·12	-	·74	-	·57	·02	-	·04	13
14	·25	-	-	-	·04	·08	·02	-	·33	·22	-	·10	14
15	1·57	-	-	·41	·04	·07	·26	-	·08	-	-	·12	15
16	·49	-	·07	·09	-	-	-	-	·15	-	-	-	16
17	·18	-	·03	·20	-	-	·64	-	·09	-	-	36	17
18	·78	-	-	-	-	·72	·06	-	·72	-	-	·19	18
19	·13	·02	·22	·03	-	-	·35	-	·02	·04	-	·08	19
20	·03	·21	-	·19	-	-	·08	-	·48	·11	-	-	20
21	·18	·06	-	-	-	-	-	-	·73	·11	-	·24	21
22	·09	-	-	-	·21	-	·62	-	·16		-	·11	22
23	·22	·03	-	-	·08	-	·35	-	·07		·08	·03	23
24	-	-	-	-	-	-	-	-	·21		·18	-	24
25	-	-	-	-	·19	-	·01	·48	-		·07	-	25
26	-	·02	-	-	-	-	·20	-	·04	·08	·13	·39	26
27	-	·10	·03	-	-	-	-	·06	·30	·02	·17	·01	27
28	-	-	·25	-	-	-	-	-	-	-	·04	·01	28
29	-	-	·14	-	-	-	-	-	1·73	-	-	·05	29
30	-	X	·40	-	-	-	-	-	·02	·11	·15	·03	30
31	-	X	·10	X	-	X	-	-	X	·15	X	-	31
Total	4·33	1·66	1·57	2·13	2·00	·97	4·33	2·14	7·69	2·08	3·44	3·42	YEAR'S TOTAL 35·76
Rain Days.	13	15	10	14	11	5	15	8	26	·16	14	26	173

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bloxworth House Wareham ~~Dorset~~

in the County of Dorset

by F. G. A. Lane

Lat. Long.

Time of Observation 10 a.m.

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .47

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.39	-	.11	.03	.01	-	.16	-	.06	.15	.04	1.05	1
2	.22	-	.03	-	.06	-	.06	-	.27	-	-	.09	2
3	1.06	-	.63	-	.08	-	.08	-	.34	-	-	.12	3
4	.55	.23	.64	-	-	-	-	.01	.24	-	.09	.05	4
5	.03	.44	.88	-	.03	-	-	-	.03	-	.16	.16	5
6	.42	.22	.05	.06	.05	-	-	-	-	-	.04	.19	6
7	.36	-	.51	.11	-	-	-	-	-	-	-	-	7
8	.28	-	.26	-	-	-	-	-	-	-	.06	-	8
9	.18	-	.02	.22	.10	-	-	-	-	-	.37	-	9
10	.13	-	.36	.02	-	-	-	-	-	.03	-	.36	10
11	.21	-	.04	.21	.19	-	.18	-	-	-	-	.18	11
12	.20	-	-	-	-	-	.06	-	-	.04	-	-	12
13	.10	-	.11	.51	-	-	.02	-	-	.03	.06	.12	13
14	.71	.17	-	.32	.27	-	.11	-	.04	.02	-	.17	14
15	.46	.50	-	.02	-	-	-	-	-	.06	-	.62	15
16	.03	.68	-	-	.02	-	-	.01	-	-	.13	-	16
17	.06	.23	-	-	-	-	-	-	-	-	.15	.05	17
18	.03	.04	.76	-	-	-	.14	.05	-	-	.16	.01	18
19	.92	.44	.58	-	-	.15	1.23	.25	.11	-	.07	.05	19
20	.38	.02	.04	-	-	.46	-	.22	-	-	-	.02	20
21	-	.86	-	-	-	-	.05	-	.05	-	-	.06	21
22	-	-	-	-	-	-	.10	-	.46	-	-	.06	22
23	-	-	.02	-	-	-	-	.02	-	.43	.05	.07	23
24	-	.04	-	.02	-	.16	.15	.04	-	.64	.07	.29	24
25	.07	.08	-	.04	-	.02	-	.31	-	-	-	.16	25
26	.04	.15	.10	.10	-	-	-	.04	.08	-	.25	.61	26
27	.14	.02	.05	.27	-	-	-	1.65	-	-	-	.04	27
28	-	-	.40	-	-	-	-	.10	-	-	.82	.48	28
29	-	-	-	.02	-	-	-	.06	-	.07	-	.10	29
30	-		-	.11	-	.12	-	.25	-	.03	.62	.91	30
31	-		.03		-		-	-		-		.47	31
TOTAL	6.97	4.12	5.62	2.06	.81	.91	2.34	3.01	1.68	1.50	3.14	6.49	YEAR'S TOTAL 38.65
Days with ·01 in. or more	23	15	20	15	9	5	12	13	10	10	16	26	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd. A.W.

14650

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Bloxworth House
in the County of Dorset
by F. G. A. Lane

Lat. Long.
Time of Observation 10 am
Nearest Railway Station Wareham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·23

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	-	·02	·11	·36	-	·39	·02	·03	·25	·15	·59	1
2	·29	-	-	·11	-	-	·08	·25	·07	·15	-	·18	2
3	·03	·10	-	·02	-	-	·07	-	-	·79	-	-	3
4	-	·04	-	-	-	-	·23	·58	-	·30	-	·01	4
5	-	-	·10	·15	-	-	·41	12	-	·29	-	-	5
6	-	·02	·17	-	·31	-	·26	-	-	-	-	-	6
7	·02	-	·01	·25	·07	-	·35	-	-	-	-	-	7
8	07	·06	-	·12	05	-	·35	·06	-	-	-	-	8
9	·57	·01	·03	·08	-	·05	-	-	-	-	-	-	9
10	·90	·06	·08	·08	-	45	·66	-	-	-	-	-	10
11	·21	-	·13	·51	·23	33	·20	-	-	-	-	·01	11
12	·20	·08	-	·25	·09	·41	·02	-	-	-	·07	·05	12
13	·21	-	·52	·02	-	-	-	-	-	-	·03	-	13
14	·05	·02	40	·52	-	-	·01	-	·39	·38	·61	-	14
15	·04	-	·05	·10	·11	39	-	-	·05	6.0	06	-	15
16	-	-	·03	·04	·01	-	·11	-	·11	·03	-	-	16
17	·01	-	-	·18	·26	-	·02	-	·35	-	-	-	17
18	·15	-	-	05	·02	·16	·01	·45	-	-	-	-	18
19	·05	-	-	·34	-	·19	-	-	10	-	-	-	19
20	·02	·15	-	·26	-	44	-	-	-	-	-	·25	20
21	-	-	-	-	-	-	·38	-	·03	·03	-	·11	21
22	·07	-	·	·19	-	-	·01	-	-	-	-	·36	22
23	·01	-	-	-	-	-	22	-	-	-	-	·37	23
24	·04	·07	·22	-	-	-	-	-	-	-	·37	·21	24
25	·02	-	·25	-	·06	-	·61	-	-	-	-	·02	25
26	·18	-	·32	-	-	·02	-	-	-	-	·10	·11	26
27	·57	-	·06	·05	-	·10	·02	-	-	-		·30	27
28	·67	-	·08	·04	04	-	·07	-	-	-		·08	28
29	·49	·02	·22	·20	-	-	-	-	-	-	·27	·42	29
30	·15		-	-	-	·12	·06	-	·35	-	·48	·64	30
31	·04		·18		-		-	-		45		·23	31
Total	5.72	·63	2.87	3.67	1.61	2.66	4.54	1.48	1.48	3.27	2.14	3.94	Year's Total 33.41
Days with ·01 in. or more	26	11	18	22	12	11	22	6	9	10	9	17	173 ✓
Days with ·04 in. or more	20	7	~~15~~ 14	20	10	10	16	5	7	8 ~~7~~	8	14	139

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

J made

RE

BLANDFORD

BRYANSTON Gdns

DORSET

1913 — 1920

FORM A.
BRITISH RAINFALL.

14 MAR 1914

Kept at Bryanst

in the County of

by J. Jaqu

2° 10' W

30 am

Blandford

5 in.

ove Ground 1 ft. in.

Sea Level 155 (about) ft.

IMPORTANT N … the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the r … ar in the space provided for it at the end of t … ement of rain, the selection and plac … ritish Rainfall Organization are given … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·29	·20	·12					·35		·31	·10	1
2	·09	·12							·03	·15	·23		2
3	·17		·05	·10	·33							·17	3
4	1·10		·13	·04	·72				·62	·20	·10	·05	4
5	·19	·04				·09	·07		2·07		·31	·23	5
6	·17	·11	·10		·21	·30	·19		—	·85	·03	·83	6
7	·09	·58			·27	·12	·63			·31	·25	·03	7
8					·79	·06				·03		·05	8
9		·24					·13	·25	·10		·23		9
10	·10				·22					·19	·49		10
11	1·17			·24						·23	·73		11
12					·78					·03	·56		12
13	·17							·03	·10		·19		13
14	·36		·26						·14		·13		14
15	·24	·10	·46	·64			·25	·09			·03		15
16	·38		·42	·38					·18				16
17	·03		·04	·09		·05							17
18	·10			·08							·15		18
19	1·06		·53		·12	·29	·05		·48				19
20	·39		·11	·20		·07				·43	·20		20
21			·46	·42					·21	·07	·70		21
22	·60		·22						·32	·03			22
23			·12					·12				·97	23
24	·10			·12				·03					24
25				·19				·23			·10	·04	25
26		·20		·52				·02		·04		·35	26
27				·13						·03			27
28	·22		·28	·12						·28			28
29	·17	X	·64	·77	·06					·45			29
30	·79	X					·09	·09		·49			30
31	·10	X	·03	X		X		1·18	X	·02	X		31
Total	7·79	1·68	4·05	4·16	3·50	·98	1·41	2·04	4·60	3·83	4·74	2·82	EAR'S TOTAL 41·60
Rain Days.	22	8	16	16	9	7	7	9	11	17	17	10	155

W.7,000, XI. 13

RE

FORM A.
BRITISH RAINFALL.

4 MAR 1914

Kept at Bryanston Gardens, Ex. Ht.

in the County of Dorset 4

by I. Jaques

Lat. 50° 52′ N Long. 2° 10′ W

Time of Observation 7.30 am

Nearest Railway Station Blandford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 155 (about) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·29	·20	·12					·35		·31	·10	1
2	·09	·12							·03	·15	·23		2
3	·17		·05	·10	·33							·17	3
4	1·10		·13	·04	·72				·62	·20	·10	·05	4
5	·19	·04				·09	·07		2·07		·31	·23	5
6	·17	·11	·10		·21	·30	·19			·85	·03	·83	6
7	·09	·58			·27	·12	·63			·31	·25	·03	7
8					·79	·06				·03		·05	8
9		·24					·13	·25	·10		·23		9
10	·10				·22					·19	·49		10
11	1·17			·24						·23	·73		11
12					·78					·03	·56		12
13	·17							·03	·10		·19		13
14	·36		·26						·14		·13		14
15	·24	·10	·46	·64			·25	·09			·03		15
16	·38		·42	·38					·18				16
17	·03		·04	·09		·05							17
18	·10			·08							·15		18
19	1·06		·53		·12	·29	·05		·48				19
20	·39		·11	·20		·07				·43	·20		20
21			·46	·42					·21	·07	·70		21
22	·60		·22						·32	·03			22
23			·12					·12				·97	23
24	·10			·12				·03					24
25				·19				·23			·10	·04	25
26		·20		·52				·02		·04		·35	26
27				·13						·03			27
28	·22		·28	·12						·28			28
29	·17	X	·64	·77	·06					·45			29
30	·79	X					·09	·09		·49			30
31	·10	X	·03	X		X		1·18	X	·02	X		31
Total	7·79	1·68	4·05	4·16	3·50	·98	1·41	2·04	4·60	3·83	4·74	2·82	YEAR'S TOTAL 41·60
Rain Days.	22	8	16	16	9	7	7	9	11	17	17	10	155

W.7,000, XI. 13

[illegible] 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL
4 JAN 1915

Kept at Bryanston Gardens, Blandford
in the County of Dorset 4
by J. Jaques

Lat. 50° 52′ N Long. 2° 10′ W
Time of Observation 7.30 a.m.
Nearest Railway Station Blandford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06					·67			·35	·10	1
2					·07		·52				2·15	·25	2
3			·03	·10	·53		·08	·02			·04	·05	3
4			·07	·35			·21	1·04			·42	·53	4
5	·17	·13	·09	·26	·23		·44	·66			·31	·04	5
6		·35		·09	·05		·03	·05			·11 ~~41~~	·48	6
7		·87		·15	·03		·17	·03			·02	·39	7
8	·13	·23	·55	·11	·05	·13		·38	·03		·02	·05	8
9		·51	·45	·31	·04	·14		·05	1·06			·16	9
10	·11			·09	·13	·04			·26				10
11		·45	·61	·02	·04	·02			·~~26~~		·14	·73	11
12		·11	·16				·38		·28	·10		·49	12
13		·92	·39						·10	·08	·22	·83	13
14		·39	·35			·81	·31	·46		·28	·50	·35	14
15	·11		·23				·51	·42		·13	·41		15
16			·18				·09		·30				16
17		·53	·18						·09			·73	17
18		·03	·17			1·13	·11					·84	18
19		·10	·28				1·52				·18	·34	19
20		·77	·43			·12						·46	20
21		·81	·07							·24		·04	21
22		·15			·35	·09	·13	·04		·32			22
23		·19	·24			·21	·03			·23			23
24		·09	·15		·04					·32	·08	·05	24
25		·03	·45				·32			·35	·05	·13	25
26	·11		·09				·10	·42		·07	·23	·65	26
27	·10										·14	·40	27
28	·45	·17					·15			·05	·32	·96	28
29		✕	·48	·01	·12					·24	·53	·03	29
30	·03	✕	·35	·02						·26	1·13	·69	30
31	·23	✕		✕		✕	·05		✕	·90	✕	·14	31
Total	1·44	6·83	6·06	1·51	1·68	2·69	5·15	4·24	2·12	3·57	7·3~~4~~5	9·91	YEAR'S TOTAL 52·5~~4~~5
Rain Days.	~~9~~	~~19~~	~~23~~	~~11~~	~~12~~	~~9~~	~~18~~	~~12~~	~~6~~	~~13~~	~~19~~	~~26~~	~~177~~

W. 8,000. X. 14.

Ex d [illegible]

1758

FORM A. BRITISH RAINFALL.

3. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bryanston Gardens, Blandford

in the County of Dorset

by J. Jaques

4

Lat. 50° 52′ N Long. 2° 10′ W

Time of Observation 7 a.m.

Nearest Railway Station Blandford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .66

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.39	.20			.06			.13	.35	.26	.04	.39	1
2	.48	.21	.24	.09				.75		.35		.40	2
3	.40		.10	.06						.15		.41	3
4	.02	.02			.11							.39	4
5	.05	.90					.02	.19				.63	5
6	.51	.15		.63			.58	.04				.11	6
7	.46	.71		.09			.39					.54	7
8	.06	.56									.08		8
9	.02	.09		.24				.07			.62	.93	9
10	.26	.04		.03		.22				.07		.19	10
11	.06	.07									.83	.03	11
12	.16	.23		.25	.17						.52		12
13	.06	.76			1.41			.09	.14		.12	.05	13
14	.04	.04					.57	.28				1.38	14
15	.10	.06			.19		.12			.16	.10	.50	15
16		1.16			.20		1.32					1.75	16
17		.59						.58					17
18		.32			.56								18
19		.05					.12						19
20	.44				.13							.05	20
21	.03	.72		.12		.02			.09	.62		.40	21
22	.17	.29	.36				1.07		.26	.02		.46	22
23	.02	.04	.20				.43			.86		.30	23
24				.07			.29		.57	1.43		.62	24
25						.12	.03			.04		.23	25
26		.21				.08	.47		.04			.93	26
27		.06				.09				.59		.10	27
28		.09				.12			.71	.10		.02	28
29		×				.19	.07	.06	.05		.34	.05	29
30	.26	×				.03				.60	.61	.34	30
31	.02	×		×		×			×	1.35	×	.66	31
Total	4.01	7.57	.90	1.58	2.83	.87	5.48	2.19	2.21	6.60	3.26	11.86	YEAR'S TOTAL 49.36
Rain Days.	21	24	4	9	8	8	13	9	8	14	9	26	153

W. 8,000. X. 15.

Exd FW

1719

FORM A.
BRITISH RAINFALL.

10 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Bryanston Gardens, Blandford
in the County of Dorset
by J. Jaques.

Lat. 50° 52' Long. 2° 10'
Time of Observation 9 a.m.
Nearest Railway Station Blandford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·17	·14			·48	·02	·07		·64		·52		1
2	·39	·19	·16		·06				·02	·47	·09		2
3	·05	1·13								·79	·39		3
4	·44	·18			·13	·12			·18		·89		4
5	·07	·09			·07	·20				·20	·88		5
6		·13			·31	·22	·98			·23	1·14		6
7	·05	·06	·31		[illegible]	·11	·04			·18	1·30	·15	7
8		·13	·09		·28	·06					·09	·26	8
9					·08		·03				·06	·23	9
10		·69			·06		·04				·05		10
11				·11		·44					·03		11
12	·07	·14	·10	·10	·12		·08						12
13		·30	·20	·05									13
14		·67	·05		·06			·20		·19			14
15		·21	·15					·39					15
16	·04	·19	·03	·29				·30					16
17	·32	·19		·18					·16	1·26	·52		17
18	·03	·18	·17	·06				·03	·32	·09	·22	·43	18
19	·17		·71	·19					·04		·14	·36	19
20	·21	·11	·43	·35			·03	·02			·15	1·74	20
21	·03		·37									·93	21
22					·07	·04				·51	·03	·54	22
23	·04	·34						·13		·04	·40	·11	23
24	·03	·38		·05		·20		·07		·47	·08	·39	24
25		·29	·15		·29	·19		·70			·27		25
26		·31	·08			·17		·06	·58	·53			26
27			1·24				·29	·09	·74	·89			27
28			·05	·19					·43	·31			28
29		·65	·06			·40		2·26	·66	·35	·08	·51	29
30		×								·70		·05	30
31		×		×		×			×	·27	×	·04	31
Total	2·11	6·70	4·35	1·57	2·01	2·17	1·56	4·25	3·77	7·48	7·33	5·74	YEAR'S TOTAL 49·04
Rain Days.	15	22	17	10	12	12	8	11	10	17	20	13	167

W. 8,000, VIII. 16

1644

FORM A.

BRITISH RAINFALL 7 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Bryanston Gardens Blandford

in the County of Dorset

by J. Jaques

Lat. 50° 51' N Long. 2° 10' W

Time of Observation 9 am

Nearest Railway Station Blandford

Diameter of Funnel of Rain Gauge 5 in in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 155 about ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·12	·12		·11		·83	·04		·08		1
2				·49		·09		·11					2
+ 3	·03			·08			·49	·06			·19		3
4			·38				·05	·03		·56		·02	4
5	·15		·10	·34		·11		·13	·15	·15	·23		5
6			·23			·12				·05	·11		6
7	·48					·02	·19			·68	·06		7
8	·51						·68	1·35	·09	·37	·17	·24	8
9					·06		·17	·16	·08	·09	·39		9
10	·14		·88	·30				·20		·15	·03		10
11	·09		·48	·32	·09		·02	·02		·38			11
12	·04			·26	·31					·26			12
13			·21					·19		·06			13
14			·12	·09				·13					14
15								·35				·19	15
16		·27		·10	·07		·09		·31	1·56		·84	16
17				·23				·22	·81	·16			17
18		·10				·29	·74	·11	·61	·09			18
19		·42	·09			·08		·14	·34				19
20		·09	·15		·41	·06		·13			·06		20
21										·06			21
22		·18						·12					22
23		·15			·17			·26		·07		·04	23
24		·20					·06	·05		·31	·07		24
25		·11	·28				·11	·03		·13			25
26					·09	·12		·57					26
27					2·01			1·48	·20	·03	·04		27
28			·12		·47	1·25		·14					28
29		X	·09			·12	·05	·07		·83		·13	29
30		X	·26		·63		·43	·14			·03		30
31		X	·20	X		X	·06	·06	X	·27	X		31
Total	1·44	1·52	3·71	2·33	4·31	2·37	3·14	7·08	2·63	6·~~1~~6 2	1·46	1·46	YEAR'S TOTAL 37·~~6~~1 7
Rain Days.	7	8	15	10	10	11	13	26	9	20	12	6	147

W. 8,000, IX. 17.

1·54

62

FORM A.
BRITISH RAINFALL.

6.1.19

REGISTER OF RAINFALL IN 1918

Kept at Bryanston
in the County of Dorset
by John Jaques

Lat. 50° 52′ Long. 2° 10′
Time of Observation 9 am
Nearest Railway Station Blandford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·06			·65			·98	·03	1
2		·42						·91	·03		·12	·25	2
3				·36	·17			·22		·06	·05	·02	3
4		·09						·17			1·59	·21	4
5		·08	·20					·21	·35	·41		·06	5
6	·21	·14		·25				·34	·15	·06		·15	6
7		·25		·08	·42				·15	·17	·28	·16	7
8		·22							·17	·16	·19	·08	8
9		·03		·32		·12	·54		·69	·31	·04	·39	9
10	·17			·14			·47		·12	·27		·76	10
11				·04			·38		·15	·15	·05	·06	11
12	·07	·09							·12	·03		·03	12
13		·13			·16		·58		·27				13
14	·63		·05		·14	·12	·21		·39	·37		·16	14
15	1·78			·48	·05	·05	·24		·03	·04		·16	15
16	·38			·09		·03	·03		·36			·07	16
17	·36		·06	·16			·43	·03	·06			·26	17
18	1·26			·02		·77			·45			·16	18
19	·13		·21				·48	·02	·05			·10	19
20	·05			·16			·05		·35	·09			20
21	·19	·14				·04			·69	·05		·24	21
22	·09				·08		·34		·31	·39		·20	22
23	·15				·16		·71		·21		·07	·07	23
24		·27					·03		·19	·04			24
25	·03						·10	·65				·02	25
26	·02	·05	·21				·45		·05	·05		·43	26
27		·04					·09	·19	·09	·05	·36		27
28		·14	·39			·03				·04	·05	·08	28
29		✕							1·56			·03	29
30		✕	·49						·03	·11	·12	·04	30
31		✕	·43	✕		✕		·05	✕	·09	✕		31
Total	5·52	~~1·87~~ 2·09	2·04	~~2·01~~ 2·10	1·24	1·16	5·13	3·44	7·02	2·94	3·90	4·22	Year's Total ~~40·49~~ 40·80
Rain Days.	15	~~13~~ 14	8	~~10~~ 11	8	7	16	11	25	20	12	26	177

W. 8,000, IX. 17.

1549

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bryanston Gardens, Blandford
in the County of Dorset
by J Jaques

Lat. 50°52′N Long. 2°10
Time of Observation 9 A.M. Greenwich time & summer time
Nearest Railway Station Blandford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·64		·16				·33			·18	·08	1·47	1
2	·22		·06				·04		·24		·03	·04	2
3	·67		·37		·10				·44			·19	3
4	·64	·36	·96					·04	·49		·05	·17	4
5	·08	·62	·78		·07		·16		·21		·17	·22	5
6	·59	·22	·19		·18						·03	·24	6
7	·26		·64										7
8	·47		·18	·09	·11								8
9	·27		·15								·23		9
10	·12		·45	·11	·05					·04	·04	·53	10
11	·14		·19	·12	·25								11
12	·11		·04	·09			·41			·08		·08	12
13	·09	·05	·05	·47						·12		·10	13
14	1·08	·07		·65			·11		·06	·14		·27	14
15	·49	·04		·06								·54	15
16	·11	1·21						·29			·23		16
17	·09	·16									·15	·04	17
18			·63					·07			·21		18
19	·71	·46	·96				·98	·09			·11	·05	19
20	·68	·16	·07			·51		·39	·07			·04	20
21	·08	1·06					·09					·07	21
22		·04					·31		·40		·05		22
23										·14		·27	23
24		·05		·03		·32	·07			1·18	·07	·29	24
25	·12	·08				·08		·39			·03	·21	25
26	·04	·04		·08				·10	·06		·08	·53	26
27	·16	·06	·15	·47			·02	2·04				·04	27
28			·36					·15			·89	·39	28
29		X						·18		·11	·04	·09	29
30		X		·46		·07		·76			·57	·88	30
31		X	·11	X		X		·02	X		X	·44	31
TOTAL	7·86	4·68	6·50	2·63	·76	·98	2·52	4·52	1·97	1·99	3·00	7·19	YEAR'S TOTAL 44·60
Days with ·01 in. or more	23	16	19	11	6	4	10	12	8	8	18	24	159

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ent. AMB 1463

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bryanston Gardens, Blandford

in the County of Dorset

by J. Jaques

Lat. 50° 52′ Long. 2° 10′

Time of Observation 9 am usually, occasionally 7 a.m.

Nearest Railway Station Blandford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. · in.

" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·05	·11	·42		·38		·04	1·64	·16	·64	1
2	·39		·07	·15	·31		·04	·38	·13	·15		·28	2
3	·21	·14		·04			·58		·03	·93		·12	3
4			·03	·06			·37	·71	·02	·41			4
5			·21	·05			·29	·18		·16		·03	5
6			·31		·21		·46			·19			6
7	·05		·04	·09	·08		·37			·04			7
8		·09		·28	·05		·34	·03					8
9	·35		·03		·05	·05	·11						9
10	·86	·08	·08	·17		·52	·71						10
11	·24			·65	·23		·22						11
12	·17	·15		·29		·62	·04						12
13	·49		·58	·06							·06		13
14		·05	·39	·98			·11		·07	·14	·56		14
15	·07		·09	·39	·05	·38	·02		·21	·47	·19		15
16		·07		·05			·09		·09	·08			16
17	·04		·03	·24	·29		·16		·28				17
18	·15	·03	·08	·04		·14	·29	·28	·06			·04	18
19	·07		·30	·34		·15			·05				19
20	·04	·12	·19	·29		·52	·02					·09	20
21							·26		·02			·33	21
22	·08			·26					·04			·34	22
23	·04						·46					·49	23
24	·03										·18	·23	24
25	·04	·08					·65				·03	·04	25
26	·25		·37		·10	·05	·09				·18	·16	26
27	·71	·05	·08	·24			·16				·06	·35	27
28	·80	·03	·17	·12	·19		·09					·07	28
29	·81	·03	·15	·10		·11					·31	·41	29
30	·14	╳				·12	·08		·19		·4	·48	30
31	·09	╳	·16	╳		╳	·02		╳	·57	╳	·67	31
TOTAL	6·16	·92	3·41	5·00	1·98	2·66	6·41	1·58	1·23	4·78	2·13	4·77	YEAR'S TOTAL 41·03
Days with ·01 in. or more	24	12	20	22	11	10	26	5	13	11	10	17	181
Days with ·04 in. or more	23	9	18 17	22	11	10	23	4	10	11	9	16	166 165

(44.283). 10/19. (52.638). Wt.10.000—359. 10.000. (2). 7/20. Gp.132. A.&E.W.

BLANDFORD

LONGTHORNS

DORSET

1911-1912, 1914-1915

1911

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

Kept at Longt

in the County of

by Samue

of top 5 in.

top above Ground ft. 12 in.

" " Sea Level ft.

n 9 a m

tation { Name Blandford
Distance 6 miles Direction S E

IMPORTAN a., and the result entered to the previous day. If st universal rule, he is earnestly requested to add ing year in the space provided for it at the end asurement of rain, the selection and he British Rainfall Organization are given in "Rules for Rainfall Observers," e on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06	〃	〃	〃	〃	〃	〃	〃	〃	〃	02	03	1
2	〃	〃	01	12	43	〃	〃	08	〃	07	20	40	2
3	〃	〃	〃	〃	21	〃	〃	〃	〃	〃	17	55	3
4	〃	〃	04	〃	〃	〃	〃	〃	03	01	39	〃	4
5	06	〃	01	01	〃	90	〃	07	〃	10	10	〃	5
6	73	〃	22	〃	〃	〃	〃	〃	〃	05	06	121	6
7	03	〃	〃	〃	〃	〃	〃	〃	〃	〃	52	〃	7
8	02	06	21	〃	〃	〃	〃	〃	〃	〃	17	97	8
9	15	〃	07	〃	〃	〃	〃	〃	〃	〃	09	65	9
10	08	07	57	〃	13	〃	〃	〃	〃	〃	〃	32	10
11	70	06	01	〃	01	〃	〃	〃	〃	〃	159	〃	11
12	〃	〃	1.01	〃	04	〃	〃	02	〃	〃	03	26	12
13	〃	〃	〃	〃	〃	〃	〃	〃	20	〃	〃	48	13
14	〃	16	〃	〃	〃	〃	〃	〃	〃	〃	〃	60	14
15	〃	03	07	〃	〃	03	〃	〃	〃	〃	31	04	15
16	〃	〃	〃	〃	〃	52	〃	〃	〃	〃	64	55	16
17	〃	02	11	〃	20	09	〃	〃	〃	〃	59	54	17
18	〃	13	05	07	〃	26	〃	〃	〃	07	04	58	18
19	〃	08	〃	04	〃	22	〃	〃	16	16	14	57	19
20	09	05	23	〃	〃	〃	〃	〃	10	13	〃	68	20
21	03	28	05	02	〃	02	〃	〃	08	63	〃	17	21
22	17	09	05	01	〃	12	〃	〃	03	35	〃	53	22
23	〃	14	02	〃	〃	16	〃	20	13	33	〃	62	23
24	〃	10	〃	〃	〃	36	〃	〃	10	49	〃	22	24
25	06	03	〃	10	〃	04	〃	〃	〃	17	〃	21	25
26	〃	〃	〃	34	07	〃	〃	03	〃	31	〃	38	26
27	〃	59	07	08	〃	〃	〃	〃	05	68	20	21	27
28	〃	22	〃	51	〃	〃	〃	20	〃	〃	14	〃	28
29	〃	〃	〃	40	〃	21	19	〃	20	42	〃	〃	29
30	〃		〃	〃	〃	02	〃	〃	〃	30	16	01	30
31	〃		〃		〃		〃		〃		〃	〃	31
Total	2.18	2.11	2.80	1.70	1.09	2.95	19	60	1.08	4.27	5.56	10.78	TOTAL for year 35.31
No. of Rain Days	12	16	17	11	7	13	1	6	10	16	19	24	152

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Longthorns. Blandford

in the County of Dorset 3

by Samuel Smart

Rain Gauge:
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 12 in.
" " " Sea Level ft.

Time of Observation 9 a m

Nearest Railway Station:
Name Blandford
Distance 6 miles Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06	〃	〃	〃	〃	〃	〃	〃	〃	〃	02	03	1
2	〃	〃	01	12	43	〃	〃	08	〃	07	20	40	2
3	〃	〃	〃	〃	21	〃	〃	〃	〃	〃	17	55	3
4	〃	〃	04	〃	〃	〃	〃	〃	03	01	39	〃	4
5	06	〃	01	01	〃	90	〃	07	〃	10	10	〃	5
6	73	〃	22	〃	〃	〃	〃	〃	〃	05	06	121	6
7	03	〃	〃	〃	〃	〃	〃	〃	〃	〃	52	〃	7
8	02	06	21	〃	〃	〃	〃	〃	〃	〃	17	97	8
9	15	〃	07	〃	〃	〃	〃	〃	〃	〃	09	65	9
10	08	07	57	〃	13	〃	〃	〃	〃	〃	〃	32	10
11	70	06	01	〃	01	〃	〃	〃	〃	〃	159	〃	11
12	〃	〃	1.01	〃	04	〃	〃	02	〃	〃	03	26	12
13	〃	〃	〃	〃	〃	〃	〃	〃	20	〃	〃	48	13
14	〃	16	〃	〃	〃	〃	〃	〃	〃	〃	〃	60	14
15	〃	03	07	〃	〃	03	〃	〃	〃	〃	31	04	15
16	〃	〃	〃	〃	〃	52	〃	〃	〃	〃	64	55	16
17	〃	02	11	〃	20	09	〃	〃	〃	〃	59	54	17
18	〃	13	05	07	〃	26	〃	〃	〃	07	04	58	18
19	〃	08	〃	04	〃	22	〃	〃	16	16	14	57	19
20	09	05	23	〃	〃	〃	〃	〃	10	13	〃	68	20
21	03	28	05	02	〃	02	〃	〃	08	63	〃	17	21
22	17	09	05	01	〃	12	〃	〃	03	35	〃	53	22
23	〃	14	02	〃	〃	16	〃	20	13	33	〃	62	23
24	〃	10	〃	〃	〃	36	〃	〃	10	49	〃	22	24
25	06	03	〃	10	〃	04	〃	〃	〃	17	〃	21	25
26	〃	〃	〃	34	07	〃	〃	03	〃	31	〃	38	26
27	〃	59	07	08	〃	〃	〃	〃	05	68	20	21	27
28	〃	22	〃	51	〃	〃	〃	20	〃	〃	14	〃	28
29	〃	〃	〃	40	〃	21	19	〃	20	42	〃	〃	29
30	〃		〃	〃	〃	02	〃	〃	〃	30	16	01	30
31	〃		〃		〃		〃		〃		〃	〃	31
Total	2.18	2.11	2.80	170	1.09	2.95	19	60	1.08	427	5.56	10.78	TOTAL for year 35.31
No. of Rain Days	12	16	17	11	7	13	1	6	10	16	19	24	152

9,000, IX. '10.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
9 - JAN 1913

Kept at Longthorns. Blandford

in the County of Dorset 3

by Samuel Smart

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 12 in.
„ „ „ Sea Level ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Blandford
Distance 6 miles Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	„	„	04	„	01	„	„	„	04	82	„	38	1
2	„	„	31	03	„	23	25	03	„	01	„	„	2
3	„	„	20	„	„	08	01	62	12	„	02	06	3
4	15	„	85	„	„	55	„	02	„	„	30	„	4
5	81	21	21	„	„	48	„	91	„	„	04	25	5
6	63	03	23	„	„	03	85	46	02	„	„	05	6
7	02	55	„	„	23	135	24	13	„	„	„	17	7
8	60	23	40	„	„	06	02	04	„	„	„	05	8
9	05	04	20	04	„	11	02	13	„	„	„	43	9
10	„	„	„	„	„	03	01	22	03	„	02	35	10
11	07	23	14	„	„	02	„	23	„	„	„	53	11
12	„	46	„	04	„	„	03	38	„	„	09	„	12
13	02	02	01	„	49	„	„	„	„	03	03	05	13
14	23	„	27	„	„	„	„	09	„	01	„	02	14
15	26	30	„	01	02	55	„	05	„	„	01	39	15
16	120	01	51	„	08	„	„	23	„	10	13	„	16
17	98	„	30	„	10	06	„	103	„	03	01	10	17
18	10	01	24	„	„	„	„	40	„	„	„	04	18
19	02	09	24	„	„	03	„	28	„	„	04	„	19
20	02	05	57	„	17	03	13	„	„	43	02	„	20
21	„	33	50	„	„	„	„	55	„	15	„	„	21
22	27	33	07	„	52	04	01	15	„	07	„	17	22
23	27	22	22	„	03	„	„	59	„	15	18	31	23
24	22	07	01	„	„	39	„	14	„	„	„	26	24
25	33	03	„	„	„	21	„	20	„	16	36	99	25
26	„	06	„	„	„	„	28	15	„	55	55	41	26
27	„	04	„	„	„	34	90	„	„	86	„	43	27
28	„	22	„	„	„	15	33	68	09	81	72	52	28
29	„	23	„	„	„	03	17	16	178	68	„	„	29
30	„		08	„	„	07	13	„	62	18	„	„	30
31			72		09	„	33	02		03		12	31
Total	625	376	632	12	174	484	371	789	270	507	252	608	TOTAL for year 5100
No. of Rain Days.	19	22	22	4	10	21	16	26	7	17	15	22	201

W. 8,000, X. '11.

entd for audit 22.IV.15 Copied ~~Returned~~ Dorset FC ~~to obs~~

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 22 APR 1915

Kept at Longhorns Blandford

in the County of ~~Devon~~ Dorset WLMcC

by E R Sykes (Dorset F.C.)

Lat. Long.

Time of Observation 9 am

Nearest Railway Station 9

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	·04	·03	·52	-	-	·14	·08	1
2	-	-	·01	-	·01	-	·50	·01	-	-	1·23	·24	2
3	-	-	·04	·11	·50	·01	·04	·02	-	-	·02	·01	3
4	·04	-	·04	·29	·03	-	·30	·95	-	-	·36	·43	4
5	·05	-	·08	·23	·07		·46	·01	-	-	·38	·03	5
6	-	·32	·02	·15	·06	·01	·04	·02	-	-	·02	·62	6
7	-	·64	·11	·25	·02	·01	·22	·05	·01	-	·01	·43	7
8	·07	·15	·60	·05	·07	·16	-	·41	-	-	-	·06	8
9	·01	-	·40	·30	·05	·17	-	·03	·85	-	-	·16	9
10	·04	·55	-	·08	·11	·01	-	-	·33	-	-	·03	10
11	-	·21	·51	-	·07	·03	·30	-	·02	-	·09	·83	11
12	-	·13	·13	-	-	-	-	-	·42	·09		·48	12
13	-	·62	·39	-	-	-	-	-	·15	·12	·24	·80	13
14	-	·41	·28	-	-	·62	·24	·49	-	·29	·54	·35	14
15	·03	-	·26	-	-	-	·30	·45	·04	·14	·26	·01	15
16	-	-	·01	-	-	-	·06	-	·36	-	-		16
17	-	·68	·23	-	-	-	-	-	·06	-	-	1·11	17
18	-	·03	·20	-	-	-	·13	-	·02	-	-	·70	18
19	-	·15	·37	-	-	-	1·45	-	·04	-	·10	·10	19
20	-	·65	·43	-	-	·11	-	-	-	-	-	·58	20
21	-	·69	·01	-	-	·01	-	-	-	·28	-		21
22	-	·26	-	-	·31	·03	·04	·04	-	·21	-		22
23	-	·11	·38	-	-	·01	·01	-	-	·29	-		23
24	-	·01	·11	-	·05	-	·01	-	-	·20	·10		24
25	·02	-	·27	-	·02	-	·29	·35	-	·44	·06	·24	25
26	·01	·01	·08	-	-	-	·10	-	-	·07	·33	·50	26
27	·06	-	-	-	-	-	-	-	-	·01	·26	·35	27
28	·01	·18	·34	-	-	-	·24	-	-	·18	·18	1·01	28
29	·38		·26	-	·15	-	-	-	-	·30	·44	·01	29
30	-		·16	-	-	-	-	-	-	·32	·98	·72	30
31	·11		-		-		·20	-		·58		·10	31
Total	·83	5·80	5·72 5·72	1·46	1·52	1·22	4·96	3·35 3·35	2·30	3·52	5·74	9·98	YEAR'S TOTAL 46·40 46·40
Rain Days.	12	18	26	8	14	13	20	13	11	15	19	26	195

W. 8,000. X. 14.

ML corr for auth 5.V.16 cndly Dorset Fe. 16 VI.16

1740

FORM A.
BRITISH RAINFALL.

15 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Longthorns

in the County of Dorset

3

by E. R. Sykes

~~Lat.~~ Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·15	—	—	·02	—	—	—	24	·36	·01	·37	1
2	·75	·19	·15	·06	—	·05	—	·50	—	·27	—	·45	2
3	·17	·09	·15	·07	·19	—	—	·02	—	—	—	·43	3
4	—	—	—	—	·01	·01	—	—	—	—	—	·34	4
5	·08	·64	—	·03	—	—	—	·21	—	—	—	·56 8	5
6	·75	·20	—	·63	—	—	·64	·03	—	—	·01	·17	6
7	·23	·7~~5~~3	—	·06	—	—	·32	—	—	—	—	·55	7
8	·07	·58	—	—	—	—	·01	·07	—	·01	·06	·07	8
9	} ·32	·08	—	·17	—	·01	—	·01	—	—	·47	·88	9
10		·05	·03	·03	—	—	—	—	—	—	—	} ·25	10
11	·07	·10	·01	·07	—	—	—	—	—	—	1·26		11
12	·15	·43	—	·12	·50	—	—	·14	—	—	·27	—	12
13	—	·46	—	—	1·14	—	[illegible]	—	·10	·06	·13	·01	13
14	·07	·06	—	—	—	—	·51	—	·06	—	—	1·42	14
15	·13	—	—	—	·19	—	·18	·10	—	·16	·13	·24	15
16	—	1·23	—	—	·21	—	1·51	—	·01	—	—	·17	16
17	—	·40	—	—	·13	—	·01	·17	—	—	—	·01	17
18	—	·26	—	—	·05	—	—	—	—	—	—	—	18
19	—	—	—	—	·26	—	·11	—	—	—	·01	—	19
20	·26	—	—	·12	·01	·02	[illegible]	—	—	·01	—	·04	20
21	snow	·54	·01	·07	—	·01	·14	—	·03	·73	—	·20	21
22	·21	·18	·41	—	—	—	·96	—	·01	·03	—	·37	22
23	—	—	·13	·07	—	—	·05	—	·33	1·20	·01	·36	23
24	—	—	·03	—	—	—	·15	—	·74	1·21	—	·63	24
25	—	—	—	·04	—	—	—	—	—	·03	—	·24	25
26	·01	·19	—	—	—	·48	·30	—	—	—	—	1·15	26
27	—	·03	—	—	—	·08	·01	—	—	·52	—	·01	27
28	—	·07	—	—	—	·16	—	—	·63	·09	·03	·64	28
29	—	X	—	—	—	·48	—	·01	—	·01	·36	·07	29
30	·22	X	—	—	—	·06	—	—	—	·56	·63	·49	30
31	—	X	—	X	—	X	·03	·15	X	1·19	X	·37	31
Total	3·84	6·68 6·66	·92	1·54	1·71	1·36	4·93 4·93	1·41	2·15	6·44	3·38	9·89 9·81	YEAR'S TOTAL 44·25 44·25
Rain Days.	17	21	8	13	11	10	15	11	9	16	13	28	172

W. 8,000. X. 15.

Copy from

DORSET.

BLANDFORD.

"RANSTON GDNS."

1912–1913

IN 1912

FORM A.
BRITISH RAINFALL.

1 MAR 1913

Kept at Blandf

in the County of D

by Sir R. Bak

per Dorset Field

Long.

Observation 9 am

Railway Station

r of Rain Gauge 5 in.

of top of Gauge above Ground 1 ft. 6 in.

" " " Sea Level ft.

IMPORTANT at 9 a.m. and the result entered to the previous day. If his almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.18		.04	.65		.25	1
2			.10			.50	.37			.05			2
3			.30			.04		.60					3
4	.10		1.00			.58		.03			.28		4
5	.50	.11	.19		.10		.11	.70	.03			.03	5
6	.45	.10			.33		.10	.61				.31	6
7		.35	.34				.05	.10				.21	7
8	.40	.35	.44			.55		.14				.03	8
9	.08	.03	.18	.08				.08				.37	9
10		.10				.40	.03	.28				.38	10
11	.07	.25				.35		.27			.08	.41	11
12	.05	.45	.05		.07			.22				.01	12
13	.08	.02										.04	13
14	.18		.24					.01		.03		.05	14
15	.28	.11	.02		.05	.70		.05				.20	15
16	.90	.02	.46		.13	.02		.20					16
17	.80		.18			.04		.75				.04	17
18	.24		.11			.04		.22		.03	.10	.04	18
19	.20	.08	.09				.12	.32			.01	.02	19
20	.03	.05	.45				.14	.14		.35	.03		20
21	.01	.24	.24		.54	.06		.10		.02	.20		21
22	.30	.20	.03		.07		.11	.30				.04	22
23	.16	.24	.19				.03	.40		.23		.23	23
24	.10		.03			.53	.02	.16			.23	.20	24
25	.27							.28		.14		.70	25
26		.06	.02			.20	.22	.27		.49	.65	.35	26
27							1.16	.02		.86		.01	27
28		.09					.23	.60	.19	.80	.60	.56	28
29		.33					.20	.18	1.25	.72			29
30					.08	.15	.30	.01	.68	.33			30
31			.65					.01		.03		.07	31
Total	5.26	3.18	5.31	.08	1.37	4.16	3.37	7.05	2.19	4.73	2.18	4.55	YEAR'S TOTAL 43.37
Rain Days.	20	19	21	1	8	14	16	28	5	14	9	23	178

W. 7,500, XI. '12

Copy from

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

1 MAR 1913

Kept at Blandford Ranston Gardens
in the County of Dorset 4
by Sir R. Baker Bart M.P.
per Dorset Field Club for A E Usher

Lat. Long.
Time of Observation 9 am
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.18		.04	.65		.25	1
2			.10			.50	.37			.05			2
3			.30			.04		.60					3
4	.10		1.00			.59		.03			.28		4
5	.50	.11	.19		.10		.11	.70	.03			.03	5
6	.45	.10			.33		.10	.61				.31	6
7		.35	.34				.05	.10				.21	7
8	.40	.35	.44			.55		.14				.03	8
9	.08	.03	.18	.08				.08				.37	9
10		.10				.40	.03	.28				.38	10
11	.07	.25				.35		.27			.08	.41	11
12	.05	.45	.05		.07			.22				.01	12
13	.08	.02										.04	13
14	.18		.24					.01		.03		.05	14
15	.28	.11	.02		.05	.70		.05				.20	15
16	.90	.02	.46		.13	.02		.20					16
17	.80		.18			.04		.75				.04	17
18	.24		.11			.04		.22		.03	.10	.04	18
19	.20	.08	.09				.12	.32			.01	.02	19
20	.03	05	.45				.14	.14		.35	.03		20
21	.01	.24	.24		.54	.06		.10		.02	.20		21
22	.30	.20	.03		.07		.11	.30				.04	22
23	.16	.24	.19				.03	.40		.23		.23	23
24	.10		.03			.53	.02	.16			.23	.20	24
25	.27							.28		.14		.70	25
26		.06	.02			.20	.22	.27		.49	.65	.35	26
27							1.16	.02		.86		.01	27
28		.09					.23	.60	.19	.80	.60	.56	28
29		.33					.20	.18	1.25	.72			29
30					.08	.15	.30	.01	.68	.33			30
31			.65					.01		.03		.07	31
Total	5·26	3·18	5·31	.08	1·37	4·16	3·37	7·05	2·19	4·73	2·18	4·55	YEAR'S TOTAL 43·37
Rain Days.	20	19	21	1	8	14	16	28	5	14	9	23	178

W. 7,500, XI. ·12

Copied from Dorset Field Club.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

23 MAR 1914

Kept at Ranston Gardens

in the County of Dorset 4

by Sir R. L. Baker Bart. M.P.
R. Stevenson Henshaw.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·25	·45	·20	—	·03	—	—	·30	—	—	—	1
2	·04	·09	—	—	—	—	—	—	·01	—	—	·17	2
3	·17	—	·03	—	—	—	—	—	·07	—	—	·02	3
4	1·01	—	—	·03	·23	—	—	—	·91	·16	—	—	4
5	·12	·05	—	—	·60	·14	·20	—	1·10	·22	—	·17	5
6	·09	·06	—	—	·08	·16	—	—	—	·08	·22	·07	6
7	·05	·44	·15	—	·15	·04	—	—	—	·77	·23	·50	7
8	—	—	—	—	·67	·02	—	—	—	·40	—	—	8
9	—	—	—	—	·27	—	—	·55	·10	·34	·20	—	9
10	·19	—	—	—	·04	—	—	—	—	—	·46	—	10
11	1·18	—	—	·26	·05	—	—	—	—	—	·58	—	11
12	·14	—	—	—	·07	—	—	—	·02	—	·31	—	12
13	—	—	—	—	·62	—	—	—	·20	—	·22	—	13
14	·25	·07	—	—	—	—	—	·10	·22	—	·15	—	14
15	·15	—	·55	—	—	·02	—	—	·12	—	—	—	15
16	—	—	·35	·10	—	—	—	—	·02	—	—	—	16
17	·05	—	—	·60	—	—	—	—	—	—	·18	—	17
18	·06	—	—	·03	—	—	—	—	—	—	—	—	18
19	1·36	—	·05	—	—	·30	—	—	·46	—	·08	—	19
20	·10	—	·04	·20	—	—	—	—	—	·51	—	—	20
21	—	—	·60	—	—	—	—	·09	—	·04	·66	—	21
22	·56	—	—	·02	—	—	—	—	—	—	—	·60	22
23	·02	·02	—	—	·02	—	—	—	—	—	—	·20	23
24	·01	—	—	·20	—	—	·06	—	—	—	—	—	24
25	—	—	—	·03	—	—	—	—	—	—	—	—	25
26	—	—	—	·50	—	—	—	·32	—	·20	·04	·27	26
27	·03	—	·25	·10	—	—	—	—	—	·80	—	—	27
28	·15	—	·12	·25	—	—	—	—	—	—	—	·05	28
29	·17		·64	·72	—	—	—	—	—	—	—	—	29
30	·45		—	·10	·04	—	—	·09	—	—	—	—	30
31	·10		—		—		—	1·32		—		—	31
Total	6·45	·98	3·23	3·34	2·84	·71	·26	2·47	3·53	3·52	3·33	2·05	YEAR'S TOTAL 32·71
Rain Days.	23	7	11	15	12	7	2	6	12	10	12	9	~~126~~

W.7,000, XI. 13

DORSET.
BLANDFORD,
"THE RECTORY"
1915 – 1916

FORM A.
BRITISH RAINFALL.
29. JUN. 1916

REGISTER

Kept at The Rectory, Bland

in the County of Dorset

by Rev. R. A. Bond
(per. H.

Gauge ... in.
Ground 1 ft. 2 in.
Sea Level ... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	·22			·02			·20	·50	·30	·01	·37	1
2	·53	·17	·21	·04		·05		·58		·20		·33	2
3	·38	·06	·11	·08	·05					·16		·45	3
4					·01							·31	4
5	·06	·70						·17				·58	5
6	·61	·15		·56			·80	·02				·08	6
7	·51	·65					·30					·44	7
8	·02	·52						·06			·01	·03	8
9		·10		·24							·43	·82	9
10	·30			·02						·04		·17	10
11	·03		·06	·03		·01					·76	·01	11
12		·62		·18	·60			·08		·05	·40		12
13	·25	·33			·85				·11	·01	·11		13
14							·80	·15				1·22	14
15		·12					·12	·06	·04	·05	·08	·17	15
16		1·15			·20		1·19	·13				·21	16
17		·42			·20			·44				·01	17
18		·26			·25								18
19					·05		·10						19
20	53			·11	·20	·04				·01		·05	20
21		·58					·12		·02	·58		·38	21
22			·44	·08			·92		·01	·01		·38	22
23			·07				·20		·26	·98	·01	·26	23
24				·06			·25		·57	1·35		·55	24
25			·03	·03		·10	·02			·02		·14	25
26		·45				·08	·51					·94	26
27		·04				·07	·01			·49		·01	27
28		·10				·13		·02	·66	·07	·01	·02	28
29						·23			·03		·22	·04	29
30	·23	✕								·42	·68	·32	30
31		✕		✕		✕	·02	·03	✕	1·28	✕	·59	31
Total	3·76	6·64	·92	1·43	2·43	·71	5·36	1·94	2·20	6·02	2·72	8·88	YEAR'S TOTAL 43·01
Rain Days.	(14)	18	6	11	10	8	14	12	9	17	11	27	157

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL

[illegible] JUN. 1916

REGISTER

Kept at The Rectory, Blandford.

in the County of Dorset

by Rev. R. A. Bond
(per. H. H. T. Bassett)

Lat. Long.

Time of Observation 8 to 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	·22			·02			·20	·50	·30	·01	·37	1
2	·53	·17	·21	·04		·05		·58		·20		·33	2
3	·38	·06	·11	·08	·05					·16		·45	3
4					·01							·31	4
5	·06	·20						·17				·58	5
6	·61	·15		·56			·80	·02				·08	6
7	·51	·65					·30					·44	7
8	·02	·52						·06			·01	·03	8
9		·10		·24							·43	·82	9
10	·30			·02						·04		·17	10
11	·03		·06	·03		·01					·76	·01	11
12		·62		·18	·60			·08		·05	·40		12
13	·25	·33			·85				·11	·01	·11		13
14							·80	·15				1·22	14
15		·12					·12	·06	·04	·05	·08	·17	15
16		1·15			·20		1·19	·13				·21	16
17		·42			·20			·44				·01	17
18		·26			·25								18
19					·05		·10						19
20	53			·11	·20	·04				·01		·05	20
21		·58					·12		·02	·58		·38	21
22			·44	·08			·92		·01	·01		·38	22
23			·07				·20		·26	·98	·01	·26	23
24				·06			·25		·57	1·35		·55	24
25			·03	·03		·10	·02			·02		·14	25
26		·45				·08	·51					·94	26
27		·04				·07	·01			·49		·01	27
28		·10				·13		·02	·66	·07	·01	·02	28
29						·23			·03		·22	·04	29
30	·23	X								·42	·68	·32	30
31		X		X		X	·02	·03	X	1·28	X	·59	31
Total	3·76	6·64	·92	1·43	2·43	·71	5·36	1·94	2·20	6·02	2·72	8·88	YEAR'S TOTAL 43·01
Rain Days.	(14)	18	6	11	10	8	14	12	9	17	11	27	157

Exd JW

1718

FORM A.
BRITISH RAINFALL.

9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Blandford

in the County of Dorset

by Rev R. A. Bond

Lat. — Long.

Time of Observation 9 am

Nearest Railway Station Blandford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·14	·06	—	·45								1
2	·27	·15	·02	—	·06								2
3	·02	·80	·01	—	·02								3
4	·34	·14	—	—	·09								4
5	·06	·05	·35	—	·21								5
6		·09		—	·04								6
7	·03	·04		—									7
8	—	·10	—	—									8
9	·02	—	—	—									9
10	—	·68	—	·07									10
11	—	—	·01	·09									11
12	·02	·02	·11	—									12
13	—	·26	·10	·04									13
14	—	·60	·01	·03									14
15	—	·16	·13	—									15
16	·04	·15	—	·18									16
17	·19	·19	—	·19									17
18	·02	·10	·14	·04									18
19	·10	—	·65	·10									19
20	·11	·16	·56	·35									20
21	·01	·15	·17	—									21
22	—	—	—	—									22
23	·02	~~·05~~	—	·01									23
24	—	·~~4~~05	—	·01									24
25	—	·~~7~~40	·13	—									25
26	—	·14	·07	—									26
27	—	·05	1·03	—									27
28	—	·14	·05	·12									28
29	—	·70	·03	—									29
30	—	✕	·01	—									30
31	—	✕	—	✕		✕			✕		✕		31
Total	1·38	5·46 ✓	3·64 ✓	1·23 ✓									YEAR'S TOTAL
Rain Days.	15	24 ✓	21 ✓	12 ✓									

W. 8,000, VIII. 16

1632

Bourton

Dorset

1915 – 20.

1929

R 5

FORM A.
BRITISH RAINFALL.
5. MAY 1916

Kept at Bou

in the County of

by B. Pope
pe

Rain Gauge .... in.

above Ground .... ft. .... in.

,, Sea Level .... ft.

IMPORTANT and the result entered to the previous day. If universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·75	·41	·03		·04			·30	·17	·30	·05	·25	1
2	·50	·17	·23	·12		·05		·68		·25		·54	2
3	·23	·09	·18	·06	·15			·05		·06		·44	3
4	·02	·03	·02		·02							·23	4
5	·07	·67	·02	·15				·08				·35	5
6	·68	·10		·35			·55	·09				·21	6
7	·23	·45		·08			·32	·02				·34	7
8	·18	·47		·02				·10			·04	·07	8
9	·02	·06		·23				·03			·35	·70	9
10	·29	·02	·06	·08				·07		·03		·12	10
11	·07	·02	·11	·06				·51		·02	·77	·09	11
12	·17	·43		·20	·60			·07		·13	·33	·02	12
13	·02	·78			·80			·17	·12		·07	·02	13
14	·07	·10		·01			·30	·20	·10			·74	14
15	·14	·06			·19		·04	·07	·03	·08	·12	·15	15
16		·64			·40		1·03	·25	·02			·07	16
17		·36			·49		·03	·13					17
18		·37			·08								18
19		·03			·11		·16						19
20	·01			·14	·03	·01				·02		·10	20
21	·35	·05			·02	·01	·08			·59		·29	21
22	·02	·35	·50	·04		·01	·78		·01	·04		·32	22
23	·15	·06	·11				·65		·18	1·70		·33	23
24				·09			·35		·45	·60		·29	24
25			·02	·05		·13	·47			·02		·23	25
26		·08				·12	·18		·05			·71	26
27		·12				·28	·42			·35		·02	27
28		·10				·13		·04	·72	·05		·02	28
29		X				·24	·09	·05	·06	·25	·25	·07	29
30	·15	X		·02		·07				·63	·42	·27	30
31	·01	X		X		X	·03		X	·93	X	·24	31
Total	4·13	6·02	1·28	1·70	2·93	1·05	5·48	2·91	1·91	6·05	2·40	7·23	YEAR'S TOTAL 43·09
Rain Days.	21	25	10	16	12	10	16	18	11	18	9	28	194

W. 8,000. X. 15.

R 5

FORM A.
BRITISH RAINFALL.
5 MAY 1916

Kept at Bourton

in the County of Dorset

by B. Pope Bartlett.
per Rev. H.A. Boys.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·75	·41	·03		·04			·30	·17	·30	·05	·25	1
2	·50	·17	·23	·12		·05		·68		·25		·54	2
3	·23	·09	·18	·06	·15			·05		·06		·44	3
4	·02	·03	·02		·02							·23	4
5	·07	·67	·02	·15				·08				·35	5
6	·68	·10		·35			·55	·09				·21	6
7	·23	·45		·08			·32	·02				·34	7
8	·18	·47		·02				·10			·04	·07	8
9	·02	·06		·23				·03			·35	·70	9
10	·29	·02	·06	·08				·07		·03		·12	10
11	·07	·02	·11	·06				·51		·02	·77	·09	11
12	·17	·43		·20	·60			·07		·13	·33	·02	12
13	·02	·78			·80			·17	·12		·07	·02	13
14	·07	·10		·01			·30	·20	·10			·74	14
15	·14	·06			·19		·04	·07	·03	·08	·12	·15	15
16		·64			·40		1·03	·25	·02			·07	16
17		·36			·49		·03	·13					17
18		·37			·08								18
19		·03			·11		·16						19
20	·01			·14	·03	·01				·02		·10	20
21	·35	·05			·02	·01	·08			·59		·29	21
22	·02	·35	·50	·04		·01	·78		·01	·04		·32	22
23	·15	·06	·11				·65		·18	1·70		·33	23
24				·09			·35		·45	·60		·29	24
25			·02	·05		·13	·47			·02		·23	25
26		·08				·12	·18		·05			·71	26
27		·12				·28	·42			·35		·02	27
28		·10				·13		·04	·72	·05		·02	28
29		X				·24	·09	·05	·06	·25	·25	·07	29
30	·15	X		·02		·07				·63	·42	·27	30
31	·01	X		X		X	·03		X	·93	X	·24	31
Total	4·13	6·02	1·28	1·70	2·93	1·05	5·48	2·91	1·91	6·05	2·40	7·23	YEAR'S TOTAL 43·09
Rain Days.	21	25	10	16	12	10	16	18	11	18	9	28	194

W. 8,000. X. 15.

for Mid Wessex Monthly Ed RL

1732

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Bourton

in the County of Dorset

by Rev H. A. Boys R Pope Bartlett

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.25				.50	.05			.27	.55	.40		1
2	.21	.10	.03		.11		.02		.04	.45	.03		2
3	.02	.92	.02		.07	.04			.11	.44	.31		3
4	.21	.20		.01	.10	.30	.07		.25	.05	.96		4
5	.15	.03	.05		.32	.40				.06	.48		5
6	.04	.15	}		.08	.02	.80			.08	.70		6
7	.05	.08	} .28		.20		.25			.07	.48	.19	7
8	.03	.20	.03		.29						.06	.13	8
9					.11	.23	.02			.14	.09	.22	9
10	.02	.60		.11	.05	.08	.09				.03	10	10
11	.03		.06	.18	.02	.10	.02		.02				11
12	.10	.07	.02	.13	.11	.02	.15			.20			12
13		.27	.23	.03				.45					13
14	.03	.42	03	.09	.13			.04		.05			14
15	.02	.15	13	.07	.02			.30					15
16	.05	.08		.23			.03	.45		.06			16
17	.18	.35		.14				.07	.48	.60	.18		17
18	.02	.19	.15	.16					.06	.12	.28		18
19	.08		.48	.17				.02			.18	08	19
20	.26	.10	.35								.05	2.00	20
21	.04	.03	.19		.10		02					.30	21
22		} .25				.07				.43		.42	22
23		}		.05		.10		.20		.09	.13	.22	23
24		}	.05	.08	.47	.23		.05		.49	.10	.21	24
25		} .52	.03		03	.22		.38		.02	.15		25
26	.03		.08					.18	.68	.67			26
27	.03	}	1.23			.25	.02	1.70	.67	.34			27
28		} .35	.07			.35		.10	.74	.34		.20	28
29		.44	.04					1.89	.48	.37	.02	.26	29
30		X								64			30
31		X		X		X		.07	X	.18	X	08	31
Total	1.85	5.50	3.55	1.44	2.71	2.46	1.49	5.90	3.80	6.44	4.63	4.41	YEAR'S TOTAL 44.18
Rain Days.	21	24	21	13	17	15	11	14	11	23	18	13	201

W. 8,000, VIII. 16

1655

FORM A.
BRITISH RAINFALL.
3. JAN 10.

REGISTER OF RAINFALL IN 1917

Kept at Bourton
in the County of Dorset
by B P Pye Bartlett MRCS

Lat. 51° 4' 30" Long. 2° 19' W
Time of Observation 9. am
Nearest Railway Station Gillingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 353 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·16	·18		·12		·73	·14	·02	·10		1
2		·02	·62	·14				·11			·03		2
3				·08			·69	·03		·25	·06		3
4		·14	·12	·24			·04	·09	·02	·29			4
5	·30		·20			·28		·04	·25	·25	·12		5
6			·24							·10	·10	·03	6
7	·34						·48	·18		·50	·01	·05	7
8	·48		·23	·18			·37	·60	·08	·33	·20	·14	8
9				·02	·02		·02	·38	·06	·12	·28		9
10	·15		·34	·22				·13		·04			10
11	·07		·40	·30				·04		·29			11
12					·58			·02		·57			12
13			·20	·16				·35	·08	·05		·02	13
14			·30	·15		·02	·18	·04					14
15							·66	·27	·03	·11		·42	15
16	·02	·20		·09	·05		·16	·03		·40		·20	16
17		·04		·19	·10		·42	·09	·76	·23			17
18						·13	·12		·34		·05		18
19		·47	·11					·04	·16		·07		19
20			·08		·25	·52		·19	·06		·07		20
21		·05	·23			·03				·04	·01		21
22			·15					·08		·10			22
23		·21			·18			·27					23
24		·05	·02			·04	·05	·08		·15	·12	·03	24
25		·10	·07					·06	·09	·08			25
26					·32			·49	·18	·05			26
27					1·08	·14		1·15					27
28			·16		·03	5·55		·94				·07	28
29			·14			·20	·09	·08		·68		·10	29
30		×	·19				·45	·04		·15			30
31	·02	×	·15	×		×		·02	×	·16	×	07	31
Total	1·38	1·28	3·51	1·95	2·61	7·03	3·73	6·57	2·25	4·96	1·22	1·13	YEAR'S TOTAL 37·62
Rain Days.	7	9	20	12	9	10	13	28	13	23	13	10	168

W. 8,000, IX. 17.

W. ML

72

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
17·1 19

Kept at Bourton

in the County of Dorset

by B. B. Bartlett M.R.C.S.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		03		02	10			59	05	03	72	02	1
2		06		23				35	18		05	18	2
3		08	02	27	17			15	03	03	03	03	3
4		04	02	02				08	09	12	66	14	4
5		02	05	03	07			29	17	22		08	5
6	·21	33		23				06	02	10		10	6
7	·01	15		06	40			02	22	08	82	04	7
8	·01	29							27	24			8
9		14		23		30	70		51	15	02	41	9
10	·10	02		08			26		17	24	03	60	10
11		01					1·13		18	03	05	15	11
12	·42	08	03		41		14		12			03	12
13					18		70		82	08		19	13
14			06		02	09	10		20	19		14	14
15	1·14			55			27		03	02		18	15
16	·54		05	16		02	03		21	02		17	16
17	·31			19			37	06	09			14	17
18	·71		01			66	15		18			35	18
19	·12	01	16	05			19	06	05	02		12	19
20	08	13		20		04	15		18	04			20
21	04	02				09	06		37	22		21	21
22	25	02			07	03	48		13	01	02	35	22
23	01				25	03	58	03	09		10	03	23
24	01	22					07		13		10		24
25				02			15	90		01	04		25
26		02					97		07		15	34	26
27		25	03				12	15	25	04	10	10	27
28		09		01					05	03	31	18	28
29			21						1·25			02	29
30		X	44					09	02	05	13	11	30
31		X	03	X		X		13	X	05	X		31
Total	3·96	2·01	1·11	2·35	1·67	1·26	6·62	2·96	~~5·13~~ 6·13	2·02	2·83	4·41	YEAR'S TOTAL 36·33
Rain Days.	16	20	12	16.	9	8	19	14	29	23	16.	26	208

37·33

W. 6,500. VII. 18. W W C

1559

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at Bourton
in the County of Dorset
by B Kpe Bartlett, MRCS

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Gillingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·05

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	47		11	10	13		47		04	10		1.46	1
2	11		01		14		02		36		08	23	2
3	1.15		25		10				18		05	43	3
4	12	25	58			02	03	26	38		02	10	4
5		45	33		08		10		27		09	47	5
6	61	16	14		14						06	27	6
7	19		39	09									7
8	24		21	02							09		8
9	05		04	14	05								9
10	13		18	08						02	02	29	10
11	04		17	19	14		22			03		03	11
12	06		05	01		04				15	13	11	12
13	05		03	56			09			02		05	13
14	50	12		55	03		13			03		09	14
15	20	06		06						10		43	15
16	04	72						02			21	02	16
17		32						13			35		17
18	12	02	62				15	02	02		25		18
19	40	27	99			03	78	37	25		24	10	19
20	31	12	11			25		17			02	17	20
21	02	60					46	02	02		03	09	21
22		13					20		40		02	72	22
23									02	30		17	23
24				02		19			02	1.08	13	57	24
25	17	10		13		04		28	01		05	19	25
26			12	23				21	11			31	26
27	19	05	02	33				72				02	27
28			46				02	70			57	49	28
29	02			08				13		09		04	29
30			01	16		14		85		02	55	48	30
31	02		02				02					38	31
Total	5·21	3·37	4·84	2·75	·81	·71	2·69	3·88	2·08	1·94	2·96	7·71	Year's Total 38·95
Days with ·01 in. or more	23	14	21	16	8	7	13	13	13	11	19	26	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1474

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bourton

in the County of Dorsetshire

by per Boys B Pope Bartlett

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·05	·20	·38		·55	·02	·08	·18	·47	·48	1
2	·17			·17			·52	·79	·13	·10		·13	2
3	·09	·07		·07	·07		·72		·02	·80			3
4			·07	·08			·60	·32		·30			4
5			·07	·08	·17		·59	·26		·25			5
6			·16	·02	·16		·23			·02			6
7	·10		·04	·56			·27			·02			7
8	·08	·12		·28	·05		·29			·01			8
9	·77	·30	·03	·09		·13	·02						9
10	·66	·40	·14	·18		·30	·33				·02		10
11	·17		·09	·44	·28	·02	·17						11
12	·33	·03	·03	·27	·05	·58	·05			·02	·13		12
13	·21	·08	·49	·13								·05	13
14	·15	·03	·25	·61					·15	·38	·37		14
15	·04	·10	·08	·34	·04	·15	·03		·05	·38	·05		15
16	·02	·02	·14	·15		·02	·17		·10	·05			16
17	·05		·02	·25	·25				·35				17
18	·07		·07	·05	·13	·08		·39	·18			·03	18
19	·07			·18	·09	·21			·03				19
20	·15	·20		·14		·44	·02					·12	20
21				·02			·24		·04	·06		·10	21
22	·03			·17		·02	·04	·04				·35	22
23	·02						·73					·34	23
24			·11	·03	·10						·21	·07	24
25		·06	·08				·34						25
26	·21		·14		·03		·35				·11	·10	26
27	·39	·04	·08	·40	·04	·33	·02					·16	27
28	1·08	·02	·05	·06	·13	·05	·09					·05	28
29	·28		·17		·03						·17	·17	29
30	·09		·03	·18	·04	·35	·25		·40	·02	·29	·25	30
31	·12		·23							·32		·17	31
Total	5·40	1·47	2·62	5·15	2·04	2·68	6·62	1·82	1·53	2·91	1·82	2·57	YEAR'S TOTAL 36·63
Days with ·01 in. or more	25	13	23	26	17	13	23	6	11	15	9	15	196
Days with ·04 in. or more	12	9	19	23	15	10	19	5	9	10	8	14	163

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DORSET.

BRADFORD PEVERELL.

1911 – 1920

REGIS 011

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Bradfud Pe

in the County of Dorset

by Charlotte L M

6 in.

bove Ground 1 ft. 1½ in.

„ Sea Level 380 ft.

o a.m.

Name Guinston
Distance 3 mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5	0	0	0	0	0	0	2	0	0	·0	·2	1
2	0	0	0	16	0	0	0	5	0	5	·22	·53	2
3	0	0	0	0	·50	0	0	0	3	0	·15	·12	3
4	0	0	7	Snow 1	0	0	0	0	1	3	25	33	4
5	32	0	5	0	19	0	0	13	0	12	8	0	5
6	·77	0	14	0	0	0	0	0	0	0	·6	3	6
7	·8	0	0	Snow 2	0	0	0	0	0	0	·64	4	7
8	4	0	29	0	0	0	0	0	0	0	23	61	8
9	8	0	0	0	0	0	0	0	0	0	·8	44	9
10	·17	4	79	0	0	0	0	0	0	0	·2	19	10
11	56	0	·2	0	8	0	0	0	0	0	1·32	4	11
12	0	0	1·0	0	0	0	0	0	0	0	·12	18	12
13	0	0	0	0	0	0	0	0	·39	0	0	40	13
14	0	14	0	0	0	0	0	0	0	0	0	72	14
15	0	2	0	0	0	0	0	0	0	0	34	4	15
16	0	0	0	0	0	·53	0	0	·0	0	71	41	16
17	1	0	13	0	28	·17	0	0	·0	·3	30	40	17
18	0	17	·5	9	0	·23	0	0	·0	·9	4	57	18
19	0	2	0	0	0	·18	0	0	·15	15	4	66	19
20	0	·5	17	7	0	·3	0	0	·6	35	0	57	20
21	0	·35	4	0	0	·8	0	0	·6	·79	0	11	21
22	7	7	0	4	0	17	0	0	·13	43	0	56	22
23	2	15	6	0	0	·11	0	0	15	·40	0	63	23
24	2	23	0	0	0	·30	0	24	·4	·55	3	17	24
25	2	3	0	24	0	·6	0	·0	11	·19	0	5	25
26	0	21	0	46	1·25	0	0	·5	0	·46	0	37	26
27	0	78	8	4	0	0	0	3	6	62	26	14	27
28	0	21	0	·71	0	0	0	14	0	56	3	0	28
29	0		0	·22	0	22	·14	·7	18	20	0	0	29
30	0		0	0	0	·6	0	0	0	3	37	0	30
31	0		0		0			0		0		0	31
Total	2·17	2.47	2·89	2·06	2.30	2·14	·14	~~74~~ 73	1·37	5·05	5·29	8.15	TOTAL for year
No. of Rain Days	12	14	13	11	5	12	1	8	12	17	20	26	34.76 151

9,000, IX. '10.

4 - JAN 1912

REGIS 11

Kept at Bradford Peverell

in the County of Dorset 3

by Charlotte L Middleton

Rain Gauge { Pattern
Diameter of top 6 in.
Height of top above Ground 1 ft. 1½ in.
" " " Sea Level 380 ft.

Time of Observation 10 A.M.

Nearest Railway Station { Name Grimston
Distance 2 Miles Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5	0	0	0	0	0	0	2	0	0	·0	·2	1
2	0	0	0	16	0	0	0	5	0	5	·22	·53	2
3	0	0	0	0	·50	0	0	0	3	0	·15	·12	3
4	0	0	7	Snow 1	0	0	0	0	1	3	25	33	4
5	32	0	5	0	19	0	0	13	0	12	8	0	5
6	·77	0	14	0	0	0	0	0	0	0	·6	3	6
7	·8	0	0	Snow 2	0	0	0	0	0	0	·64	4	7
8	4	0	29	0	0	0	0	0	0	0	23	61	8
9	8	0	0	0	0	0	0	0	0	0	·8	44	9
10	·17	4	79	0	0	0	0	0	0	0	·2	19	10
11	54	0	·2	0	8	0	0	0	0	0	1·32	4	11
12	0	0	1·0	0	0	0	0	0	0	0	·12	18	12
13	0	0	0	0	0	0	0	0	·39	0	0	40	13
14	0	14	0	0	0	0	0	0	·0	0	0	72	14
15	0	2	0	0	0	0	0	0	·0	0	34	4	15
16	0	0	0	0	0	·53	0	0	·0	0	71	41	16
17	1	0	13	0	28	·17	0	0	·0	·3	30	40	17
18	0	17	·5	9	0	·23	0	0	·0	·9	4	37	18
19	0	2	0	0	0	·18	0	0	·15	15	4	66	19
20	0	·5	17	7	0	·3	0	0	·6	35	0	57	20
21	0	·35	4	0	0	·8	0	0	·6	·79	0	11	21
22	7	7	0	4	0	17	0	0	·13	43	0	56	22
23	2	15	6	0	0	·11	0	0	15	·40	0	63	23
24	2	23	0	0	0	·30	0	24	·4	·55	3	17	24
25	2	3	0	24	0	·6	0	·0	11	·19	0	5	25
26	0	21	0	46	1·25	0	0	·5	0	·46	0	3·4	26
27	0	78	8	4	0	0	0	3	6	62	26	14	27
28	0	·71	0	·71	0	0	0	14	0	56	9	0	28
29	0		0	·22	0	22	·14	·7	18	20	0	0	29
30	0		0	0	0	·6	0	0	0	9	37	0	30
31	0		0		0			0		0		0	31
Total	2·17	2.47	2.89	2·06	2.30	2.14	·14	74 3	1·37	5.05	5.29	8.15	TOTAL for year
No. of Rain Days	12	14	13	11	5	12	1	8	12	17	20	26	34.76 151

cordly obsr (Dorset Fe) } 27.11.13
Hy sum stats

W DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
4 - JAN 1913

Kept at Bradford Fawell House

in the County of Dorset 3

by Charlotte L Middleton

RAIN GAUGE { Pattern
Diameter of top 6 in.
Height of top above Ground 1 ft. 1½ in.
" " " Sea Level 381 ft.

Time of Observation 10 . A M

Nearest Railway Station { Name Grimstone
Distance 1 mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	3	0	0	17	0	0	3	68	0	37	1
2	0	0	46	0	0	0	14	0	0	97	2	0	2
3	0	0	20	0	0	47	0	·63	·5	0	0	7	3
4	·36	0	75	0	0	55	0	6	0	0	29	0	4
5	·86	24	25	0	0	0	0	69	2	0	2	31	5
6	42	0	0	0	47	24	11	44	0	0	0	6	6
7	0	·57	39	3	8	77	0	17	0	0	0	34	7
8	72	·21	15	0	0	0	2	0	0	0	0	13	8
9	20	·8	14	0	0	4	0	21	0	0	0	72	9
10	5	·9	2	4	0	0	3	18	0	0	3	30	10
11	3	·13	1	0	0	4	0	3	0	0	0	66	11
12	3	·38		4	14	0	3	41	0	0	3	0	12
13	0	0	38	0	0	0	0	0	0	0	4	7	13
14	16	3	42	0	4	0	0	16	0	3	0	3	14
15	33	·38	0	0	0	61	0	2	0	0	0	49	15
16	1·82	·0	71	0	·12	15	0	54	0	0	16	2	16
17	·41	·0	34	0	2	0	0	1·10	0	18	0	7	17
18	·26	·3	9	0	0	0	0	37	0	0	0	0	18
19	3	·10	6	0	0	0	·4	17	0	3	2	2	19
20	2	10	64	0	22	0	·6	}	0	38	2	0	20
21	0	64	37	0	80	0	0	·36 }	0	22	0	0	21
22	37	49	15	0	3	0	8	16	0	8	0	23	22
23	·20	34	28	0	0	0	0	1·7	0	18	26	28	23
24	·6	·7	0	0	0	44	0	5	0	0	0	·	24
25	·28	0	2	0	0	15	0	18	0	39	39	72	25
26	0	4	0	0	0	0	·14	17	0	37 37	31	29	26
27	0	8	0	0	0	37	·79	1	0	82	0	47	27
28	0	9	0	0	0	8	·20	·57	~~0~~	82	77	76	28
29	0	15	0	0	0	4	·16	19	5	.67 69	0	0	29
30	0		18	0	5	6	·11	0	1·0	31	0	0	30
31	0		67		0		25	5	·68	0		15	31
Total	6.63	4.34	6.68	·11	1·97	4·08	2.16 2.16	7 94	~~1.15~~ 1.83	~~6.13~~ 5.45	2.34	6.56	TOTAL for year 50.09
No. of Rain Days	19	20	22	3	10	15	14	26	5	15	13	22	49 154

9,000, IX. '10.

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
9 - JAN 1914

Kept at Bradford Peverell

in the County of Dorset

by Charlotte L Middleton

3

Lat. Long.

Time of Observation 10 a.m.

Nearest Railway Station Grimstone

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 1½ in.

" " " " Sea Level 381 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	35	27	30	0	0	0	0	18	3	48	1	1
2	2	11	1	17	10	0	0	0	0	15	19	4	2
3	20	0	5	7	29	0	0	0	2	13	0	18	3
4	95	0	12	0	27	3	0	0	0	16	0	6	4
5	17	5	0	0	19	16	2	0	36	11	32	21	5
6	12	12	5	0	14	25	6	0	78	1·83	0	59	6
7	3	50	5	0	48	11	11	0	0	27	35	2	7
8	·02 2	34	0	0	19	0	6	0	0	0	0	8	8
9	0	7	8	0	5	1	2	13	0	5	30	3	9
10	50	2	0	0	3	0	0	0	0	36	38	0	10
11	74	1	0	12	37	2	0	0	0	6	50	3	11
12	0	0	0	0	36	0	0	0	2	1	63	0	12
13	27	0	4	11	0	0	0	0	57	0	34	1	13
14	32	0	13	5	12	0	0	0	78	0	0	0	14
15	38	4	36	65	0	0	7	6	38	0	8	3	15
16	16	0	50	5	0	0	0	0	2	0	2	0	16
17	3	0	2	11	0	0	0	0	0	0	2	0	17
18	5	0	20	14	0	2	0	0	0	0	5	0	18
19	1·33	0	0	18	4	0	2	0	62	2	2	0	19
20	15	0	14	0	0	5	0	0	0	16	34	0	20
21	0	0	56	33	4	0	0	0	0	10	45	0	21
22	35	0	16	0	0	0	0	7	25	3	0	0	22
23	2	0	5	0	0	5	0	0	0	0	15	0	23
24	3	0	0	7	0	1	0	0	0	0	0	76	24
25	0	18	0	27	0	0	0	0	0	1	2	0	25
26	0	0	0	30	0	0	0	29	0	0	0	22	26
27	7	0	26	45	0	0	0	0	0	19	0	0	27
28	33	0	16	43	0	0	0	0	0	22	0	0	28
29	17		56	40	9	0	0	10	0	31	0	3	29
30	81		0	0	0	0	0	0	24	37	0	0	30
31	24		2		4		0	57		10		0	31
Total	7·46 ✓	1·79	3·69	4·20	2·80	71	36	1·21	4·22	4·67	4·62	2·27	YEAR'S TOTAL 38·01 ✓
Rain Days.	25	11	20	18	16	10	7	6	12	21	18	15	179

W. 7,500, XI. ·12

Days est. for May   Ex D.S.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 2 - JAN 1915

Kept at Bradford Peverell

in the County of Dorset 3

by Charlotte L Middleton

Lat. Long.

Time of Observation 10 A.M.

Nearest Railway Station Grimston

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 1½ in.

" " " " Sea Level 381 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	0	4		0	4	42	0	0	29	12	1
2	0	0	0	4		0	46	0	0	0	91	24	2
3	0	0	9	16		0	1	0	0	0	12	4	3
4	7	0	6	39		0		1.18	0	0	54	53	4
5	0	0	8	19		0	73	2	0	0	37	0	5
6	4	40	0	12		0	4	0	0	0	0	45	6
7	5	56	20	20		0	30	23	2	0	0	29	7
8	5	7	88	5		9	1	13	0	0	2	4	8
9	2	0	35	23		13	0	14	50	0	2	1	9
10	15	43	0	9		0	0	0	40	0	0	1	10
11	0	20	73	0		5	15	0	0	0	2	60	11
12	0	10	19	0		0	0	0	40	0	3	69	12
13	0	65	36	0		0	5	0	11	10	25	62	13
14	0	32	26	0		30	10	1.0	0	30	52	27	14
15	0	0	29	0		0	2	31	0	14	38	1	15
16		0	25	0		0	4	0	.70	0	0	0	16
17	0	1.19	0	0		0	0	0	0	0	0	1.17	17
18	0	8	17	0		0	23	0	7	0	0	57	18
19	0	20	Snow 28	0		0	80	0	7	0	11	10	19
20	0	31	41	0		3	0	0	0	0	0	30	20
21	0	69	0	0	1.30	0	0	0	0	38	0	0	21
22	0	22	4	0	31	6	3	7	0	17	0	0	22
23	0	15	49	0	0	0	5	0	0	30	0	0	23
24	0	4	2	0	2	0	0	0	0	10	15	4	24
25	5	0	40	0	9	0	3	66	0	75	9	82	25
26	0	0	5	0	0	0	10	6	0	8	43	48	26
27	10	2	0	0	0	0	0	0	0	0	8	40	27
28	0	28	50	0	2	0	0	0	0	2	20	70	28
29	78		28	0	26	0	3	0	0	23	80	3	29
30	0		29	0	0	0	0	0	0	32	76	83	30
31	14		0	0	3		23	0		67		25	31
Total	1.45	5.91	6.65	1.51	1.92	66	3.45	4.22	2.27	3.56	6.09	9.60	YEAR'S TOTAL 47.29
Rain Days.	10	18	23	10	(16)	6	21	11	8	13	20	26	~~166~~ (182)

W.7,000, XI. 13

2 - JAN 1915

Bradford Peverell
Dorchester
1 Jan 1914

Mrs Middleton writes to say she was away from home the first three weeks of May. The amount put down on 21st of May was what she found in the gauge on her return. There was no one left at home who would undertake to keep the chart.

1729

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Bradford Peverell
in the County of Dorset
by Charlotte G. Middleton

3

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station Grimstone
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 381 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	22	36	0	0	~~1~~ 0	0	0	38	58	0	8	30	1
2	70	16	22	14	3	4	0	42	0	48	0	55	2
3	11	9	28	5	21	0	0	0	0	5	0	50	3
4	4	1	0	0	2	0	0	6	0	0	0	18	4
5	11	35	0	10	0	0	0	25	0	0	0	50	5
6	84	23	0	50	0	0	80	2	0	0	0	23	6
7	23	84	0	6	0	12	15	0	0	0	1	50	7
8	9	88	0	0	0	0	0	5	0	0	0	12	8
9	0	10	0	12	0	0	0	0	0	0	48	73	9
10	36	6	5	10	0	0	0	0	0	3	1.48	23	10
11	12	17	0	0	0	0	0	0	0	0	0	0	11
12	18	44	0	5	56	0	0	2	0	13	46	0	12
13	2	37	0	0	80	0	0	0	0	0	7	0	13
14	4	4	0	0	0	0	58	4	19	0	0	2.07	14
15	13	0	0	0	20	0	24	3	0	6	10	26	15
16	0	1.57	0	0	40	0	1.53	6	0	0	0	23	16
17	0	45	0	0	8	0	0	12	0	0	0	0	17
18	0	34	0	0	1	0	0	6	0	0	0	6	18
19	3	0	0	0	35	0	11	0	0	0	0	0	19
20	23	0	0	11	0	0	0	0	0	10	0	12	20
21	5	63	0	0	0	0	65	0	9	31	0	5	21
22	Snow 21	Sleet 8	40	0	0	9	97	0	0	0	0	38	22
23	0	0	6	0	0	0	10	0	26	1.85	0	16	23
24	0	0	0	5	0	0	3	0	60	30	0	85	24
25	0	0	0	5	0	36	0	0	7	3	0	17	25
26	2	17	0	0	0	4	15	0	12	0	0	89	26
27	0	5	0	0	0	7	2	0	4	72	0	0	27
28	0	2	0	0	0	20	1	0	43	8	0	3	28
29	0		0	0	0	11	2	2	3 }	92	41	21	29
30	19	X	0	0	0	2	0	0	0 }		95	36	30
31	0	X	0	X		X	13	18	X	1-07	X	19	31
Total	3.90	7.41	1.01	1.33	2.66	1.05	5.49	1.65	2.41	6.13	4.64	9.81	YEAR'S TOTAL 46.89
Rain Days.	20	22	5	11	10	9	15	13	10	15	9	24	163

W. 8,000. X. 14.

[illegible] [illegible] 1696

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Bradford Peverell
in the County of Dorset
by Charlotte L Middleton

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station Grimstone
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 381 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	12	4	9	0	28	3	2	0	65	22	36	0	1
2	15	18	0	0	2	0	0	0	0	25	12	0	2
3	10	96	0	0	6	4	0	0	3	75	16	0	3
4	12	33	0	0	1	37	0	0	2	0	58	0	4
5	0	6	Snow	0	21	7	0	0	0	13	38	0	5
6	6	8	Snow	0	16	15	97	0	0	6	85	0	6
7	0	5	Snow 42	0	6	1	0	0	0	6	1.44	15	7
8	0	5	Snow 26	0	41	0	0	0	0	0	6	35	8
9	0	0	0	0	3	0	2	0	0	1	4	37	9
10	0	66	0	5	10	0	4	0	0	2	0	16	10
11	0	0	0	5	0	3	0	0	2	0	14	3	11
12	8	6	16	4	12	0	22	6	0	9	0	0	12
13	0	23	19	4	0	0	2	6	0	1	0	0	13
14	3	57	2	0	6	0	0	8	0	4	0	0	14
15	0	26	16	4	0	0	0	2	0	3	0	0	15
16	18	2	0	18	0	0	3	31	4	13	0	0	16
17	29	17	0	10	0	0	0	22	32	90	45	0	17
18	2	11	22	3	0	0	0	0	15	5	~~Snow~~ 13	65	Snow Snow 18
19	20	0	64	9	0	0	0	0	2	0	18	13	19
20	6	33	27	2	0	0	0	0	0	0	5	2.0	20
21	1	13	31	3	5	0	14	0	0	0	0	0	21
22	0	0	0	0	0	0	0	0	0	28	6	60	22
23	0	6	2	3	0	0	0	18	0	5	26	0	23
24	0	Snow	0	11	76	18	0	13	0	66	9	36	24
25	0	Snow	13	0	0	0	0	50	2	0	14	0	25
26	2	Snow	5	0	0	0	0	2	72	81	2	0	26
27	0	Snow	1.16	0	0	27	0	3	35	37	0	0	27
28	0	81	0	0	0	22	0	10	45	46	8	53	28
29	0	Snow 47	3	0	0	73	0	2.27	24	20	3	43	29
30	0	✕	5	0	0	0	0	0	0	69	0	0	30
31	0	✕	0	✕	0	✕	0	15	✕	35	✕	4	31
Total	1.44	5.63	4.18	81	2.33	2.00	1.46	4.13	3.03	6 ~~62~~ 6.62	5.64	5.78	YEAR'S TOTAL ~~43.05~~ 43.05
Rain Days.	14	21	~~2~~ 19	13	14	11	8	14	13	24	21	13	185

W. 8,000. X. 15.

1625

FORM A.
BRITISH RAINFALL.

8. JAN 19

REGISTER OF RAINFALL IN 1917

Kept at Bradford Peverell

in the County of Dorset

by C. L. Middleton

Lat. Long.

Time of Observation 10 a.m.

Nearest Railway Station Grimstone

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 1½ in.

" " " " Sea Level 381 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	–	10	Snow 20	–	14	–	39	4	–	5	1	1
2	2	–	–	Snow 11	–	–	–	5	–	2		–	2
3	11	–	–	3	–	–	38	2	1	14	54	–	3
4	0	–	53	–	–	–	–	–	–	25	–	–	4
5	16	–	7	25	–	Thunder 8	–	2	17	17	12	–	5
6	0	–	5	–	–	–	–	–	–	16	17	–	6
7	65	–	–	–	–	–	10	36	–	19	9	9	7
8	Snow Rain 24	–	Snow 4	3	–	–	19	74	8	47	23	24	8
9	0	–	27	–	–	–	3	5	3	9	6	–	9
10	19	–	53	Snow 25	1	–	–	19	–	–	–	–	10
11	0	–	50	Snow 13	11	–	–	3	–	40	5	–	11
12	8	–	–	–	21	–	–	–	–	28	5	–	12
13	0	–	–	–	–	2	–	13	3	2	–	–	13
14	0	–	25	15	–	–	–	5	–	–	–	–	14
15	0	–	–	–	–	–	1	15	3	41	–	Rain and Snow 42	15
16	–	25	–	15	–	–	–	2	1	98	–	–	16
17	–	–	–	22	–	–	30	27	99	19	–	–	17
18	–	16	–	–	–	Thunder 9	22	–	52	–	–	–	18
19	–	59	8	–	–	–	–	–	19	–	–	–	19
20	–	4	4	–	41	43	–	–	3	–	–	–	20
21	–	–	Snow 19	–	–	–	–	–	–	12	–	–	21
22	–	–	Snow 8	–	–	8	–	8	–	13	–	–	22
23	–	18	–	–	13	–	–	14	–	5	–	–	23
24	–	12	1	–	–	4	25	2	–	25	7	–	24
25	–	3	–	–	–	–	12	9	15	2	–	–	25
26	–	–	3	–	16	–	–	55	16	2	5	–	26
27	–	–	–	–	50	25	–	1·31	–	–	–	–	27
28	–	–	13	–	6	60	–	32	–	–	–	–	28
29	–	–	5	–	–	5	4	3	–	47	2	54	29
30	–	╳	20	–	–	–	55	27	2	1	2		30
31	–	╳	7	╳	–	╳	–	5	╳	21	╳		31
Total	1.45	1.35	3.26	1.52	1.59	1.58	2.19	5.33	2.46	5.05	1.49	1.30	YEAR'S TOTAL 28.57
Rain Days.	17	7	19	10	8	10	11	24	15	23	13	5	154

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

43

FORM A.
BRITISH RAINFALL.
9. 1. 19

Kept at Bradford Peverell
in the County of Dorset
by C. G. Middleton

Lat. .... Long. ....
Time of Observation 10 a.m.
Nearest Railway Station Grimstone
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 381 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	25	–	3	5	–	–	73	–	2	78	2	1
2	–	30	–	3	–	–	–	10	–	2	9	29	2
3	–	13	–	25	22	–	–	–	3	8	9	3	3
4	–	5	–	–	–	–	–	14	–	–	1·2	31	4
5	–	3	22	–	33	–	–	46	91	26	–	5	5
6	25	19	–	31	–	–	–	5	3	–	–	25	6
7	–	25	–	2	15	–	–	5	53	13	35	18	7
8	–	7	–	–	–	–	–	–	2	40	–	2	8
9	4	–	–	11	–	24	60	–	75	8	3	81	9
10	3	–	–	19	–	–	32	–	98	47	–	49	10
11	–	–	–	3	–	–	18	–	9	6	6	3	11
12	–	18	3	–	53	–	31	–	8	4	–	2	12
13	–	–	–	–	–	–	77	–	80	8	–	2	13
14	·39	–	–	–	3	11	5	–	43	46	–	14	14
15	1·31	–	–	37	–	5	25	–	2	–	–	30	15
16	–	–	–	6	–	4	2	–	52	–	–	3	16
17	65	–	3	14	–	–	35	3	3	–	–	33	17
18	97	–	–	–	–	95	10	–	25	–	–	26	18
19	10	–	13	~~6~~	–	–	32	2	5	–	–	8	19
20	2	30	–	12	–	–	18	3	37	10	–	–	20
21	8	6	–		–	–	3	–	81	6	–	25	21
22	6	–	–		3	–	88	–	26	–	–	11	22
23	25	2	–		11	–	19	–	5	–	17	3	23
24	–	26	–		–	1	–	–	25	–	11	–	24
25	3	–	–		–	–	12	84	–	–	12	–	25
26	–	3	–		–	–	26	–	3	4	7	53	26
27	–	22	–		–	–	2	8	37	3	30	–	27
28	–		30		–	7	–		3	6	2	3	28
29	–		37		–	–	–		1·83	–	2	8	29
30	3	X	42		–	–	–		9	11	14	–	30
31		X	10	X	–	X	–		X	10	X		31
Total	~~4·31~~ 4·21	2·34	1·60	1·66	1·45	1·47	4·95	2·55	9·61	2·60	3·37	4·67	YEAR'S TOTAL ~~40·58~~ 40·48
Rain Days.	14	15	8	12	8	7	18	11	26	19	18	25	198

W. 8,000, IX. 17.

40·48

1529

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Bradford Peverell
in the County of Dorset
by Charlotte L Middleton

Lat. Long.
Time of Observation 10 a.m
Nearest Railway Station Grimston
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. ½ in.
" " " " Sea Level 381 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	70	–	14	10	3		36	–	9	12	–	92	1
2	–	–	2	–	5		23	–	25	–	–	6	2
3	68	–	54	–	8		2	–	21	–	8	16	3
4	34	31	61	–	–		–	4	78	–	11	7	4
5	4	33	30	–	–		–	–	15	–	9	15	5
6	52	17	20	–	–		–	–		–	3	30	6
7	37		50	11	–		–	–		–	–	–	7
8	37		22	–	–		–	–		–	–	–	8
9	10		–	37	6		–	–		–	36	–	9
10	34		34	2	–		–	–		3	1	24	10
11	8		16	29	38		15	–		–		3	11
12	21		3	3	–		1	–		20		3	12
13	22	31 }	7	70	–			–		5		–	13
14	84		–	61	12		14	–				35	14
15	36	10	–	–	–		–	–				36	15
16	5	94	–	5	3		–	–		21	22	–	16
17	6	23	–	–			–	–		–	17	5	17
18	2	22	64	–			19	10		–	20	–	18
19	1.24	30	60	–		7	70	39		–	14	3	19
20	43	3	11	–		47	–	18	15	–		7	20
21	–	94	–	–			18	–	9	–	4	6	21
22	–	1	–	–			14	–	38	–		8	22
23	–	–	1	–			–	–	–	–	3	4	23
24	–	3	–	–		9	–	–	–	1.73	10	13	24
25	17	3	–	10		6	–	53	–	–	–	8	25
26	7	2	13	7			–		6	–	7	74	26
27	16	2	6	45			17	1.85		–	–	3	27
28	–		40	–				20		–	81	69	28
29	–		1	5				13		7		10	29
30	–	X	3	12		14		93			83	1.15	30
31	–	X	–	X		X			X		X	40	31
Total	7.37	3.99	5.12	3.07	75	83	2.29	4.35	2.16	2.41	3.29	6.32	YEAR'S TOTAL 41.97
Rain Days.	22	17	21	14	7	5	11	9	9	7	16	25	169

W. 8,000, IX. 17.

1444

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Bradford Peverell
in the County of Dorset
by Charlotte Q Middleton

Lat. Long.
Time of Observation 10 a m
Nearest Railway Station Grimston
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft 1½ in.
" " " " Sea Level 381 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5	–	7	11	43	–	49	–	5	36	34	27	1
2	37	–	–	15	–	–	2	26	4	14	–	18	2
3	5	11	–	–	–	–	29	–	2	39	–	2	3
4	–	–	–	5	–	–	40	88	–	30	–		4
5	–	–	25	25	7	–	60	6	–	35	–		5
6	–	–	30	–	37	–	35	6	–	1	–		6
7	3	–	2	44	2	–	40	5	–	–	–		7
8	5	7	–	25	8	–	25	–	–	–	–		8
9	73	2	–	4	–	–	17	–	–	–	–		9
10	70	17	22	17	–	53	83	–	–	–	–		10
11	16	–	15	56	29	4	25	–	–	–	–		11
12	30	8		39	–	26	5	–	–	–	20		12
13	23	2	55	4	–	–	–	–	–	–	3		13
14	11	–	45	72	–	–	–	–	45	35	63		14
15	4	10	–	21	7	47	8	–	5	45			15
16	–	3	6	1	–	3	23	–	14	3	6		16
17	2	–	2	10	37	–	5	–	63	–	–		17
18	15	–	–	4	5	–	–	50	7	–	–	24	18 Melted Snow
19	4	–	–	35	–	–	–	–	28	–	–		19
20	2	10	–	23	–	–	–	–		–	–		20
21	1	–	–	5	–	87	32	–		4	–		21
22	–	–	–	28	–	–	3	–			–		22
23	7	–	–	–	–	–	23	3			–		23
24	4	–	25	–	–	–	–				46	1.32	3 days 24
25	–	–	15	2	–	–	95				–		25
26	17	4	23	14	–	–	–				11	16	26
27	57	–	6	–	–	23	–				10	20	27
28	1.03	2	17	1	–	3	28					19	28
29	33		36	–	–	–	–				32	37	29
30	24		–	–	3	36	7		50		57	64	30
31	7		22							95		22	31
TOTAL	5.58	76	3.53	4.61	1.76	2.82	6.34	1.78	2.23	3.37	2.82	3.80	YEAR'S TOTAL 39.40 ✓
Days with ·01 in. or more	25	11	17	23	10	9	21	6	10	11	10	13	166 ✓
	20	7	15	20	9	7	19	5	9	9	9	12	140

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~BRANKSOME~~
ALDERNEY W.W.
DORSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.

26 APR 1912

RE

Kept at Alderney

in the County of D

by H. W. Woodd

8 in.

e Ground ~~64~~ 213 ft.

Sea Level 1'·3" ft.

A.M.

Name

Distance Direction

IMPORTANT NOT d the result entered to the previous day. If an C iversal rule, he is earnestly requested to add the re ear in the space provided for it at the end of th ment of rain, the selection and plac ritish Rainfall Organization are given i application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03		05	04						08	04	-	1
2	-		07	·27	·37			0·03		02		·20	2
3			02	03	17						05	06	3
4	03		07		·11				07	05		30	4
5					·03			0·10		28	10	02	5
6	25		03					0·03		29	05	55	6
7	01									03	32	03	7
8	04		23								02	56	8
9	06		03								24	27	9
10		05	10	04	·10						05	56	10
11	31	09	18								89	03	11
12		02	77		04						05	15	12
13			02						19			31	13
14		09	01									23	14
15		04	05								14	04	15
16						04					33	13	16
17	03					·29					45	28	17
18		09	07			·38				10	14	35	18
19		24	02	06		·17			44	10	02	24	19
20		09	30			·04			04	05		66	20
21	07	10				·02		0·32	04	73	09	11	21
22	23	20	13	03		·10		·03		34		41	22
23	05	02	03			·09				43	09	12	23
24	04	10				·04			10	45	02	25	24
25	02	05	10	05		·50		·13	04	03		05	25
26		19	03	18		·07				25		23	26
27		09		06		·02			09	86	13	14	27
28		17	02	52				·15		05	09		28
29		X		02	·05	·15				02	02		29
30		X			03		·20	32	10				30
31		X		X		X	·03		X	45	X		31
Total	1·17	1·63	2·35	1·30	0·90	1·90	0·23	1·11 ~~1·53~~	1·11 ✓	4·61	3·33	6·28	25·92 ~~26·34~~
No. of Rain Days	13	16	21	11	8	13	2	~~10~~ 8	9 ✓	19	21	26	~~169~~ ~~164~~ 167

9,000, IX. '10.

✓

RI

FORM A2. BRITISH RAINFALL.

26 APR 1912

Kept at Alderney Waterworks

in the County of Dorset 3

by H. W. Woodell Genl. Manager B. G. W. Co.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground ~~14~~ 213 ft. 6 in.
" " " Sea Level 1'·3" ft.

Time of Observation 8 A.M.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03		05	04						08	04	–	1
2	–	–	07	·27	·37	–		0·03		02		.20	2
3			02	03	17						05	06	3
4	03		07		·11				07	05		30	4
5					·03			0·10		28	10	02	5
6	25		03					0·0·3		29	05	55	6
7	01									03	32	03	7
8	04		23								02	56	8
9	06		03								24	27	9
10		05	10	04	.10						05	56	10
11	31	09	18								89	03	11
12		02	77		04						05	15	12
13			02						19			31	13
14		09	01									23	14
15		04	05								14	04	15
16						04					33	13	16
17	03					·29					45	28	17
18		09	07			·38				10	14	35	18
19		24	02	06		·17			44	10	02	24	19
20		07	30			·04			04	05		66	20
21	07	10				·02		0·32	04	73	09	11	21
22	23	20	13	03		·10		·03		34		41	22
23	05	02	03			·08				43	09	12	23
24	04	10				·04			10	45	02	25	24
25	02	05	10	05		·50		·13	04	03		05	25
26		19	03	18		07				25		23	26
27		09		06		·02			09	86	13	14	27
28		17	02	52				·15		05	09		28
29		X		02	·05	15				02	02		29
30		X			03		·20	32	10				30
31		X		X		X	·03		X	45	X		31
Total	1·17	163	2·35	1·30	0·90	1·90	0·23	1·11 ~~1·53~~	1·11 ✓	4·61	3·33	6·28	TOTAL for Year 25·92 ~~26·24~~
No. of Rain Days	13	14	21	11	8	13	2	~~10~~ 8	9 ✓	19	21	26	~~169~~ ~~166~~ 167

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 - JAN 1913

Kept at Alderney Reservoir Station
Newtown
in the County of Dorset 3
by H. W. Woodell

Lat. 50°43'50" Long.
Time of Observation 9 A.M.
Nearest Railway Station Branksome
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April	~~April.~~ May	~~May.~~ June	~~June.~~ July	~~July.~~	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02				38		04	05	81		25	1
2			14	·04			35				03			2
3			05				06		73					3
4	12		51						04			21		4
5	41		19						46				07	5
6	44		03						39				05	6
7	04	50	13		05	25			19				04	7
8	24	14	20		30	34			06				20	8
9	05	05	18	05		5	04		13				44	9
10	02	05				7			26			04	21	10
11	15	14			03	34			49					11
12	05	19	06		52	60	04		23				03	12
13		04			03	03	07				05			13
14	08		17						15					14
15	15	13	5		10	39			04				21	15
16	78	03	16		13	11			07		08	16		16
17	50		15			06			43				08	17
18	04		29						23				04	18
19		07	25				08		21					19
20		09	32			08			07		39	04		20
21	05	06	31		26				09		20			21
22	23	24	05				24		13		02		07	22
23	27	14	38						45		18	10	16	23
24	19	06	03				23		07		02		13	24
25	07					20			25		16	30	45	25
26	02						17				28	50	25	26
27		10				08	20		37		46	47	23	27
28		09				22	16		06	06	49		40	28
29		02				03	27			1·94	23		03	29
30		X	36			12	8			0·76	18			30
31		X	02	X		X	12			X	04	X	05	31
Total	3·90	2·14	4·05	·09	1·42	2·97	2·49		5·64	2·81	3·62	1·82	3·39	YEAR'S TOTAL 34·34 ?
Rain Days.	20	18	23	2	8	16	15		25	4	16	8	20	175

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
16 JAN 1914

Kept at Alderney Reservoir Station
in the County of Dorset 3
by H. W. Vordell

Lat. ______ Long. ______
Time of Observation 8 A.M.
Nearest Railway Station ______
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ~~84~~ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

~~Jan. 1, following.~~
Dec. dv p
card from
1588

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	0·36	·10	·37					·60		·07		1
2	·03	·08							·04	·64	·07	05	2
3	·03		·02		·23				·05	03		05	3
4	·32		02	·10	·24				1·04	·46	05	02	4
5	·25	·08			·03		·08		0·64	·15	·14	10	5
6	·05	·10	04		·08	·13	·06			·62	·04	50	6
7	·	·16			·30	·02				·54	·11		7
8	·	·13			·17		·03		·10	02			8
9	03	06			·02		·07	·30			·12		9
10	·10				·08		·13	·02			·50		10
11	·77			·24	·14					·12	·14	05	11
12	·03				·48						·44		12
13	·17				·02						·16		13
14	·20					·07	·80		·34		·–		14
15	·05		·41	·42			03		·37				15
16	·21	·13	·33	·05					·10		·02		16
17	·06		·04	·12	08								17
18	·04		·13	·03							·05		18
19	·63		·06			·25	·03						19
20	·13		·28	09									20
21	·03		·15	·33			·04						21
22	·36		·25	03				·12	·27	·41			22
23	–		·13					06		·15	·06	·60	23
24	·06			13		·06					·03		24
25	–	·10		·20								·05	25
26	–			23				·20		·12		·20	26
27	·15		·19	07						04			27
28	·16			·10						·30			28
29	·55	X	·23	·66	·24					·41			29
30	·10	X		03	·03					34			30
31		X		X		X		·70	X		X		31
Total	4·56	1·20	2·38	3·20	2·14	0·53	1·27	1·40	3·55	4·35	2·00	1·62 ~~0·85~~	YEAR'S TOTAL 28.20 ~~27.43~~
Rain Days.	~~25~~	~~9~~	~~15~~	~~17~~	~~14~~	~~5~~	~~9~~	~~6~~	~~10~~	~~15~~	~~15~~	~~3~~	~~143~~

✓

W.7,000, XI. 13

Ex JL

REGISTER OF RAINFALL IN 19*14*

FORM A.
BRITISH RAINFALL.
16 JAN 1915

Kept at *Alderney*
in the County of *Dorset* 3
by *H. W. Woodall*

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06								·40	·14	1
2						·04					·67	·35	2
3			·03		·28						·10	·05	3
4				·21	·06		·10				·55	·43	4
5	·12		·06	·15	·08		45				·32	·05	5
6		·15		·28	03		13					·22	6
7		·27		·13	02		14		03			·20	7
8	·05	·25	30	·10				07				·40	8
9	·02		47	23	·10				49		05	·85	9
10	·05	·22	03	09	06	·07			29			04	10
11		·18	·35				44		02		·12	59	11
12		·08	·14						30	·26	·10	65	12
13		·22	·20			~~91~~			10		·08	52	13
14		·23	29			·92	20	54		·57	·25	42	14
15			·12				50	34		·05	·27	02	15
16							08		35				16
17		·40	·12				02		02			·42	17
18		·05	·15				09					·50	18
19		·06	·54		·26		·94				·11	·20	19
20		·58	·18									·23	20
21		·51			09	·06		·25		·23		02	21
22		·04				·10	·11	06		05			22
23		·35	04			·10	03			·12			23
24		08	·23							·07	·11	·05	24
25	·03	02	04				·10	20		·20	05	·15	25
26			·24					22		·09	·12	37	26
27	·05		·15							·05	·10	25	27
28	·02	·08	·30		·07					·05	19	48	28
29	·14	✕	·14		·10					·30	14	·05	29
30	·03	✕	·08							·15	·55	·82	30
31	·03	✕		✕		✕			✕	55	✕	06	31
Total	0·54	3·77	4·26	1·19	1·15	1·29	3·33	1·68	~~0·83~~ 1·5[illegible]	2·74	4·28	8·53	YEAR'S TOTAL ~~33·67~~ 34·26
Rain Days.	10	18	23	7	11	6	14	7	8	14	19	28	161

W. 8,000. X. 14.

Escd Loft.

1719

FORM A.
BRITISH RAINFALL.
4 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Alderney Reservoir Station

in the County of Dorset

by R. W. Vordell

3

Lat. 50' 45' 15" Long. 1' 56' W

Time of Observation 9 AM

Nearest Railway Station Branksome

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·23	·17	~~·21~~						·68	·35	·90	·20	1
2	·84	·18	21 ~~·05~~	·05				·20	·05	·27		·36	2
3	·25	03	05	·05	·12					·12			3
4	·03				·04							·34	4
5	·06	·45						·28				·43	5
6	·58	·12		·27			·40	03				23	6
7	·17	·30		·06			·11				·04	42	7
8	·07	46					·02	06			·02	10	8
9		·07		·13							07	67	9
10	·25		·10	·06								22	10
11				·12							·78		11
12	·15			·16	·48			·07		·05	·49		12
13		·62			1·05				·11	·07	·10		13
14		·13					·26		·04			42	14
15	·08	06			·13		·15	05			·07	20	15
16		·58			·28		·83					30	16
17		·34			·30		03	09					17
18		·18			·05								18
19					·10		·10						19
20	·24	·40			·08		·03					·07	20
21		·21		·15			·07					·16	21
22	·21	05	·29	·04			·66			·67		·21	22
23			·14				·07		·10			·72	23
24							·32		·90	1·33		·43	24
25						·09				·60		23	25
26		25				·03	·22			·24		·82	26
27		05				·04				05		·25	27
28		10 ~~40~~				·16			·55	·21		04	28
29	~~15~~	×				·40	·02	·21		·09	·18		29
30	15	×				·09				·12	·52	·23	30
31		×		×		×			×	47	×	·18	31
Total	3·31	4·75	0·79	1·09	2·63	0·81	3·29	0·99	2·43	4·64	3·17	7·23	YEAR'S TOTAL 35·13
Rain Days.	14	18	5	10	10	6	15	8	7	14	10	23	140

W. 8,000. X. 15.

1688

FORM A.
BRITISH RAINFALL.

26 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Alderney Waterworks
in the County of Dorset
by H. W. Woodall

Lat. 50-45-15 Long. 1 56 W
Time of Observation 9 A M
Nearest Railway Station Branksome
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18		·13		·68				·45	·11	·30		1
2	·12	·05	·06		·06					·16	·18		2
3		·06							·28	·55	·20		3
4	·22	·64				·22				02	·38		4
5	·05	·11			·25	·20				05	·47		5
6		·07			·04	·15	·42			05	·50		6
7	·05				·08	·12				05	·67	·15	7
8			·35		·19						07	·30	8
9					·05	·38					·02	·26	9
10		·65		·06	·05		·27				·02	·05	10
11		·03		·10		15	·03					·15	11
12	·05	·07		·05	·12		05	·04		07	·05		12
13		·15	·06	·05				·04					13
14		·43	·12		·07					02			14
15		·25	·06					·03					15
16	·06	·07	·06	·12				·34				·05	16
17	·07	·15		·18				·18	·15	48	·42	·16	17
18	·09	05	·11					·04	·10	06	·18		18
19	·05		·48								·15	·05	19
20	·15		·50								·12	1·38	20
21			·28								·06	·26	21
22			·03	·06			·28			·15		·64	22
23	·02	·15		04		·08				·06	·06	·04	23
24					·20			08		·25	·05	·46	24
25					·03			06	·04	·14	08	02	25
26			·25			·11		04	·26	·33			26
27			·05			·38		02	·55	26			27
28		·20	·72	·30				13	·48	23		·15	28
29		·70	04			·28		2·18	52	·13		·37	29
30		X	03					02		·42		·02	30
31		X	03	X		X		05	X	58	X	06	31
Total	1·11	3·83	3·36	0·96	1·82	2·07	1·05	3·25	2·83	4·17	3·98	4·57	YEAR'S TOTAL 33.00
Rain Days.	12	17	18	9	12	10	5	14	9	21	19	18	164

1616

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

17. JAN 1

Kept at Alderney Waterworks
in the County of Dorset
by Lieut Col. H. W. Woodall

Lat. .... Long. ....
Time of Observation 9 AM
Nearest Railway Station Branksome
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			04	07		08	02	1·01			08		1
2				15				09	02	05			2
3	07			07			37	08		08	30		3
4			26							20			4
5	68			14		11		19	20	15	08		5
6								07			12		6
7	35		35				21	08		28			7
8	33			06			69	75		45	15		8
9							03	03	06	05	08	20	9
10	12		30	25				18					10
11	04		38	13	05					20			11
12			08		20			07		18			12
13			20					22				04	13
14			04					04		05			14
15								40		15		40	15
16		27								1 12		20	16
17				25	03	09	25	18	40	14			17
18		07		03		27	11		29	05			18
19		28				07	02	02	22				19
20		07			20				07				20
21			22			05				07			21
22										12			22
23		12			08			17				05	23
24		17				04	21			18			24
25			05							03			25
26					43			65	08				26
27		03			1 05	12		78			06		27
28		09	12		35	98		22					28
29			07		12	20	12			35			29
30			22				64	20	·05			10	30
31							09	07		18		02	31
Total	0·99	1·10	2·33	1·15	2·51	2·01	2·76	5·50	1·39	4·08	0·87	1·01	YEAR'S TOTAL 25·70
Rain Days.	6	8	13	9	9	10	12	21	9	20	7	7	131

W. 8,000, IX. 17.

Eng 81

35

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Alderney Waterworks
in the County of Dorset
by

Lat. Long.
Time of Observation 8 AM
Nearest Railway Station Branksome
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·12			·08			·92				08	1
2		·12						·28			·11	08	2
3		07		·20	·35			·17					3
4		·11		05				·06	·06	12			4
5		10	20		35			25	·21	16	04		5
6	·20	·03		16				·13		07	12	09	6
7		·10			32				·26	10			7
8		06							07	12	23	05	8
9				29			·12		·30	09	13	25	9
10				12		·05	·55		·20	27	60	32	10
11				04		·02	·12		07	08		08	11
12		05			33		·04		03			03	12
13					10		38		24	04	22	03	13
14	·24		·14				·06		28	22	03	08	14
15	1·20			40			20					10	15
16	·45			06		·34	03		31			05	16
17	·14		·09	22		·10	76		10			15	17
18	·50			03			03		50			14	18
19	08		·12			41	34		04	05			19
20	20	08		27		03	05		30	08			20
21	18	05		03					53	10			21
22	12				·07		37		24	11		15	22
23	09				·11		32		08		12	20	23
24		·28					15				15		24
25		03					20	·54	09				25
26							05			04	10	24	26
27	05	06						·10	23	12	15		27
28		08	·02	06							04	05	28
29		×	·22	03					1·20			05	29
30	04	×	·47						·04			05	30
31		×	06	×		×			×		×		31
Total	3·52	1·34	1·32	1·96	1·71	0·95	3·77	2·45	5·38	1·77	2·04	2·27	YEAR'S TOTAL 28·48
Rain Days.	14	15	8	14	8	6	17	8	22	16	13	20	161

W. 6,500, VII. 18. w w c

1521

14 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Alderney Reservoir Station
in the County of Dorset
by H. W. Woodell

Lat. 50 45 15 Long. 1 56 0 W
Time of Observation 8 AM
Nearest Railway Station Branksome
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 3 in.
" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28		·05		·18		·12			·10		1·04	1
2	·30		·02						·43				2
3	92		·59		·08		·12		·40			·15	3
4	·70	·30	·38						·07		·10	·08	4
5	·03	·46	·45		·10	·10		·05			·13	·15	5
6	·31	·24	·09		·09						·04		6
7	·15		·32	·05								·08	7
8	·23		·21	·07									8
9	·33		03	·20							·31		9
10	27	·05	·09	·05						·08		·10	10
11	·12		·05	·15			·15			·08		08	11
12	·12	05	·04		·07		·23				·05	05	12
13	·05	·11	06	·25	·03		·03						13
14	·27	·05		·14			·07		·07			05	14
15	·18	·15										40	15
16	·05	·85									·13		16
17	·06	·10									·08	04	17
18			·48					05			·15		18
19	43	·27	63			·11	92	·13			·06	04	19
20	27	·55	·17			45	·03	·22	·12				20
21	06	·02	03						·05		·04	·06	21
22			·02				·12		·23			·08	22
23										·10	·05		23
24						·20	·12			88	·12	·20	24
25	·06	·12				09		·30				·15	25
26		·17	·08					05	08		·09	·35	26
27		·04		45				·90				·05	27
28			·43					·45			47	·38	28
29								18		05		08	29
30			·04	·12		·12		·40			·58	·60	30
31			03									·32	31
Total	5·19	3·53	4·29	1·48	0·55	1·07	1·91	2·73	1·45	1·29	2·40	4·53	Year's Total 30·42
Days with ·01 in. or more	21	16	22	9	6	6	10	10	8	6	15	22	151

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

4 FEB 1921

REGISTER OF RAINFALL IN 1920.

Kept at Alderney Waterworks

in the County of Dorset

by

Lat. Long.

Time of Observation 8 AM

Nearest Railway Station Branksome

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·05	·10	·16		·37	·04	·05	·14	·23	·40	1
2				·15			·28	·18	·12	·10	·03	·09	2
3	23			·23			·67		·04	·30		·04	3
4							·13	·23		·14		·02	4
5				·10			·40	·09		·36			5
6			·25		·20		·28	·03		·04			6
7	·02		·07	·15	·11		·20					·03	7
8	·04			·05	05		·58	·04				03	8
9	·22	·20		·05	·09	·04	·10						9
10	·76	·09		·07		·41	·30				·04		10
11	·18		·18	·30	·22	·04	·22				·03		11
12	·15			13		·67					·03		12
13	·28		·38	·04					·20				13
14	·05		·32	·43					·04	·16	·34		14
15	·03	·09	·07	12		·32			·27	·71	·04		15
16			·03	·05	·10	·09			·23	·04	·03		16
17			·03	·25	27	·10			·08		·03		17
18	·05	·04	03		·10			·42				·04	18
19	05			·20		·15							19
20		·08		18	·05	·53			·03			·12	20
21				03					·11			·26	21
22				·15			·54					·39	22
23	·02						03					·26	23
24			·15	·25	·12		·37			·03	·18	05	24
25		·04	·08									·05	25
26	·10		25	·20	·04		35				·04	12	26
27	·28			18		·10	·07					18	27
28	·58			05			03	09				08	28
29	38		·17	·15			07				09	18	29
30	·04					·16	·10		·30	·32	·26	·21	30
31			·13									35	31
TOTAL	3·50	0·54	2·19	3·61	1·51	2·61	5·09	1·12	1·47	2·34	1·37	2·90	YEAR'S TOTAL 28·25
Days with ·01 in. or more	~~19~~	~~6~~	~~15~~	~~24~~	~~12~~	~~11~~	~~19~~	~~8~~	~~11~~	~~11~~	~~13~~	~~19~~	~~168~~
Days with ·04 in. or more	~~16~~ 16	~~6~~	~~12~~	~~24~~ 3	~~12~~	~~11~~	~~17~~	~~7~~	~~10~~	~~10~~	~~8~~	~~16~~	~~148~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BRANKSOME

BOURNE VALLEY GASWORKS

DORSET

1911 – 1920

RE

FORM A2. BRITISH RAINFALL.

10 JAN 1912

Kept at Bournemo

in the County of Dor

by H. W. Woodell

8" in.

Ground 1 ft. 3 in.

Sea Level 84 ft.

A.M.

Name Branksome

Distance ½ mile Direction S

IMPORTANT NOT … the result entered to the previous day. If an Ob … versal rule, he is earnestly requested to add the reac … ar in the space provided for it at the end of thi … ent of rain, the selection and placin … tish Rainfall Organization are given in "Rules fo … pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		–	·03							·01	·19	1
2	·01			·24	·29					·08	·16	·21	2
3					·18					·02	·09	·12	3
4	·01		·07						·11		·29	·46	4
5				·01				·06		·54	·06		5
6	·45		·06							·06	·17	·90	6
7	·04										·53	·01	7
8			·17								·31	56	8
9	·08										·05	·46	9
10		·05	·41		·03							·57	10
11	·50	–	·04							·01	1·21		11
12			·95		·02			·19			·01	·20	12
13									·23			·34	13
14		·14								01		·28	14
15			·04								·18	·01	15
16	·01	·02				·28					·39	·33	16
17			·08			·10				·01	·64	·48	17
18		·14	·09	·05		·24				·07	·18	·46	18
19		·07				·22			·34	·13		·20	19
20	·02		·21					·23	·07	·02		·77	20
21	·03	·31	·07						·08	·35		·19	21
22	·23	·02	·03			·17				·50		·58	22
23		·12				·20			·15	·30	·12	·38	23
24	·01	·13				·29		·11		·50		·21	24
25				·06		·05			·04	·02		·12	25
26				·30						·34		·28	26
27		·32	07	·03					·08	1·08	·13	·16	27
28		·26		·47				·17			·07		28
29		X		·35	·04	·18	·23		·11	·26			29
30		X				·01		·43		·28			30
31		X		X		X		01	X		X	·01	31
Total	1·43	1·58	2·29	1·54	0·56	1·74	0·23	1·20	1·21	4·58	4·60	8·48	TOTAL for year 29·44
No. of Rain Days	12	11	13	9	5	10	1	7	9	19	18	26	140

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Bournemouth Gas Works

in the County of Dorset 3

by H. W. Woodall Genl. Manager

RAIN GAUGE
Pattern
Diameter of top 8" in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 84 ft.

Time of Observation 8 A.M.

Nearest Railway Station
Name Branksome
Distance ½ mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·03							·01	·19	1
2	·01			·24	·29					·08	·16	·21	2
3					·18					·02	·09	·12	3
4	·01		·07						·11		·29	·46	4
5				·01				·06		·54	·06		5
6	·45		·06							·06	·17	·90	6
7	·04										·53	·01	7
8			·17								·31	·56	8
9	·08										·05	·46	9
10		·05	·41		·03							·57	10
11	·50		·04							·01	1·21		11
12			·95		·02			·19			·01	·20	12
13									·23			·34	13
14		·14								·01		·28	14
15			·04								·18	·01	15
16	·01	·02				·28					·39	·33	16
17			·08			·10				·01	·64	·48	17
18		·14	·09	·05		·24				·07	·18	·46	18
19		·07				·22			·34	·13		·20	19
20	·02		·21					·23	·07	·02		·77	20
21	·03	·31	·07						·08	·35		·19	21
22	·23	·02	·03			·17				·50		·58	22
23		·12				·20			·15	·30	·12	·38	23
24	·01	·13				·29		·11		·50		·21	24
25				·06		·05			·04	·02		·12	25
26				·30						·34		·28	26
27		·32	·07	·03					·08	1·08	·13	·16	27
28		·26		·47				·17			·07		28
29		X		·35	·04	·18	·23		·11	·26			29
30		X				·01		·43		·28			30
31		X		X		X		·01	X		X	·01	31
Total	1·43	1·58	2·29	1·54	0·56	1·74	0·23	1·20	1·21	4·58	4·60	8·48	TOTAL for year 29·44
No. of Rain Days	12	11	13	9	5	10	1	7	9	19	18	26	140

9,000, IX. '10.

Ec. DS

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 JAN 1913

Kept at Branksome

in the County of Dorset 3

by H. W. Woodall

Lat. 50° 43′ 50″ Long. 1° 55′ 5″ W

Time of Observation 9 AM

Nearest Railway Station Branksome

Diameter of Rain Gauge 8″ in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 84 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			02			28	19	04	~~85~~	85		28	1
2	01		14	01		02	33						2
3			07			20	03	71				01	3
4	15	10	59			96		01			29		4
5	47	04	23		01			50				08	5
6	81	01			19	03		40				07	6
7	02	35	15		25	50		33				05	7
8	38	21	20			10		05				01	8
9	01	04	18	03		07		19	~~01~~	01		23	9
10		07				03		18	~~01~~	01	01	42	10
11	21	11				46		60	~~01~~	01		40	11
12	08	28	08		56	58	06	20	~~01~~	01	02	01	12
13		01	01				04		~~02~~	02		06	13
14	12		11		01	59		23	~~01~~	01			14
15	18	24	06		02	06		06			02	29	15
16	1·12	01	34		14			22	~~06~~	06·	26	12	16
17	66		12					60				02	17
18	25		26					13					18
19	01	05	24			01	05	18			01		19
20		05	40		03		03	17		40	03		20
21	01	17	26		33		37	09		13		05	21
22	19	34	04				21	17		20			22
23	31	18	27				06	63		15	13		23
24	27	08				10	02	14				22	24
25	11					31		28		17	39	68	25
26		06						28		40	64	60	26
27		02				10	14	01		68		46	27
28		11				10	13	49	04	67	42	39	28
29		15					48	03	2·20	13		01	29
30						10	01		78	11			30
31			46		01		27	08		04		04	31
Total	5·37	2·68	4·23	0·04	1·55	4·60	2·42	7 00	3·02	4 06	2·22	4·50	YEAR'S TOTAL 41·69
Rain Days.	20	22	21	2	10	19	16	28	3	19	11	22	193

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
16 JAN 1914

Kept at Bourne Valley Gasworks
Branksome
in the County of Dorset 3
by H. W. Woodall

Lat. .... Long. ....
Time of Observation As before
Nearest Railway Station
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			15	26					53	.03	27		1
2	08	43							01	16	06	05	2
3	12	10	03	08	37					06		09	3
4	67		08		27	c	05		67	74	04	03	4
5	31	21	01			07	07		51	13	25	14	5
6	03	10	04		09	15	06			59	02	51	6
7		33	02		28	07				58	20		7
8	01	22			16	01		48					8
9		07					11		10		13		9
10	12	01			06		20			02	52		10
11	1 03	01		22	24						30	06	11
12			01		49					10	36		12
13	13		04								14		13
14	32	01	13	02	04				28				14
15	19		33	66			98		37	02			15
16	13	10	40	08		03			11				16
17	09			20									17
18			23	09			01		25		05		18
19	76		01		04	53				08			19
20	02	16	33	16			02			40	10		20
21			26	35			03			18	60		21
22	48		19					14	23	01			22
23			04			09					04	83	23
24	05			16				03		01	01		24
25		16		18									25
26		03		35				20		12		24	26
27	05		20	03							01		27
28	24		04	14						36			28
29	15	✗	22	78	28					28			29
30	60	✗			07					35			30
31	05	✗	02	✗	03	✗		80	✗	07	✗		31
Total	5·63	1·94	2·78	3·76	2·42	0·95	1·53	1·65	3·06	4·29	3·10	1·95	YEAR'S TOTAL 33·06
Rain Days.	~~22~~	~~14~~	~~21~~	~~16~~	~~13~~	~~7~~	~~9~~	~~5~~	~~10~~	~~20~~	~~17~~	~~8~~	~~162~~

W.7,000, XI. 13

Exe 88

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

16 JAN 1915

Kept at Bourne Valley Gasworks

in the County of Dorset 3

by H. W. Wodell

Lat. 50 43 50 Long. 1 55 5

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 84 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·37	·10	1
2						·03	·15	·48			56	42	2
3			·02	·09	·40		·02	15			·30	03	3
4		·02		·27	·02		·11	22			36	35	4
5	·14	·01	·04	·15	06		·48	11			25		5
6		·16		·25	03			02			29	54	6
7		·51	·09	·13	01		·18					28	7
8	05	·33	·60	·17	02	·06		·20			02	30	8
9			·62	·15					·41			1·24	9
10	05	·35		·08					·34		02		10
11		·26	·45		·11	01					08	·65	11
12		·07	·15		·02		·38		·41	·16		·73	12
13		·45	·32						·10	·13	47	47	13
14		·41	·26			·92	·21	·42		·18	41	48	14
15			·16				·38	·21		·41			15
16							07		·28				16
17		·51	·35						·01			60	17
18			·25				·11					65	18
19		08	·58				·93				11		19
20		·64	·31										20
21		·57				·02				21			21
22			·02		·21	05	·11	·06		15			22
23		·18	·31			·12	02			09			23
24		·10	·01				·11				10		24
25			·27				·13	28		32	06		25
26			·08					·05		10	17	77	26
27	06		·38								05		27
28		07	·08		05					19	·30	40	28
29	·20			·02	18					22	32	50	29
30			·09			·05				26	82	82	30
31	·04									55		5	31
Total	0·54	4·72	5·44	1·31	1·11	1·26	3·39	2·20	1·55	2·97	5·06	9·33	YEAR'S TOTAL 38·88
Rain Days.	~~6~~	~~17~~	~~22~~	~~9~~	~~11~~	~~8~~	~~15~~	~~11~~	~~6~~	~~13~~	~~19~~	~~18~~	~~155~~

W. 8,000. X. 14.

1918

FORM A.
BRITISH RAINFALL.

8 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bourne Valley Gasworks

in the County of Dorset

by H. W. Woodall

3

Lat. 50° 43' 50" Long. 1° 55' 5" W

Time of Observation 9 AM

Nearest Railway Station Branksome

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 84 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32	·20							·71	·33		·05	1
2	·88	·19	15					·25				·48	2
3	·36		·11	·10	·15	·03				·75		·35	3
4												·54	4
5	·06			·03				·35				·58	5
6	·77			·40			·35					·66	6
7	·12	·13		·06			·13					·24	7
8	·03						·03	·05			·06	·80	8
9	·04			13				·03			·41	·20	9
10	·23	·08		·02									10
11	·23			·10							1·06		11
12	·17	·49	·08	·17	·50					·09	·64		12
13		·46			1·24			·15	·10		·07		13
14	·03						·23		·05		·07	·88	14
15					·36		·45					·55	15
16		1·50			·27		1·06	·03					16
17		·31			·07			·10					17
18		·24			·13								18
19		·03					·07						19
20	·13											·05	20
21		35		·17						71		·15	21
22	·28		·20				·80		·04	·03		·37	22
23		·25	25				·05		·30	·79		·37	23
24				·06					·68	1·69		·78	24
25				·05		·03	·09					·65	25
26		·07					·16					·22	26
27		·04				·06	04			30		·90	27
28						·22			60			·03	28
29						·44				·22	·34	·10	29
30	·22									·50	·88	·15	30
31	·21							·18		·92		36	31
Total	4·08	4·34	0·79	1·29	2·72	0·78	3·46	1·14	2·48	6·33	3·53	9·46	YEAR'S TOTAL 40·40
Rain Days.	16	14	5	11	7	5	12	8	7	10	8	23	126

W. 8,000. X. 15.

1687

FORM A.
BRITISH RAINFALL.

25. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Bourne Valley Gasworks

in the County of Dorset

by H. W. Woodall

Lat. 50 43 50 Long. 1 55 54

Time of Observation 9 A M

Nearest Railway Station Brome

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 84 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·05	·50		·50	·05			·43	·17	·46		1
2	·21	·18	·50		·20					·28	·18		2
3		1·03								·62	·25		3
4	·25	·11			·03	·32			·19	·04			4
5	·05				·15					·09	·91		5
6		·10					·66			·07	·73		6
7					·11	·38				·06	·73		7
8					·20	·05					·03	·47	8
9			·62		·10	·10							9
10		·74			·03					05		·40	10
11			·04		·01	·11							11
12			·14	·20	·08		·13				·03		12
13		·30		·03	·04								13
14		·50											14
15		·31	·10							·04			15
16	·17	·05		·20				·39		·03		·20	16
17		·14	·12					·10	·20	·56	·56		17
18	·17	·03	·47					·34	·15	·04	·37		18
19			·25								·09		19
20		·44	·43	·04									20
21	·30	11					·17					·84	21
22										·10		·77	22
23	·03					·11		·05		·05	·22	·70	23
24					·24			·09		·28	·08		24
25		·50						·56		·10			25
26	03					·12			·28	·45	·08		26
27				·40		·56		·13	·59	·40			27
28									·07			·74	28
29						·36		2·45	·64	·48		·29	29
30		╳						·07		·60			30
31		╳		╳		╳		·03	╳	30	╳		31
Total	135	4·59	3·17	0·87	1·69	2·16	0·96	4·21	2·55	4·81	4·72	4·41	YEAR'S TOTAL 35·49
Rain Days.	~~9~~	~~15~~	~~10~~	~~5~~	~~12~~	~~10~~	~~3~~	~~10~~	~~8~~	~~21~~	~~14~~	~~8~~	~~125~~

W. 8,000, VIII. 16

1615

REGISTER OF RAINFALL IN 19 ~~18~~ 17

FORM A.
BRITISH RAINFALL.

Kept at Bourne Valley Gasworks
in the County of Dorset
by Lieut Col H. W. Woodell

Lat. 50° 43′ 50″ Long. 1° 55′ 5″ W
Time of Observation 9 0 AM
Nearest Railway Station Branksome
Diameter of Funnel of Rain Gauge 8″ in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								1·12			·06		1
2			·50	·12		·08		06	·04	·02			2
3							·31	04		03			3
4	05									26	30		4
5		·16	18					06	21	13	10		5
6				19		05					11		6
7	48	x					19			28		·15	7
8	44	·10	05				89	77		39	16		8
9	14								·04	02	02	16	9
10	06							18					10
11									04	24			11
12			·10	· ~~15~~	·15					12	02		12
13		·50		·30				15					13
14										09			14
15			30					48		13			15
16	40									1·33		·70	16
17			·33				29		35	25			17
18	05	26				40	11	18	38	02			18
19			·11			·05			30				19
20		·15		~~40~~	40								20
21						·04				·06			21
22								08		12			22
23		·11	·26	~~04~~	04			15		02			23
24						·12	09			22			24
25							17		02				25
26			·04	~~[illegible]~~				50	06	·02	·03		26
27		28		~~[illegible]~~	1·47	12		95					27
28					·40	78		16					28
29		X		~~08~~	08	39	14			·49			29
30	1 00	X					58	25				·12	30
31		X		X		X	14	10	X	24	X		31
Total	2·62	1·56	1·87	0·61 ~~2·54~~	2·54	2 03	2 91	5·23	1·44	4·48	0·80	1·13	YEAR'S TOTAL 27·22
Rain Days.	8	7	9	6 3	6	9	10	16	9	21	8	4	110

W. 8,000, IX. 17.

Esse Dt

34

Dorset Natural History and Antiquarian Field Club.

REGISTER OF RAINFALL IN 1918.

Kept at Bourne Valley Gasworks by H. V. Wordell

Rain gauge diameter .... in. Latitude .... Longitude ....

Capacity of receiver .... in. Height of top of gauge above sea level .... ft.

Hour of observation .... ,, ,, ground .... in.

Date.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1									·05		39	10	1
2								·92				16	2
3		·28		21	34			21			49	02	3
4		10		05				13	05		70	05	4
5		09	·21	–	28			30	·11			05	5
6	·19			22				10		34		09	6
7	·16	20			32					04	24		7
8									48	15		10	8
9				24		·08	·11		43	17		35	9
10		10		09			·66		10	26		30	10
11							·14		07	05		07	11
12		10			·35		03		03				12
13									29			02	13
14	·35					·09	·45		42	29			14
15	1·44			40			·20					18	15
16	47			04		·33			37				16
17	15		05	20			·70					24	17
18	61					·55	03		03			13	18
19	10		14				·42		46			02	19
20		14		27			–		44	12			20
21	20								49	05			21
22	10	03			04		·60		27			45	22
23	11				07		·21		04				23
24		28		–					14		43		24
25							15						25
26							·50	·37			14	32	26
27		12						05	42	06	14		27
28			21								02		28
29		X		07					1·38				29
30		×	73							04			30
31		×		×		×			×	18	×		31
Monthly Totals.	3·88	1·44	1·34	1·79	1·40	1·05	4·20	2·08	6·07	1·75	2·55	2·65	Total number of rain days.
Totals from Jan 1.	3·88	5·32	6·66	8·45	9·85	10·90	15·10	17·18	23·25	25·00	27·55	30·20	
No. of rain days in each month	11	10	5	10	6	4	13	7	20	12	8	17	123

INSTRUCTIONS.

The rainfall, recorded if possible at 9h. a.m., should be entered to the day *previous* to that on which it is measured. If the daily record is unavoidably interrupted, the two or three days' accumulation should be bracketed. Days without rain should be marked with a dash—. If the gauge contains less than one-hundredth (·01) of an inch but more than half that amount, it should be entered as ·01, while if there is less than half that amount the few drops may be thrown away, and the day entered as if no rain had fallen, or marked with a *. Notes on Thunderstorms, Halos, and other Meteorological Phenomena of like nature are welcome, and may be inserted on the blank page opposite.

Observers are requested to send their returns as soon as possible after the end of the year to

The Rev. H. H. TILNEY BASSETT, The Vicarage, Whitchurch, Blandford.

G+R

1520

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

14 JAN 20

Kept at Bourne Valley Gasworks
in the County of Dorset
by H. W. Wordall

Lat. 50 43 50 Long. 1 55 5
Time of Observation 8 AM
Nearest Railway Station Branksome
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
„ „ „ „ Sea Level 84 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42						·09			·06		1·15	1
2	·40		·09		·04				·55		·02	·03	2
3	·88		·72				·15		·32			12	3
4	·86	·25	·36		·08	·05		·03	·08		·09	06	4
5		·44	·38								·10	16	5
6	·48	·16	·09	·02	·15								6
7	·12		·46	·08								08	7
8	·24			·10									8
9	·39		·27	·20							·32		9
10	·24		·18	·05						·08		22	10
11			·02	·20	·09								11
12	20									·08			12
13	04		·07	·32									13
14	52	·15		·19						·04		·16	14
15	·19			·04								·57	15
16		1·02									·18		16
17	·15	·17									·10	03	17
18		·05	·60					·06			·13		18
19	·59	·38	·65			·12	1·65	·15	·10		05	04	19
20	·29		·15			·46		·27					20
21		·71										·65	21
22							·13		·28			·10	22
23			·02							·11	·05		23
24		·03				·25	·15			·72	·07		24
25		·06		·04		·05		35				40	25
26	·10	·19	·08					·07	09		·15	47	26
27	·12			·35				1·06					27
28			·56					·56			44	50	28
29								·18		·04		09	29
30		X		·10		·12		·71			71	·76	30
31		X		X		X			X		X	40	31
TOTAL	6·23	3·61	4·70	1·69	0·36	1·05	2·17	3·44	1·42	1·13	2·41	5·39	YEAR'S TOTAL 33·60
Days with ·01 in. or more	18	12	16	12	4	6	5	10	6	7	13	19	128

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

exd

1434

4 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bourne Valley Gasworks

in the County of Dorset

by P. G. G. Moon

Lat. 50° 43' 50' Long 1° 55' 5'' W

Time of Observation 9 A M

Nearest Railway Station Branksome

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 82 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·12	·15		·39		·04	·21	·26	·44	1
2	·13		·07	·15			·22	·32	·15			·12	2
3		·04					·64			·45		·05	3
4		·07	·05	·12			·06	·36		·20			4
5			·22	·05			·38	·13		·30			5
6					·22		·28			·10			6
7			·11	·20	·16		·39			·04			7
8	·04	·08		·05			·59	·03					8
9	·31		·05	·06	·08	·05							9
10		·05	·06			·47	·35						10
11	1·00		·10	·42	·17								11
12	14	·04		·13		·66	·31				·03	·08	12
13	21												13
14	06		·85	·59					·07	·25	·44		14
15	03	·12	06	·12		·38			·12	1·00	·05		15
16				·05					·32	·02			16
17					·38		·03		42				17
18	·12			·23	·07	·13	04	·46					18
19	·03			·18					·07				19
20		·12		·17		·96							20
21							·62		·03			·21	21
22	·09			·17					·04			·37	22
23							·28					·42	23
24			·20								·07		24
25	·04	·02	·07		·11		·40						25
26	·08		·36				·06				·06	·25	26
27	·36			·04		·11						·23	27
28	57			·12			·10					·05	28
29	·48		·18	·25		·03					·21	30	29
30	07	✕				·12	·05		·27		·33	·43	30
31		✕	·12	✕		✕			✕	·33	✕	38	31
Total	3·82	0·54	2·50	3·22	1·34	2·91	5·19	1·30	1·53	2·90	1·45	3·33	YEAR'S TOTAL 30·03
Days with ·01 in. or more	18	8	14	19	8	9	18	5	10	10	8	13	~~140~~
Days with ·04 in. or more	16	7	14	19	8	8	17	4	9	9	7	13	131

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Stilwell

BRIDPORT

CONEYGAR

DORSET

1911 —— 1920

19 11

FORM A2.
BRITISH RAINFALL.

6 FEB 1912

Kept at Coney

in the County of

by H. Gor

top in.

p above Ground ft. in.

" Sea Level ft.

ation { Name
Distance Direction

IMPORTANT , and the result entered to the previous day. If universal rule, he is earnestly requested to add t ing year in the space provided for it at the end easurement of rain, the selection and he British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0.23}	—	—	—	0.05	—	—	—	—	1
2	—	—	—		0.36	—	—	0.04	0.02}	0.07	0.25	0.18	2
3	—	—	—	—	0.14	—	—	—		—	0.05	0.12	3
4	—	—	0.14}	—	—	—	—	0.07	—	—	0.11	0.28	4
5	0.18	—		S 0.03	0.01	—	—	0.10	—	0.05	0.13	—	5
6	0.32	—	0.14	—	—	—	—	—	—	0.13	0.06	0.64	6
7	0.08}	—	—	—	—	—	—	—	—	—	0.45	—	7
8		—	0.33	—	—	—	—	—	—	—	0.09	0.61	8
9	0.03	—	0.01	—	—	—	—	—	—	—	0.18	0.42	9
10	0.14	0.08	0.50	—	0.03	—	—	—	—	—	0.03	0.10	10
11	0.25	—	—	—	0.03	—	—	—	—	—	0.81	0.07	11
12	—	—	1.03	—	—	—	—	—	—	—	—	0.25	12
13	—	—	—	—	—	—	—	—	0.35	0.03	—	0.34	13
14	—	0.07	—	—	—	—	—	—	[illegible]	[illegible]	—	0.74	14
15	—	—	—	—	—	—	—	—	—	—	0.27	0.01	15
16	—	—	—	—	—	0.38	—	—	—	—	0.55	0.30	16
17	—	—	0.15	—	—	0.14	—	—	—	0.12	0.25	0.31	17
18	—	0.12	0.01	0.10	0.03	0.03	—	—	—	0.06	0.06}	0.27	18
19	—	0.02	—	0.02	—	0.08	—	—	0.30	0.24		0.60	19
20	—	—	0.14	0.04	—	—	—	—	0.08	0.20	—	0.58	20
21	0.21}	0.18	0.04	—	—	—	—	0.17	0.19	0.70	—	—	21
22		—	—	0.03	—	0.10	—	—	0.10	0.27	—	0.57	22
23	0.01	0.11	0.04	—	—	0.14	—	—	0.14	0.21	—	0.33	23
24	0.01	0.20	—	—	—	0.25	—	0.15	—	0.34	—	0.17	24
25	—	0.03	—	0.16	—	0.10	—	—	0.08	0.15	0.06}	0.03	25
26	—	0.10	—	0.35	0.10}	—	—	0.09	—	0.33		0.31	26
27	—	0.38	0.08	—		—	—	0.03	—	0.54	0.26	0.13	27
28	—	0.22	—	0.40	—	—	—	0.15	—	0.31}	0.05	—	28
29	—	—	—	0.40	—	0.25	0.17	0.02	0.19		—	—	29
30	—	×	—	—	0.08	0.04	—	—	—	0.14	0.21	0.03	30
31	—	×	—	×	—	×	—	—	×	—	×	—	31
Total	1.23	1.51	2.61	1.76	0.78	1.51	0.17	0.87	1.45	3.89	3.87	7.39	TOTAL for year 27.04 ✓
No. of Rain Days.	11	11	13	11	9	10	1	10	10	18	20	24	148 ✓

W. 8,000, X. '11.

Stilwell ✓

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.
6 FEB 1912

Kept at Coneygar, Bridport. 3
in the County of Dorset.
by H. Gordon.

RAIN GAUGE
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.
Time of Observation
Nearest Railway Station: Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0.23	—	—	—	0.05	—	—	—	—	1
2	—	—	—		0.36	—	—	0.04	0.02	0.07	0.25	0.18	2
3	—	—	—	—	0.14	—	—	—		—	0.05	0.12	3
4	—	—	0.14	—	—	—	—	0.07	—	—	0.11	0.28	4
5	0.18	—		s 0.03	0.01	—	—	0.10	—	0.05	0.13	—	5
6	0.32	—	0.14	—	—	—	—	—	—	0.13	0.06	0.64	6
7	0.08	—	—	—	—	—	—	—	—	—	0.45	—	7
8		—	0.33	—	—	—	—	—	—	—	0.09	0.61	8
9	0.03	—	0.01	—	—	—	—	—	—	—	0.18	0.42	9
10	0.14	0.08	0.50	—	0.03	—	—	—	—	—	0.03	0.10	10
11	0.25	—	—	—	0.03	—	—	—	—	—	0.81	0.07	11
12	—	—	1.03	—	—	—	—	—	—	—	—	0.25	12
13	—	—	—	—	—	—	—	—	0.35	0.03	—	0.34	13
14	—	0.07	—	—	—	—	—	—			—	0.74	14
15	—	—	—	—	—	—	—	—	—	—	0.27	0.01	15
16	—	—	—	—	—	0.38	—	—	—	—	0.55	0.30	16
17	—	—	0.15	—	—	0.14	—	—	—	0.12	0.25	0.31	17
18	—	0.12	0.01	0.10	0.03	0.03	—	—	—	0.06	0.06	0.27	18
19	—	0.02	—	0.02	—	0.08	—	—	0.30	0.24		0.60	19
20	—	—	0.14	0.04	—	—	—	—	0.08	0.20	—	0.58	20
21	0.21	0.18	0.04	—	—	—	—	0.17	0.19	0.70	—	—	21
22		—	—	0.03	—	0.10	—	—	0.10	0.27	—	0.57	22
23	0.01	0.11	0.04	—	—	0.14	—	—	0.14	0.21	—	0.33	23
24	0.01	0.20	—	—	—	0.25	—	0.15	—	0.34	—	0.17	24
25	—	0.03	—	0.16	—	0.10	—	—	0.08	0.15	0.06	0.03	25
26	—	0.10	—	0.35	0.10	—	—	0.09	—	0.33		0.31	26
27	—	0.38	0.08	—		—	—	0.03	—	0.54	0.26	0.13	27
28	—	0.22	—	0.40	—	—	—	0.15	—	0.31	0.05	—	28
29	—	—	—	0.40	—	0.25	0.17	0.02	0.19		—	—	29
30	—	×	—	—	0.08	0.04	—	—	—	0.14	0.21	0.03	30
31	—	×	—	×	—	×	—	—	×	—	×	—	31
Total	1.23	1.51	2.61	1.76	0.78	1.51	0.17	0.87	1.45	3.89	3.87	7.39	TOTAL for year 27.04 ✓
No. of Rain Days.	11	11	13	11	9	10	1	10	10	18	20	24	148 ✓

FORM A2.
BRITISH RAINFALL.
21 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Conegar Bridport

in the County of Dorset 3

by Henry Gordon

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 110 ft.

Time of Observation 10 A.M.

Nearest Railway Station
Name
Distance – Direction –

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	0·19	–	–	0·05	0·76	0·02	0·29	1
2	–	–	0·45	0·02	–	0·05	0·07	0·03	–	–	–	–	2
3	–	–	0·19	–	–	0·31	–	0·93	0·03	–	–	0·02	3
4	0·12	–	0·68	–	0·02}	0·29	–	0·03	–	–	0·32	–	4
5	0·70	0·27	0·19	–		–	–	0·87	–	–	0·02	0·25	5
6	0·38	0·02	0·07	–	0·36	0·26	0·51	0·38	–	–	–	0·03	6
7	–	0·51	0·24	0·01	0·12	0·74	–	0·11	–	–	–	0·21}	7
8	0·53	–	0·36	–	–	0·07	–	0·10	–	–	–		8
9	0·07	0·17	0·18	–	–	0·07	0·03	0·07	–	–	–	0·49	9
10	0·11	0·21}	–	–	–	–	0·03	0·17	–	–	0·02	0·39	10
11	0·05		–	–	–	–	–	0·03	–	–	0·03	0·42	11
12	0·02	0·25	0·15	0·06	–	–	0·05	0·26	–	–	–	–	12
13	–	–	0·01	–	–	–	–	–	–	–	–	0·06	13
14	0·08	0·09	0·44	–	0·11	–	–	0·07	–	0·03	–	0·25}	14
15	0·30	0·21	–	0·03	0·11	0·51}	–	0·01	–	–	–		15
16	0·99	0·01	0·46	–	0·10		–	0·18	–	0·06	0·15	–	16
17	0·47	–	0·20	–	–	0·14	–	0·66	–	–	–	0·04	17
18	0·03	0·03	0·04	–	–	–	–	0·24	–	0·02	–	–	18
19	0·02	0·03	0·20	–	–	0·02	0·10	0·04	–	–	–	–	19
20	0·05	0·08	0·41	–	0·19	–	–	0·13	–	0·21	0·02	–	20
21	–	0·36	0·27	–	0·58	–	–	0·26	–	0·13	–	–	21
22	0·38	0·27	0·15	–	0·03	0·03}	0·13	0·09	–	0·18	–	0·18	22
23	0·23	0·35	0·24	–	–		–	0·98	–	0·08	0·19	0·20	23
24	0·09	0·05	–	–	–	0·24	–	0·23	–	–	–	1·32}	24
25	0·07	–	–	–	–	0·05	–	0·10	–	0·34	0·18		25
26	–	0·02	–	–	–	–	0·06	0·12	–	0·92}	0·23		26
27	–	0·03	0·04	–	–	0·34	0·81	0·03	–		–		27
28	–	0·07	–	–	–	0·25	0·05	0·28	0·78}	0·64	0·45	0·68	28
29	–	0·15	0·02	–	–	0·17	0·06	0·06		0·39	–	0·01	29
30	–	×	0·01	–	0·04	0·04	0·03	–	0·56	0·35	–	–	30
31	–	×	0·35	×	–	×	0·23	0·03	×	0·03	×	0·09	31
Total	4·69	3·18	5·35	0·12	1·66	3·77	2·16	6·49	1·42	4·14	1·63	4·93	TOTAL for year 39·54
No. of Rain Days.	19	21	23	4	11	20	13	28	5	15	11	22	192

W. 8,000, X. '11.

Dorset 3

Dorset 7c. 3

cnd by Dorset 7C. 16·11·14

REGISTER OF RAINFALL IN 1913

13 FEB 1914

~~Kept at~~ Coneygar, Bridport by H. Gordon

Rain-gauge diameter 5 in.

Latitude .... Longitude ....

Capacity of receiver .... in.

Height of top of gauge above sea level 110 ft.

Hour of observation 10 am.

" " ground 12 in.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1	—	0·40}	0·02	0·13	0·01	—	—	—	0·23	0·01	0·30}	—	1
2	0·07		—	0·02	0·17	—	0·06	—	—	0·20		—	2
3	0·23	—	0·03	0·02	0·24	—	—	—	—	0·10	—	0·09	3
4	0·82	—	0·03	—	0·23	0·01	—	—	0·11	0·39	0·04	0·07	4
5	0·30	0·03	—	—	0·13	0·08	—	—	1·05	0·06	0·30	0·16	5
6	0·03	0·05	0·10	—	0·06	0·07	0·03	—	—	2·10	0·02	0·35	6
7	—	0·34	0·08	—	0·45	0·13	0·08	—	—	0·58	0·30	—	7
8	—	0·16	—	0·02	0·17	0·03	0·06	—	—	0·03	0·35}	0·04	8
9	—	0·03	—	—	0·02	—	0·03	0·12	—	—		—	9
10	0·49	0·01	—	—	0·02	—	—	0·02	—	—	0·26	—	10
11	0·75	—	—	0·09	0·04	0·02	—	0·12	—	—	0·40	—	11
12	0·02	—	—	—	0·58	—	—	—	0·03	0·13	0·30	—	12
13	0·23	—	—	—	0·12	0·01	—	—	0·47	—	0·27	—	13
14	0·27	—	0·06	—	0·22	—	—	—	0·38	—	0·04	—	14
15	0·39	0·01	0·63}	0·42	—	—	—	0·05	0·90	—	—	—	15
16	0·09	—		0·04	—	—	—	—	0·03	—	—	—	16
17	—	—	0·02	0·02	—	—	—	—	0·02	—	—	—	17
18	0·85}	—	0·19	0·08	0·11	—	—	—	—	—	0·05	—	18
19		—	0·04	0·08	0·04	0·10	—	—	0·75	—	—	—	19
20	0·19	—	0·08	0·28	—	—	—	—	0·03	0·23	0·15	—	20
21	—	—	0·23	0·10	0·02	—	—	—	—	0·13	0·37	0·02	21
22	0·48	—	0·28	0·01	—	0·11	—	0·02	0·22	0·05	0·15}	0·15	22
23	0·02	—	—	—	—	—	—	—	—	—		0·66	23
24	0·02	—	—	0·04	—	0·03	—	0·03	—	—	0·01	—	24
25	—	0·03	—	0·17	—	—	—	—	—	—	—	—	25
26	—	—	—	0·33	—	—	—	0·37	—	—	—	—	26
27	—	—	0·25	0·17	—	—	—	—	—	0·13	—	—	27
28	0·34	—	0·02	0·37	—	—	—	—	—	0·30	—	0·17	28
29	0·12	×	0·37}	0·36	0·01	—	—	0·05	—	0·20	—	—	29
30	0·46	×	—	—	—	—	—	0·30	0·10	0·34	—	0·02	30
31	0·23	×	0·05	×	—	×	—	0·75	×	0·16	×	—	31
Monthly Totals.	6·40 ✓	1·06 ✓	2·58 ✓	2·75 ✓	2·64 ✓	0·54 ✓	0·26 ✓	1·73 ✓	4·32 ✓	5·14 ✓	3·31 ✓	1·73 ✓	Total number of Rain Days.
Totals from Jan. 1.	6·40	7·46	10·04	12·79	15·43	15·97	16·23	17·96	22·28	27·42	30·73	32·46 ✓	
No. of Rain days	22	10	19	19	18	10	5	10	13	17	19	10	172 ✓

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

-4 FEB 1915

Kept at Coneygar

in the County of Bridport Dorset 3

by Mr. H. Gordon

Lat. Long.

Time of Observation 10 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—		0·03	0·09	0		0·03	0·38			0·10	0·10	1
2	—				0·50	0·04	0·42	0·03			0·86	0·24	2
3	0·06		0·05	0·16							0·15		3
4			0·05	0·24	0·10		0·24	0·39			0·84	0·49	4
5	0·03			0·10	0·11		0·10				0·09		5
6		0·25		0·15	0·12		0·04					0·30	6
7	0·02	0·64	0·81	0·15	0·04	0·02	0·25	0·15	0·05			0·38	7
8	0·04				0·09	0·08		0·10			0·01	0·09	8
9	0·01		0·30	0·40	0·09	1·01		0·08	0·93		0·02		9
10		0·32		0·20	0·03	0·02			0·43				10
11	0·10	0·15	0·60		0·03	0·12					0·01	0·61	11
12		0·11	0·30				0·14		0·45	0·05		0·42	12
13		0·39	0·40				0·06		0·15	0·18	0·21	0·65	13
14		0·20	0·30			0·57	0·07	0·63	0·02	0·29	0·34	0·30	14
15						0·02	0·13	0·19	0·01	0·05	0·47		15
16	0·08								0·52				16
17		0·90	0·20						0·02			0·54	17
18		0·10	0·12				0·52		0·07			0·30	18
19		0·11	0·60				2·04				0·06	0·09	19
20		0·44	0·20									0·72	20
21		0·63	0·10			0·52	0·01			0·22			21
22		0·12			0·25	0·04	0·03	0·04		0·10			22
23		0·10	0·30							0·73			23
24		0·05	0·05		0·04					0·61	0·14		24
25	0·06		0·50				0·05	0·45			0·06	0·65	25
26			0·15				0·08	0·06		0·05	0·19	0·50	26
27	0·20							0		0·03	0·07	0·25	27
28	0·02	0·17	0·60		0·03		0·08			0·08	0·44	0·90	28
29	0·20				0·14		0·06			0·19		0·05	29
30		X	0·10			0·04				0·18	0·44	0·50	30
31	0·09	X		X	0·03	X	0·20		X	0·52	X	0·28	31
Total	0·91	4·68	5·76	1·52	1·60	2·48	4·55	2·50	2·65	3·28	4·80	8·66	YEAR'S TOTAL 43·39
Rain Days.	13	17	24	8	15	11	19	11	10	15	19	21	183

W. 8,000. X. 14.

Exd FW

1728

FORM A.
BRITISH RAINFALL.
30 MAY 191

REGISTER OF RAINFALL IN 1915

Kept at Coneygar Bridport,
in the County of Dorset,
by Ay. Gordon

Lat. Long.
Time of Observation 10. a.m
Nearest Railway Station Bridport, East St.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·22

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·35	0·15	—	—	—	—	—	0·19	0·73	0·34	0·05	0·27	1
2	0·58	0·11	0·12	0·26	—	0·05	—	0·50	0·05	0·20	—	0·53	2
3		0·10	0·12		0·27		—	—	—		—	0·52	3
4	0·03	0·04	—		0·03	—	—	—	—	—	—	0·46	4
5	0·15	—	—		—	—	—	0·48	—	—	—	0·20	5
6	0·95	0·61	—	0·36	—	—	0·62	—	—	—	—	0·15	6
7	0·39		—	0·08	—	—	0·24	—	—	—	—	0·32	7
8	0·12	0·51	—	0·01	—	—	—	0·09	—	—	0·04	0·07	8
9	0·15	0·05	—	—	—	—	—	—	—	—	0·20	0·77	9
10	0·07	0·11	0·08	—	—	—	0·05	—	—	0·10	—	0·17	10
11	0·14	0·28	—	0·12	—	—	—	0·03	—	0·02	1·12	0·03	11
12	0·20	0·61	—	0·15	0·57	—	—	0·08	—	0·10	0·28	—	12
13	0·01	0·28	—	—	0·64	—	—	—	0·09	—	0·06	0·02	13
14	—	—	—	—	—	—	0·21	0·08	0·07	—	—	1·02	14
15	0·09	—	—	—	0·54	—	0·21	—	0·02	0·17	0·04	0·13	15
16	—	1·24	—	—		—	1·30	—	—	0·02	—	0·14	16
17	—	0·23	—	—	0·11	—	0·02	0·07	—	—	—	—	17
18	—	0·28	—	—	—	—	—	—	—	—	—	—	18
19	0·03	—	—	—	0·33	—	0·10	—	—	—	—	—	19
20	0·12	—	—	0·12	—	0·12	—	—	—	0·13	—	0·06	20
21	0·16	0·24	0·02	—	—	—	0·33	—	0·03	0·32	—	0·10	21
22	0·13	0·08	0·43	—	—	0·04	0·90	—	—	0·06	—	0·21	22
23	—	0·01	0·08	—	—	—	0·08	—	0·21	2·72	—	0·60	23
24	—	—	—	0·05	—	—	0·08	—	0·27		—	1·05	24
25	—	—	—	0·07	—	0·52	0·03	—	0·21	0·05	—	0·14	25
26	—	0·12	—	—	—	0·16	0·15	—		—	—	0·83	26
27	—	0·07	—	—	—		0·06	—	0·03	0·54	—	—	27
28	—	—	—	—	—	0·19	—	—	0·44	0·16	0·04	0·05	28
29	—	×	—	—	—	0·09	—	0·05	—	0·10	0·39	0·15	29
30	0·17	×	—	—	—	0·03	—	—	—	0·90	0·44	0·21	30
31	—	×	—	×	—	×	—	—	×	0·88	×	0·17	31
Total	3·84	5·12	0·85	1·22	2·49	1·20	4·38	1·57	2·15	6·81	2·66	8·37	YEAR'S TOTAL 40·66
Rain Days.	19	20	6	12	8	10	15	9	12	19	10	26	166

W. 8,000. X. 15.

Ex 1 P.3.E 1645

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
8 JAN 1917

Bridport Westland cs.
Kept at ~~Coneygar~~

in the County of Dorset

by Hy Gordon

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·22	0·10	—	—	0·40	—	—	—	0·53	0·35	0·43	—	1
2	0·10	0·06	0·02	—	0·03	—	—	—	0·04	0·33	0·22	—	2
3	0·03	0·78	—	—	0·21	—	—	—		0·76	0·15	—	3
4	0·08	0·15	—	—	0·02	0·23	—	—	0·04	0·05	0·57	—	4
5	0·02	0·05	0·04	—	0·13	0·12	—	—	—	0·03	0·06	—	5
6	—		0·05	—	0·09	0·04	0·72	—	—	0·04	0·65	—	6
7	—	0·07	0·45	—		0·06	0·02	—	—	—	0·76	0·19	7
8	—	0·19	0·15	—	0·29	—	—	—	—	—	0·11	0·22	8
9	—	—	0·02	—	0·03	0·18	0·02	—	—	0·09	0·08	0·28	9
10	—	0·70		0·04	0·04	0·06	—	—		0·01	—		10
11	—	—	0·16	0·04	—		—	—	0·01	0·04	—	—	11
12	0·04	0·23		0·04	0·15	—	0·16	0·39	—	—	—	—	12
13	—		0·16	0·04	0·05	—	—		—	—	—	—	13
14	0·02	0·45	—	0·01		—	—	0·23	—	—	—	—	14
15	—	0·13	0·08	0·29	—	—	—	0·09	—	—	—	—	15
16	0·10	0·06	—		—	—	0·02	0·22	0·31	0·16	—	0·04	16
17	0·18	0·17	—	0·05	—	—	—	—		0·60	0·73	—	17
18	0·06	0·04	—	0·01	—	—	—	—	0·19	0·03	0·15	—	18
19	0·11	0·47	0·94	0·02	—	—	—	—	—	—		0·21	19
20	0·05		0·13	0·08	—	—	—	—	—	—	0·10	1·64	20
21	—	0·10	0·18		0·09	—	0·07	—	—	—	—	0·25	21
22	—	—	0·01	0·05	—	0·07	—	—	—	0·39	0·03	0·52	22
23	—	0·10	—		—	0·14	—	0·29	—	0·10	0·11	0·01	23
24	—		—	—	0·92	—	—	0·05	—	0·70	0·07	0·31	24
25	—	0·80	0·10	—	—	—	—	0·56	0·03	0·01	0·21	0·05	25
26	0·01	0·50		—	—	0·26	—	0·16	0·90	0·73	—	—	26
27	—		0·87	—	—	1·09	—		0·40	0·39	0·06	0·02	27
28	—		0·01	—	—	0·02	—	0·09	0·16	0·64	—	0·74	28
29	—	0·50	0·02	—	—	0·47	—	2·45	0·26		—		29
30	—	✕	0·02	—	—	0·01	—	0·02	—	0·94	—	—	30
31	—	✕	—	✕	—	✕	—	0·09	✕	0·39	✕	0·01	31
Total	1·02	5·65	3·41	0·67	2·45	2·75	1·01	4·64	2·87	6·78	4·49	4·49	YEAR'S TOTAL 40·23
Year	1·02	6·67	10·08	10·75	13·20	15·95	16·96	21·60	24·47	31·25	35·74	40·23	
Rain Days.	13	26	21	14	15	15	6	14	13	22	18	16	193

W. 1,000, X. 15.
EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

1624

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
29 APR 1918

pt at ~~Coneygar~~ Bridport
in the County of Dorset
by Mr Hy Gordon

Lat. Long.
Time of Observation 10. a. m
Nearest Railway Station Bridport
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·07	0·29	—	0·13	—	0·36	—	—	0·04	0·02	1
2	—	—	—	0·05	—	0·02	—	—	—	—	0·05	—	2
3	0·04	—	—	0·01	—	—	0·55	—	—	0·13	0·56	—	3
4	—	—	0·51	—	—	—	—	—	—	0·27		—	4
5	0·08	—	0·13	0·19	—	0·07	—	0·06	0·18	0·17	—	—	5
6	0·45	—	0·04	—	—	0·05	—	0·33	—	0·30	0·09	—	6
7		—	—	—	—	—	0·36		—		0·04	—	7
8	0·14	—	—	0·06	—	—		0·74	0·30	0·38	0·12	0·21	8
9	—	—	0·36		0·05	—	0·05	0·09		0·08	0·09	—	9
10	0·32	—	0·31	0·12	—	—	—	0·29	0·03	—	0·11	—	10
11	0·02	—	0·52	0·24	0·05	—	—	—	—	0·24		—	11
12	0·08	—	—	0·01	0·33	—	—	—	—	0·22	0·01	—	12
13	—	—	0·27	—	0·01	—	—	0·27	0·02	—	—	0·01	13
14	—	—	0·01	0·17	—	—	—	0·11	0·01	—	—	—	14
15	—	—	—		—	—	0·01	0·07	—	0·29	—	0·64	15
16	—	—	—	0·11	—	—	—	—	0·05	0·63	—	0·21	16
17	—	—	—	0·12	—	—	0·26	0·09	0·46	0·17	—	—	17
18	—	0·33	—	—	—	0·06	0·13	0·06	0·46	—	—	—	18
19	—	0·64	—	—	—		—	—	0·10	—	—	—	19
20	0·01	—	0·07	—	0·34	0·21	—	—	—	—	—	—	20
21	—	—	0·15	—	—	—	—	—	—	0·09	—	—	21
22	—	—		—	—	—	—	0·04	—	0·06	—	—	22
23	—	0·25	—	—	0·09	—	—	0·46	—	—	—	—	23
24	—	—	—	—	—	0·02	0·19	0·03	—	0·15	—	—	24
25	—	—	0·02	—	—	—	—	0·69	0·10	—	—	—	25
26	—	—	—	—	0·52	—	—		0·12	—	0·05	—	26
27	—	—	—	—	0·35	0·28	—	0·88	—	—	—	—	27
28	—	0·05	0·10	—	0·09	0·56	—	0·12	—	—	0·02	0·02	28
29	—	X	0·04	—	0·09	0·05	—	0·01	—	0·22	—	—	29
30	—	X	0·18	—	—	—	0·54	0·15	—	0·01	0·01	—	30
31	—	X	—	X	—	X	0·14	—	X	0·25	X	—	31
Total	1·14	1·27	2·78	1·37	1·92	1·45	~~1·86~~ 2·33	4·85	1·83	3·66	1·19	1·11	YEAR'S TOTAL 24·80
Rain Days.	9	4	16	13	10	11	10	21	12	18	14	6	144

W. 8,000, VIII. 16

1·04

FORM A.
BRITISH RAINFALL.
29 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at Coneygar Bridport
in the County of Dorset
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	—	—	—										
1	—	~~[illegible]~~	—	0·04	0·10	—	—	0·61			0·14	0·23	1
2	—	0·49		—	—	—	—			0·03	0·84	0·21	2
3	—	—	0·27	—	0·17	—	—			—	0·16	0·04	3
4	—	~~[illegible]~~	—	0·14	—	—	—	0·54	0·70	—	0·69	0·26	4
5	—	0·04		0·07	0·43	—	—		0·38		—	0·09	5
6	0·39	0·14	—	0·15	—	—	—		0·03	0·29	—	0·19	6
7	—	0·11	—		0·13	—	—	0·03		—	0·35		7
8		0·18	—	—	—	—	—	—	0·31	0·38	0·04	0·07	8
9	x	0·02	—	0·09	—	0·18	0·51	—	0·48	0·01	—	0·61	9
10	x	—	—	0·17	—	—	0·91	—	0·12	0·29	0·05	0·38	10
11	1·87	—	0·17	—	—	—		—	0·16	0·04	—	0·06	11
12		0·09	0·07	—	0·47	—	0·10	—	0·16		—	0·01	12
13	x	—	—	—	0·10	—	0·53		0·15	0·22	—	—	13
14	x	—	—	—	0·07	0·14			0·86	0·19	—		14
15	x	—	—	0·47	0·06	0·35	0·33		0·25	0·08	—	0·25	15
16	0·47	—	0·02	0·11	—		0·03		0·43	—	—	—	16
17	0·15	—	—	0·07	—	—	0·32		0·02	—	—	0·24	17
18	0·74	—	—	—	—		0·10		0·16	—	—	0·23	18
19	0·07	0·04	—	—	—	0·49	0·15		0·05	—	—	—	19
20	0·09	0·15	—		—		0·15		0·41	0·07	—	—	20
21	0·05	0·02	—	0·12	—	—				0·14	—	0·30	21
22	—	0·04	—	—	0·17	—	0·68		0·68	0·02	0·03	0·10	22
23	0·13		—	—	0·09	0·01	0·33		0·14	—		0·02	23
24	—	0·26	—	—	—	—	0·03		0·08	—	0·30	—	24
25	0·02	—	—	—	—	—	0·17	0·55	0·13	0·02	0·13	—	25
26	—	0·03	—	—	—	—	0·29		0·05	0·07	0·13	0·20	26
27	—	0·10	0·18	—	—	—	—	0·08	0·26	0·05	0·12	—	27
28	—	—	0·73	—	—	—	—			0·09		—	28
29	—	—	—	—	—	—	—		1·68	—	0·02	0·06	29
30	—	X	0·22	—	—	—	—		0·09	—		0·01	30
31	—	X	0·10	X	—	X	—	0·03	X		X		31
Total	3·98	1·71	1·76	1·43	1·79	1·17	4·63	1·84	7·78	1·99	3·00	3·56	YEAR'S TOTAL 34·64
Rain Days.	(14)	16	11	12	10	10	16	8	28	18	14	22	(179)

1443

9 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at "Coneygar" Bridport
in the County of Dorset
by H. Gordon

~~Lat.~~ ~~Long.~~
Time of Observation 10 a.m
Nearest Railway Station Bridport
Diameter of Funnel of Rain Gauge ~~8~~ in. 5
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
·46

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	·06	·02	0·33	—	·28	·10	—	·21	·21	·77	1
2	·58	—	—	·11		—	·06		0·18	·23	—		2
3	·03	·06			—	—	·41	—	·02		—	·06	3
4	—	—	·15	·12	—	—		·63	—	·15	—		4
5	—	—		·20	·07	—	·54	·08	—	·24	—		5
6	—	—	·09	·08	·30	—	·26	—	—	·04	—	·05	6
7	·01	—		·34	·06	—	·48	—	—	—	—	—	7
8	·03	·05	—	·31	—	—	·24	—	—	—	—	—	8
9	·72	—	·01	·04	—	·14	·07	—	—	—	—	—	9
10	·73	·04	·18	·49	—	·17		—	—	—	—	·20	10
11		·01	·18		·44	·03	·69	—	—	—	—		11
12	·25	·03	—	·10	—	·13		—	—	—	—		12
13	·21	·01	·60	·06	—	—	—	—	—	—	—	—	13
14	·07	·05	·30	·95	—	—	·05	—	·30	·16	·48	—	14
15	·02		·05	·26	·19	·11	—	—	—	·20		—	15
16	—	—	·01	·02	—	·09	·21	—	·48	—	—	—	16
17	·05	—	—	·12	·21	·02	·06	—		—	·08	—	17
18		·01	—	·11	·05	·26	—	·58	—	—	—	·30	18
19	·03	—	—	·22	—	·23	—	—	—	—	—	·06	19
20	·01	·05	—	·11	—	·59	—	—	—	—	—	·42	20
21	—	—	—	·05	—	—	·15	—	·03	—	—	·58	21
22	·03	—	—	·22	—	—	·02	—	—	—	—		22
23	·02	—	—	—	—	—	·34	—	—	—	—		23
24	—	·04	·19	—	—	—	—	—	—	—	·12	·65	24
25	—	·07	·04	—	·19	—	·75	—	—	—			25
26	·11	—	·19	—	—	—	·02	—	—	—	·06		26
27	·39	—	·16	·10	—	·24	·05	—	—	—	—	·23	27
28	·85	·03		·11	—	—	·20	—	·01	—	—		28
29	·19		·33	·08	·05	·18	—	—	—	—	·10		29
30	·18		—	—	—	·22	·06	—	·71	—	·50	·45	30
31	·03		·25		—		—	—		·61			31
Total	4·59	0·45	2·79	4·22	1·89	2·41	4·94	1·39	1·73	1·84	1·55	3·77	Year's Total 31·57
Days with ·01 in. or more	~~24~~	~~14~~	~~20~~	~~25~~	~~11~~	~~13~~	~~23~~	~~5~~	~~8~~	~~9~~	~~9~~	~~21~~	~~182~~
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1527
1528

12 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~10~~9

Kept at Westlands + Coneygar
in the County of Dorset
by Mr Hy Gordon

Lat. .... Long. ....
Time of Observation 10 a.m.
Nearest Railway Station Bridport
Diameter of Funnel of Rain Gauge 4·5 in.
Height of top of Gauge above Ground 1 ft — in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
W. 0·05
C. 0·05

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1 W C	0·60 0·57	— —	0·13 0·13	— —	0·05 0·06	—	0·52 0·47	—	0·10 0·10	—	0·10	0·70 0·79	1
2 W C	0·16 0·15	— —	— — — —	— —	0·02 0·01	—	0·02 0·02	—	0·22 0·22	0·14 0·13	0·10	0·14 0·07	2
3 W C	0·75 0·72	— —	0·47 0·47	— —	— —	—	—	—	0·74 0·64	—	0·05 0·04	0·16 0·10	3
4 W C	0·50 0·50	0·50 0·50	0·64 0·64	— —	0·10 0·12	0·03 0·03	—	0·02 0·02		—	0·04 0·03	0·05 0·05	4
5 W C	0·96 0·94	0·30 0·30	0·46 0·42	— —	0·00 0·01	—	—	—	0·28 0·26	—	0·12 0·12	0·13 0·08	5
6 W C	0·72 0·72	0·17 0·17	0·13 0·15	— —	— —	—	—	—	—	—	0·01 0·01	0·31	6
7 W C	0·27 0·29	— —	0·35 0·35	0·16 0·16	— —	—	—	—	—	—	—	0·32	7
8 W C	0·32 0·21		0·38 0·34	— —	— —	—	—	—	—	—	—	—	8
9 W C	0·20 0·18		— — — —		0·07 0·06	—	—	—	—	—	0·28 0·27	—	9
10 W C	0·12 0·08		0·21 0·21	0·32 0·33		—	—	—	—	0·05 0·05	0·01 0·01	0·22 0·15	10
11 W	0·24		0·11 0·11	0·25 0·25	0·31 0·29	—	0·20 0·20	—	—	—	—	0·20 0·14	11
12 C	0·24		0·05 0·02	0·51 0·43	— —	—	—	—	—	0·02 0·02	—	0·02	12
13 W C	0·07 0·13	0·05 0·05	0·10 0·10		— —	—	0·04 0·04	—	—	—	—	0·28	13
14 W C	0·51 0·44	0·07 0·07	— —	0·35 0·28	0·25 0·23	—	0·08 0·08	—	0·03 0·03	—	—	0·24	14
15 W C	0·21 0·20		— —	0·04 0·05	0·02	—	—	—	—	0·10 0·10	—	0·14 0·14	15
16 W C	0·03 0·02	1·12 1·13	— —	—	0·02	—	—	—	—	—	0·13 0·12	0·02 0·02	16
17	—	0·61	— —	—	— —	—	—	—	—	—	0·18 0·16	0·01 0·01	17
18 W C	0·16 0·16	0·61	0·91 0·89	—	— —	—	—	—	—	—	0·16 0·17	—	18
19 W C	0·93 0·93	0·32 0·42	0·59 0·52	—	—	0·04 0·04	1·05 1·06	0·31 0·31	0·14 0·16	—	0·14 0·09	0·05 0·05	19
20 W C	0·38 0·40	— — — —	0·03 0·02	—	—	0·48 0·48		—	0·01 0·01	—	0·02 0·02	0·11 0·11	20
21	— — — —	1·03 0·97	— —	—	—	—	0·18 0·18	0·23 0·23	0·16 0·10	—	0·01 0·01		21
22	—	— —	— — — —	—	—	—	0·12 0·07	—	0·22 0·23	—	0·01	0·06 0·05	22
23	—	— —	— —	—	—	—	—	—	—	0·85 0·81	0·02	0·02 0·02	23
24	—	— —	— —	0·03 0·03	—	0·06 0·08	—	0·03 0·03	—	0·93 0·82	0·15 0·16		24
25 W C	0·16 0·19	0·03 0·02	— —	0·03 0·05	—	—	—		—	—	0·02 0·02	0·77 0·69	25
26 W C	0·10 0·09	—	0·10 0·10		—	—	—	0·31 0·31	—	—	—		26
27 W C	0·10 0·08	—	— —	0·30 0·32	—	0·04 0·04	—	—	—	—	—	0·71	27
28	—	—	0·43 0·35	—	—	—	0·05 0·04	0·57 0·55	—	—	0·52 0·54	0·65	28
29	—	—	—	0·11 0·09	—	—	—	0·09 0·09	—	0·04 0·04	—	0·04 0·04	29
30	—	X	—	0·09 0·09	—	0·09 0·10	—		—	—	0·61 0·57	0·62 0·60	30
31	—	X	—	X	—	X	—	0·54 0·54	X	—	X	0·39 0·37	31
	~~14·63~~	~~8·44~~	~~9·91~~	~~4·32~~	~~1·62~~	~~1·51~~	~~4·42~~	~~4·18~~	~~3·65~~	~~4·10~~	~~5·02~~	~~9·78~~	YEAR'S TOTAL
TOTAL	7·31	4·22	4·95	2·16	0·81	0·75	2·21	2·09	1·82	2·25	2·51	4·89	
from Jan 1st	7·31	11·53	16·49	18·65	19·46	20·21	22·42	24·51	26·33	28·38	30·89	35·78	35·78
Days with ·01 in. or more	22	12	16	12	10	6	10	10	10	7	20	28	163

W 3658
C 3516

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

·74	2·96	2·10	1·90	2·13	2·5[illegible]	5·09	3658
·77	2·16	2·08	1·75	2·07	2·46	4·69	3516

42

FORM A.
BRITISH RAINFALL.

29.1.19

REGIST

DORSET.

BRIDPORT.

"WESTLANDS"

1918

Kept at Westlands. Bri

in the County of Dorset

by H. Gordon

Rain Gauge .... in.

above Ground .... ft. .... in.

" Sea Level .... ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—		—	0·03	0·08	—	—	0·73	—	—	0·14	0·23	1
2	—	0·47	—	—	—	—	—	—	—	—	0·84	0·19	2
3	—		0·27	—	0·16	—	—	—	—	0·04	0·09	0·04	3
4	—	—	—	0·14	—	—	—	0·14	0·81	—	0·76	0·27	4
5	—	0·04	—	0·07	0·44	—	—	0·50	0·35	0·14	—	0·11	5
6	0·37	0·14	—	0·15	—	—	—	0·04	0·04	0·15	0·36	0·16	6
7	—	0·10	—		0·12	—	—	0·03		—	0·05	0·06	7
8		0·14	—	—	—	—	—	—	0·35	0·38	—	0·02	8
9	x	0·02	—	0·07	—	0·10	0·51	—	0·50	0·01	0·04	0·61	9
10	x	—	—	0·15	—	—	0·84	—	0·14	0·28	—	0·45	10
11	1·80	—	0·15	—	—	—	—	—	0·13	0·04	—	0·06	11
12		0·09	0·09	—	0·48	—	0·10	—	0·16	—	—	0·01	12
13	x	—	—	—	0·10	—	0·61	—	1·34	0·21	—	—	13
14	x	—	—	—	0·07	0·15		—		0·26	—	0·06	14
15	x	—	—	0·50	0·07	0·37	0·35	—		0·09	—	0·19	15
16	0·49	—	—	0·09	—		0·02	—	0·50	—	—	—	16
17	0·15	—	0·02	0·07	—	—	0·31	—	0·02	—	—	0·21	17
18	0·75	—	—	—	—		0·11	—	0·23	—	—	0·22	18
19	0·06	0·03	—	—	—	0·50	0·21	—	0·04	—	—	—	19
20	0·08	0·13	—		—		0·15	—	0·44	0·07	—	—	20
21	0·05	0·02	—	0·12	—	—	—	—	0·59	0·14	—	0·34	21
22	—	0·03	—	—	0·16	—	0·71	—		~~0·01~~	0·03	0·13	22
23	0·12		—	—	0·09	0·01	0·31	—	0·14			0·02	23
24	—	0·27	—	—	—	—	0·04	—	0·08		0·31	—	24
25	0·02	—	—	—	—	—	0·26	0·61	0·13	0·02	0·14	—	25
26	—	0·02	—	—	—	—	0·29	—	0·05	0·06	0·12	0·20	26
27	—	0·10	0·18	—	—	—	—	0·08	0·26	0·04	0·15	—	27
28	—	—	0·64	—	—	—	—	—		0·08	—	—	28
29	—	—		—	—	—	—	—	1·76	—	—	0·05	29
30	—	✕	0·18	—	—	—	—	—	0·09	—	—	0·02	30
31	—	✕	0·07	✕		✕	—	0·04	✕	—	✕		31
Total	3·89	1·60	1·60	1·39	1·77	1·13	4·82	2·14	8·15	2·02	3·03	3·65	YEAR'S TOTAL 35·22
Rain Days.	(14)	16	11	12	10	8	16	8	28	18	14	22	(1~~9~~7) 177

W. 6,500. VII. 18. W W C

42

FORM A.
BRITISH RAINFALL.

REGIST

29. 1. 19

Kept at Westlands. Bridport
in the County of Dorset.
by H. Gordon

Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—		—	0.03	0.08	—	—	0.73	—	—	0.14	0.23	1
2	—	0.47	—	—	—	—	—	—	—	—	0.84	0.19	2
3	—		0.27	—	0.16	—	—	—	—	0.04	0.09	0.04	3
4	—	—	—	0.14	—	—	—	0.14	0.81	—	0.76	0.27	4
5	—	0.04	—	0.07	0.44	—	—	0.50	0.35	0.14	—	0.11	5
6	0.37	0.14	—	0.15	—	—	—	0.04	0.04	0.15	0.36	0.16	6
7	—	0.10	—		0.12	—	—	0.03		—	0.05	0.06	7
8		0.14	—	—	—	—	—	—	0.35	0.38	—	0.02	8
9		0.02	—	0.07	—	0.10	0.51	—	0.50	0.01	0.04	0.61	9
10		—	—	0.15	—	—	0.84	—	0.14	0.28	—	0.45	10
11	1.80	—	0.15	—	—	—	—	—	0.13	0.04	—	0.06	11
12		0.09	0.09	—	0.48	—	0.10		0.16	—	—	0.01	12
13		—	—	—	0.10	—	0.61	—		0.21	—	—	13
14		—	—	—	0.07	0.15		—	1.34	0.26	—	0.06	14
15		—	—	0.50	0.07	0.37	0.35	—		0.09	—	0.19	15
16	0.49	—	—	0.09	—		0.02	—	0.50	—	—	—	16
17	0.15	—	0.02	0.07	—	—	0.31	—	0.02	—	—	0.21	17
18	0.75	—	—	—	—		0.11	—	0.23	—	—	0.22	18
19	0.06	0.03	—	—	—	0.50	0.21	—	0.04	—	—	—	19
20	0.08	0.13	—		—		0.15	—	0.44	0.07	—	—	20
21	0.05	0.02	—	0.12	—	—	—	—	0.59	0.14	—	0.34	21
22	—	0.03	—	—	0.16	—	0.71	—		~~0.01~~	0.03	0.13	22
23	0.12		—	—	0.09	0.01	0.31	—	0.14			0.02	23
24	—	0.27	—	—	—	—	0.04	—	0.08		0.31	—	24
25	0.02	—		—	—	—	0.26	0.61	0.13	0.02	0.14	—	25
26	—	0.02	—	—	—	—	0.29	—	0.05	0.06	0.12	0.20	26
27	—	0.10	0.18	—	—	—	—	0.08	0.26	0.04	0.15	—	27
28	—	—	0.64	—	—	—	—			0.08	—	—	28
29	—	—		—	—	—	—	—	1.76	—	—	0.05	29
30	—	X	0.18	—	—	—	—	—	0.09	—	—	0.02	30
31	—	X	0.07	X		X	—	0.04	X	—	X		31
Total	3.89	1.60	1.60	1.39	1.77	1.13	4.82	2.14	8.75	2.02	3.03	3.65	YEAR'S TOTAL 35.22
Rain Days.	(14)	16	11	12	10	8	16	8	28	18	14	22	(177)

177

W. 6,500. VII. 18. w w c

REGI

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Broadsto

in the County of Dorse

by F. W. Beckfor

in.
nd 1 ft. 0 in.
Level 220 ft.
e Broadstone
nce ½ m Direction SW by W

BROADSTONE
LYPIATT COTTAGE
DORSET
1911 - 1917,

IMPORTANT NOTE.— result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading n the space provided for it at the end of this pa of rain, the selection and placing of Rainfall Organization are given in "Ri ation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	—	·02	·04	—	—	—	·01	·01	—	·03	·20	1
2	·02	—	—	·31	·37	—	—	·05	—	·09	·14	·33	2
3	·01	—	—	·02	·20	—	—	·02	—	—	·15	·10	3
4	·01	—	·09	·01	·01	—	—	—	·03	·06	·32	·39	4
5	·05	—	·01	·02	—	—	—	·09	—	·58	·06	·01	5
6	·41	—	·11	—	—	—	—	·01	—	·16	·10	·92	6
7	·08	—	·02	—	—	—	—	·01	—	·02	·36	·01	7
8	·02	—	·21	—	—	—	—	—	·01	·01	·19	·66	8
9	·09	—	·02	—	—	—	—	—	—	—	·04	·38	9
10	·05	·05	·40	—	·27	—	—	—	—	—	·01	·34	10
11	·47	·01	·03	—	—	—	—	—	·01	·01	1·21	·01	11
12	·01	·02	·88	—	·02	—	—	·02	·01	·01	·13	·20	12
13	—	—	·02	—	—	—	—	—	·39	·01	·01	·39	13
14	—	·10	—	—	—	—	—	—	·02	·01	—	·29	14
15	·02	·04	·02	—	—	·03	—	—	·01	—	·23	·03	15
16	·01	·01	·01	—	—	·28	—	—	—	—	·48	·30	16
17	—	·02	·08	—	—	·44	—	—	—	—	·81	·49	17
18	—	·12	·10	·07	—	·28	—	—	—	·07	·11	·56	18
19	·01	·17	·01	·02	—	·27	—	·01	·33	·18	·02	·26	19
20	·04	·03	·24	·01	—	·01	—	·25	·07	·06	—	·79	20
21	·04	·38	·14	·01	—	·01	—	·01	·02	·74	—	·17	21
22	·21	·05	·15	·01	—	·20	—	·01	·01	·30	·01	·47	22
23	·01	·16	·01	—	—	·15	—	—	·17	·35	·14	·33	23
24	·03	·16	—	—	·01	·32	—	·22	·02	·60	·01	·37	24
25	·02	·04	—	·11	—	·07	—	·01	·06	·02	—	5 ·10	25
26	—	·02	—	·31	—	·01	—	·04	2 days	·37	—	·35	26
27	—	·48	·09	·09	—	—	—	·01	·09	·83	·14	·20	27
28	—	·26	·01	·55	—	—	—	·19	·01	·01	·11	·01	28
29	—		—	·53	—	·23	·25	·01	·19	·36	·02	·01	29
30	—		—	·02	—	·03	·01	·43	·01	·30	·02	·02	30
31	—		·01		—		—	·02		·01		·02	31
Total	1·64	2·12	2·68	2·13	·88	2·03	·26	1·42	1·47	5·16	4·85	8·71	TOTAL for year 33·35
No. of Rain Days.	21	18	23	16	6	14	2	19	?19	24	25	31	218

W. 8,000, X. '11.

REGI

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Broadstone

in the County of Dorset 3

by F. W. Beckford

RAIN GAUGE
Pattern Howards
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 220 ft.

Time of Observation 9·0 a.m.

Nearest Railway Station
Name Broadstone
Distance ½ mile Direction SW by W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	·02	·04	—	—	—	·01	·01	—	·03	·20	1
2	·02	—	—	·31	·37	—	—	·05	—	·09	·14	·33	2
3	·01	—	—	·02	·20	—	—	·02	—	—	·15	·10	3
4	·01	—	·09	·01	·01	—	—	—	·03	·06	·32	·39	4
5	·05	—	·01	·02	—	—	—	·09	—	·58	·06	·01	5
6	·41	—	·16	—	—	—	—	·01	—	·16	·10	·92	6
7	·08	—	·02	—	—	—	—	·01	—	·02	·36	·01	7
8	·02	—	·21	—	—	—	—	—	·01	·01	·19	·66	8
9	·09	—	·02	—	—	—	—	—	—	—	·04	·38	9
10	·05	·05	·40	—	·27	—	—	—	—	—	·01	·34	10
11	·47	·01	·03	—	—	—	—	—	·01	·01	1·21	·01	11
12	·01	·02	·88	—	·02	—	—	·02	·01	·01	·13	·20	12
13	—	—	·02	—	—	—	—	—	·39	·01	·01	·39	13
14	—	·10	—	—	—	—	—	—	·02	·01	—	·29	14
15	·02	·04	·02	—	—	·03	—	—	·01	—	·23	·03	15
16	·01	·01	·01	—	—	·28	—	—	—	—	·48	·30	16
17	—	·02	·08	—	—	·44	—	—	—	—	·81	·49	17
18	—	·12	·10	·07	—	·28	—	—	—	·07	·11	·56	18
19	·01	·17	·01	·02	—	·27	—	·01	·33	·18	·02	·26	19
20	·04	·03	·24	·01	—	·01	—	·25	·07	·06	—	·79	20
21	·04	·38	·14	·01	—	·01	—	·01	·02	·74	—	·17	21
22	·21	·05	·15	·01	—	·20	—	·01	·01	·30	·01	·47	22
23	·01	·16	·01	—	—	·15	—	—	·17	·35	·14	·33	23
24	·03	·16	—	—	·01	·32	—	·22	·02	·60	·01	·37	24
25	·02	·04	—	·11	—	·07	—	·01	·06	·02	—	·10	25
26	—	·02	—	·31	—	·01	—	·04	2 days loss	·37	—	·35	26
27	—	·48	·09	·09	—	—	—	·01	·09	·83	·14	·20	27
28	—	·26	·01	·55	—	—	—	·19	·01	·01	·11	·01	28
29	—		—	·53	—	·23	·25	·01	·19	·36	·02	·01	29
30	—		—	·02	—	·03	·01	·43	·01	·30	·02	·02	30
31	—		·01		—		—	·02		·01		·02	31
Total	1·64	2·12	2·68	2·13	·88	2·03	·26	1·42	1·47	5·16	4·85	8·71	TOTAL for year 33·35
No. of Rain Days.	21	18	23	16	6	14	2	19	?19	24	25	31	218

W. 8,000, X. '11.

8·88

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Lytchett Cottage Broadstone

in the County of Dorset 3

by F. W. Beckford

Lat. Long.

Time of Observation 9·0 a.m.

Nearest Railway Station Broadstone

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·06	·01	·01	·28	·21	·01	·02	·90	·01	·30	1
2	—	—	·23	—	·01	·06	·42	—	—	·01	·01	·01	2
3	—	—	·06	·01	—	·38	·01	·66	·02	·01	·02	·03	3
4	·22	Snow ·03	·73	—	—	·42	—	·11	—	·01	·26	—	4
5	·52	·16	·30	—	—	·01	—	·73	—	·01	·02	·15	5
6	·64	·02	·01	—	·20	·03	·05	·33	—	·01	·01	·09	6
7	·02	·46	·11	·01	·23	·52	·03	·17	—	·01	—	·10	7
8	·53	·20	·25	·01	·02	·07	·01	·03	—	—	—	·02	8
9	·04	·10	·20	·05	·01	·10	·02	·12	·01	·01	—	·38	9
10	·01	·09	·02	—	—	·11	·02	·41	—	·02	·03	·43	10
11	·13	·17	·02	—	—	·30	—	·42	—	·02	·01	·43	11
12	·07	·33	·08	·01	·70	·63	·06	·25	·01	·02	·02	·01	12
13	·01	·01	·02	—	·01	·01	·05	·01	·01	·04	·02	·06	13
14	·19	·01	·21	·01	·01	—	·01	·13	·01	·01	—	·02	14
15	·22	·28	·08	·01	·12	·55	—	·04	—	·01	·01	·35	15
16	1·01	·02	·35	—	·15	·01	—	·22	—	·09	·10	·01	16
17	·53	·01	·32	·01	·01	·05	—	·82	—	·01	—	·12	17
18	·33	—	·30	—	—	·01	—	·32	—	·02	·02	·06	18
19	·02	·07	·30	·01	—	·05	·09	·29	—	—	·02	·01	19
20	·03	·05	·50	—	·05	·10	·09	·06	—	·36	·03	—	20
21	—	·24	·41	—	·25	·01	—	·17	—	·18	·01	—	21
22	·29	·56	·11	—	·01	—	·10	·22	·01	·02	·01	·13	22
23	·29	·31	·28	—	—	·05	·01	·73	—	·15	·15	·21	23
24	·21	·08	·02	—	—	·13	·04	·18	—	·03	·01	·21	24
25	·09	—	·01	—	—	·26	·01	·33	—	·14	·44	·68	25
26	·02	·10	—	—	—	—	·56	·15	—	·51	·40	·34	26
27	—	·04	—	—	—	·15	·17	·01	—	·86	—	·42	27
28	—	·10	—	—	—	·37	·23	·54	·11	·71	·56	·50	28
29	—	·14	—	—	—	·01	·33	·04	1·43	·22	·03	·02	29
30	—		—		—	·15	·09	·01	·75	·21	—	·01	30
31	·01		·50		·01		·23	·03		·05		·08	31
Total	5·43	3·58	5·48	·14	1·80	4·82	2·84	7·54	2·38	4·65	2·20	5·18	YEAR'S TOTAL 46·04
Rain Days.	23	24	26	×10	16	27	23	30	10	29	23	28	269

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
2 - JAN 1914

Kept at Broadstone
in the County of Dorset
by F. W. Beckford

3

Lat. 50·45 Long. 2
Time of Observation 9 a.m.
Nearest Railway Station Broadstone
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level above 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·37	·11	·27	—	·04	—	—	·58	·02	·25	·01	1
2	·03	·12	·01	·01	·01	·01	·01	—	·04	·53	·10	·06	2
3	·16	·01	·03	·16	·29	—	—	—	·06	·03	·01	·10	3
4	·71	—	·12	·01	·40	—	—	—	·82	·49	·07	·03	4
5	·27	·08	·01	—	·04	·05	·05	—	·85	·09	·19	·14	5
6	·02	·21	·04	—	·06	·18	·15	—	·01	1·02	·03	·61	6
7	·01	·42	·02	—	·41	·08	·03	—	—	·67	·18	·02	7
8	·01	·23	·01	—	·20	·01	·04	·01	—	·02	·01	·07	8
9	—	·11	—	—	·02	—	·15	·31	·08	·02	·18	—	9
10	·23	·02	—	·01	·04	—	·21	·51	—	·06	·60	—	10
11	1·03	·02	—	·22	·19	—	·01	—	—	·08	·58	·02	11
12	—	·01	—	·01	·48	·01	—	—	·10	·02	·42	~~·02~~	12
13	·16	·01	·05	—	·01	—	·01	·01	·05	·01	·18	—	13
14	·29	·02	·14	·03	—	—	—	·01	·36	·01	·02	—	14
15	·47	·12	·29	·68	—	—	·50	·02	·04	—	·01	—	15
16	·20	·01	·36	·09	—	·03	·01	·01	—	—	·01	—	16
17	·11	·01	·02	·15	—	—	·01	—	·27	—	·04	·02	17
18	·02	—	·30	·11	·01	·01	·04	—	—	—	·07	—	18
19	·73	—	·05	—	·07	·30	·01	—	—	·01	·01	—	19
20	·12	—	·41	·15	—	·01	—	—	·03	·44	·14	·02	20
21	—	—	·22	·42	·04	·01	·03	—	·01	·09	·76	—	21
22	·52	—	·29	·02	·01	—	—	·19	·32	—	·02	·07	22
23	·02	·01	·10	—	—	·10	—	·05	·01	·01	·05	·59	23
24	·05	·02	·01	·16	·01	·01	—	·01	—	·02	·01	—	24
25	—	·16	—	·38	—	—	—	·01	·01	·02	·01	—	25
26	—	·02	—	·37	—	—	—	·23	·01	·12	—	·32	26
27	·05	—	·21	·10	—	—	—	·01	·01	·34	·01	·01	27
28	·18	—	·10	·14	—	—	·01	—	·01	·48	·01	—	28
29	·17	—	·29	·60	·14	—	—	·06	—	·48	·01	—	29
30	·72	—	—	·01	—	—	—	·01	·01	·56	—	—	30
31	·10		·04		·04		—	·74		·13		—	31
Total	6·43	1-98	3·23	4·10	2·47	·85	1·27	1·69	3-68	5·47	3-98	2·46	YEAR'S TOTAL 37·61
Rain Days.	26	20	24	22	19	14	16	16	21	26	28	15	247

W.7,000, XI. 13

Entered

Cadly obv. 3.IV.15

~~W~~ LMcG

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 2 - JAN 1915

Kept at Broadstone

in the County of Dorset 3

by F. W. Beckford

Lat. 50·45 Long. 2

Time of Observation 9·0 a.m.

Nearest Railway Station Broadstone

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	·49	—	—	·53	·05	1
2	—	—	—	—	·01	·05	·15	—	—	—	1·17	·37	2
3	—	·01	·04	·10	·46	·01	·04	·03	—	—	·02	·05	3
4	·05	—	·02	·28	·21	—	·14	1·06	—	—	·48	·47	4
5	·03	—	·05	·20	·10	—	·54	·19	—	—	·55	·03	5
6	—	·21	·01	·24	·05	—	·12	·04	—	—	·03	·52	6
7	—	·68	·08	·15	·02	—	·20	·02	·01	—	·01	·24	7
8	·04	·32	·60	·10	·01	·05	—	·33	·01	—	—	·19	8
9	·01	·01	·49	·22	·02	·06	—	·01	·64	—	·02	·89	9
10	·03	·45	—	·08	·14	—	—	—	·35	·01	—	·01	10
11	—	·22	·54	—	·05	·01	·44	—	·01	—	·11	·82	11
12	—	·06	·14	—	—	—	—	—	·44	·18	·04	·45	12
13	—	·60	·50	—	—	—	—	—	·10	·01	·14	·57	13
14	—	·48	·36	—	—	1·00	·25	·46	·01	·45	·47	·44	14
15	—	—	·25	—	—	—	·48	·42	—	·17	·27	—	15
16	—	—	—	—	—	—	·06	—	·34	—	—	—	16
17	—	·55	·19	—	—	—	—	—	·02	—	—	·81	17
18	—	·02	·09	—	—	—	·16	—	·01	—	—	·76	18
19	—	·09(9)	·56	—	—	—	1·11	—	—	—	·11	·18	19
20	—	·82	·20	—	—	·08	—	—	—	—	—	·22	20
21	—	·70	·01	—	—	—	—	·01	—	·33	—	·01	21
22	—	·07	·01	—	·23	·08	·15	·04	—	·13	—	—	22
23	—	·11	·33	—	—	·15	·02	—	—	·13	—	·01	23
24	—	·33	·02	—	·02	—	—	—	·01	·11	·14	·02	24
25	·04	·01	·29	—	—	—	·09	·30	—	·32	·04	·24	25
26	—	·01	·13	—	—	—	·09	·17	·01	·07	·25	·63	26
27	·03	·01	—	—	—	—	—	—	—	—	·11	·38	27
28	·01	·12	·31	—	·05	—	—	—	—	·04	·24	·53	28
29	·24	×	·15	—	·05	—	—	—	—	·38	·44	·01	29
30	·02	×	·16	—	—	·08	—	—	—	·18	·91	·42	30
31	·04	×	—	×	—	×	·09	—	×	·77	×	·09	31
Total	·54	5·88 5·88	5·53	1·37	1·42	1·57	4·13	3·57	1·96	3·28	6·08	9·91	YEAR'S TOTAL 45·24 45·24
Rain Days.	11	22	25	8	14	10	17	14	13	15	21	28	198

W. 8,000. X. 14.

Exd Lit

1720

FORM A.
BRITISH RAINFALL

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Broadstone

in the County of Dorset

by F. W. Beckford

3

Lat. 50 : 45 Long. 2

Time of Observation 9 . a . m .

Nearest Railway Station Broadstone

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·41	·22			·02				·48	·37		·34	1
2	·49	·27	·23	·04		·03		·35	·02	·27		·40	2
3	·42	·01	·15	·06	·15					·23	·01	·50	3
4	·											·52	4
5	·06	·62		·03				·25				·59	5
6	·72	·15		·47		·01	·53	·02			·01	·26	6
7	·14	·69	·01	·06			·21			·01		·51	7
8	·04	·67					·01	·06			·03	·09	8
9		·06		·15		·03					·44	·97	9
10	·31	·01	·05	·03						·02		·20	10
11	·04	·06	·01	·15				·03		·01	1·30	·01	11
12	·16	·58		·14	·53			·01		·10	·50		12
13	·01	·44			1·13				·11	·01	·09		13
14	·09	·01					·30		·04		·01	1·05	14
15	·10	·09			·14		·21	·07		·01	·09	·36	15
16		1·10		·01	·22		1·37	·02	·01		·01	·25	16
17		·41			·26			·11	·01			·01	17
18		·31			·03		·01	·02	·01		·01		18
19		·01			·18		·14						19
20	·26			·19	·18					·01		·06	20
21	·01	·48	·01	·01			·14		·03	·43		·24	21
22	·17	·19	·29	·10			·98		·02	·05		·30	22
23		·01	·11	·01			·10		·31	·75		·61	23
24				·06			·48		·60	1·91		·44	24
25			·01	·04		·02			·01			·24	25
26	·03	·15				·02	·15		·01	·		·99	26
27		·02				·07				·40	·01	·01	27
28		·05				·07	·01	·01	·52	·07	·01	·05	28
29						·37	·02	·02		·03	·30	·06	29
30	·20	✕				·03				·61	·83	·36	30
31		✕		✕		✕	·01	23	✕	1·39	✕	·44	31
Total	3·66	6·61	·87	1·55	2·84	·65	4·67	1·20	2·18	6·68	3·65	9·86	YEAR'S TOTAL 44·42
Rain Days.	18	24	9	16	10	9	16	13	14	19	15	27	190

W. 8,000. X. 15.

1689

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Broadstone

in the County of Dorset

by F. W. Beckford

Lat. 50 : 45 Long. 2 :

Time of Observation 9 a.m.

Nearest Railway Station Broadstone

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·04	·11	—	·70	·02	·01	—	·47	·20	·45	—	1
2	·38	·22	·05	—	·02	—	—	—	·01	·16	·14	—	2
3	·06	1·03	—	—	·01	—	—	—	—	·80	·31	—	3
4	·31	·05	—	—	·09	·25	·02	—	·21	·01	·66	·02	4
5	·06	·04	·03	—	·18	·29	—	—	—	·10	·61	—	5
6	·01	·08	·05	—	·04	·07	·40	—	—	·10	·94	—	6
7	·03	—	·48	—	·05	·10	·02	—	—	·02	·76	·13	7
8	—	·04	·01	—	·28	·04	·01	—	—	—	·05	·27	8
9	—	·01	—	—	·02	·58	·15	—	—	—	·02	·24	9
10	—	·72	·01	·06	·08	—	—	—	—	—	·04	·23	10
11	—	·01	·03	·11	—	·20	·09	—	—	—	—	·08	11
12	·03	·09	·05	·05	·15	—	—	·03	—	·07	·02	—	12
13	—	·22	·16	·03	—	—	—	—	—	·01	—	—	13
14	·01	·56	·01	·02	·06	—	—	—	—	·02	—	—	14
15	—	·22	·08	—	—	—	—	·02	—	·01	—	·01	15
16	·11	·04	·01	·17	—	—	·01	·54	—	·04	—	·10	16
17	·21	·19	—	·13	—	—	—	·10	·24	·70	·63	—	17
18	·09	·03	·14	·02	—	—	—	·06	·08	·05	·17	·14	18
19	·21	—	·49	·05	—	·01	—	—	·01	—	·17	·08	19
20	·28	·26	·57	·04	—	—	—	—	—	—	·08	1·50	20
21	·01	·28	·32	·01	·02	—	·05	—	—	—	·04	·29	21
22	·01	·01	—	—	·03	·01	·01	—	—	·39	·01	·64	22
23	·05	·10	—	—	—	·13	—	·11	—	·07	·35	·01	23
24	—	·04	—	·02	·44	—	—	·12	—	·34	·13	·49	24
25	—	·53	·16	—	—	—	—	·68	·02	·12	·10	·03	25
26	·02	·18	·03	—	—	·12	—	·11	·35	·68	·01	·01	26
27	—	·03	1·00	—	·01	·52	·20	·02	·72	·27	—	·02	27
28	—	·29	·02	·05	—	—	—	·15	·49	·32	·01	·30	28
29	—	·67	·03	—	—	·46	—	2·47	·55	·25	·02	·39	29
30	—	✕	·01	—	—	—	—	·01	—	·34	—	·01	30
31	—	✕	—	✕	—	✕	—	·08	✕	·44	✕	·03	31
Total	2·03	5·98	3·85	·76	2·18	2·80	·97	4·50	3·15	5·51	5·72	5·02	YEAR'S TOTAL 42·47
Rain Days.	18	27	23	13	16	14	11	14	11	24	23	22	216

W. 8,000, VIII. 16

Ansd 29th

1916

1659

TEL. NO. 7.

LYPIATT COTTAGE,
BROADSTONE,
DORSET.

Feb 28th

Dear Sir

I had ·53 of ~~rain~~ ~~water~~ melted snow in my Negretti & Zambra "British" guage on Saturday morning. The snow was about 6½ – 7in deep on the average. I should be much obliged if you would let me know if I am to record the melted snow & if it tallies with the depth of the snow in terms of rain.

Yrs faithfully
F. W. Beckford,

1617

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

4 JAN 1919

Kept at { Broadstone Jan – Oct
{ Charminster House Nov – Dec
in the County of Dorset
by F. W. Beckford

Lat. 50 : 45 Long. 2 :
Time of Observation 9 a.m.
Nearest Railway Station Broadstone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·11	·14	—	·08	—	1·09	·01	·01	·06	·02	1
2	—	—	·02	·70	—	—	—	·04	—	·04	·01	—	2
3	·05	—	—	·05	—	—	·43	·05	·01	·18	·58	—	3
4	—	·03	·50	—	—	—	·01	·01	·01	·21	—	—	4
5	·10	—	·10	·12	—	·10	—	·07	·19	·73	·09	—	5
6	·01	—	·32	—	—	—	—	·02	—	·10	·18	·02	6
7	·40	—	—	[illegible]	—	—	·19	·13	—	·29	·07	·10	7
8	·43	—	·26	·03	—	—	·49	·88	·06	·60	·24	·26	8
9	—	—	·08	·02	·02	—	·01	·01	·08	·03	·07		9
10	·15	—	·44	·30	·04	—	—	·38	·01	—	—		10
11	·05	—	·43	·25	·02	—	—	—	·03	·28	·07		11
12	·02	—	·05	·01	·18	—	—	·06	—	·16	·01		12
13	—	—	·20	·01	—	—	—	·21	·02	·03	—		13
14	—	—	·04	·04	—	—	—	·07	—	—	—	·01	14
15	—	[illegible]	—	—	—	—	·01	·24	·01	·24	—	·32	15
16	·01	·18	—	·16	·03	—	—	—	—	1·75	—	·52	16
17	—	·02	—	·12	·02	·13	·33	·24	·54	·18	—	·01	17
18	—	·10	—	—	·01	·40	·10	—	·50	·03	—	—	18
19	—	·38	·09	—	—	—	—	—	·32	—	—	—	19
20	·01	·06	·12	—	·39	·04	—	—	·03	—	—	·02	20
21	—	—	·23	—	·01	·01	—	—	·01	·06	—	—	21
22	·12	—	·10	—	·01	·01	—	·04	—	·13	—	—	22
23	—	·19	·01	—	·03	—	—	·32	—	·03	—	·01	23
24	—	·25	—	—	—	·05	·12	·01	—	·23	·09	—	24
25	—	·09	·03	—	—	—	·03	·02	·03	·04	—	—	25
26	—	·01	·01	—	·66	·02	—	·60	·08	·01	·03	—	26
27	—	—	—	—	1·42	·14	—	1·13	—	·01	—	·02	27
28	—	·07	·08	—	·22	·82	—	·22	—	(68)	—	·04	28
29	—		·02	—	·10	·12	·10	·01	—		—	·12	29
30	—	X	·20	—	—	—	·70	·23	·02		—	—	30
31	—	X	·03	X	—	X	·06	·11	X		X	·02	31
Total	1·35 ✓	1·[illegible] ✓	3·47 ✓	1·95 ✓	3·16 ✓	1·92 ✓	2·58 ✓	6·19 ✓	1·96 ~~1·96~~	(5·45)	1·50 ✓	1·49 ✓	YEAR'S TOTAL
Rain Days.	11 ✓	11 ✓	23 ✓	13 ✓	15 ✓	12 ✓	13 ✓	25	18 ✓		12	14 ✓	

1st Nov onwards Charminster House Dorchester. 216 ft

W. 8,000, IX. 17.

BROADSTONE HOUSE

DORSET

1916 —— 1920

FORM A. BRITISH RAINFALL.

20. APR. 1916

9 JAN 1917

Kept at Broadst… ng. 2: … 9 a.m -

in the County of … on Broadstone (2 mile)

Rain Gauge …in.

by M. Y. Schu… e above Ground 1 ft. … in.

„ Sea Level About 220 ft.

IMPORTANT … and the result entered to the previous day. If … universal rule, he is earnestly requested to add th… year in the space provided for it at the end … surement of rain, the selection and p… British Rainfall Organization are gi… on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0	·74	–	–	0	0	0	·43	0	·62	0	1
2		0	·11	–	·75	0	0	0	0	·15	·32	0	2
3		0	·2	–	·3	0	0	0	0	·18	·18	0	3
4	Observations not taken	·3	·0	–	–	0	0	0	0	·66	·30	0	4
5		·62	·0	–	·6	·30	0	0	·20	·0	·98	0	5
6		·5	·4	–	·13	·28	0	·0	0	·10	·36	0	6
7		·6	·3	–	·4	·5	·40	0	0	·8	·80	0	7
8		·0	·43	–	·5	·6	0	0	0	·0	·78	·14	8
9		·5	·10	–	·21	·0	0	0	0	·0	·5	·29	9
10		·0	·0	–	·4	·50	0	0	0	·0	·0	·30	10
11		·63	·0	–	·5	·0	·22	0	0	·0	·4	·10	11
12		·0	·5	·8	–	·20	·0	0	0	·0	·0	·8	12
13		·8	·6	·4	·12	·0	·8	0	0	·0	·0	·0	13
14		·18	·18	–	–	0	0	0	0	·10	·0	·0	14
15		·40	·0	–	·5	0	0	0	0	·0	·0	·0	15
16		·20	·8	–	·0	0	0	0	0	·4	·65	·0	16
17		·5	·0	·15	–	0	0	·49	0	·60	·0	·10	17
18		·14	·0	·12	–	0	0	·85	·20	·0	·15	·0	18
19		·4	·7	–	–	0	0	·12	·13	·4	·6	·15	19
20		·0	·60	–	–	0	0	0	0	·0	·18	·5	20
21		·30	·48	·2	–	0	0	0	0	·0	·10	1·48	21
22		·28	·55	–	–	0	0	0	0	·0	·0	·35	22
23		·0	·0	–	–	0	0	0	0	·40	·0	·68	23
24		·0	·0	–	–	·10	0	·8	0	·0	·25	·0	24
25		·15	·0	·5	·43	0	0	·0	0	·45	·8	·50	25
26		·17	·13	–	–	0	0	·75	0	·14	·7	·0	26
27		·33	·3	–	–	·13	0	0	·28	·61	·0	·0	27
28		·0	·84	–	–	·50	·11	·10	·70	·22	·0	·0	28
29		·30	·3	·8	–	·0	0	·4	·43	·20	·4	·29	29
30		✕	0	–	–	·43	0	·170	·50	·28	·0	·38	30
31		✕	0	✕	–	✕	0	·8	✕	·30	✕	·0	31
Total	(2·00)	·74 ~~4·06~~	– ~~4·54~~	– ·54	– 1·96	– 2·55	– ·81	·43 ~~4·21~~	– ~~2·87~~	·62 ~~4·55~~	– ~~6·01~~	(–) 4·89	YEAR'S TOTAL (39·02)
Rain Days.	…	4·80 19	3·83 19	7	12	10	4	4·64 9	2·44 8	5·17 17	5·39 19	14	…

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
20 APR 1916
9 JAN 1917

1

Kept at Broadstone House
in the County of Dorset
by M. Y. Schuster

Lat. 50° 45 Long. 2°
Time of Observation 9 a.m.
Nearest Railway Station Broadstone (2 mile)
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground 1 ft. ______ in.
" " " " Sea Level About 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·	-74	-	-	0	0	0	-43	0	-62	0	1
2		0·	-11	-	-75	0	0	0	0	-15	-32	0	2
3		0	·2	-	·3	0	0	0	0	-18	-18	0	3
4	Observations not taken	·3	·0	-	-	0	0	0	0	-66	-30	0	4
5		·62	·0	-	-6	·30	0	6	-20	·0	-98	0	5
6		·5	·4	-	-13	·28	0	0	0	-10	-36	0	6
7		·6	·3	-	·4	·5	-40	0	0	-8	-80	0	7
8		·0	·43	-	·5	·6	0	0	0	·0	-78	-14	8
9		·5	·10	-	·21	·0	0	0	0	-0	-5	·29	9
10		·0	·0	-	-4	-50	0	0	0	-0	-0	·30	10
11		·63	-0	-	-5	-0	-22	0	0	-0	-4	·10	11
12		·0	·5	-8	-	·20	-0	0	0	-0	-0	·8	12
13		·8	·6	-4	·12	0	-8	0	0	·0	-0	·0	13
14		·18	-18	-	-	0	0	0	0	-10	-0	·0	14
15		·40	-0	-	-5	0	0	0	0	-0	-0	·0	15
16		·20	-8	-	-0	0	0	0	0	-4	-65	-0	16
17		·5	·0	-15	-	0	0	-49	6	·60	-0	-10	17
18		·14	·0	-12	-	0	0	-85	-20	-0	-15	·0	18
19		·4	·7	-	-	0	0	·12	-13	-4	-6	-15	19
20		·0	·60	-	-	0	0	0	0	-0	-18	·5	20
21		·30	-48	-2	-	0	0	0	0	-0	-10	1·48	21
22		·28	·55	-	-	0	0	0	0	-0	-0	·35	22
23		-0	·0	-	-	0	0	0	0	-40	-0	·68	23
24		·0	-0	-	-	-10	0	-8	0	-0	-25	·0	24
25		·15	-0	-5	-43	0	0	-0	0	-45	-8	-50	25
26		·17	·13	-	-	0	0	-75	0	-14	-7	-0	26
27		·33	·3	-	-	-13	0	0	-28	-61	-0	·0	27
28		-0	·84	-	-	-50	-11	-10	-70	-22	-0	·0	28
29		-30	·3	-8	-	-0	0	-4	-43	-20	-4	·29	29
30		X	0	-	-	-43	0	-170	-50	-28	-0	·38	30
31		X	·0	X	-	X	0	-8	X	-30	X	·0	31
Total	(2·00)	·74 ~~4·06~~	– ~~4·54~~ ✓	– ·54	1·96	– 2·55	– ·81 ✓	·43 ~~4·21~~ ✓	– ~~2·87~~	·62 ~~4·55~~ ✓	– ~~6·01~~ ✓	(–) 4·89	YEAR'S TOTAL (39·02)
Rain Days.	...	4·80 19 ✓	3·83 19 ✓	7 ✓	12 ✓	10 ✓	4 ✓	4·64 ✓ 9 ✓	2·44 8 ✓	5·17 17 ✓	5·39 19 ✓	✓ 14 ✓	...

W. 8,000. X. 15.

P. made J

cnd pr aulti of WD Feb est.

1618

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

18. JAN 1918

Kept at Broadstone House, Broadstone

in the County of Dorset

by E. Goringe (gardener) for Mr. J. Schuster

Lat. 50·45 Long. 2·

Time of Observation 9. am

Nearest Railway Station Broadstone

Diameter of Funnel of Rain Gauge 6 inches in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level about 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1918
· 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0		0	0	0	0	0	·18	·10	0	·25	0	1
2	0		·12	·15	0	·8	0	·90	0	0	0	0	2
3	0		0	·70	0	0	0	1·10	0	0	0	0	3
4	·8	No observation owing to the illness of Gardener.	0	·14	0	0	·40	·5	0	·30	·28	0	4
5	0		·48	0	0	0	0	·8	0	0	0	0	5
6	·9		0	·10	0	0	0	·10	·20	·5	·11	0	6
7	0		·30	0	0	0	0	0	0	·23	·10	0	7
8	·38		0	0	0	0	·14	0	0	·48	0	·14	8
9	·41		·32	0	0	0	·80	95	0	0	·21	·20	9
10	0		·4	0	0	0	0	·40	0	·28	·6	0	10
11	·12		·46	0	0	0	0	·5	0	·13	0	0	11
12	·4		·34	0	0	0	0	25	·10	0	0	0	12
13	0		[illegible]	0	0	0	0	0	0	0	0	0	13
14	0		·1	0	0	0	0	·8	0	0	0	0	14
15	0		0	0	0	0	0	·14	0	0	0	·62	15
16	0		0	0	0	0	0	0	0	·20	0	·25	16
17	0		0	0	0	0	0	0	0	1·40	0	0	17
18	0		0	·15	0	0	·30	·21	0	·15	0	0	18
19	0		0	·10	0	56	·10	0	·60	0	0	0	19
20	0		·10	0	0	0	0	0	·44	·20	0	0	20
21	0		·4	0	·42	0	0	0	·30	·8	0	0	21
22	0		·20	0	0	0	0	0	0	12	0	0	22
23	0		·10	0	0	0	0	0	0	0	0	0	23
24	0		0	0	0	0	·12	·30	0	·22	0	0	24
25	0		0	0	0	·10	0	0	0	0	0	0	25
26	0		·4	0	0	0	0	0	0	0	0	0	26
27	0		0	0	0	0	0	·67	·10	0	0	0	27
28	0		0	0	·48	·12	0	1·03	0	0	0	0	28
29	0		·10	0	*1·40	·80	0	·22	0	·68	0	0	29
30	0	✕	0	0	42	·15	·10	0	0	0	0	·25	30
31	0	✕	·21	✕	0	✕	70	0	✕	0	✕	0	31
							·18	·10		·25			YEAR'S TOTAL
Total	3·02	(1·25)	3·06	1·34	2·72	2·83	2·66	8·05	1·84	4·59	1·55	1·46	28·50
	1·12	(1·25)	3·06	1·34	2·72	1·81	2·84	5·63	1·74	4·77	·76	1·46	(28·50)
Rain Days.	6	(10)	15	6	4	6	8	17	7	14	6	5	94

W. 8,000. X. 15.

cnt for amt for W.P. ~~Jas~~ JL

36

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Broadstone House Broadstone

in the County of Dorset

by E. Goringe gardener for Mr W. P. Schuster

Lat. 50·45 Long. 2

Time of Observation 9 a.m

Nearest Railway Station Broadstone Junction

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~ft.~~ 8 in.

" " " " Sea Level about 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0 -

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	0 -	0 ·										~~0·1~~	
1	0 -	0 -	0 -	0·37	0 -	0 -	0 -	0 -	0 -	0 -	0·12	0 -	1
2	0 -	0 ·	0 -	0 -	0 ·	0 -	0 -	0·90	0 -	0 -	0·60	0	2
3	0 -	0·30	0 -	0 -	0·5	0 -	0 -	0·28	0 -	0 -	0·25	0·35	3
4	0	0·10	0	0 -	·30	0 -	0 -	0·10	0 -	0 -	0·10	0 -	4
5	0 ·	0 -	0 -	0 -	0·44	0 -	0 -	0 -	0·5	0 -	0·98	0·15	5
6	0·3	0·10	0·25	0·20	0 ·	0 -	0 ·	0·44	0·40	0 -	0 ·	0 -	6
7	0·72	0·14	0 -	0 -	0·30	0 ·	0 ·	0 -	0·4	0·30	0 ·	0·7	7
8	0 -	0·22	0 ·	0 -	0 -	0 -	0 ·	0 -	0·18	0·8	0·30	0·15	8
9	0 -	0 -	0 ·	0 ·	0 -	0 -	0 -	0 -	0·5	0·10	0 -	0·10	9
10	0·10	0 -	0 -	0·26	0 ·	0 -	0·22	0 -	0·53	0·25	0 -	0·40	10
11	0·11	0 ·	0 -	0·18	0 ·	0 ·	0·50	0 -	0·36	0·5	0 -	0·42	11
12	0·12	0 ·	0 -	0 ·	0 -	0 -	0·13	0 -	0 -	0·38	0 ·	0 -	12
13	0·13	0·10	0 -	0 ·	0·40	0 -	0·48	0 ·	0·8	0·8	0 ·	0·3	13
14	0·14	0 ·	0 ·	0 ·	·5	0 ·	0 -	0 -	0·30	0·9	0 ·	0·14	14
15	0·15	0 ·	0 -	0 -	0	0·15	0·16	0 -	0·40	0·28	0 ·	0 ·	15
16	1·48	0 ·	0 ·	0·48	0 ·	0 -	0 ·	0 -	0 -	0 -	0 ·	0·28	16
17	0·42	0 -	0 -	0·10	0 -	0·8	0 -	0 ·	0·36	0 -	0 ·	0 -	17
18	0·16	0	0 -	0·28	0 -	0 -	0·80	0 -	0·4	0 ·	0 ·	0·30	18
19	0·70	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0·34	0·10	0 -	0·20	19
20	0·10	0 -	0·18	0 ·	0 -	0·60	0·45	0 -	0 -	0 -	0 ·	0 -	20
21	0 -	0·15	0 -	·29	0 -	0 -	0 -	0 -	0·48	0·10	0 ·	0 -	21
22	0·28	0 -	0 -	0 -	0 -	0 -	0 ·	0 -	0·70	0·20	0 ·	0·21	22
23	0·10	0	0·8	0 ·	0·10	0 -	0·50	0 -	0·28	0 -	0 -	0·20	23
24	0·18	0 -	0 -	0 -	0·5	0 -	0·35	0 ·	0·4	0 -	0 ·	0·2	24
25	0 -	0·32	0 -	0 -	0 -	0 -	0 -	0 -	0·18	0 -	0·30	0 -	25
26	0 -	0·26	0 -	0 -	0 -	0	0·24	0 ·	0 -	0 -	0 -	0 -	26
27	0 -	0 -	0 -	0 -	0 -	0 -	0 ·	0·50	0 -	0·4	0·15	0·33	27
28	0 -	0·20	0 -	0 -	0 -	0 -	0 -	0 -	0·25	0 -	0·12	0 -	28
29	0 -		0·25	0 -	0 -	0 -	0 -	0·10	0 -	0 ·	0·4	0·4	29
30	0 -	✕	0·8	0 -	0 -	0 -	0 -	0 -	1·58	0 ·	0 -	0 -	30
31	0 -	✕	0·50	✕	0 ·	✕	0 -	0 -	✕	0·5	✕	0 ·	31
Total	~~5·11~~ 4·84	1·89	~~2·78~~ 2·37 1·34	~~2·76~~	~~3·04~~ 1·69	~~1·55~~ ·83	3·83	2·32	~~8·34~~ 6·64	~~5·67~~ 2·10	~~3·32~~ 2·96	~~4·73~~ 3·39	YEAR'S TOTAL ~~44·68~~ 33·99
Rain Days.	~~16~~	10	6	8	8	3	10	6	20	14	10	17	128

1·71 1·79

2·22 2·84

W. 6,500, VII. 18. W W C

[illegible] [illegible] W. [illegible] [illegible]

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Broadstone

in the County of Dorset

by M. Helena Schuster

Lat 50: 45 N Long 2° W

Time of Observation 9 a.m

Nearest Railway Station Broadstone

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

„ „ „ „ Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	45		10	0	0	0	0	0	22	08	0	120	1
2	28		0	0	05	0	0	0	22	0	0	0	2
3	102		47	0	0	0	0	0	53	0	0	18	3
4	0		34	0	0	0	0	6	14	0	5	06	4
5	48		49	0	0	0	0	0	0	0	10	20	5
6	20		42	0	10	0	0	0	0	0	0	10	6
7	26		10	0	17	0	0	0	0	0	0	0	7
8	22		40	04	0	0	0	0	0	0	40	0	8
9	21		0	28	0	0	0	0	0	0	0	10	9
10	18		32	08	0	0	0	0	0	·05	0	25	10
11	14		16	18	18	0	0	0	0	0	0	0	11
12	10		0	0	0	0	03	0	0	·08	0	0	12
13	18		08	30	0	0	0	0	0	0	0	21	13
14	20		16	33	0	0	04	0	15	0	0	48	14
15	40		0	0	0	0	0	0	0	0	0	0	15
16	0		0	0	0	0	0	0	0	0	·18	0	16
17	06		0	0	0	0	0	0	0	0	10	0	17
18	0		90	0	0	0	0	0	0	0	20	0	18
19	38		42	0	0	0	125	30	04	0	0	0	19
20	52		10	0	0	50	0	25	0	0	0	10	20
21	30		0	0	0	0	0	0	0	0	0	0	21
22	9		0	0	0	0	15	0	41	0	0	12	22
23	06		0	0	0	0	0	0	0	14	11	0	23
24	0		0	0	0	20	48	0	0	86	10	23	24
25	0		0	0	0	08	0	04	0	0	0	15	25
26	10		10	0	0	0	0	38	0	0	·08	32	26
27	12		0	42	0	0	0	132	10	0	0	0	27
28	0		48	0	0	0	0	10	0	0	52	48	28
29	0		0	0	0	0	0	13	0	·05	0	8	29
30	0	✕	0	10	0	0	51	22		0	52	70	30
31	0	✕	0	✕	05	✕	0	0	✕	0	✕		31
Total	~~9·86~~ 5·86	(3·75) record	~~4·94~~ 5·04	1·73	~~0·55~~ ·49	0·78	2·26	2·74	1·81	1·26	2·36	~~5·06~~ 4·96	Year's Total 33·04 imp
Days with ·01 in. or more	21	...	16	8	5	3	6	8	8	6	11	17	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1436

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

22 JAN 1921

Kept at Broadstone

in the County of Dorset

by Mrs. M. T. Schuster

Lat. 50° 45' N Long. 2° W.

Time of Observation 9 am

Nearest Railway Station Broadstone

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·48

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	·00	·00		·00	·00	·00	·00	·00	·25	·29	·38	1
2	·05	·00	·00		·22	·00	·00	·00	·00	·24	·22	·52	2
3	·22	·00	·00		·00	·00	·59	·30	·18	·10	·21	·16	3
4	·00	·05	·00		·00	·00	·21	·00	·00	·42	·00	·00	4
5	·00	·00	·00		·00	·00	1·16	·40	·00	·20	·00	·00	5
6	·00	·00	·30		·00	·00	·14	·28	·00	·18	·00	·00	6
7	·00	·00	·10		·24	·00	·42	·00	·00	·00	·00	·00	7
8	·00	·00	·00		·12	·00	·30	·00	·00	·10	·00	·00	8
9	·10	·08	·00		·00	·00	·25	·00	·00	·00	·00	·00	9
10	·50	·00	·00		·00	·00	·62	·00	·00	·00	·00	·00	10
11	·70	·06	·12		·20	·48	·00	·00	·00	·00	·00	·00	11
12	·20	·00	·10		·00	·00	·48	·00	·00	·00	·00	·00	12
13	·25	·00	·00		·00	·54	·22	·00	·00	·00	·00	·00	13
14	·22	·00	·40		·00	·00	·00	·00	·00	·00	·04	·00	14
15	·06	·10	·30		·00	·00	·00	·00	·00	·35	·48	·04	15
16	·00	·00	·00		·00	·42	·00	·00	·30	·65	·15	·00	16
17	·00	·00	·00		·00	·00	·08	·00	·20	·00	·00	·00	17
18	·08	·06	·00		·40	·00	·00	·00	·44	·00	·00	·00	18
19	·04	·05	·00		·11	·10	·00	·45	·12	·00	·00	·00	19
20	·02	·20	·00		·00	·04	·00	·00	·00	·00	·00	·00	20
21	·01	·21	·00		·00	·80	·50	·00	·00	·00	·00	·40	21
22	·06	·22	·00		·00	·00	·00	·00	·00	·00	·00	·38	22
23	·00	·00	·00		·00	·00	·00	·00	·00	·00	·00	·50	23
24	·01	·00	·00		·00	·00	·30	·00	·00	·00	·00	·10	24
25	·00	·00	·00		·11	·00	·00	·00	·00	·00	·08	·00	25
26	·02	·00	·20		·00	·00	·50	·00	·00	·00	·10	·13	26
27	·10	·00	·05		·00	·00	·00	·00	·00	·00	·00	·22	27
28	·48	·00	·00		·10	·04	·10	·00	·00	·00	·00	·00	28
29	·50	·00	·06		·00	·00	·12	·00	·00	·00	·00	·48	29
30	·58		·14		·00	·00	·00	·00	·00	·00	·28	·00	30
31	·10		·00		·00		·10	·00		·00		·00	31
TOTAL	4·72	1·03	1·77	(3·00)	1·50	2·42	6·09	1·43	1·24	2·49	1·85	3·31	YEAR'S TOTAL (30·85) ~~27·85~~
Days with ·01 in. or more	22	9	10	-	8	7	17	4	5	9	9	11	~~111~~
Days with ·04 in. or more	~~17~~ 18	9	10	(18)	8	7	17	4	5	9	9	11	106

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DORSET.

BROADSTONE,
"DUNYEATS"
1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REC … 1911

Kept at "Dunyeats", Bro…

in the County of —

by J. E. James.

…f top 5 in.
…op above Ground 1 ft. 2 in.
„ Sea Level 140 ft.
… 9 a.m.
…ation { Name Broadstone Jn.
Distance 1 m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	03		02	02				01			02	·15	1
2				·33	·30			03			·14	·31	2
3				01	·17			01			·12	·47 }	3
4	02		08	02					03	·11	·16		4
5	01			02				07		·64	·13		5
6	48		09	01						09	·11	·89	6
7											·27		7
8			·20							01	·20	·71	8
9	09										03	·38	9
10	04	05	·39		·15							·32	10
11	46	02	02								1·22	01	11
12	01		·94		02				01		04	·19	12
13			01						·35			·37	13
14		·11							01			·30	14
15		03	02			02					·21	04	15
16			02			·31					·47	·28	16
17		01	07			·14					·69	·50	17
18		09	·10	07		·30				05	·11	·55	18
19	01	·20		02		·17			·32	·22	01	1·17 }	19
20	03	02	·23	01		01		·19	08	05			20
21	04	·30	·12			01				·77		·12	21
22	19	} ·15	03			·18				·29		·47	22
23	01					·15			·15	·37	09		23
24	02	·15				·32		·20	01	·55	01	·65	24
25	02	03		08		06		01	04	05		09	25
26		02		·29		01		02		·37		·33	26
27		·57	07	·87					08	·79	·14	·20	27
28		·15		·51				·18			·08		28
29				·48	02	·22	·24	01	18	·32	02		29
30						03	01	·69		·29	03		30
31												02	31
Total	1·46	1·90	2·41	1·94	·66	1·93	·25	1·42	1·26	4·97	4·30	8·52	TOTAL for year
No. of Rain Days.	15	16	16	14	5	14	2	11	11	16	22	25	31·02

167

. 8,000, X. '11.

REC[redacted]1911

FORM A2. BRITISH RAINFALL. 8 - JAN 1912

Kept at "Dunyeats," Broadstone, nr. Wimborne
in the County of Dorset. 3
by J. E. James.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 140 ft.
Time of Observation 9 a.m.
Nearest Railway Station: Name Broadstone Jn.
Distance 1 m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	03		02	02				01			02	·15	1
2				·33	·30			03			·14	·31	2
3				01	·17			01			·12	·47 }	3
4	02		08	02					03	·11	·16		4
5	01			02				07		·64	·13		5
6	48		09	01						09	·11	·89	6
7											·27		7
8			·20							01	·20	·71	8
9	09										03	·38	9
10	04	05	·39		·15							·32	10
11	46	02	02								1·22	01	11
12	01		·94		02				01		04	·19	12
13			01						·35			·37	13
14		·11							01			·30	14
15		03	02			02					·21	04	15
16			02			·31					·47	·28	16
17		01	07			·14					·69	·50	17
18		09	·10	07		·30				05	·11	·55	18
19	01	·20		02		·17			·32	·22	01	1·17 }	19
20	03	02	·23	01		01		·19	08	05			20
21	04	·30	·12			01				·77		·12	21
22	19	} ·15	03			·18				·29		·47	22
23	01					·15			·15	·37	09		23
24	02	·15				·32		·20	01	·55	01	·65	24
25	02	03		08		06		01	04	05		09	25
26		02		·29		01		02		·37		·33	26
27		·57	07	·87					08	·79	·14	·20	27
28		·15		·51				·18			·08		28
29				·48	02	·22	·24	01	18	·32	02		29
30						03	01	·69		·29	03		30
31												02	31
Total	1·46	1·90	2·41	1·94	·66	1·93	·25	1·42	1·26	4·97	4·30	8·52	TOTAL for year
No. of Rain Days.	15	16	16	14	5	14	2	11	11	16	22	25	31·02 N67

. 8,000, X. '11.

BROADWINSOR

BLACKDOWN HOUSE

DORSET

1911 —— 1920

FORM A2.
BRITISH RAINFALL.

2 - FEB 1912

Kept at Black

in the County of

by C. E. M

d.

owdow

5 in.

ve Ground ft. 9 in.

Sea Level 515 ft.

A.M.

Name Chard Junction.

Distance 4½ m. Direction North West

IMPORTANT N

d the result entered to the

previous day. If an

iversal rule, he is earnestly

requested to add the

ear in the space provided

for it at the end of

ment of rain,

the selection and pla

ritish Rainfall

Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01	·01	·21	·01			·01			·01	·04	1
2	·01			·12	·52			·26		·11	·23	·65	2
3		·01	·02		·22						·09	·16	3
4		·02	·08	·01	·02			·01	·04	·01	·13	·45	4
5	·19		·08		·05			·16		·08	·15		5
6	·59		·16					·01			·11	1·20	6
7	·08										·47	·05	7
8	·01		·24								·07	·89	8
9	·04										·22	·71	9
10	·11	·07	·80		·31						·02	·35	10
11	·56	—	}1·04		·04						1·08	·03	11
12								·03	·02	·01	·08	·24	12
13			·03						·22	·07	·05	·36	13
14		·03								·02	·01	1·17	14
15		·01	·04			·04					·48	·04	15
16	·01	·0.5	·01			·64				·01	·69	·70	16
17		·04	·06			·17				·13	·18	·70	17
18		·19	·05	·28	·04	·06				·06	·04	·50	18
19	·01	·04		·04		·06			[illegible]	·34	·05	·55	19
20	·05	·06	·20	·04		·01			·06	·16		·56	20
21	·02	·15	·02	·04		·04			·08	·70		·11	21
22	·26	·06	·02			·04			·24	·43		·65	22
23	·01	·21	·05			·23			16 ·16	·26	·03	·72	23
24		·18				·44		·16	·02	·31		·22	24
25	·01	·09		·15		·14			·08	·10		·14	25
26	·01	·14		·40	·37			·03		·27	·04	·28	26
27		}·57	·12	·04	·08			·04	·08	·59	·04	·10	27
28				·42				·13		·01	·04		28
29				·73		·19	·16		·15	·40			29
30			·01			·06				·26	·55	·03	30
31			·07				·01			·01			31
Total	1·97	1·93	3·11	2·48	1·66	2·12	·17	·84	1·70	4·34	4·86	11·60	TOTAL for year 36·78
No. of Rain Days	16	19	21	12	10	13	2	10	12	22	24	27	188

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911.

FORM A2. BRITISH RAINFALL.
2 - FEB 1912

Kept at Blackdown House
in the County of Dorset 2
by C. E. M. Pinney.

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 515 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Chard Junction.
Distance 4½ m. Direction North West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01	·01	·21	·01			·01			·01	·04	1
2	·01			·12	·52			·26		·11	·23	·65	2
3		·01	·02		·22						·09	·16	3
4		·02	·08	·01	·02			·01	·04	·01	·13	·45	4
5	·19		·08		·05			·16		·08	·15		5
6	·59		·16					·01			·11	1·20	6
7	·08										·47	·05	7
8	·01		·24								·07	·89	8
9	·04										·22	·71	9
10	·11	·07	·80		·31						·02	·35	10
11	·56		1·04		·04						1·08	·03	11
12								·03	·02	·01	·08	·24	12
13			·03						·22	·07	·05	·36	13
14		·03								·02	·01	1·17	14
15		·01	·04			·04					·48	·04	15
16	·01	·05	·01			·64				·01	·69	·70	16
17		·04	·06			·17				·13	·18	·70	17
18		·19	·05	·28	·04	·06				·06	·04	·50	18
19	·01	·04		·04		·06			·55	·34	·05	·55	19
20	·05	·06	·20	·04		·01			·06	·16		·56	20
21	·02	·15	·02	·04		·04			·08	·70		·11	21
22	·26	·06	·02			·04			·24	·43		·65	22
23	·01	·21	·05			·23			·16	·26	·03	·72	23
24		·18				·44		·16	·02	·31		·22	24
25	·01	·09		·15		·14			·08	·10		·14	25
26	·01	·14		·40	·37			·03		·27	·04	·28	26
27		·57	·12	·04	·08			·04	·08	·59	·04	·10	27
28				·42				·13		·01	·04		28
29				·73		·19	·16		·15	·40			29
30			·01			·06				·26	·55	·03	30
31			·07				·01			·01			31
Total	1·97	1·93	3·11	2·48	1·66	2·12	·17	·84	1·70	4·34	4·86	11·60	TOTAL for year 36·78
No. of Rain Days	16	19	21	12	10	13	2	10	12	22	24	27	188

9,000, IX. '10.

[illegible] 3.11.13 W DL

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Blackdown House

in the County of Dorset. 2

by C. E. M. Pinney

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 515 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Chard Junction
Distance 4½ m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·24			·47			·08	·88		·41	1
2			·42	·02		·02	·11	·02		·03		·08	2
3			·28			·41	·13	·97	·02		·01	·08	3
4	·14		1·35			·16		·09	·01		·24		4
5	·82	·34	·26		·04	·14		1·11			·01	·56	5
6	·58	·11	·08		·16	·09	·32	·69				·07	6
7	·04	·65	·21	·01	·20	1·02		·17				·50	7
8	·71	·33	·87	·04		·10	·01	·06	·01			·04	8
9	·08	·09	·18	·07		·16	·08	·10				·41	9
10	·05	·17	·01				·05	·09			·01	·36	10
11	·07	·05				·12	·02	·02		·01	·06	·66	11
12	·03	·43	·15	·04			·05	·31		·01	·01	·02	12
13	·01	·01	·02				·01				·04	·11	13
14	·26	·01	·48		·55			·05				·08	14
15	·48	·36		·02	·19	·68		·02				·22	15
16	1·08	·05	·69		·07	·03		·20		·10	·06	·01	16
17	·64	·01	·23		·03	·10		1·72		·01		·01	17
18	·08	·05	·30					·33		·01	·04	·08	18
19	·02	·04	·14			·10	·17	·46			·01	·03	19
20	·11	·08	·52		·11		·02	·54		·33	·02		20
21		·32	·31		·89			·20		·12			21
22	·56	·58	·13		·10		·08	·06		·14	·02	·14	22
23	·28	·44	·26					·58		·09	·12	·27	23
24	·16	·11	·02			·77		·08				·38	24
25	·13	·03				·14		·33		{·70	·23	·54	25
26		·04					·03	·28			·60	·35	26
27	·01	·02	·02			·78	·63			1·68	·01	·47	27
28		·10				·13	·03	·77	·25	·83	·64	·75	28
29		·23				·01	·18	·14	·88	·39	·02	·04	29
30					·02	·17	·17		·29	·27	[illegible]		30
31			·36				·50			·04		·25	31
Total	6·34	4·66	7·53 7·53	·20	2·36	5·60	2·59	9·39 9·39	1·54	5·64	2·15	6·84	TOTAL for year 54·84 54·84
No. of Rain Days.	22	26	24	6	11	20	18	26	7	18	18	26	222

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

7 - JAN 1914

Kept at Blackdown House
in the County of Dorset.
by C. E. M. Pinney

Lat. 50°49'15" Long. 2°51'W
Time of Observation 9 A.M.
Nearest Railway Station Chard Junction
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·27	·35	·08	·12				·18	·03	·30	·02	1
2	·04	·08	·02	·09	·12		·04		·03	·20	·16	·03	2
3	·36		·07	·08	·29				·06			·26	3
4	1·82		·07	·01	·42	·05			·06	·38	·15	·09	4
5	·12	·08	·05		·20	·08			·81		·18	·16	5
6	·10	·11	·11		·12	·18	·07			2·39	·05	·36	6
7	·04	·57	·06		·74	·05	·07			·57	·46		7
8	·03	·14	·01		1·30	·02	·01	·04				·01	8
9		·06		·02	·08	·08	·23	·06	·03	·02	·51	·02	9
10	·45	·02	·03		·01	·03		·03		·33	·19		10
11	·86	·02		·14	·24	·02				·11	·58	·03	11
12	·01	·01			·44				·05	·01	·26	·01	12
13	·14	·01	·02					·14	·58		·12		13
14	·32	·01	·10	·07					·20	·01	·02		14
15	·32	·03	·42	·54				·02	·28		·06	·01	15
16	·12		·43	·06		·02		·03	·09				16
17	·03		·03	·02									17
18	·04		·77	·15							·05	·01	18
19	·70		·13		·04	·07	·01		·59	·01		·01	19
20	·13		·20	·31					·01	·31	·32	·01	20
21			·16	·42	·06			·02		·09	·70		21
22	·54		·39	·06	·01	·12	·02	·04	·15	·04		·11	22
23	·02					·05		·01	·01	·01	·20	·63	23
24	·01	·03	·01	·11						·01			24
25		·04		·16					·01			·05	25
26		·01		·78				·16				·13	26
27	·11		·25	·69						·08			27
28	·41		·09	·45						·46	·01	·02	28
29	·15		·64	·39	·02			·09		·21		·08	29
30	·60			·07	·03			·01		1·10			30
31	·11		·06				·33	1·10		·14			31
Total	7·59	1·49	4·47	4·70	3·24	·77	·78	1·75	3·14	6·51	4·32	2·05	YEAR'S TOTAL 40·81
Rain Days.	27	16	[illegible] 25	21	17	12	8	13	16	21	18	20	214

W. 7,500, XI. 12

card for auth 23.III.15

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

23 FEB 1

Kept at Blackdown House,
in the County of Dorset 2 W
by C. E. M. Pinney.

Lat. 50° 49' 15" Long. 2° 51' W.
Time of Observation 9 a.m.
Nearest Railway Station Chard Junction
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·14			·01	·08	·53			·10	·10	1
2				·02	·17	·03	·63	·25			1·14	·52	2
3		·01	·11	·17	·84		·33	·16			·20	·05	3
4	·11		·05	·42	·07			·27			·74	·67	4
5	·05	·01	·12	·26	·20		·08				·18	·04	5
6		·38	·03	·11	·07		·03				·01	·64	6
7	·01	1·16	·07	·07	·08	·03	·19	·16			·01	·33	7
8	·04	·02	·55	·07	·15	·13	·01	·14	7th ·07			·05	8
9	·03	·02	·45	·54	·07	1·00		·22	8th ·03				9
10	·13	·69	·03	·15	·03	·04			9th 1·05			·03	10
11		·22	·55		·08	·13	·12		10th ·34 ·01		·02	·78	11
12		·14	·13	·01					·22	·06		·84	12
13		·70	·46				·07		~~·08~~	·18	·31	·58	13
14		·45	·35			·49	·05	·68	·04	·30	·70	·12	14
15	·03	·01	·23				·09	·19	·03	·06	·15		15
16			·01						·72				16
17	·01	·73	·27								·01	·97	17
18		·04	·05				·59		·07			·37	18
19		·10	·53				2·51		·07		·08	·05	19
20		·65	·15							·01		·71	20
21		·79	·02			·34				·28		·02	21
22		·10			·20	·03	·05	·03		·43			22
23		·07	·41		·11					·62	·01	·01	23
24	·01	·17	·13				·05			·33	·07		24
25	·06	·01	·31				·08	·86	·01	·84	·05	·44	25
26	·04	·03	·14				·08	·07		·07	·39	·60	26
27	·16	·02					·03				·13	·43	27
28	·01	·27	·56		·05					·06	·32	·95	28
29	·20		·37		·21		·06			·23	·83	·03	29
30	·01		·15			·02				·29	·51	·66	30
31	·24				·04		·74			·70		·24	31
Total	1·14	6·79	6·37	1·82	2·37	2·25	5·87	3·56	2·74	4·46	5·96	10·23	53·56 YEAR'S TOTAL 52·56
Rain Days.	16	24	27	10	16	11	20	12	13	15	21	26	210

W. 7,500, XI. ·12

Exd FW

1692

FORM A.
BRITISH RAINFALL.

9 FEB 19

REGISTER OF RAINFALL IN 1915

Kept at Blackdown House,
in the County of Dorset,
by C. E. M. Pinney

Lat. 50°49'15" Long. 2°51' W.
Time of Observation 9 A.M.
Nearest Railway Station Chard Junction
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·36	·23			·01			·34	·12	·40	·05	·28	1
2	·58	·21	·15	·06		·03		·23	·06	·22		·40	2
3	·05	·17	·13	·03	·35					·19		·43	3
4	·05	·18			·04							·39	4
5	·05	·51		·07		~~·21~~	·01	·34			·01	·69	5
6	·86	·17		·75			·93	·01			·01	·19	6
7	·25	·99		·11			·15	·01				·31	7
8	·13	·56		·02			·02	·11			·02	·08	8
9		·05		·05							·58	·69	9
10	·23	·15	·03	·07						·11		·07	10
11	·19	·56	·01	·09	·01		·02	·15		·05	1·34	·03	11
12	·23	·55		·16	·60			·12		·17	·33	·01	12
13	·03	·45			·70				·10	·01	·09	·07	13
14	·04	·03					·16	·40	·05	·02	·01	1·77	14
15	·14	·01			·25		·14		·01	·12	·09	·12	15
16		2·18			·14		1·35		·01		·01	·21	16
17		·69			·11		·01	·13	·01	·01		·01	17
18		·19								·01			18
19	·01				·42		·18				·01	·01	19
20	·18	·01		·07		·07				·11		·05	20
21	·13	·10				·01	·08			·63		·09	21
22	·13	·08	·30	·02		·22	·75			·03		·43	22
23		·02	·11				·14		·37	2·40		·41	23
24				·05			·22		·22	·40	·01	·80	24
25			·05	·06		·49	·32			·01		·26	25
26	·02	·19				·01	·22		·01			1·04	26
27		·10				·30	·13		·08	·95		·01	27
28		·03				·16		·01	·19	·09	·03	·06	28
29						·23	·17			·06	·33	·04	29
30	·15	✕				·04	·01			·96	·74	·44	30
31	·01	✕		✕		✕	·20		✕	1·65	✕	·35	31
Total	3·82	8·41	·78	1·61	2·63	1·56	5·21	1·85	1·23	8·60	3·66	9·74	YEAR'S TOTAL 49·10
Rain Days.	21	25	7	14	10	10	20	11	12	22	16	30	198

from Mid Wessex M E.W.R. 1662

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Crewkerne Blackdown House
in the County of ~~Som~~ Dorsetshire
by Rev H. A. Boys C. M. Prowse

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.26				.27	.01	.03		.27	.32	.13		1
2	.16	.12			.01				.04	.27	.70		2
3	.03	1.38			.29	.01			.05	.86	.17		3
4	.12	.16			.14	.38			.03	.11	1.01		4
5	.01	.08	.06		.18	.11				.05	.19		5
6	.06	.13	.01		.23	.07	1.25			.25	1.14		6
7	.02	.08	.34		.04	.18	.04		—	.07	.86	.20	7
8		.18	.08		.46	.55					.11	.26	8
9		.16			.05	.16	.02			.06	.04	.27	9
10	.01	.54		.03	.08		.05			.04	.11	.27	10
11			.02	.04		.04							11
12	.07	.06	.11	.07	.17		.07	.06		.05			12
13		.28	.21	.02	.01		07	.46			.02		13
14	.05	.53		.01	.04			.50					14
15		.13	.09	.05				.40		.06			15
16	.17	.07		23			.05	.04		.70			16
17	.43	.14		.14					.32	.06	.85		17
18	.05	.05	.23						.15	.03	.29	.08	18
19	.12		.74	.03							.11	.07	19
20	.17	.61	.42									1.45	20
21	.03	.10	.10		.06						.02	27	21
22			01	.01		.14				.64	.02	.02	22
23	01	.13		.06		.07		.27		.05	.26	.07	23
24		.04		.16	1.19	.06		.10		.90	.08	.41	24
25		.90	.09		.04	.01		.89	.05	.28	.14	.03	25
26		.17	.06			.44		.27	.70	.08	.11		26
27		.09	1.13			.03		.38	.31	.72		.07	27
28		.25						.08	.32	.30		.36	28
29		.38				.51		2.45	.31	.31	.02	.27	29
30		X				.01				.64			30
31		X		X		X		.09	X	.74	X	.02	31
Total	1.77	6.76	3.70	.85	3.26	2.78	1.58	5.99	2.55	7.59	6.38	4.12	YEAR'S TOTAL 47.33
Rain Days.	17	25	16	12	16	17	8	13	11	24	21	16	196

W. 8,000, VIII. 16

from A.O.

1587

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Broadwindsor Blackdown Ho.

in the County of Dorset

by C. E. M. Pinney per H. A. Boys

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·36		·30		·56	·04		·04		1
2	·01			·07		·12		·03		·01	·02		2
3	·02			·07			·60	·04		·16	·37		3
4	·03	·13	·44					·02		·25	·06		4
5	·15		·34	·42		·09			·03	·15	·12		5
6			·04					·01		·05	·08	·03	6
7	·45						·42	·24		·21	·08	·02	7
8	·06		·20	·08			·85	·57	·04	·34	·29	·20	8
9			·15		·01		·10	·10	·08	·08	·08		9
10	·45		·56	·29			·03	·07	·02	·02			10
11	·07		·73	·14	·01	·05		·01		·20	·09		11
12	·09			·01	·23			·32	·02	·38			12
13			·24	·02	·01	·02		·36		·14			13
14			·01	·18			·60	·16	·01	·01			14
15				·03	·01		·10	·20	·02	·01		·50	15
16		·12		·11			·25	·07	·03	·54		·10	16
17				·11		·02	·34	·27	·75			·08	17
18		·17		·01			·01	·02	·58				18
19		·53	·09			·07	·02	·01	·25				19
20		·03	·05		·43			·11	·10				20
21			·14			·08		·02		·08			21
22			·01			·08		·25		·05			22
23		·14				·01	·01	·23		·06		·10	23
24		·02	·01		·03		·17	·14		·08	·04		24
25		·04	·03			·01		·12	·25	·03			25
26					·63	·01		·68	·18	·05	·02		26
27					·35	·35		1·28					27
28		·03	·13		·15	1·05		·20				·04	28
29			·06			·50	·06	·26		·80	·01	·06	29
30		X	·29		·03	·02	·56	·03		·06			30
31		X	·23	X	·01	X		·18	X	·28	X	·10	31
Total	1·33 ✓	1·21 ✓	3·82 ✓	1·90 ✓	1·90 ✓	2·78 ✓	4·12 ✓	5·49 ✓	2·50 ✓	4·04 ✓	1·30 ✓	1·23 ✓	YEAR'S TOTAL 31·62 ✓
Rain Days.	9 ✓	9 ✓	20 ✓	14 ✓	12 ✓	16 ✓	15 ✓	30 ✓	15 ✓	24 ✓	13 ✓	10 ✓	187 ✓

W. 8,000, IX. 17.

1·25

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Blackdown House,
in the County of Dorset,
by C. E. M. Pinney

Lat. 50°49'15" Long 2°51'W
Time of Observation 9 A.M.
Nearest Railway Station Chard Junc. 4½ m.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·20			·14			·30			1·20	·04	1
2		·60		·19				·35			·02	·35	2
3		·20		·15	·20			·15		·08	·40	·02	3
4		·04		·14				·20	·45		1·96	·48	4
5		·20	·35		·20			·56	·45	·23	·02	·17	5
6		·21		·23					·18	·16		·34	6
7		·18			·19				·46		·50	·15	7
8		·28							·11	·41	·10	·20	8
9	·14			·10		·02	·75		·90	·07		·56	9
10				·09			·11		·10	·23		·50	10
11			·16	·47			1·00		·16			·02	11
12	·03	·17	·07	·10	·37		·05		(·28)	·36		·02	12
13	·30		~~·16~~		·10	·36	·75		·87			·03	13
14	·40		~~·01~~		·06		·75		·14	·75		·02	14
15	1·45		~~·17~~	·35	·04	·05	·60		·20	·15		·50	15
16	·45		·01	·27		·40	·04		·70			·08	16
17	·27		·01	·19			·26		·02			·18	17
18	·45					1·25	·06		·38			·35	18
19	·13			·01			·35		·05	·04		·18	19
20	·13	·18		·06		·02	·04		·20	·08			20
21	·04	·06		·01			·07		·55	·18		·35	21
22	·07				·12		1·50		·22	·08		·16	22
23	·15				·15	·02	·86		·05	·04		·05	23
24	·01	·18					·15		·08		·28	·01	24
25	·07			·01	·03		·12	·95	~~·36~~	·05	·10	·02	25
26					·01		·24		·05	·02	·15	·33	26
27		·10					·06		·23	·02			27
28			·36				·10			·01	·05	·02	28
29		·02	·38	·02				·15	1·25		·06	·01	29
30		X	·74						·16	·02	·18		30
31		X	·14	X		X			X	·26	X		31
Total	4·09	2·62	2·22	2·49	1·61	2·12	7·86	2·66	8·14	3·24	5·02	5·14	YEAR'S TOTAL 47·21
Rain Days.	15	14	9	16	12	7	20	7	25	20	13	27	185

W, 6,500, VII. 18. w w c

27 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919..

Kept at Blackdown House

in the County of Dorset

by C. E. M. Pinney

Lat 50°49'15" Long 2°51'W

Time of Observation 9 A. M.

Nearest Railway Station 4½ miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65		·27		·18		·96			·20		1·20	1
2	·15		·03	·01	·03		·10		·26		·04	·05	2
3	·50		·34						·40		·10	·15	3
4	·34	·64	·60	·01	·04				1·17		·02	·05	4
5	·09	·50	·64						·42		·10	·15	5
6	·88		·05								·08	·35	6
7	·52		·39	·20							·04	·06	7
8	·44		·24	·11							·02		8
9	·07		·04	·20							(·34)		9
10	·14		·44	·02						·08	·03	·68	10
11	·02		·37	·18	·71		·20					·11	11
12	·18		·03	·10		·04	·05			·07		·02	12
13	·21	·06	·08	·90			·06			·05	·10	·25	13
14	·60	·04		·80	·15		·12			·03		·58	14
15	·19	·15		·08	·10			·01	·09	·10		·16	15
16	·03	·71						·10			·24		16
17								·06			·12	·01	17
18	·11	·40	·86				·35				·10		18
19	1·35	·08	·78				·83		·29			·05	19
20	·95	·82	·08			·50	·12	·10	·04		·02	·09	20
21	·01	1·05					·06	·44	·04			·08	21
22		·05							·20		·01	·09	22
23			·01							·70	·02	·06	23
24	·01		·02			·10				1·10		·34	24
25	·15					·08		·57				·11	25
26	·08		·01	·24		·03	·02	·11	~~·02~~		·01	·64	26
27	·17		·03	·26				1·38			·01	·01	27
28	·01		·01					·51			·60	·62	28
29			·01	·08				·12				·06	29
30				·12				1·40		·10	·90	·84	30
31							·02					·34	31
TOTAL	7·85	4·50	5·33	3·31	1·21	·75	2·89	4·80	2·85	2·43	2·90	7·15	YEAR'S TOTAL 45·27 ~~45·67~~
Days with ·01 in. or more	25	13	22	15	6	5	12	11	9	9	20	27	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1410

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Blackdown House,
in the County of Dorset,
by C. E. M. Pinney

Lat 50°49′15″ Long 2°51′W.
Time of Observation 9 A.M.
Nearest Railway Station Chard Junc. 4½ m.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·15			·45	·02	·08	·12	·20	·79	1
2	·68	·02		·16	·55		·05	·68	·04	·05		·28	2
3	·08	·08		·16			·08		·05	·54			3
4				·02			·54	1·22		·20			4
5			·25	·07	·12		·24	·46		·68			5
6			·40		·26		·16			·14			6
7	·04			·40			·84						7
8	·01	·06		·30	·04		·46			·01		·08	8
9	·83	·01		·08		·05	·09						9
10	·74	·02	·12	·04		·34	·58						10
11	·20		·17	·58	·28		·09						11
12	·25	·18	·04	·19		·14	·10				·18	·03	12
13	·24	·07	·64	·12									13
14	·04	·05	·34	·88		·15	·02		·16	·84	·32		14
15		·02	·09	·70	·04		·02		·02		·10		15
16		·12	·02	·10		·09	·43		·47	·07			16
17			·01	·22	·34	·07	·02		·44				17
18	·12	·01		·52	·07	·24	·04	·38	·18				18
19	·01				·08	·35			·05				19
20		·15				·47	·04					·72	20
21				·13			·15					·04	21
22	·03			·31			·70			·06		·45	22
23	·03											·10	23
24			·20		·04						·16	·58	24
25	·04	·10	·25		·20		·94				·02		25
26	·36		·20				·06				·26	·17	26
27	1·38		·18			·25	·04				·03	·35	27
28		·01	·20	·17		·05	·09					·14	28
29	·57	·01	·35	·06							·78	·31	29
30	·18	╳			·05	·20	·08		·77		·39	·54	30
31	·05	╳	·50	╳		╳	·02		╳	·40	╳	·18	31
TOTAL	5·98	·91	3·88	5·36	2·07	2·40	6·33	2·76	2·26	3·11	2·44	4·76	YEAR'S TOTAL 42·26
Days with ·01 in. or more	22	15	17	22	12	~~14~~ 13	26	5	10	12	10	15	~~180~~ 179
Days with ·04 in. or more	18	8	15	21	12	~~14~~ 13	22	4	9	11	8	14	~~156~~ 155

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DORSET.

BROADWINSOR
VIC:

1911–1915

REGIST

FORM A.
BRITISH RAINFALL.
15 JAN 1912

Kept at Broadwindsor V ... 48' 25" ... Crewkerne

in the County of Dor ... 30

by Rev. G. C. Hutchi ... 5 in.

... e Ground ft. 7 in.

Sea Level 535 ft.

NOTE.—Rain should be measured daily at ... previous day. Full instructions for the measurement of rain and particulars as to the British Rainfa ... are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·06				·04				·01	1
2	·01			·04	·51			·20		·14	·25	·37	2
3			·01		·22				·03		·12	·06	3
4			·08					·01	·02	·01	·29	·33	4
5	·07	·0[illegible]	·02							·10			5
6	·52		·26					·12		·01	·07	·97	6
7				·01				·01			·49	·01	7
8	·08		·31								·09	·69	8
9	·04										·15	·55	9
10	·06	·06	·54		·19						·02	·33	10
11	·65				·11						1·14	·08	11
12		·01	·90					·07	·02		·04	·21	12
13			·01						·23	·04	·01	·46	13
14		·02								·01	·71	1·04	14
15		·02	·01			·01						·02	15
16		·03	·01			·47					·69	·64	16
17	·01	·03	·02			·13					·16	·56	17
18		·20	·05	~~·08~~ ·20	·08	·04				·12		·38	18
19		·02		·05		·05			·31	·20	·09	·49	19
20	·04	·03	·15	·01					·08	·16		·50	20
21	·02	·10	·01	·02		·08			·17	·77		·11	21
22	·21	·07		·04					·16	·48		·72	22
23		·15	·07			·29			·11	·17	·01	·50	23
24		·12				·35	~~·17~~	·19	·01	·27		·27	24
25				·18		·15	~~·01~~	·01	·09	·07		·14	25
26	·01	·08		·38				·09		·26	·03	·39	26
27		·29	·09	·04	33			·14	·08	·51	·03	·09	27
28		·40		·42							·11		28
29				·76		·20	·16		·11	·45			29
30						·09				·32	·60	·02	30
31							·01			·01			31
Total	1·72	1·64	2·54	~~[illegible]~~ 2·18	1·44	1·86	·17	·93	1·42	4·07	5·10	9·91	TOTAL for year 32·98
No. of Rain Days	12	17	16	13	6	12	2	11	13	20	21	27	170

6,000, XI. '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

REGIST

FORM A.
BRITISH RAINFALL.
15 JAN 1912

Kept at Broadwindsor Vicarage

in the County of Dorset

by Rev. G. C. Hutchings

Lat. 50. 49 29" Long. 2 48 25"

Nearest Railway Station Crewkerne

Time of Observation 8·30

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " Sea Level 535 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·06				·04				·01	1
2	·01			·04	·51			·20		·14	·25	·37	2
3			·01		·22				·03		·12	·06	3
4			·08					·01	·02	·01	·29	·33	4
5	·07	·0[illegible]	·02							·10			5
6	·52		·26					·12		·01	·07	·97	6
7				·01				·01			·49	·01	7
8	·08		·31								·09	·69	8
9	·04										·18	·55	9
10	·06	·06	·54		·19						·02	·33	10
11	·65				·11						1·14	·08	11
12		·01	·90					·07	·02		·04	·21	12
13			·01						·23	·04	·01	·46	13
14		·02								·01	·71	1·04	14
15		·02	·01			·01						·02	15
16		·03	·01			·47					·69	·64	16
17	·01	·03	·02			·13				·12	·16	·56	17
18		·20	·05	·20 ~~·08~~	·08	·04						·38	18
19		·02		·05		·05			·31	·20	·09	·49	19
20	·04	·03	·15	·01					·08	·16		·50	20
21	·02	·10	·01	·02		·08			·17	·77		·11	21
22	·21	·07		·04					·16	·48		·72	22
23		·15	·07			·29			·11	·17	·01	·50	23
24		·12				·35	~~[illegible]~~	·19	·01	·27		·27	24
25				·18		·15	~~[illegible]~~	·01	·09	·07		·14	25
26	·01	·08		·38				·04		·26	·03	·39	26
27		·29	·09	·[illegible]	33			·14	·08	·51	·03	·09	27
28		·40		·42							·11		28
29				·76		·20	·16		·11	·45			29
30						·09				·32	·60	·02	30
31							·01			·01			31
Total	1·72	1·64	2·54	2·18 ~~[illegible]~~	1·44	1·86	·17	·93	1·42	4·07	5·10	9·91	TOTAL for year 32·98
No. of Rain Days	12	17	16	13	6	12	2	11	13	20	21	27	170

6,000, XI. '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Copy from A ref^d to

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

1 MAR 1913

Ex. BR

Kept at Broadwindsor Vicarage

in the County of Dorset 2

by Rev. G. C. Hutchings + H M Brown from Nov

Dorset Field Club

Lat. 50° 49' 29" Long. 2° 8' 25"

Time of Observation 8.30

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 7 in.

" " " " Sea Level 535 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.03			.52	.13		.07	.75		.41	1
2										.02			2
3		.01	.82	.02			.04		.01		.01	.13	3
4	.14		1.38			.41					.33		4
5	.89	.21	.28			.21					.02	.32	5
6	.52	.16	.05		.46	.06	.32					.11	6
7	.05	.52	.50		.06	.15						.25	7
8	.57	.33	.72	.10		.97						.09	8
9	.10	.05	.14			.12	.18					.57	9
10	.09	.19				.14						.42	10
11	.06	.08	.01				.01				.06	.73	11
12	.02	.62	.21			.13	.04				.01		12
13		.01	.02							.01		.02	13
14	.32	.02	55		.27							.37	14
15	.45	.36			.25								15
16	1.12	.01	.63		.09	.72				.16	.07		16
17	.15	.01	.16		.02	.01							17
18	.13	.03	.15			.12				.02	.04	.04	18
19			.16				.16			.01	.02	.05	19
20	.14	.11	.49		.12	.08	.02			.34	.01		20
21		.46	.31		.70		.01			.16			21
22	.50	.55	.17		.05		.11			.14	.01	.18	22
23	.31	.62	.21		.01						.06	.26	23
24	.10	.12	.02					7.65		.16	.20	.35	24
25	.15	.03						.45		.13	.33	.68	25
26		.06	01				.04	.25		.83	.73	.48	26
27							.75	.01		1.04		.45	27
28		.14					.16	.58	.26	.93	.45	.89	28
29		.28				.22	.32	.07	.80	.62	.02		29
30							.11	.01	.42	.29			30
31			.52				.51			.04		.40	31
Total	5.81	4.99	7.54	12	2.03	3.86	2.91	9.02	1.56	5.65	2.37	7.20	YEAR'S TOTAL 53.06
Rain Days.	19	26	24	2	10	15	17	(29)	5	17	16	21	(201)

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

1 - JAN 1914

Kept at Broadwindsor Vicarage

in the County of Dorset 2 Sy RL

by Mary J. Brown

Lat. 50° 49' 29" Long. 2° 48' 26"

Time of Observation 9 am

Nearest Railway Station Crewkerne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 535 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·49	·30	·18	·02	–	–	–	·17	·03	·36	–	1
2	·03	·07	·03	·16	·18	–	·06	–	·02	·06	–	·03	2
3	·18	–	·10	·05	·39	–	–	–	·02	–	–	·37	3
4	1·68	–	·18	·01	·56	–	–	–	·09	·35	·11	·08	4
5	·14	·04	·08	–	·16	·09	–	–	·61	·01	·17	·20	5
6	·05	·13	·21	–	·08	·27	·04	–	–	1·75	·04	·46	6
7	·03	·61	·06	–	·64	·09	·16	–	–	·40	·40	·02	7
8	·02	·17	–	–	·29	–	·02	·04	–	–	–	·02	8
9	–	·06	–	·01	·10	·06	·07	–	·01	·02	·53	·02	9
10	·49	·02	·05	–	·04	·03	–	·07	–	·10	·28	–	10
11	·79	·02	–	·14	·20	·02	–	–	–	·18	·66	·01	11
12	–	·01	–	–	·51	·01	–	–	·03	·01	·22	·02	12
13	·12	–	·02	–	–	–	–	·14	·70	–	·07	–	13
14	29	–	·14	·03	–	–	–	–	·58	·01	·03	–	14
15	·25	·02	·43	·81	–	–	–	·06	·04	–	·11	–	15
16	·13	–	·61	·08	–	·01	–	·04	–	–	–	–	16
17	·03	–	·03	·01	–	–	–	–	–	–	·01	–	17
18	·05	–	·82	·18	–	–	–	–	–	–	·11	–	18
19	·79	–	·14	–	·01	·03	–	–	·70	–	–	–	19
20	·40	–	·14	·20	–	·02	–	–	·01	·14	·47	–	20
21	–	–	·16	·41	·03	–	–	·02	–	·23	·86	–	21
22	·58	–	·34	–	·01	·06	·04	·05	·15	·01	·02	·15	22
23	·02	–	·06	·09	–	·11	–	–	–	–	·24	·78	23
24	·02	·02	–	–	–	–	–	–	–	–	–	–	24
25	–	·03	–	·17	–	–	–	·24	–	–	–	·06	25
26	–	·01	–	·67	–	–	–	·01	–	·07	–	·15	26
27	·12	–	·25	·92	–	–	–	–	–	·06	·01	–	27
28	·45	–	·06	·63	–	–	–	–	–	·53	·01	·07	28
29	·19		·50	·36	·02	–	–	·06	–	·61	–	·01	29
30	·79		–	–	·02	–	–	–	–	·93	–	–	30
31	·14		·07		–		·45	1·19		·20		–	31
Total	7·50	1·40	4·78	5·11	3·29	·80	·84	1·92	3·13	5·64	4·71	2·45	YEAR'S TOTAL 41·87
Rain Days.	26	14	23	19	17	12	7	11	13	20	20	16	198

W.7,000, XI. 13

NB not 2 errors 1 in totals
referred 25·III·15

~~W~~ DM

Corr. by Observer 31·III·15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
13 JAN 1915

Kept at Broadwindsor Vicarage
in the County of Dorset 2
by Mary S. Brown.

Lat. 50°49′29″ N Long 2°48′25″ W
Time of Observation 9 am
Nearest Railway Station Crewkerne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 7 in.
" " " " Sea Level 535 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Observer conforms 31·III·15

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·20	—	—	·06	·08	·62	—	—	}2·40	·12	1
2	—	—	—	—	·20	·02	·52	·09	—	—		·45	2
3	—	—	·09	·21	·86	—	—	·18	—	—	·11	·04	3
4	·19	—	·04	·34	·10	—	·46	·47	—	—	·75	·66	4
5	·04	—	·10	·28	·27	—	·12	—	—	—	·07	·04	5
6	—	·34	·03	}·22	·10	—	·06	·01	—	—	·01	·50	6
7	·03	1·13	·08		·35	·03	·24	·12	·03	—	·01	·45	7
8	·05	·02	·72	·03	·17	·22	—	·22	·02	—	—	·09	8
9	·03	·01	·55	·30	·04	1·95	—	·19	1·01	—	—	—	9
10	·13	·68	·03	·12	·06	·03	—	—	·43	—	—	·01	10
11	—	·25	·70	—	·10	·14	·40	—	—	—	·01	·51	11
12	—	·12	·14	—	—	—	—	—	}·48	—	—	·74	12
13	—	·86	·50	—	—	—	·07	—		·28	·30	·90	13
14	—	·59	·32	—	—	·34	·10	·67	·08	·31	·70	·08	14
15	·03	—	·25	—	—	—	·12	·25	·04	—	·28	·02	15
16	—	—	·01	—	—	—	—	—	·65	—	·01	1·23	16
17	—	·80	·21	—	—	—	—	—	·01	—	—	—	17
18	—	·06	·05	—	—	—	·90	—	·08	—	·01	·50	18
19	—	·12	}·50	—	—	—	2·45	—	·07	—	·11	·09	19
20	—	·65		—	—	·01	—	—	—	—	—	·70	20
21	—	·75	·04	—	—	·49	—	—	—	·39	—	—	21
22	—	·08	—	—	·18	·03	·10	·04	—	·42	—	·02	22
23	·01	·34	·42	—	·02	—	·02	—	—	·36	—	—	23
24	—	·08	·09	—	·12	—	·02	—	—	·50	·07	}·39	24
25	·06	·01	·32	—	—	—	·07	·95	—	·98	·06		25
26	—	·03	·13	—	—	—	·06	·06	—	·10	·43	·76	26
27	—	·01	—	—	—	—	·02	—	—	—	·12	·47	27
28	·25	·33	·63	—	·05	—	·01	—	—	}·70	·40	1·10	28
29	·25	×	·35	—	·19	—	·08	—	—		·82	·03	29
30	·01	×	·16	—	—	·08	—	—	—		·83	·75	30
31	·31	×	—	×	—	×	·83	—	×	·77	×	·12	31
Total	1·39	7·26	6·66	1·50	2·81	3·40	6·73	3·87	2·90	4·81	~~5·30~~ 7·50	10·77	YEAR'S TOTAL ~~57·40~~ 59·60
Rain Days.	13	21	27	8	15	12	21	13	12	12	21	27	202

W. 8,000. X. 14.

1691

REGISTER OF RAINFALL IN 1915

Kept at Broadwinsor Vicarage

in the County of Dorset 2

by (Miss) M. G. Brown.

Lat. 50°49'29" N Long. 2°48'25" W

Time of Observation 9 a.m.

Nearest Railway Station Crewkerne.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 1 in.

" " " " Sea Level 535 ft.

FORM A. BRITISH RAINFALL.

5 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·22	—	—	—	—	—	·31	·15	·45	·01	·29	1
2	·59	·24	·21	·09	—	·03	—	·29	·04	·22	—	·42	2
3	·05	·15	·17	—	·30	—	—	—	—	—	—	·49	3
4	·05	·13	—	—	·02	—	—	—	—	—	—	·58	4
5	·95	·54	—	·09	—	—	·02	·40	—	—	—	·86	5
6	·05	·20	—	·68	—	—	·59	·01	—	—	·01	·22	6
7	·29	} 1·55	—	·09	—	—	·23	·01	—	—	·01	·20	7
8	·13		—	·01	—	—	—	·10	—	—	·05	·07	8
9	·01	·01	—	·02	—	—	—	—	—	—	·56	·93	9
10	·28	·02	·04	·06	—	—	—	—	—	·08	1·46	·08	10
11	·17	·30	·01	·18	—	—	—	—	—	·02	·50	·05	11
12	·33	·45	—	·11	·70	—	—	·15	—	·15	—	·02	12
13	·02	·46	—	—	·75	—	—	—	·09	—	·09	·02	13
14	·04	·03	—	—	—	—	·17	·43	·10	·02	—	2·35	14
15	×14	·01	—	—	·25	—	·15	—	·01	·11	·10	·16	15
16	—	2·12	—	—	·24	—	1·77	—	·01	·02	·01	·27	16
17	—	·44	—	—	·16	—	—	·12	·01	—	—	·01	17
18	—	·29	—	—	·01	—	—	—	—	—	—	·01	18
19	—	—	—	—	·44	—	—	—	—	—	—	·01	19
20	·26	—	—	·10	—	·04	·15	—	—	·06	—	·05	20
21	×·25	·21	·01	—	—	—	·39	—	—	·86	·01	·14	21
22	×12	×·08	·40	·01	—	·08	·80	—	—	·02	—	·30	22
23	—	—	·12	—	—	—	·16	—	·54	2·57	—	·40	23
24	—	—	—	·06	—	—	·16	—	·26	·37	—	·64	24
25	—	—	·04	·02	—	·52	·05	—	—	—	—	·32	25
26	·01	·17	—	—	—	·01	·26	—	—	—	—	1·10	26
27	—	·09	—	—	—	·24	·44	—	·01	·75	—	·01	27
28	—	·02	—	—	—	·12	~~·07~~	·02	·54	·07	·03	·03	28
29	—	X	—	—	—	} ·35	·07	—	—	·16	·44	·03	29
30	·21	X	—	—	—		—	—	—	·88	·67	·55	30
31	—	X	—	X	—	X	·24	—	X	1·44	X	·33	31
Total	4·55	7·73	1·00	1·52	2·87	1·39	5·34	1·84	1·76	8·25	3·95.	11·14	YEAR'S TOTAL 57·34
Rain Days.	20	23	8	13	9	9	16	10	11	18	14	31	182

W. 8,000. X. 15.

[illegible]

DORSET.

BUCKHORN WESTON, REC

1911 – 1915

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGIST ... 11

Kept at Buckhorn ... 5 in.
ve Ground 1 ft. in.
in the County of Dorset ... Sea Level 285 ft.
a.m.
by Revd. W. Hughes ... Name Templecombe
Distance 3½ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·03								·02	·03	1
2	·02		·02	·15	·24			·03		·02	·25	·12	2
3					·19						·02	·11	3
4	·02		·07	·05						·01	·11	·42	4
5	·04		·02					·20		·06	·11		5
6	·20		·18							·07	·01	·66	6
7	·03										·32	·01	7
8	·05		·19								·13	·27	8
9	·11		·02								·03	·25	9
10	·15	·09	·20		·50						·01	·30	10
11	·33	·04	·01		·61						·54	·10	11
12			·91						·07		·07	·23	12
13									·28		·01	·32	13
14		·07	·01									·45	14
15		·03	·05			·07					·19	·12	15
16			·01			·15					·37	·30	16
17		·01	·02			·08					·17	·33	17
18		·20	·04	·08	·01	·25				·01	·03	·28	18
19		·16	·02	·03	·05	·17			·14	·11	·01	·32	19
20	·02	·02	·12	·05		·03			·14	·08		·50	20
21	·02	·29	·08			·03		·15	·17	·50		·29	21
22	·10	·02	·15	·02					·01	·25		·24	22
23		·11	·12			·10				·06	·01	·08	23
24	·07	·15				·53		·02		·37		·18	24
25		·08	·02	·11		·07		·11		·02		·14	25
26	·01	·05		·24		·01				·07	·01	·31	26
27		·30	·12	·08				·04	·08	·04	·01	·15	27
28		·29		·27				·18 18			·06	·02	28
29				·90		·26	·03		·14	·31	·01		29
30				·03	·12	·18		·01		·19	·03	·01	30
31										·03			31
Total	1·15	1·91	2·41	2·01	1·72	1·87	·03	·74	·97	2·20	2·53	6·54	TOTAL for year
No. of Rain Days	15	16	22	12	7	13	1	8	8	17	24	28	24·08

9,000, IX. '10.

171

REGIST 11

FORM A2. BRITISH RAINFALL.

2 - JAN 1912

Kept at Buckham Weston

in the County of Dorset 4

by Revd. W. Hughes D'Aeth

RAIN GAUGE: Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 285 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Templecombe
Distance 3½ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·03								·02	·03	1
2	·02		·02	·15	·24			·03		·02	·25	·12	2
3					·19						·02	·11	3
4	·02		·07	·05						·01	·11	·42	4
5	·04		·02					·20		·06	·11		5
6	·20		·18							·07	·01	·66	6
7	·03										·32	·01	7
8	·05		·19								·13	·27	8
9	·11		·02								·03	·25	9
10	·15	·09	·20		·50						·01	·30	10
11	·33	·04	·01		·61						·54	·10	11
12			·91						·01		·07	·23	12
13									·28		·01	·32	13
14		·07	·01									·45	14
15		·03	·05			·07					·19	·12	15
16			·01			·15					·37	·30	16
17		·01	·02			·08					·17	·33	17
18		·20	·04	·08	·01	·25				·01	·03	·28	18
19		·16	·02	·03	·05	·17			·14	·11	·01	·32	19
20	·02	·02	·12	·05		·63			·14	·08		·50	20
21	·02	·29	·08			·63		·15	·17	·50		·29	21
22	·10	·02	·15	·02					·01	·25		·24	22
23		·11	·12			·10				·06	·01	·08	23
24	·07	·15				·53		·02		·37		·18	24
25		·08	·02	·11		·07		·11		·02		·14	25
26	·01	·05		·24		·01				·07	·01	·31	26
27		·30	·12	·08				·04	·08	·04	·01	·15	27
28		·29		·27				·18 18			·06	·02	28
29				·90		·26	·03		·14	·31	·01		29
30				·03	·12	·18		·01		·19	·03	·01	30
31										·03			31
Total	1·15	1·91	2·41	2·01	1·72	1·87	·03	·74	·97	2·20	2·53	6·54	TOTAL for year
No. of Rain Days	15	16	22	12	7	13	1	8	8	17	24	28	24·08

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Buckhorn Weston

in the County of Dorset 4

by Revd W. Hughes D'Aeth

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 285 ft.

Time of Observation 9. am

Nearest Railway Station
Name Templecombe
Distance 3½ Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	·07			·22	·35		·03	·91	-	·32	1
2		.	·37	·03		·13	·56	·06		·02	·03		2
3		.	·15			·49	·04	·46	·03		·02	·04	3
4	·25	.	·70		·05	·47					·25		4
5	·50	·11	·11			·05		·59			·02	·13	5
6	·63	·09			·09	·01	·11	·57			-	·09	6
7	.	·18	·14		·82	·52	·30	·11			·01	·08	7
8	·23	·16	·27	·01	·01	·16	·02	·02				·13	8
9	·03	·06	·24	·11		·11	·04	·17				·43	9
10	·07	·10				·01		·10			·12	·29	10
11	·11	·13	·01			·02	-					·30	11
12	·06	·38	·08	·03		.	·03	·03			·03		12
13	.	·02	·02					·09			·04	·08	13
14	·19	.	·27		·09			·25				·02	14
15	·08	·09	·08		·15	·65		·02			.	·38	15
16	·82	.	·21		·11	·01		·05	[illegible]	·05	·07	·03	16
17	1·49	·01	·10		·02	·03		·70			·02	·03	17
18	·27		·26					·19	~~·03~~	·03	·03	·15	18
19	·04	·16	·13			·05	·14	·16			·02	·07	19
20	·03	·03	·28				·04	·62		·33	·04		20
21	·31	·12	·13		·64			·23		·36			21
22	.	·21	·08		·03		·09	·31		·06		·03	22
23	12	·38	·23				·01	·77		·03	·18	·25	23
24	·10	·02	·02		·02	·50		·25		·03	·07	·30	24
25	·11	·07				·16		·26		·17	·22	·46	25
26	.	·05					·23	·10		·26	·52	·19	26
27	.	·07				·13	1·09			·67		·34	27
28	.	·07				·12	·05	·20	·18	·51	·57	·61	28
29	.	·11	·04			·07	·13	·03	·80	·25	·03		29
30	.		·02		·07	·30	·12		·39	24			30
31	.		·50		·02		·24	·02		·03		·05	31
Total	5·38	2·[illegible]	4·51	·18	1·62	4·20	3.59	6·36	1·43	3·95	2·23	4·74	TOTAL for year
No. of Rain Days.	19	22	25	4	13	21	18	26	5	16	19	24	40·69

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Buckhorn Weston

in the County of Dorset

by Revd W. Hughes D'Aeth

Lat. 51·1 Long. 2·21

Time of Observation 9. a. m

Nearest Railway Station Templecombe

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 285 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	~~*Date.*~~
1		·23	·07	·04		·05			·29		·29	·33	1
2	·02	·10	·02	·13	·04				·04	·05	·14	·03	2
3	·06		·04	·08	·34					·63		·16	3
4	·72	·01	·02		·49				1·54	·14	·04	·13	4
5	·08	·04	·01		·10	·07			·53		·05	·14	5
6	·06	·04	·07		·23	·20	·36			·74	·04	·71	6
7	·01	·15	·08		·16		·06			·38	·14	·02	7
8		·04			·16	·01				·03		·02	8
9		·03			·08	·05	·05	·24	·03	·16	·08		9
10	·12		·03		·05		·01	·07			·28		10
11	·51			·31	·03					·03	·44		11
12		·02			·3[illegible]					·03	·33		12
13	·08		·05					·01	·28		·21		13
14	·12		·13	·02	·04						·28		14
15	·26	·04	·25	·49			·13	·01	·04		·05		15
16	·20		·35	·06			·02	·01	·07		·03		16
17			·04	·05			·01				·01		17
18	·12		·14	·11		·01	·02				·04		18
19	·66		·13		·03	·23	·04		·56		·01		19
20	·03		·06	·04						·18	·14		20
21			·17	·25	·02		·09			·05	·79		21
22	·68		·22			·05		·02	·23		·01		22
23	·01					·05					·02	·72	23
24	·03	·02		·05				·08			·04		24
25		·23		·12								·05	25
26		·02		·29				·21		·01		·41	26
27	·03		·18	·16						·09		·02	27
28	·09		·05	·25						·11		·06	28
29	·11		·32	·49	·09			·09		·29		·02	29
30	·44									·39	·04		30
31	·23		·02					·86		·04			31
Total	4·67	·97	2·45	2·94	2·21	·72	·79	1·54	3·61	3·35	3·50	2·82	YEAR'S TOTAL 29·37
Rain Days.	23	13	22	17	15	9	10	10	10	17	23	14	~~182~~ 183

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

-2 FEB 1915

REGISTER OF RAINFALL IN 1914

Kept at Buckhorn Weston
in the County of Dorset 4
by Revd W. Hughes-D'Aeth

Lat. 51.1 Long. 2.21
Time of Observation 9. a.m
Nearest Railway Station Templecombe
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 285 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07	·07	·02			·22	·34			·20	·05	1
2			·02	·02			·74	·05			·78	·22	2
3	·07		·17	·12	·29		·09	·85			·10	·03	3
4	·14		·05	·12	·06		·20				·55	·46	4
5	·09		·23	·34	·16		·32	·11			·50	·03	5
6		·22	·02	·20		·02	·07	·12			·01	·16	6
7	·07	·41	·05	·16	·03	·06	·15	·05	·03			·23	7
8	·05	·02	·56	·01	·27	·18	·01	·18			·01	·05	8
9	·08		·41	·22	·04	·78		·10	·68			·	9
10	·03	·21	·03	·05	·07				·28		·01	·	10
11		·14	·58	·01	·17	·13	·19		·36		·02	·31	11
12		·09	·17						·25			·23	12
13			·25						·09	·10	·40	·38	13
14		·16	·21			·33	·07	·42		·38	·20	·10	14
15	·02		·15				·36	·38	·08	·04	·11	·	15
16							·08		·15			·	16
17		·40	·23				·07		·06			·20	17
18		·03	·18				·09		·02			·52	18
19		·08	·71				·82				·10	·10	19
20		·32	·14									·35	20
21		·65	·01			·07				·10		·01	21
22					·24	·06	·01	·01		·68		·	22
23		·10	·19		·02	·13	·12			·14		·01	23
24		·	~~·04~~		·09		·27			·15	·07	·	24
25	·10	·02	·34				·22	·18		·19	·05	·23	25
26	·03		·01				·06	·06		·06	·22	·44	26
27	·09									·03	·10	·12	27
28	·01	·07	·15				·01			·01	·25	·92	28
29	·28		·09		·14		·02			·16	·23	·01	29
30	·01		·04				·			·17	·34	·70	30
31	·05						·10			·37		·07	31
Total	1·00	2·93	5 10	1·27	1·58	1·76	4·17	2·75	2·00	2·58	4·25	6·01	YEAR'S TOTAL 35·40
Rain Days.	15	16	27	11·	12	9	23	13	10	14	20	25	195

W.7,000, XI. 13

From originals returned.

1771

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
5. MAY 1916

ex gs.

Kept at Buckhorn Western Rectory

in the County of Dorset

by The Rev. W. J. Barrett
per Rev. H. A. Boys.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·47	·17											1
2	·53	·18											2
3	·11	·04											3
4	·01	·01											4
5	·09	·42											5
6	·64	·06											6
7	·10	·34											7
8	·12	·44											8
9		·01											9
10	·23												10
11	·04	·01											11
12	·13	·12											12
13	·03	·67											13
14	·01	·04											14
15	·08												15
16	·01	·40											16
17		·26											17
18		·26											18
19	·34												19
20	·06												20
21	·05	·07											21
22		·08											22
23		·05											23
24													24
25													25
26		·05											26
27		·05											27
28		·07											28
29		×											29
30	·04	×											30
31	·04	×		×		×			×		×		31
Total	3·13	3·80											YEAR'S TOTAL
Rain Days.	20	22											

DORSET.

CAME RECTORY

1916-1917

REGISTE

FORM A.
BRITISH RAINFALL.

5 1917

Kept at Came Rec

2·3W

m Summer time

in the County of Dor

Dorchester

by Henry M

in Gauge 5 in.

ove Ground 1 ft. — in.

Sea Level 253 ft.

IMPORTANT NOTE.—Ra … d the result entered to the previous day. If an Observer prefers not to conform to … universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·20		·11		·29	·03							1
2	·29	·14	·005		·005								2
3	·04	·88			·03	·03							3
4	·17	·27			·05	·45						·005	4
5	·06	·16	·01		·28	·10						·	5
6	·01	·13	trace		·12	·19	1·13						6
7	·01	·04	·38		·04	·005						·17	7
8	·01	·08	·11		·42						·08	·34	8
9		·02	·02		·03		·02				·02	·19	9
10		·65	·005		·07		·01				·09	·24	10
11		·005	·02		·005						·005		11
12	·03	·17	·14		·11		·20						12
13		·26	·27		trace		·01						13
14		·64	·03		·007								14
15		·34			trace								15
16	·17	·02					·02				·005		16
17	·29	·15					trace				·38		17
18	·07	·13		·06	·01						·09		18
19	·15	·005		·05							·12		19
20	·12	·27		·01							·12		20
21	·01	·15			·09		trace				·02		21
22		·005		·005							·04		22
23		·04		·005							·21		23
24		·06		·03	·92						·09		24
25		·36									·09		25
26	trace	·18				·38					·005		26
27		·04											27
28	·01	·16		·02							·03		28
29		·49				·63					·04		29
30		X											30
31		X		X		X			X		X		31
Total	1·645	5·765		nil ~~·180~~	2·54	1·825	1·39				1·435		YEAR'S TOTAL
Rain Days.	16	27		~~6~~	15		6				16		

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 19[illegible]

FORM A.
BRITISH RAINFALL.

5 [illegible] 1917

Kept at Came Rectory

in the County of Dorset

by Henry Newby

Lat. 50·6 N Long. 2·3 W

Time of Observation 10 am Summer time

Nearest Railway Station Dorchester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 253 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·20		·11		·29	·03							1
2	·29	·14	·005		·005								2
3	·04	·88			·03	·03							3
4	·17	·27			·05	·45						·005	4
5	·06	·16	·01		·28	·10							5
6	·01	·13	trace		·12	·19	1·13						6
7	·01	·04	·38		·04	·005						·17	7
8	·01	·08	·11		·42						·08	·34	8
9		·02	·02		·03		·02				·02	·19	9
10		·65	·005		·07		·01				·09	·24	10
11		·005	·02		·005						·005		11
12	·03	·017	·14		·11		·20						12
13		·26	·27		trace		·01						13
14		·64	·03		·007								14
15		·34			trace								15
16	·17	·02					·02				·005		16
17	·29	·15					trace				·38		17
18	·07	·13		·06	·01						·09		18
19	·15	·005		·05							·12		19
20	·12	·27		·01							·12		20
21	·01	·15			·49		trace				·02		21
22		·005		·005							·04		22
23		·04		·005							·21		23
24		·06		·03	·92						·09		24
25		·36									·09		25
26	trace	·18				·38					·005		26
27		·04											27
28	·01	·16		·02							·03		28
29		·49				·63					·04		29
30		X											30
31		X		X		X			X		X		31
Total	1·645	7·65		[illegible] ~~·180~~	2·530	1·875	1·39				1·435		YEAR'S TOTAL
Rain Days.	16	27		~~6~~	15		6				16		

W. 8,000, VIII. 16

[illegible]

REGISTER OF RAINFALL IN 1917

W 1/8

FORM A. BRITISH RAINFALL.

8 JAN

Kept at Caune Rectory

in the County of Dorset

by Henry Newbury

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·15		·15					·05		1
2				·15						·01			2
3				·20			·36			·07	·29		3
4										·26			4
5				·21		·14				·13	·09		5
6						·005				·18	·08		6
7							·28			·15	·26		7
8				·02			·20			·45	·25		8
9			·05		·05		·02			·06	·05		9
10			·38	·27									10
11			·53	·10	·06					·42	·04		11
12			·02		~~·45~~					·25	·005		12
13			·18	trace		·005				·07			13
14			·10	·08									14
15										·37			15
16				·08						1·20			16
17				·14	·005		·25			·12			17
18				trace		·15				·005			18
19			·02			·08			~~[illegible]~~				19
20			·06		·33	·03			·085	~~[illegible]~~			20
21			·30						·005	·11			21
22			·07			·03				·10			22
23					·11					·03			23
24						·01				·35			24
25									·08	·03			25
26			·03		·25	trace			·14	·02			26
27			·01		·52	(·235)							27
28			·08		·06	·32							28
29			·04			·05			·005	·59			29
30		X	·23						·005				30
31		X	·03	X		X			X	·18	X		31
Total			mp ✓ 2·13	1·40 ✓	1·235 ✓	1·155 ✓	mp ~~1·11~~ ✓		mp ~~[illegible]~~ 3 ✓	5·15 ✓	mp ~~1·46~~ ✓		YEAR'S TOTAL ~~14·00~~
Rain Days.			~~16~~ ✓	10 ✓	9 ✓	12 ✓	~~5~~ ✓		~~8~~ ✓	23 ✓	~~9~~ ✓		~~84~~

W. 8,000, IX. 17.

DORSET.
CATTISTOCK.
"BELL COTTAGE"
1914 – 1919.

FORM A.
BRITISH RAINFALL
11 JAN

REGIST 14

Kept at Bell Cottag ng.
9 0 a m
in the County of Dorsets Maiden Newton G.W.R.
8 in.
by C E Davies Above Ground 1 ft. — in.
Sea Level 365 ft.

IMPORTANT NOTE.—R measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04			·02		·38			·27	·18	1
2				·03	·07		·45	·01			1·30	·30	2
3			·06	·16	·67		·01	·01			·06	·07	3
4	·10		·07	·51	·25		·35	·62			·59	·63	4
5	·02		·10	·18	·28		·07	·06				·04	5
6		·36	·02	·11	·07		·02	·04				·49	6
7	·01	·95	·10	·15	·08		·19	·12				·51	7
8	·04	·05	·78	·02	·14	·15		·27				·12	8
9	·02	·01	·39	·41	·14	·67		·10	·59		·02		9
10	·12	·57	·07	·10	·12	·02			·38			·04	10
11		·21	·64		·09	·07					·10	·75	11
12		·13	·17				·13		·35			·89	12
13		1·00	·54					×·86	·17	·21	·32	·45	13
14		·45	·37			×·51	·10	·13		·42	·49	·22	14
15	·04		·28				·06			·04	·38		15
16							·02		·72				16
17		1·09	·28									1·13	17
18		·06	·09				·31		·13			·39	18
19		·11	·50×				1·07		·08		·12	·11	19
20		·48	·17			·01						·32	20
21	Frost	1·09	·02			·17				}×			21
22		·21	·01		·20	·02	·03	·05		}× ·69			22
23		·14	·38				·04			·14			23
24		·21	·05		·05					·24	·10	·09	24
25	·08		·37				·08	·74		·66	·11	·52	25
26	·03		·15				·18	·10		·10	·45	·83	26
27	·12						·02				·13	·39	27
28	·02	·33	·55		·02		·38			·02	·54	1·06	28
29	·65	╳	·32		—		·08			·36	·78	·03	29
30	·01	╳	·15							·34	·85	1·10	30
31	·20	╳	–	╳	·02	╳	·28		╳	·74	╳	·25	31
Total	1·46	7·45	6·67	1·67	2·20	1·64	3·87	3·49	2·42	3·96	6·67	10·91	YEAR'S TOTAL 52·35
Rain Days.	14	18	27	9	14	9	20	14	7	13	17	25	187

W. 8,000. X. 14.

× Snow

× Heavy Storm

× Not taken till 3 · 0 p.m.

× Omitted to take Oct 22

REGIST

14

FORM A.
BRITISH RAINFALL
11 JAN

Kept at Bell Cottage Cattistock

in the County of Dorsetshire Dorset

by C E Davies

Lat. Long.

Time of Observation 9 0 a m

Nearest Railway Station Maiden Newton

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04			·02		·38			·27	·18	1
2				·03	·07		·45	·01			1 30	·30	2
3			·06	·16	·64		·01	·01			·06	·07	3
4	·10		·07	·51	·25		·35	·62			·59	·63	4
5	·02		·10	·18	·28		·07	·06				·04	5
6		·36	·02	·11	·07		·02	·04				·49	6
7	·01	·95	·10	·15	·08		·19	·12				·51	7
8	·04	·05	·78	·02	·14	·15		·27				·12	8
9	·02	·01	·39	·41	·14	·67		·10	·59		·02		9
10	·12	·57	·07	·10	·12	·02			·38			·04	10
11		·21	·64		·09	·07					·10	·75	11
12		·13	·17				·13		·35			·89	12
13		1·00	·54					×·86	·17	·21	·32	·45	13
14		·45	·37			×·51	·10	·13		·42	·49	·22	14
15	·04		·28				·06			·04	·38		15
16							·02		·72				16
17		1·09	·28									1 13	17
18		·06	·09				·31		·13			·39	18
19		·11	·50×				1·07		·08		·12	·11	19
20	Frost	·48	·17			·01						·32	20
21		1·09	·02			·17				}×			21
22		·21	·01		·20	·02	·03	·05		}× ·69			22
23		·14	·38				·04			·14			23
24		·21	·05		·05					·24	·10	·09	24
25	·08		·37				·08	·74		·66	·11	·52	25
26	·03		·15				·18	·10		·10	·45	·83	26
27	·12						·02				·13	·39	27
28	·02	·33	·55		·02		·38			·02	·54	1·06	28
29	·65	X	·32				·08			·36	·78	·03	29
30	·01	X	·15							·34	·85	1·10	30
31	·20	X	–	X	·02	X	·28		X	·74	X	·25	31
Total	1·46	7·45	6·67	1·67	2·20	1·64	3·87	3·49	2·42	3·96	6·61	10 91	YEAR'S TOTAL 52 35
Rain Days.	14	18	27	9	14	9	20	14	7	13	17	25	186

W. 8,000. X. 14.

× Snow

× Heavy Storm

× Not taken till 3.0 pm

× Omitted to take Oct 22

Ex DL

1741

FORM A.
BRITISH RAINFALL
12 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bell Cottage. Cattistock
in the County of Dorsetshire
by C E Davies

3

Lat. 50°48'N Long. 2°36'W.
Time of Observation 9. 0 a m
Nearest Railway Station Maiden Newton
Diameter of Rain Gauge 8 0 inches
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·80	·26	–	–	·01	–	–	·54	·20	–	·07	·40	1
2	·81	·25	·18	·13	–	·02	–	·47	·02	·25	–	·35	2
3	·09	·15	·22	·15	·27	.	–	–	–	·17	–	·54	3
4	·04	·01	–	–	–	·01	–	–	–	·03	–	·20	4
5	·06	·75	–	·09	–	–	·05	·30	–	–	–	·68	5
6	·86	·21	–	·63	–	–	·76	·02	–	–	–	·15	6
7	·47	·85	–	·15	–	–	·12	·02	–	–	–	·26	7
8	·06	·76	–	–	–	–	–	·07	–	–	–	·06	8
9	–	·13		·10	–	–	–	–	–	–	·43	1·09	9
10	·35	·04	·10	·06	–	–	–	–	–	·03	–	·14	10
11	·13	·25	·01	·10	–	–	–	–	–	–	1·20	·05	11
12	·17	·73	–	·11	·53	–	–	·04	–	·13	·65	–	12
13	·02	·47	–	–	·95	–	–	–	·08	–	·07	·04	13
14	·04	·05	–	–	–	–	·14	·07	·09	–	–	2·33	14
15	·18	–	–	–	·21	–	·16	–	·01	·07	·09	·15	15
16	–	2·10	–	–	·23	–	1·74	–	–	–	–	·20	16
17	–	·40	–	–	·05	–	.	·35	–	–	–	·02	17
18	–	·59	–	–	·01	–	.	–	–	·01	–		18
19	–	–	–	–	·26	–	·13	–	–	–	–	–	19
20	·23	–	–	·17	–	·04	–	–	–	·09	·01	·09	20
21	·22	·30	–	–	–	·02	·17	–	·02	1·08	–	·18	21
22	·14	·09	·37	·01	–	·02	1·36	–	–	–	–	·41	22
23	–	–	·07	–	–	–	·25		·32	1·99	·01	·42	23
24	–	–		·06	–	–	·20	–	·75	·42	–	·85	24
25	–	–	·02	·08	–	·22	–	–	–	·05	–	·22	25
26	·01	·25	–	–	–	·02	·30	–	·13	–	–	1·05	26
27	–	·07	–	–	–	·89	·01	–	·01	76	–	–	27
28	–	·04	–	–	–	·14	–	–	·44	·11	–	·03	28
29	–	✕	–	–	–	·21	·07	–	·08	·02	·44	·07	29
30	·21	✕	–	–	–	·02	–	–	–	1·30	·74	·55	30
31	–	✕	–	✕	–	✕	·10	·03	✕	1·50	✕	·26	31
Total	4·89	8·75	·97	1·84	2·52	1·61	5·56	1·91	2·15	8·01	3·41	10·79	YEAR'S TOTAL 52·71
Rain Days.	19	22	7	13	9	11	15	10	12	17	10	24	172

W. 8,000. X. 14.

1705

Exd LW

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL

Kept at Bell Cottage Cattistock

in the County of Dorsetshire

by C E Davies

Lat. 50°48' N Long. 2°36' W.

Time of Observation 9.0 a.m.

Nearest Railway Station Maiden Newton G.W.R.

Diameter of Funnel of Rain Gauge 8·0 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·22	·06	–	·26	·03	·02	–	·49	·23	·47	–	1
2	·21		–	–	·01	–	–	–	–	·29	·17	–	2
3	·09	1·36	–	–	·07	–	–	–	·04	·93	·42	–	3
4	·18	·23	– Snow		·01	·38	–	–	·02	·02	·78	–	4
5	·02	·07	·05	–	·21	·13	–	–	–	·07	·55	–	5
6	·03	·10	–	–	·17	·08	·81	–	–	·25	1·13	–	6
7	·04	·06	·50	–	·5	·04	–	–	–	·18	·94	·16	7
8	·02	·07	·24	–	·38	–	–	–	–	–	·13	·29	8
9	–	·04	·02	–	·07	·15	·02	–	–	·05	·05	·17	9
10	–	·62	·01	·05	·06		·14	–	–	–	·08	·15	10
11	–	–	·04	·05	–	·06	–	–	·02	–	–	–	11
12	·08	·06	·11	·06	·10	–	·15	·04	–	·05	·01	–	12
13	–	·28	·14	·05	–	–	–	·25	–	·01	–	–	13
14	·07	·68	–	·03	·05	–	–	·15	–	·02	–	–	14
15	·01	·20	·13	·04	–	–	–	·76	–	·05	–	–	15
16	·14	·07	–	·25	–	–	·02	·14	·04	·12	·79	–	16
17	·33	·22	–	·13	–	–	–	·55	·28	·90	–	–	17
18	·10	·04	·15	·03	–	–	–		·13	·04	·19	·34	18
19	·22	–	·81	·07	–	–	–	–	·03	–	·22	·10	19
20	·14	·39	·22	–	–	–	–	–	–	–	·08	1·91	20
21	–	·19	·37	·10	·08	–	·03	–	–	–	·01	·60	21
22	·01	–	–	–	–	·07	–	–	–	·63	·07	·57	22
23	–	·13	–	·03	–	·18	–	·12	–	·01	·32	·04	23
24	·01	–	–	·20	·79	–	–	·09	–	1·0	·09	·42	24
25	–	·67	·13	·13	–	–	–	·82	·01	–	·13	·03	25
26	–	·21	·01	[illegible]	–	·26	–	·12	·62	·87	–	–	26
27	–	·09 Snow	1·23	–	–	·04	–	·05	·40	·54	–	–	27
28	–	·26	–	·01	–	–	–	·31	·08	·80	·05	·42	28
29	–	·49	·02	–	–	·57	–	2·62	·42	·25	·01	·37	29
30	–	X	–	–	–	–	–	–	–	·88	·	·01	30
31	–	X	–	X	–	X	–	·15	X	·48	X	·04	31
Total	1·98 ✓	6·75 ✓	4·24 ✓	1·10 ✓	2·31 ✓	1·99 ✓	1·19 ✓	6·17 ✓	2·58 ✓	8·67 ✓	6·69 ✓	5·62 ✓	YEAR'S TOTAL 49·29
Rain Days.	18 ✓	25 ✓	18 ✓	14 ✓	14 ✓	12 ✓	7 ✓	14 ✓	13 ✓	24 ✓	22 ✓	16 ✓	197 ✓

W. 8,000, VIII. 16

1633

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Bell Cottage Cattistock

in the County of Dorset

by C E Davies

Lat. 50 48 N Long. 2 36 W

Time of Observation 9 0 a m

Nearest Railway Station Maiden Newton G W R

Diameter of Funnel of Rain Gauge 8 · 0 inches

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 365 ft.

FEB 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·11	·26	–	–	–	·46	·01	·02	·05	·01	1
2	·04	–	–	·12	–	·29	–	·11	–	·01	·01		2
3	·07		–	·04	–	–	·55	·01	–	·16	·46	–	3
4	–	SNOW ·14	·61	–	–	–	·01	·02	–	·33		–	4
5	·12	–	·24	·38	–	·05	–	·03	·18	·11	·10	–	5
6	–	–	·10	–	–	·18	–		–	·08	·08	·02	6
7	·41	–	·01	–	–	–	·34	·47	–	·38	·06	·08	7
8	·26	–	·31	·06	–	–	·84	·95	·17	·41	·28	·15	8
9	–	–	·13	·01	–	–	·03	·07	·04	·06	12	–	9
10	·20		·46	·21	–	–	–	·35	–	–	–	–	10
11	·04	–	·50	·24	·07		–	·01	–	·39	·05	–	11
12	·07	–	·02	–	·50	–	–	·05	–	·33	·02	–	12
13	–	–	·15	·03	–	·02	–	·22	·04	·04		–	13
14	–	–	·14	·15	–	–	–	·06	·03	·01	–	·01	14
15	–	–	–	–	–	–	–	·11	·02	·45	–	·20	15
16	·02	·14	–	·15	·02	–	–		·01	·85	–	·60	16
17	–	·01	–	·30	–	–	·34	·23	1·20	·22	–	–	17
18	–	·15	–	–	·01	–	·16	·01	·60	–	–	–	18
19	–	·57	·08	–	–	·03	–	·01	·19	–	–	–	19
20	–	·05	·09	–	·39	·10	–	–	·14	–		·02	20
21	–	–	·34	–	–	–	–	–		·13	–	–	21
22	·02	–	·02	–	–	–	–	·11	–	·12	–	–	22
23	–	·19	·01	–	·16	–	–	·38	–	·07	–	–	23
24	–	·08	·02	–	–	·04	·13	·03	–	·22	·09	·02	24
25	–	·04	·01	–	–	–	·75	·08	·14	·07	·01	–	25
26	–	–	·01	–	·15	–	–	·91	·13	·02	·03	–	26
27	–	–	·03	–	·42	·24	–	1·44	–	–	–	·03	27
28	–	–	·11	–	·15	·47	–	·15	–		·01	·04	28
29	–	–	·08		·04	·17	·51	–	–	·58	·01	·14	29
30	–	✕	·19	–	–	–	·04	·24	–	·02	·02	–	30
31	–	✕	·07	✕	–	✕	–	·02	✕	·19	✕	SNOW ·05	31
Total	1·26	1·37	3·84	1·95	1·91	1·59	3·73	6·53	2·90	5·27	1·40	1·37	YEAR'S TOTAL 33·12
Rain Days.	11	9	25	12	10	10	11	26	14	25	16	13	182

Ex° MSS. 52

FORM A. BRITISH RAINFALL 10

REGISTER OF RAINFALL IN 1918

Kept at Bell Cottage
in the County of Dorset
by C E Davies

Lat. 50 48 N Long. 2·36 W
Time of Observation 9 0 am
Nearest Railway Station Maiden Newton G.W.R.
Diameter of Funnel of Rain Gauge 8·0 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
											(1) 1·25		
1	-	·13	-	-	06	-	-	·68	-	-	(2) ·08	·08	1
2	-	·45	-	·10	-	-	-	·14	-	·02	(3) ·12	·34	2
3	-	·17	·05	·13	·18	-	-	-	·04	·09	(4) 1·44	·04	3
4	01	·04	02	-	-	-	-	·10	·22	-	(5) -	·41	4
5	-	·01	39	-	52	-	-	·82	·28	·25	(6) -	·10	5
6	22	·15	-	·28	-	-	-	·12	·03	·09	(7) ·54	·25	6
7	·03	·23	-	·02	·25	-	-	-	·31	·08		·25	7
8	·02	·31	-	-	-	-	·02	-	·20	·27	02	·04	8
9	01	-	-	08	-	·31	·79	-	·85	·32	01	·66	9
10	04	-	-	·24	-	-	·31	-	·14	·60	04	·59	10
11	-	·02	·03	-	-	-	·75	·02	·16	·21	04	08	11
12	-	·15	·04	-	·45	-	·08	-	·12	-	-	·02	12
13	·11	·01	-	-	·10	-	·48	-	·74	19	-	·02	13
14	·28	-	-	-	·08	25	·03	-	·34	24	-	·13	14
15	1·96	-	-	·59	-	10	·33	-	·04	·02	-	·44	15
16	·41	-	01	·22	·02	02	·03	-	·50	01	-	·04	16
17	1·13	-	01	·10	-	-	·27	·02	·05	-	-	·46	17
18	1·13	-	-	-	-	·86	·06	-	·14	-	-	·24	18
19	·19	-	·05	-	-	-	·20	·01	·10	·02	-	·03	19
20	·04	·29	-	·14	-	·02	·06	·02	·63	·09	-	-	20
21	·08	·06	01	-	-	-	·05	-	·88	·09	-	·26	21
22	·05	-	-	-	·10	-	1·12	-	·27	·02	02	·79	22
23	·19	-	-	-	·08	-	·64	·01	·09	-	·13	·07	23
24	-	·27	-	-	-	-	·05	-	·20	-	·08	·08	24
25	·03	-	-	-	-	-	·08	·65	-	·02	·10	-	25
26	·01	02	-	-	-	-	·24	-	·04	·02	-	·45	26
27	-	·12	04	-	-	02	·05	·15	·18	·03	·37	-	27
28	-	·09	35	-	-	-	-	-	-	·05	·02	03	28
29	02	X	18	-	-	-	-	-	1·37	-	·02	03	29
30	·01	X	·53	-	-	-	-	·02	·15	·10	·12	02	30
31		X	07	X	-	X	-	·09	X	·06	X	-	31
Total	5·0	2·52	1·78	1·90	1·84	1·58	5·62	2·85	8·07	2·89	4·40	5·35	YEAR'S TOTAL 43·86
Rain Days.	21	17	14	10	10	7	20	14	26	23	17	27	206

(540)

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bell Cottage Cattistock
in the County of Dorset
by C E Davies

Lat. 50 48 N Long. 2 36 W
Time of Observation 9 a m
Nearest Railway Station Maiden Newton G W R
Diameter of Funnel of Rain Gauge 8·0 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·77	-	·17	-	·13	-	·48	-	-	·20	07	1·36	1
2	·20	-	·03	-	·02	-	·22	-	·40	·01	·06	·04	2
3	·80	-	·39	-	·07	·01	·01	-	·19	-	·06	·16	3
4	·27	·41	·60	-	-	-	-	04	·93	-	·06	·08	4
5	·03	·31	·41	-	01	-	13	-	·26	-	·09	·09	5
6	·91	·13	·14	-	-	-	-	-	-	-	04	31	6
7	·40	-	·55	·10	-	-	-	-	·01	-	-	-	7
8	·51	-	·23	-	-	-	-	-	-	-	-	-	8
9	·17	-	·04	·42	·10	-	-	-	01	-	47	-	9
10	·21	-	·42	-	·03	-	-	-	-	-	02	36	10
11	·05	-	·20	·28	·41	-	24	-	-	·02	-	06	11
12	·11	-	·02	·06	·01	02	·03	-	-	·08	·10	02	12
13	·10	·06	·05	·78	-	-	·02	-	-	·12	-	·17	13
14	1·03	·09	·01	·62	·10	-	·15	-	03	-	-	·30	14
15	·52	·09	-	·03	·01	-	-	-	-	01	-	·44	15
16	·04	·99	-	-	·04	-	-	07	-	·13	·15	·01	16
17	-	·34	-	-	-	-	-	-	-	-	17	·06	17
18	02	·10	66	-	-	-	·12	·10	-	-	20	·01	18
19	1·34	·52	68	-	-	·02	·80	·27	·10	-	·15	03	19
20	·77	·03	·09	-	-	·44	-	·36	-	-	07	06	20
21	·03	1·22	-	-	-	-	·20	·02	09	-	02	13	21
22	-	·04	-	-	-	-	·16	-	·31	-	-	07	22
23	·12	-	03	-	-	·02	-	-	-	37	04	05	23
24	-	02	-	·02	-	·07	01	-	-	1·02	22	·30	24
25	·30	·01	-	·17	-	·05	-	·28	-	-	-	25	25
26	·06	·03	·13	07	-	·01	-	·05	03	-	05	98	26
27	·20	·03	·09	34	-	-	05	1·25	-	-	-	03	27
28	-	-	·33	-	-	-	-	·80	-	-	69	63	28
29	·02	X	·01	·13	-	-	-	·14	-	·11	-	·04	29
30	-	X	-	·12	-	·18	-	·39	-	·02	79	1·07	30
31	-	X	·02	X	-	X	-	-	X	-	X	44	31
TOTAL	8·98	4·42	5 30	3·14	·93	·82	2·62	3 77	2·36	2·09	3·52	7 55	YEAR'S TOTAL 45 50
Days with ·01 in. or more	25	17	23	13	11	9	14	12	11	11	20	28	~~201~~ 194

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DORSET.

CATTISTOCK LODGE,

1911 – 1920

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

REGI 911

Kept at Cattistock L
in the County of Dorset
by Major H. Fagan

p 5 in.
bove Ground – ft. 12 in.
„ Sea Level 350 ft.
9 a.m
on { Name Maiden Newton
Distance 1 Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	–	·02	–	·01	–	–	·03	–	–	·01	–	1
2	·03	–	–	·24	·59	–	–	·10	–	·07	·03	·58	2
3	–	–	–	–	·24	–	–	·06	–	–	·43	·20	3
4	–	–	·10	·01	·01	–	–	–	–	·03	·16	·59	4
5	·25	–	·02	–	–	–	–	·15	–	·10	·23	–	5
6	·74	–	·13	–	–	–	–	–	–	·01	·14	1.11	6
7	·09	–	–	–	–	–	–	–	–	–	·09	·01	7
8	·03	·01	·26	–	–	–	–	–	–	–	·46	·93	8
9	·13	–	–	–	–	–	–	–	–	–	·07	·66	9
10	·15	·06	·73	–	·60	–		–			·10	·42	10
11	·75	–	·02	–	·19	–	–	–			·01	·02	11
12	–	–	1.15	–	–	–	–	–		? [illegible]	1.12	·39	12
13	–	–	–	–	–	–	–	–	·35	–	·06	·34	13
14	–	·07	–	–	–	–				·01	–	1.16	14
15	–	·02	–	–	–	–				–	·45	·02	15
16	·01	·02	·03	–	–	·43	–	–	–	–	·84	·56	16
17	·01	·04	·09	–	·17	·23	·03	–	–	·01	·15	·61	17
18	–	·17	·04	·16	·06	·20	–	–	–	·05	·09	·54	18
19	–	·04	–	–	–	·10	–	–	·35	·16	·08	·83	19
20	·07	·04	·20	·07	–	–	–	–	·09	·23	–	·82	20
21	·03	·25	·06	–	–	–	–	–	–	1.27	–	·11	21
22	·16	·06	·02	·04	–	·19	–	–	·18	·44	–	·64	22
23	·01	·15	·02	–	–	·10	–	–	·11	·24	·06	·59	23
24	·02	·19	–	–	–	·39	–	·25	·03	·42	–	·25	24
25	·02	·03	·01	·21	–	·13	–	–	·12	·19	–	·08	25
26	–	·13	–	·53	·46	–	–	·13	–	·33	·01	·38	26
27	–	·61	·14	·04	–	–	–	·03	·08	·49	–	·15	27
28	–	·34	–	·49	–	–	–	·18	–	–	·23	–	28
29	–	–	–	·47	–	·23	·12	–	·31	·47	·01	–	29
30	–	×	–	–	·19	·05	–	–	–	·21	·33	·02	30
31	–	×	–	×	–	×	–	–	×	·02	×	–	31
Total	2.59	2.23	3.04	2.26	2.52	2.05	·15	·93	1.62	4.75	5.16	12.01	TOTAL for year 39.31
No. of Rain Days.	17	17	17	10	10	10	2	8	9	19	23	26	168

W. 8,000, X. '11.

39.31

REGI 911

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

Kept at Cattistock Lodge, Cattistock

in the County of Dorset 3

by Major H. Fagan

RAIN GAUGE	Diameter of top	5 in.
	Height of top above Ground	– ft. 12 in.
	,, ,, ,, Sea Level	350 ft.

Time of Observation 9 a.m

Nearest Railway Station { Name Maiden Newton; Distance 1 Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	–	·02	–	·01	–	–	.03	–	–	·01	–	1
2	.03	–	–	·24	·59	–	–	·10	–	·07	.03	·58	2
3	–	–	–	–	·24	–	–	·06	–	–	·43	·20	3
4	–	–	·10	·01	·01	–	–	–	–	·03	·16	·59	4
5	·25	–	·02	–	–	–	–	·15	–	·10	·23	–	5
6	·74	–	·13	–	–	–	–	–	–	·01	·14	1.11	6
7	·09	–	–	–	–	–	–	–	–	–	·09	·01	7
8	·03	·01	·26	–	–	–	–	–	–	–	·46	·93	8
9	·13	–	–	–	–	–	–	–	–	–	·07	·66	9
10	·15	·06	·73	–	·60	–		–			·10	·42	10
11	·75	–	·02	–	·19	–	–	–			·01	·02	11
12	–	–	1.15	–	–	–	–	–		?64	1.12	·39	12
13	–	–	–	–	–	–	–	–	.35	–	·06	·34	13
14	–	·07	–	–	–	–				·01	–	1·16	14
15	–	·02	–	–	–	–				–	·45	·02	15
16	·01	·02	·03	–	–	·43	–	–	–	–	·84	·56	16
17	·01	·04	·09	–	·17	·23	·03	–	–	·01	·15	·61	17
18	–	·17	·04	·16	·06	·20	–	–	–	·05	·09	·54	18
19	–	·04	–	–	–	·10	–	–	·35	·16	·08	·83	19
20	·07	·04	·20	·07	–	–	–	–	·09	·23	–	·82	20
21	·03	·25	·06	–	–	–	–	–	–	1.27	–	·11	21
22	·16	·06	·02	·04	–	·19	–	–	·18	·44	–	·64	22
23	·01	·15	·02	–	–	·10	–	–	·11	·24	·06	·59	23
24	·02	·19	–	–	–	·39	–	·25	·03	·42	–	·25	24
25	·02	·03	·01	·21	–	·13	–	–	·12	·19	–	·08	25
26	–	·13	–	·53	·46	–	–	·13	–	·33	·01	·38	26
27	–	·61	·14	·04	–	–	–	·03	·08	·49	–	·15	27
28	–	·34	–	·49	–	–	–	·18	–	–	·23	–	28
29	–	–	–	·47	–	·23	·12	–	·31	·47	·01	–	29
30	–	x	–	–	·19	·05	–	–	–	·21	·33	·02	30
31	–	x	–	x	–	x	–	–	x	·02	x	–	31
Total	2·59	2·23	3.04	2·26	2.52	2.05	·15	·93	1·62	4·75	5.16	12·01	TOTAL for year 30·31
No. of Rain Days.	17	17	17	10	10	10	2	8	9	19	23	26	168

39·31

W. 8,000, X. '11.

Sparke

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
15 JAN 1913

Kept at Cattistock Lodge, Cattistock

in the County of Dorset 3

by Major H. F. Fagan

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Maiden Newton G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~[illegible]~~ ft. 12 in.

" " " " Sea Level ~~[illegible]~~ 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	·07	-	-	.40	·01	-	.05	1.05	-	-	1
2	-	-	·48	-	-	.01	.24	·08	·01	.01	-	-	2
3	-	-	·35	-	-	.55	-	.60	.03	-	.01	.08	3
4	·17	·01	1.17	-	-	·53	-	·05	-	-	.45	·01	4
5	·93	·28	·34	-	.03	-	-	.83	-	-	·01	·32	5
6	·57	-	-	-	·31	.10	.44	·56	-	-	-	·20	6
7	·05	.68	·36	-	·11	.61	-	·08	-	-	-	·32	7
8	.62	·37	·47	.03	-	·03	-	.02	·01	-	-	·21	8
9	·07	.08	·11	-	-	.08	·01	·07	-	-	-	.61	9
10	-	·13	-	-	-	-	·04	.13	-	-	-	·43	10
11	.13	·07	·04	-	-	-	-	·01	-	-	.01	·67	11
12	.02	·53	·35	.05	-	.03	·04	.27	-	-	-	-	12
13	-	-	.02	-	-	·02	-	-	-	.02	-	.07	13
14	·26	·01	·58	-	.05	-	-	·08	-	-	-	.06	14
15	.53	·32	-	.01	·10	.62	-	.02	-	-	.02	·42	15
16	1.48	·05	·67	-	·10	.01	-	·45	-	.20	·09	.02	16
17	.62	-	.43	-	·02	·10	-	1.60	-	-	-	.08	17
18	·72	-	.17	-	-	-	-	·35	-	.05	·01	·04	18
19	.05	·10	·09	-	-	-	.09	·03	-	-	.03	.01	19
20	.03	.05	·88	-	.15	-	-	·14	-	.27	.01	-	20
21	·01	.51	·68	-	.59	-	-	·19	-	.23	-	-	21
22	.30	.63	·07	-	-	-	·10	.12	-	.14	·02	·20	22
23	.26	.50	·25	-	-	.05	-	·97	-	-	.19	·38	23
24	.11	·06	·02	-	-	.56	-	.16	-	-	-	·27	24
25	·17	-	-	-	-	·20	-	.05	-	.16	·39	·70	25
26	-	·04	.01	-	-	-	·10	·20	-	.43	·55	.35	26
27	-	·10	.02	-	-	.34	.56	-	-	1.10	·04	·48	27
28	-	·09	-	-	-	.22	.08	·59	.23	·88	·95	·94	28
29	-	·18	.01	-	-	·02	.10	.09	.89	·44	-	·01	29
30	-	x	·01	-	·04	.06	.12	·03	·58	·30	·44	·01	30
31	-	x	.58	x	-	x	·39	-	x	.01	x	·15	31
Total	7.10	4.79	8.23	·09	1.50	4.54	2.32	7.77	1.80	5.29	3.22	7.04	YEAR'S TOTAL 53.69
Rain Days.	20	21	26	3	10	20	14	27	7	15	16	26	205

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Cattistock

in the County of Dorset 3

by Major H. St. F. Fagan

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Maiden Newton G.W.R

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 301 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	·40	·30	·20	—	—	—	—	—	—	·58	·03	1
2	·01	·10	·01	·05	·10	—	—	—	·01	·12	·25	—	2
3	·15	—	·05	·04	·34	—	—	—	·07	·09	·16	·19	3
4	1.37	—	·14	·06	·41	—	·01	—	·50	·34	·10	·11	4
5	·30	·03	·01	—	·15	·28	·04	—	·75	—	·26	·19	5
6	·05	·11	—	—	·19	·29	·08	—	—	1·79	·02	·55	6
7	·01	·55	·06	—	·72	·10	·10	—	—	·31	·39	·02	7
8	·01	·29	—	—	·33	·05	·05	—	—	·03	—	—	8
9	—	·05	—	—	·12	·02	·04	·14	·01	·05	·34	·07	9
10	·57	·01	·01	·02	·07	—	—	·03	—	·39	·32	—	10
11	1.15	·01	—	·22	·21	—	—	—	—	·10	·79	·03	11
12	—	·01	—	·01	·45	·05	—	—	—	·04	·35	—	12
13	·23	·01	·03	—	—	—	—	·04	·63	·01	·23	—	13
14	·32	—	·12	·01	·08	—	—	—	·34	·01	·03	—	14
15	·45	·03	·35	1.02	—	—	·07	·04	·41	—	·08	·01	15
16	·14	—	·45	—	—	—	—	—	·11	—	·01	—	16
17	·16	·03	·01	·10	—	—	—	—	·01	—	·01	—	17
18	·10	—	·39	·14	—	·03	—	—	—	—	·06	—	18
19	1.12	—	·07	—	·04	—	·04	—	·75	—	—	—	19
20	·30	—	·14	·17	—	—	—	—	—	·18	·44	—	20
21	—	—	·39	·43	·04	—	—	—	—	·39	·71	—	21
22	·43	—	·58	—	—	—	·03	·08	·24	·03	—	·10	22
23	·01	—	·03	—	—	·02	—	—	—	—	·12	·60	23
24	·05	—	—	·11	—	—	—	·01	—	—	·01	—	24
25	—	·13	—	·19	—	—	—	—	—	·01	—	·03	25
26	·03	·01	—	·44	—	—	—	·25	—	—	—	·17	26
27	·08	—	·33	·38	—	—	—	—	—	·08	—	—	27
28	·25	—	·16	·44	—	—	—	—	—	·22	—	·03	28
29	·12	—	·61	·37	·01	—	—	·08	—	1·05	—	·01	29
30	·81	X	·03	—	·02	—	—	—	—	·59	—	—	30
31	·15	X	·02	X	—	X	·01	·77	X	·14	X	—	31
Total	8.37	1.77	4.29	4.40	3.28	0.84	0.47	1.44	3.83	5.97	5.26	2.14	YEAR'S TOTAL 42·06
Rain Days.	26	15	23	19	16	8	10	9	12	21	21	15	195

W. 7,500, XI. ·12

Cor. by Dorset F.C. 19. IV. 15.

FORM A.
BRITISH RAINFALL
5 -JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Cattistock Lodge

in the County of Dorset 3

by Major Fagan

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Maiden Newton G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level not known ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·07	·03	—	·01	·03	·37	—	—	·34	·09	1
2	—	—	·07	·01	—	—	·40	·01	—	—	1·33	·30	2
3	—	—	—	·19	·76	—	—	·02	—	—	·06	·06	3
4	·71	—	·08	·48	·12	—	·30	·63	—	—	·56	·59	4
5	—	—	·10	·20	·28	—	·10	·16	—	—	·16	·04	5
6	—	·36	·03	·10	·10	·03	·02	·04	—	—	·01	·48	6
7	—	·89	·10	·14	·06	·02	·21	·14	·01	—	·01	·54	7
8	·12	·09	·73	·03	·14	·13	—	·26	—	—	—	·15	8
9	·03	—	·37	·49	—	·61	—	·12	·58	—	·03	·01	9
10	·13	·56	·07	·12	·24	·03	—	—	·37	—	·01	·03	10
11	—	·22	·72	·01	·06	·09	·15	—	—	—	·09	·76	11
12	—	·12	·19	—	—	—	—	—	·22	—	—	·90	12
13	—	·97	·56	—	—	—	·01	—	·14	·03	·30	·46	13
14	—	·46	·31	—	—	·50	·10	·75	—	·60	·56	·24	14
15	·05	—	·30	—	—	—	·05	·30	·01	·06	·37	·01	15
16	—	—	—	—	—	—	·04	—	·80	—	—	—	16
17	—	1·17	·28	—	—	—	—	—	—	—	—	1·15	17
18	—	·07	·10	—	—	—	·31	—	·10	—	—	·37	18
19	—	·11	·67	—	—	—	1·12	—	·07	—	·11	·11	19
20	—	·49	·28	—	—	·01	—	—	—	—	—	·33	20
21	—	1·07	·06	—	—	·16	—	—	—	·34	—	—	21
22	—	·31	·02	—	·20	·04	·03	·05	—	·29	—	—	22
23	—	·08	·40	—	—	—	·05	—	—	·15	—	—	23
24	—	·12	·06	—	·03	—	·01	—	—	·22	·09	·09	24
25	·08	—	·39	—	—	—	·07	·79	—	·67	·10	·62	25
26	·03	—	·16	—	—	—	·20	·08	—	·10	·50	·80	26
27	·11	—	—	—	—	—	·10	—	—	—	·11	·41	27
28	·02	·34	·56	—	·04	—	·42	—	—	—	·45	1·05	28
29	·68		·34	—	·20	—	·08	—	—	·39	·81	·04	29
30	·02	X	·16	—	—	—	—	—	—	·33	·88	1·15	30
31	·23	X	—	X	·03	X	·31	—	X	·75	X	·31	31
Total	1·61	7·43	7·18	1·80	2·26	1·63	4·11	3·66	2·30	3·93	6·88	11·09	YEAR'S TOTAL 53·88
Rain Days.	12	17	27	11	13	11	22	14	9	12	21	27	196

W. 8,000. X. 14.

D L corrected for arith 15.10.16. by Ols.

3 - JAN 1916 1739

REGISTER OF RAINFALL IN ~~18~~ 1915

Kept at Cattistock Lodge *by* H Hamilton Palairet

in the County of Dorset 3

Lat. 50.46 N. Lon. 2.35 W. Time of Observation 9 a.m.

RAIN GAUGE. Diameter 5 in.
Height of top above Ground 1 ft
" " Sea Level 350 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles,*" which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.86	.25	.18	.02		.02		.47	.02	.06	.07	.40	1
2	.12	.14	.24	.25	.30					.11		.32	2
3	.06	.02	.01							.04		.54	3
4	.08	.87		.16			.02	.27				.30	4
5	.89	.18		.56			.66	.02				.72	5
6	.50	.92		.19			.12	.02				.13	6
7	.07	.80		.02				.08		.01	.02	.28	7
8		.12		.06							.01	.04	8
9	.35	.05	.09	.06				.02		.04	.40	.98	9
10	.12	.24	.02	.10						.01		.15	10
11	.18	.74		.11	.56			.06		.13	1.17	.07	11
12	.02	.46			.98		.01		.08		.75	.01	12
13	.03	.08					.14	.07	.08		.07		13
14	.15	.01			.21		.25		.01			2.25	14
15		2.10			.23		1.79			.07	.10	22	15
16		.40			.00			.32				25	16
17	.01	.58										.02	17
18					.29		.16						18
19	.21			.16		.03				.03			19
20	.18	.33					.30		.04	.10		.14	20
21	.16	.10	.42	.01			1.16		.01	.97		.16	21
22		.01	.04						.35			.44	22
23	.03		.01	.06			.53		.45	1.85		.46	23
24				.08		.25				.48		.83	24
25	.02	.25				.01	.28		.22	.05		.48	25
26		.06				.65			.02	.84		1.05	26
27		.03				.17	.01		.43	.08		04	27
28						.16	.16				.01	.03	28
29	.19					.03			.30	.04	.45	.05	29
30				.01			.10	.03	.27	1.24	.76	.63	30
31	.29						.53	.16		1.72		.22	31
Totals	4.52	8.68	1.01	1.85	2.63	1.32	6.22	1.52	2.28	7.87 ~~7.63~~	3.81	11.21	52.92 52.92
Total from Jan. 1	21	23 13.20	8 14.21	15 16.06	7 18.69	9 20.01	16 26.23	11 27.75	13 30.03	19 37.66	11 41.47	28 52.68	190 180

K/4,000/10/97. EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3D.

Red Ink by Major Fagan's Gardener : black by H H Palairet

W Ely [illegible]

3 JAN 1917

REGISTER OF RAINFALL IN ~~18~~ 1916

Kept at Cattistock Lodge *by* H Hamilton Palairet

in the County of Dorset

Lat. 50.46 N Lon. 2.35 W Time of Observation 9 a m

RAIN GAUGE.

Diameter 5"

Height of top above Ground 12"

" " Sea Level 350'

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles,*" which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26	.11	.04		.29	.04	.02		.50	.17	.45		1
2	.26	.14			.03				.01	.34	.35		2
3	.10	1.44	.01		.05	.03			/04	.83	.38		3
4	.17	.20			.04	.40			.01	.07	.87		4
5	.03	.07	.08	.01	.26	.06					.38		5
6	.02	.10	.02		.17	.10	.85			.15	1.10		6
7	.05	.08	.66		.05	.06				.12	.98	.16	7
8	.02	.07	.40		.44	.01					.10	.30	8
9		.04	.01		.08	.17	.02			.05	.04	.17	9
10		.66	.05	.08	.09	.01	.10				.09	.14	10
11		.04	.03	.04	~~.11~~	.06			.01				11
12	.07	.02	.15	.08	.11	.02	.12	.04		.05			12
13	.01	.10	.17	.01				.25		.04			13
14	.06	1.02		.04	.05			.11	,		.02		14
15	.03	.18	.13	.04				.55		.06			15
16	.12	.05		.25		~~.01~~	.01	.15	.05	.09			16
17	.38	.18	.02	.13				.77	.27	.90	.70		17
18	.10	.09	.18	.04					.12	.03	.17	.34	18
19	.22	.02	.80	.10					.04		.24	.12	19
20	.15	.33	.26	.01				.01			.09	2.00	20
21	.01	.34	.38	.11	.04							.50	21
22			.06		.01	.04	.03			.55			22
23	.03	.05		.02		.16		.10 .01		.02	.40	.54	23
24				.22	.78			.09		.97	.10	.46	24
25		.87	.14					.73			.13		25
26	.01	.42	.02	.01		.25		.09	.73	.87			26
27	.01	.04	1? 35			.04		.04	.29	.55			27
28	.02	.40	.07	.01				.38	.09	.85	(.03)	.40	28
29		.60	.05			.58		2.25	.37	.25		.30	29
30			.01					.01		.85			30
31								.15		.48		.05	31
Totals	2.13	7.66	5.09	1.20	2.49	2.03	1.15	5.72	2.53	8.29	6.62	5.48	50.39
Total from Jan. 1		9.79	14.88	16.08	18.57	20.60	21.75	27.47	30.00	38.29	44.91	50.39	
	22	27	24	17	15	16	7	16	13	22	19	13	

K/4,000/10/97. EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3D.

1632

REGISTER OF RAINFALL IN 18 1917

5 FEB 1918

Kept at Cattistock Lodge, Dorchester, *by* H H Palairet

in the County of Dorset

Lat. 50.46 N Lon. 2.35 W Time of Observation 9 a.m.

RAIN GAUGE.
Diameter 5"
Height of top above Ground 1'
" " Sea Level 350

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles,*" which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.11	.27		.19		(.51)			.05		1
2				.15		.08		.08		.03			2
3	.07			.04			.61			.17	.47		3
4		.10	.58	.01				.03		.23			4
5	.12		.12	.32		.04		.02	.17	.11			5
6			.10			.21			.50	.14	.17	.03	6
7	.41		.02				.35	.47	.47	.26	.06	.05	7
8	.25		.16	.08			.86	.91	.15	.38	.05	.15	8
9			.20	.01			.03	.07	.02	.07	.28		9
10	.20		.46	.28				.35					10
11	.04		.52	.22	.08					.37	.06		11
12	.07				.50					.32			12
13			.15	.03		.02		.22	.03	.04			13
14			.17					.05	.02				14
15								.21		.39		.13	15
16		.17		.27						.89		.69	16
17				.30	.01		.31	.23	1.20	.20			17
18		.14	.01				.11		.63				18
19		.58	.12			.02		.01	.13				19
20		.06	.07		.44	.11			.13	.26			20
21			.30							.13			21
22			.04					.11		.14			22
23		.16			.16	.30		.33					23
24		.08	~~.04~~			.05	.11	.02		.17	.07		24
25		.05	.05				.57	.23	.12	.12	.28		25
26					.15			.77	.12	.02	.02		26
27					.44	.25		1.44		.15		.03	27
28			.12		.14	.43		.16		.14		.04	28
29			.08		.03	.13	.05			.62	.01		29
30			.20				1.00	.22		.02	.01		30
31			.08					.01		.20		.04	31
Totals	1.16 ✓	1.34	3.60 ✓	1.98 ✓	1.95 ✓	1.83 ✓	4.00	6.45 ✓	3.69 ✓	5.57 ✓	11.53 ✓	1.16	
Total from Jan. 1		2.50	6.10	8.08 ~~10.03~~	10.03 ~~11.86~~	11.86	15.86	22.31	26.00	31.57	33.10	34.26 ✓	
	7	8	21	12	9	12	10	22 1.64	13	25	12	8	159

K/4,000/10/97. EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3D.

51

8.1.19

REGISTER OF RAINFALL IN 1918

Kept at Cattistock Lodge. *by* H. Hamilton Palairet.

in the County of Dorset.

Lat. 50.46. N Lon. 2.35. W. Time of Observation 9. a.m.

RAIN GAUGE.
Diameter 5. in.
Height of top above Ground 1. ft.
" " Sea Level 350. ft.

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles,*" which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.14		.04	.04			.70	.01	.02	1.23	.03	1
2		.38		.08				.11		.02	.09	.34	2
3		.04	.04	.12	.18				.03	.09	.14	.03	3
4		.18	.02					.09	.43		1.46	.43	4
5			.40		.56			.77	.19	.23		.08	5
6	.20	.14		.28				.16	.04	.22		.27	6
7	.01	.24		.02	.22				.39	.01	.57	.26	7
8	.04	.27							.16	.38		.03	8
9	.02	.01		.09		.32	.90		.97	.16	.01	.67	9
10	.05			.21			.28		.95	.55	.04	.61	10
11			.03	.02			.76		.18	.17	.04	.06	11
12		.15	.03		.45		.10		.05				12
13	.10				.08		.61		.83	.13			13
14	.28				.09	.24	.02		.24	.32		.12	14
15	2.00			.56	.10	.07	.32		.04	.02		.43	15
16	.40 ~~2.00~~			.18		.01	.03		.52			.04	16
17	.17		.01	.11			.27 ~~.03~~		.05			.43	17
18	1.12					.85	.10 ~~.27~~		.14			.24	18
19	.16	.03	.07				.20	.04	.12	.03		.03	19
20	.04	.26		.13		.01	.07		.59	.08			20
21	.08	.05					.07		.82	.08		.25	21
22	.05						1.27		.26			.19	22
23	.22						.47	.03	.07		.13	.03	23
24		.26				.03	.03		.17		.07		24
25				.02			.10	.63			.10		25
26	.30	.02					.20		.04	.02	.39	.45	26
27		.14	.06				.05	.12	.18	.03	.18		27
28		.08	.33	.02			.01			.05	.01	.02	28
29			.26		.14				1.35		.01	.03	29
30			.53		.09				.17	.11	.30	.01	30
31			.08					.09		.12			31
Totals	5.24	2.39	1.86	1.88	1.95	1.53	5.86	2.74	8.19	2.84	4.77	5.08	44.35
Total from Jan. 1		7.63	9.49	11.37	13.32	14.85	20.71	23.45	31.64	34.48	39.25	44.33	
	17	16	12	14	10	7	20	10	27	21	16	24	194

K/4,000/10/97. EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3D.

FORM A.
BRITISH RAINFALL.

[illegible]

REGISTER OF RAINFALL IN 1919.

Cattistock Lodge.

in the County of Dorset.

by H. Hamilton Palairet.

Lat. 50.46 N. Long. 2.35. W.
Time of Observation 9. a.m.
Nearest Railway Station Maiden Newton.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1. ft. in.
" " " " Sea Level 350. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.83		.18		.09		.46		.03	.18	.07	1.30	1
2	.19		.02		.01		.22		.40	.02	.14	.04	2
3	.73		.41		.07	.01	.04		.20		.06	.15	3
4	.20	.40	.59					.04	.96		.05	.08	4
5	.03	.25	.40				.20	.01	.19		.09	.10	5
6	.86	.13	.13				.02				.04	.30	6
7	.40		.50	.10					.01				7
8	.50		.24	.02									8
9	.15		.04	.37	.11						.53		9
10	.18		.42		.03					.02	.03	.42	10
11	.06		.18	.30	.44		.18					.06	11
12	.11		.02	.06			.04		.01	.10		.03	12
13	.16	.06	.04	.81	.11		.02			.12		.17	13
14	.97	.08		.57			.15		.05	.01		.30	14
15	.46	.11		.04	.02					.18		.47	15
16	.05	.98			.05			.07			.04		16
17	.01	.27			.01			.01			.22	.06	17
18	.06	.17	.76				.08	.07			.17	.03	18
19	1.25	.47	.60			.04	.85	.23	.10		.11	.04	19
20	.61	.03	.07			.42		.32			.05	.10	20
21	.02	1.25					.18	.02	.06		.03	.13	21
22		.03				.01	.15	.01	.34			.05	22
23			.03			.02		.01		.34	.02	.04	23
24				.02		.05	.01		.01	1.18	.20	.30	24
25	.22			.17		.05		.32				.12	25
26	.11	.04	.11	.13		.02		.05	.03		.05	.88	26
27		.02	.08	.19		.01	.06	1.40				.03	27
28	.12		.34					.90			.75	.60	28
29			.01	.13				.27		.12		.05	29
30				.12		.16		.40		.02	.72	1.11	30
31			.02									.45	31
Total	8.28	4.29	5.19	3.03	.94	.79	2.66	4.13	2.39	2.29	3.37	7.41	YEAR'S TOTAL 44.77 ~~44.75~~
Rain Days.	24	15	22	14	10	10	15	16	13	11	19	27	196

W. 7,500, XI. 12

1653

REGISTER OF RAINFALL IN 1920.

FORM A.
BRITISH RAINFALL.
4 JAN 1921

Kept at Cattistock Lodge.

in the County of Dorset.

by H. Hamilton Palairet.

Lat. 50. 46 N. Long. 2.35 W.

Time of Observation 9. a.m.

Nearest Railway Station Maiden Newton.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1. ft. in.

" " " " Sea Level 350. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08		.06	12	.64		.44	.04	.07	.08	.25	.65	1
2	.72		.03	.12	.03		.06	.11	.06	.07		.18	2
3	.15	.16		.04	.02		.31		.04	.60		.05	3
4		.03	.02	.10			.75	.97		.22			4
5	.01		.20	.53	.05		.40	.45		.16		.04	5
6			.15	.03	.42		.48	.01		.14			6
7	.03		.01	.32	.04		.58						7
8	.10			.38	.02		.45	.01					8
9	.60	.07		.05		.08	.05						9
10	.98	.17	.10	.10		.42	.99						10
11	.27	.02	.30	.75	.25	.01	.20					*	11
12	.35	.08	.05	.33	.02	.32	.02				.10	.11	12
13	.28	.04	.65	.05								.06	13
14	.06	.04	.43	1.52			03		.34	.20	.54		14
15	.05	.10	.09	.34	.13	.10	.01		.04	.37	.02		15
16	.01	.01	.03	.04	.01	.08	.26		.26	.03	.07		16
17	.03		.04	.12	.35		.07		.35		.01		17
18	.10	.01	.02	.09	.18	.28	.12	.45	.12			.02	18
19	.04			.39		.22			.30				19
20	.02	.06		.31		.49						.44	20
21				.02			.11		.04	.03		.10	21
22	.04			.28			.01			.04		.44	22
23	.04						.44	.03				.58	23
24	.03		.40	.02	.01						.82	.23	24
25		.05	.15	.01	.11		.78						25
26	.22		.45			.01	.02				.15	.12	26
27	.77		.07	.17		.20					.07	.42	27
28	.82	.01	.21	.03	.12	03	.17					.15	28
29	.43	.02	.23	.15	.01	02					.43	.45	29
30	.20	X		.01	.04	.35	.04		.65		.55	.62	30
31	.04	X	.26	X	.01	X			X	.45	X	.27	31
													YEAR'S TOTAL
Total	6.47	.87	3.95	6.42	2.46	2.61	6.79	2.07	2.27	2.39	3.01	4.93	44.24
Rain Days.	27	15	22	28	19	14	24	8	11	12	11	18	209
	21	9	17	22	11	10	19	5	11	10	9	17	161

W. 8,000, IX. 17.

DORSET.

CHARMINSTER.

1918

REGISTE

FORM A. BRITISH RAINFALL.

Kept at Charmin

in the County of Dorse

by F.W. Beckf

2 · 24 · 9.I.

o. a. m.

Dorchester

Gauge 5 in.

ve Ground 1 ft. in.

Sea Level 216 ft.

IMPORTANT NOTE.—Rai the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·13	—	·05	·05	—	—	·78	—	·02	·97	·02	1
2	—	·38	—	·04	—	—	—	·08	—	·01	·11	·30	2
3	—	·14	·01	·26	·24	—	—	—	·02	·08	·10	·02	3
4	·01	·04	·01	·02	—	—	—	·13	·30	·02	1·12	·26	4
5	—	·03	·31	·07	·32	—	—	·47	·07	·26	·01	·07	5
6	·22	·17	—	·31	—	—	—	·06	·05	·15	—	·22	6
7	·01	·22	—	·01	·15	—	—	·02	·50	·01	·40	·12	7
8	·02	·09	—	—	—	—	—	—	·04	·24	—	·04	8
9	—	—	—	·11	—	·17	·78	—	·77	·25	·02	·72	9
10	·06	—	—	·19	—	—	·35	—	·56	·48	·02	·60	10
11	—	—	—	·04	—	—	·17	—	·10	·12	·03	·05	11
12	—	·17	·02	—	·53	—	·25	—	·05	·05	—	·01	12
13	·11	—	—	—	·02	—	·87	—	·79	·05	—	·01	13
14	·24	—	—	—	·01	·09	·06	—	·35	·41	—	·14	14
15	1·54	—	—	·44	·01	·14	·22	—	·02	—	—	·23	15
16	·47	—	·02	·06	—	·05	·01	—	·41	—	—	·05	16
17	·23	—	·02	·13	—	—	·34	·02	·02	—	—	·34	17
18	1·12	—	—	—	—	1·05	·11	—	·28	—	—	·24	18
19	·11	—	·15	—	—	—	·35	·01	·04	·01	—	·08	19
20	·04	·28	—	·14	—	—	·21	·01	·35	·07	—	—	20
21	·13	·04	·01	—	—	—	·03	—	·87	·07	—	·33	21
22	·08	—	—	—	—	—	·92	—	·23	·01	·02	·13	22
23	25 ·26	·01	—	—	·12	—	·13	—	·08	—	·12	·03	23
24	—	·24	—	—	—	·02	·11	—	·23	—	·10	·07	24
25	—	—	—	—	—	—	·19	·66	—	·01	·10	·01	25
26	—	·02	—	—	—	—	·11	—	·03	·02	·12	·47	26
27	—	·13	·01	—	—	—	—	·08	·40	·02	·28	·01	27
28	—	04	·34	—	—	—	—	—	·08	·05	·01	·01	28
29	—	—	·32	—	—	—	—	—	1·94	—	·01	·09	29
30	—	X	·49	—	—	—	—	—	·13	·11	·12	·02	30
31	·01	X	·11	X	—	X	—	·03	X	·06	X	—	31
Total	4·65	2·13	1·82	1·87	1·45	1·52	5·21	2·35	8·71	2·58	3·66	4·69	YEAR'S TOTAL 40·64
Rain Days.	17	16	13	14	9	6	18	12	27	24	18	29	203

W. 6,500, VII. 18. w w c

REGISTE

FORM A.
BRITISH RAINFALL

Kept at Charminster

in the County of Dorset

by F. W. Beckford

Lat. [illegible] 44 Long. 2 · 24″ G.I.

Time of Observation 9. 0. a. m.

Nearest Railway Station Dorchester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 216 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·13	—	·05	·05	—	—	·78	—	·02	·97	·02	1
2	—	·38	—	·04	—	—	—	·08	—	·01	·11	·30	2
3	—	·14	·01	·26	·24	—	—	—	·02	·08	·10	·02	3
4	·01	·04	·01	·02	—	—	—	·13	·30	·02	1·12	·26	4
5	—	·03	·31	·07	·32	—	—	·47	·07	·26	·01	·07	5
6	·22	·17	—	·31	—	—	—	·06	·05	·15	—	·22	6
7	·01	·22	—	·01	·15	—	—	·02	·50	·01	·40	·12	7
8	·02	·09	—	—	—	—	—	—	·04	·24	—	·04	8
9	—	—	—	·11	—	·17	·78	—	·77	·25	·02	·72	9
10	·06	—	—	·19	—	—	·35	—	·56	·48	·02	·60	10
11	—	—	—	·04	—	—	·17	—	·10	·12	·03	·05	11
12	—	·17	·02	—	·53	—	·25	—	·05	·05	—	·01	12
13	·11	—	—	—	·02	—	·87	—	·79	·05	—	·01	13
14	·24	—	—	—	·01	·09	·06	—	·35	·41	—	·14	14
15	1·54	—	—	·44	·01	·14	·22	—	·02	—	—	·23	15
16	·47	—	·02	·06	—	·05	·01	—	·41	—	—	·05	16
17	·23	—	·02	·13	—	—	·34	·02	·02	—	—	·34	17
18	1·12	—	—	—	—	1·05	·11	—	·28	—	—	·24	18
19	·11	—	·15	—	—	—	·35	·01	·04	·01	—	·08	19
20	·04	·28	—	·14	—	—	·21	·01	·35	·07	—	—	20
21	·13	·04	·01	—	—	—	·03	—	·87	·07	—	·33	21
22	·08	—	—	—	—	—	·92	—	·23	·01	·02	·13	22
23	·25 ·26	·01	—	—	·12	—	·13	—	·08	—	·12	·03	23
24	—	·24	—	—	—	·02	·11	—	·23	—	·10	·07	24
25	—	—	—	—	—	—	·19	·66	—	·01	·10	·01	25
26	—	·02	—	—	—	—	·11	—	·03	·02	·12	·47	26
27	—	·13	·01	—	—	—	—	·08	·40	·02	·28	·01	27
28	—	04	·34	—	—	—	—	—	·08	·05	·01	·01	28
29	—	—	·32	—	—	—	—	—	1·94	—	·01	·09	29
30	—	X	·49	—	—	—	—	—	·13	·11	·12	·02	30
31	·01	X	·11	X	—	X	—	·03	X	·06	X	—	31
Total	4·65 ✓	2·13 ✓	1·82 ✓	1·87 ✓	1·45 ✓	1·52 ✓	5·21 ✓	2·35 ✓	8·71 ✓	2·58 ✓	3·66 ✓	4·69 ✓	YEAR'S TOTAL 40·64
Rain Days.	17 ✓	16 ✓	13 ✓	14 ✓	9 ✓	6 ✓	18 ✓	12 ✓	27 ✓	24 ✓	18 ✓	29 ✓	203 ✓

W. 6,500, VII. 18. w w c

CHARMINSTER
BROOK LANDS
DORSET
1911 — 1914

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

9 11

Kept at Brookl
in the County of D
by

op 8 in.
above Ground — ft. 14 in.
„ Sea Level ft.
9 a.m
tion Name
Distance 2 Direction S

IMPORTANT and the result entered to the previous day. If universal rule, he is earnestly requested to add th ng year in the space provided for it at the end asurement of rain, the selection and placing of rain gauges, and he British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											3	8	1
2	5			26	50			8		5	20	50	2
3					22						15	·103 13	3
4			3							3	25	34	4
5	30		4	·2				12		8	10		5
6	53		20	3						12	4	108	6
7											58	5	7
8			20								21	63	8
9	10		~~56~~								6	~~[illegible]~~	9
10	18		66		11							30	10
11	56										116		11
12			101								22	24	12
13								[illegible]	29			45	13
14		13										75	14
15			5								34	2	15
16			10			52					75	40	16
17			2			16					33	36	17
18		18	3			20				7	10	44	18
19				·10		16			20	13	6	70	19
20	6	·35	17	6					5	22		50	20
21	2					2			6	95		5	21
22	21					18			11	50		65	22
23		15	4			12			13	37	4	53	23
24		30				28		22		64		15	24
25		4	3	20		10				14	~~3~~	12	25
26				42	·91					28	3	32	26
27		69							16	71	15	13	27
28		25		65							7		28
29						22	·11	17	20	55	2		29
30				26		3		·30		25	20		30
31													31
Total	2·01	2 09	2.58	2.00	1.74	1.99	·11	·89	1-20	4.69	5.9	8.82	TOTAL for year 33·21
No. of Rain Days.	9	8	13	9	4	11	1	5	8	15	22	24	129

33.41

W. 8,000, X. '11.

1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Brooklands Charminster

in the County of Dorset 3

by R Hammond

RAIN GAUGE	Pattern
	Diameter of top 8 in.
	Height of top above Ground — ft. 14 in.
	" " " Sea Level ft.

Time of Observation 9 a m

Nearest Railway Station Name Dorchester
Distance 2 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											3	8	1
2	5			26	50			8		5	20	50	2
3					22						15	103 ~~13~~	3
4			3							3	25	34	4
5	30		4	.2				12		8	10		5
6	53		20	3						12	4	108	6
7											58	5	7
8			20								21	63	8
9	10		~~26~~								6	[illegible]	9
10	18		66		11							30	10
11	56										116		11
12			101								22	24	12
13								[illegible]	29			45	13
14		13										75	14
15			5								34	2	15
16			10			52					75	40	16
17			2			16					33	36	17
18		18	3			20				7	10	44	18
19				.10		16			20	13	6	70	19
20	6	.35	17	6					5	[illegible]		50	20
21	2					2			6	85		5	21
22	21					18			11	20		65	22
23		15	4			12			13	37	4	53	23
24		30				28		22		64		15	24
25		4	3	20		10				24	~~3~~	12	25
26				42	.91					28	3	32	26
27		69							16	71	15	13	27
28		25		65							7		28
29						22	.11	17	20	55	2		29
30				26		3		.30		25	20		30
31													31
Total	2.01	2.09	2.58	2.00	1.74	1.99	.11	.89	1-20	4.69	5. 9	8.82	TOTAL for year 33.21
No. of Rain Days.	9	8	13	9	4	11	1	5	8	15	22	24	129

33.41

W. 8,000, X. '11.

Ex JL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

8 - JAN 1913

Kept at Brooklands

in the County of Dorset 3

by Captain R. Dymond

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Dorchester
Distance 2 m Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	2	.	.	16	.	.	5	53	.	31	1
2	.	.	47	.	~~3~~	.	10	.	.	.	6	.	2
3	.	.	20	.	~~7~~	46	.	73	3	.	.	6	3
4	39	.	84	.	.	47	.	3	.	.	22	7	4
5	89	31	25	.	.	.	.	63	.	.	.	23	5
6	47	.	.	.	30	9	21	57	.	.	.	2	6
7	2	65	30	.	.	104	.	2	.	.	.	30	7
8	87	35	32	.	.	.	.	2	.	.	.	12	8
9	2	5	17	.	.	4	3	18	.	.	.	63	9
10	.	.	.	2	.	.	.	12	.	.	.	23	10
11	.	7	.	3	.	1	.	12	.	.	.	60	11
12	7	42	35	.	7	.	2	34	.	.	.	.	12
13	.	.	.	.	.	.	.	2	.	2	2	5	13
14	13	3	36	.	5	.	.	22	.	.	3	.	14
15	36	40	.	.	2	55	.	2	.	.	.	48	15
16	140	.	71	.	8	2	.	50	.	.	17	.	16
17	107	.	25	.	2	10	.	117	.	.	.	6	17
18	3	.	13	.	.	.	.	20	.	17	.	.	18
19	5	9	17	.	.	.	11	22	.	.	.	.	19
20	2	7	57	.	17	.	.	3	.	40	.	.	20
21	30	50	38	.	105	.	.	29	.	23	.	.	21
22	20	56	12	.	4	.	6	13		6	3	20	22
23	9	29	20	.	.	.	.	83	.	21	20	30	23
24	31	7	.	.	.	38	.	14	.	.	24	32	24
25	.	3	.	.	.	17	25	12	.	32	36	52	25
26	.	.	.	.	.	.	.	5	.	33	.	34	26
27	.	.	.	.	.	20	90	.	.	81	.	29	27
28	.	17	.	.	.	~~2~~6	30	61	15	86	81	75	28
29	.	13	.	.	9	6	30	18	1.10	61	.	.	29
30	.		5	.	.		6	3	63	30	.		30
31	.		61	.	.		29	.		.		13	31
Total	6.69	4.19	6.41	.5	1.89	3.81	2.63	7.46	1-96	4.85	2.34	6.01	TOTAL for year
No. of Rain Days.	18	17	20	2	10	15	12	27	5	13	10	21	48 29 170

W. 8,000, X. '11.

Copied from Dorset Field Club.

Dorset Field Club.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

23 MAR 1914

Ex. W.

Kept at Brooklands, Charminster.

in the County of Dorset. 3

by R. Osmond
R. Stevenson Henshaw.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station ....

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·36	·26	·18	—	—	—	—	·13	—	·50	·02	1
2	·10	·10	·01	·11	·08	—	—	—	—	·12	·12	—	2
3	·0.1	—	·03	·06	·18	—	—	—	·05	·08	—	·12	3
4	—	—	·15	—	·24	—	—	—	·13	·21	·08	·03	4
5	1·05	·04	—	—	·17	·15	·03	—	·04	·07	·13	·21	5
6	·23	·12	·05	—	·07	·20	·10	—	—	·46	·04	·64	6
7	—	·54	·03	—	·55	·10	·13	—	—	·30	·38	·01	7
8	·05	·34	—	—	·19	·01	·09	—	—	—	—	—	8
9	·01	·05	—	—	·03	·01	·05	·83	—	—	·26	·03	9
10	·58	—	—	—	·03	—	—	—	—	·60	·36	—	10
11	·83	—	—	·13	·41	—	—	—	—	·08	·32	·02	11
12	·12	—	—	—	·31	—	—	—	—	—	·56	·01	12
13	·06	—	—	·67	—	—	—	—	—	—	·25	—	13
14	·33	—	·12	·04	·09	—	—	—	·60	—	—	—	14
15	·42	·04	·41	·73	—	—	—	—	·61	—	·10	—	15
16	·12	—	·46	·06	—	—	—	·04	·04	—	—	—	16
17	·06	—	·02	·08	—	—	—	—	—	—	—	—	17
18	·33	—	·18	·01	—	—	—	—	—	—	·04	—	18
19	1·58	—	·05	—	·05	—	·62	—	·51	·03	—	—	19
20	·15	—	·09	·17	—	—	—	—	—	·20	·36	—	20
21	—	—	·49	·28	·01	—	—	—	—	·06	·46	—	21
22	·37	—	·17	—	—	·05	—	·08	·26	·04	—	—	22
23	·01	—	·01	—	—	—	—	—	—	—	·12	·63	23
24	·03	·15	—	—	—	—	—	—	—	—	·01	—	24
25	—	·02	—	·23	—	—	—	—	—	—	—	—	25
26	—	—	—	·29	—	—	—	—	—	—	—	·02	26
27	—	—	·26	·35	—	—	—	·31	—	·06	—	·23	27
28	·34	—	·10	·48	—	—	—	—	—	·21	—	—	28
29	·16		·51	·24	·10	—	—	·09	—	·54	—	—	29
30	·84		—	—	—	—	—	—	·12	·40	—	—	30
31	·17		·02		·01		—	·60		·11		—	31
Total	4·95	1·76	3·42	3·51	2·52	·52	·42	1·95	2·49	3·57	4·09	1·97	YEAR'S TOTAL 34·17
Rain Days.	24	10	20	17	16	6	6	6	10	17	17	12	161

11 given

8 given

W.7,000, XI. 13

2nd TBS

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at 13 Brooklands Charminster

in the County of Dorset 3

by F Dymond

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Dorchester

Diameter of Rain Gauge 7 3/4 in.

Height of top of Gauge above Ground 12 in ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	17	52	-	-	21	8	1
2	-	-	-	7	1	-	70	-	-	-	1.19	27	2
3	2	-	-	11	55	-	-	-	-	-	2	3	3
4	5	-	9	40	15	-	32	1.10	-	-	35	55	4
5	3		10	18	10	-	51	2	-	-	75	10	5
6	2	33	1	11	14	-	35	1	-	-	-	29	6
7	1	41	19	21	4	-	25	18	-	-	-	31	7
8	7	7	85	2	10	4	-	15	-	-	8	4	8
9			33	22	3	5	-	8	61 ~~6~~1	-	-	1	9
10	10	40		9	20	-	-	-	37	-	-	1	10
11		21	75 75	-	2	3	17	-	-	-	-	70	11
12		6	15	-	-	-	-	-	46	-	4	58	12
13	~~10~~	65	36	-	-	-	-	-	11	10	25	61	13
14		36	35	-	-	22	20	80	-	25	30	19	14
15	3		30	-	-	-	-	41	-	20	37		15
16				-	-	-	5	-	60	-	-	2	16
17		1.14	30	-	-	-	-	-	4	-	-	1.07	17
18		8	15	-	-	-	17	-	6	-	-	75	18
19		16	50	-	-	-	1.02	-	12	-	10	11	19
20		35	28	-	-	-	-	-	-		-	27	20
21		70	-	-	-	-	-	-	-	34	-		21
22		22	-	-	45	6	-	5	-	16	-		22
23		10	50	-	-	-	1	-	-	37 27	-		23
24		5	2	-	-	-	3	-	-	18	11	~~70~~	24
25	2		32	-	-	-	-	55	-	73	7	~~90~~ 70	25
26			14	-	-	-	1	~~1~~2	-	6	36	~~69~~ 67	26
27	9		-	-	-	-	15	~~12~~	-	-	8	39 39	27
28	1		43	-	-	-	1	-	-	-	21	80	28
29	67	21	32	-	26	-	1	-	-	22	50		29
30	4	X	17	-	2	-	25	-	-	27	98	80	30
31	13	X		X	-	X	-	-	X	66	X	15	31
Total	1.29	5.50	6.61	1.41	2.07	.40	4.38	3.99	2.37	3.44	6.17	9.70	YEAR'S TOTAL 47.33
Rain Days.	14	17	22	9	13	5	18	12	8	12	18	25	173

W. 8,000. X. 14.

DORSET.

CHARMOUTH.
HAMMOND MEAD
1914

FORM A.
BRITISH RAINFALL.

14 JAN 1915

and total of

REGIST 14

Kept at Charmout ng. 9 a.m weekly

in the County of Dors on Lyme Regis

by Alfred Bar ge 5 in.

above Ground ft. 9 in.

„ Sea Level 50 ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Obser universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·67

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												(·10) ~~1·48~~	1
2		~~·22~~				(·04) ~~·34~~			·00				2
3			(·14) ~~·28~~								(1·14) ~~2·11~~		3
4								(1·03) ~~1·53~~					4
5					(·73) ~~·75~~								5
6	·15									·00			6
7				·94			1·15						7
8												1·58	8
9						1·03			·06				9
10		1·07	1·27								·74		10
11								·25					11
12					·44								12
13	·12									·17			13
14				·32			·40						14
15												1·70	15
16						·62			1·93				16
17		1·54	1·60								·80		17
18								·92					18
19					·00								19
20	·015			·00						·30			20
21							2·31						21
22												1·15	22
23						·25			·47				23
24		1·25	1·18					(·42)			·17		24
25													25
26					·36								26
27	·21			·00						1·71			27
28							·05						28
29												2·24	29
30						·006			·00				30
31	·22	(·14)	·80	(·02)	(30)		(·50)	–	–	(·97)	(1·38)	·67	31
Total	~~0·495~~	~~4·08~~	~~5·13~~	~~1·26~~	~~1·55~~	~~2·246~~	~~3·91~~	~~3·12~~	~~2·46~~	~~2·18~~	~~3·82~~	~~8·15~~	YEAR'S TOTAL ~~38·401~~
Rain Days.	·71	4·00	4·99	1·28	1·83	1·95	4·41	2·62	2·46	3·15	4·23	7·44	39·07

W. 7,500, XI. ·12

REGIST 14

FORM A.
BRITISH RAINFALL.

14 JAN 1915

Kept at Charmouth

in the County of Dorset 3

by Alfno Barrow

ng.

Time of Observation 9 a.m weekly

Nearest Railway Station Lyme Regis

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

„ „ „ „ Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·67

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												(·10) ~~1·48~~	1
2		~~·22~~				(·04) ~~·34~~			·00				2
3			(·14) ~~·28~~								(1·14) ~~2·11~~		3
4								(1·03) ~~1·53~~					4
5					(·73) ~~·75~~								5
6	·15									·00			6
7				·94			1·15						7
8												1·58	8
9						1·03			·06				9
10		1·07	1·27								·74		10
11								·25					11
12					·44								12
13	·12									·17			13
14				·32			·40						14
15												1·70	15
16						·62			1·93				16
17		1·54	1·60								·80		17
18								·92					18
19					·00								19
20	·015			·00						·30			20
21							2·31						21
22												1·15	22
23						·25			·47				23
24		1·25	1·18					·42			·17		24
25													25
26					·36								26
27	·21			·00						1·71			27
28							·05						28
29												2·24	29
30						·006			·00				30
31	·22	(·14)	·80	(·07)	(30)		(·50)	–	–	(·97)	(1·38)	·67	31
Total	~~·0495~~	~~4·08~~	~~5·13~~	~~1·26~~	~~1·55~~	~~2·246~~	~~3·91~~	~~3·12~~	~~2·46~~	~~2·18~~	~~3·82~~	~~8·15~~	YEAR'S TOTAL ~~38·401~~
Rain Days.	·71	4·00	4·99	1·28	1·83	1·95	4·41	2·62	2·46	3·15	4·23	7·44	39·07

W. 7,500, XI. 12

Weekly _5in. R

WEEKLY —

CHARMOUTH

LESLIE COTTAGE

DORSET

1911, 1913 – 1914

FORM A2.
BRITISH RAINFALL.
27 JAN 1912

Snowdon

Kept at Leslie Co 5 in.

round 1 ft. 0 in.

in the County of Do a Level 120 ft.

.m weekly.—

by M. E. M me Lyme Regis

stance 2 Direction W-

IMPORTANT NOTE he result entered to the
previous day. If an Obs sal rule, he is earnestly
requested to add the readi in the space provided
for it at the end of this t of rain,
the selection and placing h Rainfall
Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	—	·26	—	—	—	—	1
2	—	—	—	—	1·78	—	—	—	—	—	—	—	2
3	·01	—	—	—	—	—	—	—	—	·29	—	—	3
4	—	—	—	·50	—	—	·27	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	·01	—	—	·56	5
6	—	—	—	—	—	·00	—	—	—	—	—	—	6
7	—	0.00	·28	—	—	—	—	—	—	—	1·33	—	7
8	—	—	—	—	—	—	—	·10	—	—	—	—	8
9	—	—	—	—	·15	—	—	—	—	—	—	—	9
10	·58	—	—	—	—	—	—	—	—	·14	—	—	10
11	—	—	—	·00	—	—	·00	—	—	—	—	—	11
12	—	—	—	—	—	—	—	—	·02	—	—	2·18	12
13	—	—	—	—	—	·00	—	—	—	—	—	—	13
14	—	·12	1.81	—	—	—	—	—	—	—	1·29	—	14
15	—	—	—	—	—	—	—	·00	—	—	—	—	15
16	—	—	—	—	·27	—	—	—	—	—	—	—	16
17	·31	—	—	—	—	—	—	—	—	·14	—	—	17
18	—	—	—	·20	—	—	·00	—	—	—	—	—	18
19	—	—	—	—	—	—	—	—	·46	—	—	2.30	19
20	—	—	—	—	—	·73	—	—	—	—	—	—	20
21	—	·41	·33	—	—	—	—	—	—	—	1·22	—	21
22	—	—	—	—	—	—	—	·00	—	—	—	—	22
23	—	—	—	—	·00	—	—	—	—	—	—	—	23
24	·28	—	—	—	—	—	—	—	—	1·49	—	—	24
25	—	—	—	·35	—	—	·00	—	—	—	—	—	25
26	—	—	—	—	—	—	—	—	·60	—	—	1·88	26
27	—	—	—	—	—	·70	—	—	—	—	—	—	27
28	—	1·21	·14	—	—	—	—	—	—	—	·16	—	28
29	—	—	—	—	—	—	—	·25	—	—	—	—	29
30	—	—	—	—	·29	—	—	—	—	—	—	—	30
31	·01	—	—	—	—	—	—	—	—	1·64	—	·17	31
Total	1·19	1·74	2.56	1·05	2.49	1·43	0·27	0·61	1·09	3.70	4.00	7·09	TOTAL for year 27.22 ✓
No. of Rain Days													

9,000, IX. '10.

Weekly -5in. R

FORM A2.
BRITISH RAINFALL.
2 JAN 1912

Kept at Leslie Cottage Charmouth

in the County of Dorset 3

by M. E. Mills

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 120 ft.

Time of Observation 9. a. m weekly. —

Nearest Railway Station
Name Lyme Regis
Distance 2 Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	—	·26	—	—	—	—	1
2	—	—	—	—	1·78	—	—	—	—	—	—	—	2
3	·01	—	—	—	—	—	—	—	—	·29	—	—	3
4	—	—	—	·50	—	—	·27	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	·01	—	—	·56	5
6	—	—	—	—	—	·00	—	—	—	—	—	—	6
7	—	0.00	·28	—	—	—	—	—	—	—	1·33	—	7
8	—	—	—	—	—	—	—	·10	—	—	—	—	8
9	—	—	—	—	·15	—	—	—	—	—	—	—	9
10	·58	—	—	—	—	—	—	—	—	·14	—	—	10
11	—	—	—	·00	—	—	·00	—	—	—	—	—	11
12	—	—	—	—	—	—	—	—	·02	—	—	2·18	12
13	—	—	—	—	—	·00	—	—	—	—	—	—	13
14	—	·12	1·81	—	—	—	—	—	—	—	1·29	—	14
15	—	—	—	—	—	—	—	·00	—	—	—	—	15
16	—	—	—	—	·27	—	—	—	—	—	—	—	16
17	·31	—	—	—	—	—	—	—	—	·14	—	—	17
18	—	—	—	·20	—	—	·00	—	—	—	—	—	18
19	—	—	—	—	—	—	—	—	·46	—	—	2·30	19
20	—	—	—	—	—	·73	—	—	—	—	—	—	20
21	—	·41	·33	—	—	—	—	—	—	—	1·22	—	21
22	—	—	—	—	—	—	—	·00	—	—	—	—	22
23	—	—	—	—	·00	—	—	—	—	—	—	—	23
24	·28	—	—	—	—	—	—	—	—	1·49	—	—	24
25	—	—	—	·35	—	—	·00	—	—	—	—	—	25
26	—	—	—	—	—	—	—	—	·60	—	—	1·88	26
27	—	—	—	—	—	·70	—	—	—	—	—	—	27
28	—	1·21	·14	—	—	—	—	—	—	—	·16	—	28
29	—	—	—	—	—	—	—	·25	—	—	—	—	29
30	—	—	—	—	·29	—	—	—	—	—	—	—	30
31	·01	—	—	—	—	—	—	—	—	1·64	—	·17	31
Total	1·19	1·74	2.56	1·05	2.49	1·43	0.27	0.61	1·09	3.70	4.00	7·09	TOTAL for year 27·22 ✓
No. of Rain Days													

9,000, IX. '10.

cor to end of month 27.11.13

Weekly (5 inch) **REGISTER OF RAINFALL IN 1912**

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Leslie Cottage Charmouth

in the County of Dorset 3

by M. E. Mills

Lat. 50° 44′ Long. 2° 54′

Time of Observation 9 a. m.

Nearest Railway Station Lyme Regis

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ „ „ „ Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	—	~~·28~~	—	—	—	—	—	·81 ~~1.80~~	—	—	1
2	0.00	—	—	—	—	—	(·07) ~~·80~~	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	·04 ~~·38~~	—	—	(·38) ~~·72~~	3
4	—	—	—	—	—	(·84) ~~·87~~	—	—	—	—	—	—	4
5	—	—	(1.47) ~~1.73~~	—	—	—	—	—	—	—	(·28) ~~·68~~	—	5
6	—	·24	—	—	—	—	—	(1.97) ~~2.19~~	—	—	—	—	6
7	—	—	—	—	·46	—	—	—	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	0.00	—	—	8
9	1.67	—	—	·15	—	—	·65	—	—	—	—	—	9
10	—	—	—	—	—	—	—	—	·01	—	—	1.42	10
11	—	—	—	—	—	1.21	—	—	—	—	—	—	11
12	—	—	1.32	—	—	—	—	—	—	—	·07	—	12
13	—	1.03	—	—	—	—	—	·91	—	—	—	—	13
14	—	—	—	—	·31	—	—	—	—	—	—	—	14
15	—	—	—	—	—	—	—	—	—	·03	—	—	15
16	·85	—	—	·05	—	—	·08	—	—	—	—	—	16
17	—	—	—	—	—	—	—	—	0.00	—	—	·77	17
18	—	—	—	—	—	·63	—	—	—	—	—	—	18
19	—	—	1.17	—	—	—	—	—	—	—	·09	—	19
20	—	·48	—	—	—	—	—	1.47	—	—	—	—	20
21	—	—	—	—	·90	—	—	—	—	—	—	—	21
22	—	—	—	—	—	—	—	—	—	·69	—	—	22
23	1.61	—	—	0.00	—	—	·14	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	0.00	—	—	·61	24
25	—	—	—	—	—	·41	—	—	—	—	—	—	25
26	—	—	1.01	—	—	—	—	—	—	—	·76	—	26
27	—	1.19	—	—	—	—	—	1.81	—	—	—	—	27
28	—	—	—	—	·02	—	—	—	—	—	—	—	28
29	—	(·26)	—	—	—	—	—	—	—	2.29	—	—	29
30	·24	—	—	0.00	—	—	·93	—	—	—	—	—	30
31	—	—	~~·28~~	—	(~~·03~~)	(~~·73~~)	(~~·22~~)	(~~·34~~)	(~~·09~~)	(·40)	(~~·34~~)	2.00	31
Total	4.37	~~2.94~~	~~5.23~~	~~0.48~~	~~1.69~~	~~3.12~~	~~2.60~~	~~6.38~~	~~0.39~~	~~4.81~~	~~1.60~~	~~5.52~~	YEAR'S TOTAL 39.13
Rain Days.		3.20	5.25	·20	1.72	3.82	2.09	6.50	1.04*	4.22	1.54	5.18	

W. 7,500, XI. 12

corr for date of reading 16.III.14

Weekly – REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
2 - JAN 1914

Kept at Leslie Cottage Charmouth
in the County of Dorset 3
by M. E. Mills

Lat. 50° 44′ Long. 2° 54′
Time of Observation 9. a. m
Nearest Railway Station Lyme Regis
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	~~0.89~~ ·13	—	—	0.00	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	~~1.10~~ ·15	—	—	0.03	2
3	—	—	—	—	—	~~0.05~~ –	—	—	—	—	—	—	3
4	—	~~1.26~~ ·36	0.19	—	—	—	—	—	—	—	~~1.25~~ ·35	—	4
5	—	—	—	—	—	—	—	~~0.01~~ –	—	—	—	—	5
6	—	—	—	—	0.85	—	—	—	—	—	—	—	6
7	1.14	—	—	—	—	—	—	—	—	2.06	—	—	7
8	—	—	—	0.07	—	—	0.12	—	—	—	—	—	8
9	—	—	—	—	—	—	—	—	1.95	—	—	0.77	9
10	—	—	—	—	—	0.26	—	—	—	—	—	—	10
11	—	0.57	0.15	—	—	—	—	—	—	—	1.34	—	11
12	—	—	—	—	—	—	—	0.33	—	—	—	—	12
13	—	—	—	—	1.10	—	—	—	—	—	—	—	13
14	1.56	—	—	—	—	—	—	—	—	0.27	—	—	14
15	—	—	—	0.45	—	—	0.06	—	—	—	—	—	15
16	—	—	—	—	—	—	—	—	1.11	—	—	0.02	16
17	—	—	—	—	—	0.04	—	—	—	—	—	—	17
18	—	0.00	1.18	—	—	—	—	—	—	—	0.68	—	18
19	—	—	—	—	—	—	—	0.17	—	—	—	—	19
20	—	—	—	—	0.12	—	—	—	—	—	—	—	20
21	·98	—	—	—	—	—	—	—	—	0.34	—	—	21
22	—	—	—	1.24	—	—	0.13	—	—	—	—	—	22
23	—	—	—	—	—	—	—	—	0.76	—	—	0.72	23
24	—	—	—	—	—	0.20	—	—	—	—	—	—	24
25	—	0.05	0.59	—	—	—	—	—	—	—	0.67	—	25
26	—	—	—	—	—	—	—	0.16	—	—	—	—	26
27	—	—	—	—	0.04	—	—	—	—	—	—	—	27
28	1.26	—	—	—	—	—	—	—	—	0.49	—	—	28
29	—	—	—	1.45	—	—	0.00	—	—	—	—	—	29
30	—	—	—	—	—	—	—	—	0.03	—	—	0.21	30
31	·90	–	·76	–	·05	–	·01	·95	–	·90	–	(–)	31
Total	~~4.94~~ 5.84	~~1.88~~ ·98	~~2.11~~ 2.87	~~4.10~~ 3.34	~~2.11~~ 2.16	~~0.55~~ ·50	~~0.31~~ ·32	~~0.67~~ 1.61	~~4.95~~ 4.00	~~3.16~~ 4.06	~~3.94~~ 3.04	1.75 1.75	YEAR'S TOTAL 30.47
Rain Days.	~~22~~	11	20	18	20	13	9	11	11	18	18	14	~~185~~

W.7,000, XI. 13

Cord to W'mouth 23.III.15 Ex LMCC.

Weekly REGISTER OF RAINFALL IN 1914

Kept at Leslie Cottage Charmouth

in the County of Dorset 3

by M. E. Mills

Lat. 50°.44' Long. 2°.54'

Time of Observation 9 a m

Nearest Railway Station Lyme Regis

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 120 ft.

FORM A. BRITISH RAINFALL. 2 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	—	0.00	—	—	~~1.42~~ (.10)	1
2	—	—	—	—	—	~~.37~~ (.04)	—	—	—	—	—	—	2
3	—	~~.23~~ (.01)	~~.29~~ (.14)	—	—	—	—	—	—	—	~~2.05~~ (1.11)	—	3
4	—	—	—	—	—	—	—	~~1.57~~ (1.06)	—	—	—	—	4
5	—	—	—	—	~~.75~~ (.32)	—	—	—	—	—	—	—	5
6	.17	—	—	—	—	—	—	—	—	0.00	—	—	6
7	—	—	—	.95	—	—	1.18	—	—	—	—	—	7
8	—	—	—	—	—	—	—	—	.06	—	—	1.63	8
9	—	—	—	—	—	1.03	—	—	—	—	—	—	9
10	—	1.00	1.26	—	—	—	—	—	—	—	.77	—	10
11	—	—	—	—	—	—	—	.25	—	—	—	—	11
12	—	—	—	—	.45	—	—	—	—	—	—	—	12
13	.13	—	—	—	—	—	—	—	—	.17	—	—	13
14	—	—	—	.31	—	—	.40	—	—	—	—	—	14
15	—	—	—	—	—	—	—	—	1.93	—	—	1.59	15
16	—	—	—	—	—	.59	—	—	—	—	—	—	16
17	—	1.45	1.57	—	—	—	—	—	—	—	.82	—	17
18	—	—	—	—	—	—	—	.92	—	—	—	—	18
19	—	—	—	—	0.00	—	—	—	—	—	—	—	19
20	.01	—	—	—	—	—	—	—	—	.30	—	—	20
21	—	—	—	0.00	—	—	2.36	—	—	—	—	—	21
22	—	—	—	—	—	—	—	—	.49	—	—	1.11	22
23	—	—	—	—	—	.26	—	—	—	—	—	—	23
24	—	1.20	1.18	—	—	—	—	—	—	—	.18	—	24
25	—	—	—	—	—	—	—	.45	—	—	—	—	25
26	—	—	—	—	.36	—	—	—	—	—	—	—	26
27	.21	—	—	—	—	—	—	—	—	1.74	—	—	27
28	—	—	—	0.00	—	—	.06	—	—	—	—	—	28
29	—	(.15)	—	—	—	—	—	—	0.00	—	—	2.26	29
30	—	X	—	—	—	.03	—	—	—	—	(1.32)	.46	30
31	(.22)	X	.79	(.02) X	(.33)	X	(.51)	—	X	(.94)	X	.12	31
Total	~~.52~~ .74	~~3.88~~ 3.81	~~5.09~~ 4.94	~~1.26~~ 1.28	~~1.56~~ 1.87	~~2.28~~ 1.95	~~4.00~~ 4.51	~~3.19~~ 2.68	2.48	~~2.21~~ 3.15	~~3.82~~ 4.20	~~8.59~~ 7.27	YEAR'S TOTAL 38.88
Rain Days.	15	19	27	11	17	12	18	11	11	14	17	26	108

W. 8,000. X. 14.

82

305

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

—

CHARMOUTH

DORSET

1911 —— 1914

911

Kept at Char

in the County of

by M. E.

op 8 in.

above Ground 1 ft. 3 in.

,, Sea Level 120 ft.

on { Name
Distance Direction

IMPORTANT and the result entered to the previous day. If a universal rule, he is earnestly requested to add the year in the space provided for it at the end o rement of rain, the selection and placing of rain gauges, and particulars British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr, H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·15				·01			·02	·01	1
2	·01			·35	·37			·06		·10	·37	·15	2
3					·15						·09	·12	3
4			·06					·01	·01		·12	·19	4
5	·10		·05					·03		·04	·18	·01	5
6	·28		·16							·11	·10	·62	6
7	·03										·47	·04	7
8			·27								·10	·72	8
9	·03										·34	·39	9
10	·13	·07	·47		·26							·22	10
11	·31		·03		·01						·80	·10	11
12			1·02						·02		·04	·12	12
13			·03						·27	·07	·02	·23	13
14		·05								·06		·70	14
15		·02									·23	·04	15
16		·01	·03			·42					·58	·37	16
17		·01	·08			·07				·01	·27	·43	17
18		·13	·03	·20		·04				·05	·11	·21	18
19		·06		·05		·17			·19	·14	·03	·47	19
20	·02	·03	·20	·08		·01			·20	·09		·43	20
21	·01	·15		·01		·01			·20	·51		·13	21
22	·25	·03		·03		·04			·03	·34		·47	22
23		·11	·03			·14			·10	·16	·06	·30	23
24		·21				·47		·08	·01	·22		·23	24
25	·01	·04		·18		·05		·01	·06	·08		·07	25
26		·12		·39	·16	·01		·01		·12	·02	·34	26
27		·36	·12	·01	·09			·01	·08	·92	·07	·14	27
28		·35		·37				·14			·01		28
29				·62		·25	·25		·10	·36			29
30					·04	·03			·02	·14	·09	·03	30
31							·02						31
Total	1·18	1·75	2·59	2·44	1·08	1·71	·27	·36	1·29	3·52	4·12	7·28	TOTAL for year 27·59
No. of Rain Days	11	16	15	12	7	13	2	9	13	18	22	28	166

9,000, IX. '10.

8

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Charmouth

in the County of Dorsetshire 3

by M. E. Mills

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 120 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·15				·01			·02	·01	1
2	·01			·35	·37			·06		·10	·37	·15	2
3					·15						·09	·12	3
4			·06					·01	·01		·12	·19	4
5	·10		·05					·03		·04	·18	·01	5
6	·28		·16							·11	·10	·62	6
7	·03										·47	·04	7
8			·27								·10	·72	8
9	·03										·34	·39	9
10	·13	·07	·47		·26							·22	10
11	·31		·03		·01						·80	·10	11
12			1·02						·02		·04	·12	12
13			·03						·27	·07	·02	·23	13
14		·05								·06		·70	14
15		·02									·23	·04	15
16		·01	·03			·42					·58	·37	16
17		·01	·08			·07				·01	·27	·43	17
18		·13	·03	·20		·04				·05	·11	·21	18
19		·06		·05		·17			·19	·14	·03	·47	19
20	·02	·03	·20	·08		·01			·20	·09		·43	20
21	·01	·15		·01		·01			·20	·51		·13	21
22	·25	·03		·03		·04			·03	·34		·47	22
23		·11	·03			·14			·10	·16	·06	·30	23
24		·21				·47		·08	·01	·22		·23	24
25	·01	·04		·18		·05		·01	·06	·08		·07	25
26		·12		·39	·16	·01		·01		·12	·02	·34	26
27		·36	·12	·01	·09			·01	·08	·92	·07	·14	27
28		·35		·37				·14			·01		28
29				·62		·25	·25		·10	·36			29
30					·04	·03			·02	·14	·09	·03	30
31							·02						31
Total	1·18	1·75	2·59	2·44	1·08	1·71	·27	·36	1·29	3·52	4·12	7·28	TOTAL for year 27·59
No. of Rain Days	11	16	15	12	7	13	2	9	13	18	22	28	166

9,000, IX. '10.

27-11-13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Leslie Cottage Charmouth

in the County of Dorset 3

by M. E. Mills

Lat. 50°·44 Long. 2°·54′

Time of Observation 9-a.m

Nearest Railway Station Lyme Regis

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·08	—	—	·30	—	—	·04	·82	—	·35	1
2	—	—	·30	—	—	·02	·07	·03	—	—	—	—	2
3	—	—	·18	—	—	·21	·08	·95	·01	—	·01	·03	3
4	·16	·05	·77	—	—	·33	—	·01	—	—	·26	—	4
5	·61	·20	·25	—	—	·02	—	·56	—	—	·01	·36	5
6	·45	·02	·26	—	·37	·14	·49	·41	—	—	—	·02	6
7	·02	·46	·14	·01	·10	·85	—	·15	—	—	—	·20	7
8	·41	·15	·68	·04	—	·09	·02	·01	·01	—	—	·02	8
9	·03	·02	·13	·10	—	·13	·07	·16	—	—	—	·46	9
10	·02	·07	·01	·03	—	—	·01	·33	—	—	·01	·38	10
11	·07	·05	—	—	—	—	·01	·02	—	—	·05	·39	11
12	·03	·25	·14	—	—	—	·05	·30	—	—	·01	—	12
13	—	—	·02	—	—	—	·01	—	—	·02	·04	·14	13
14	·03	·04	·34	—	·31	—	—	·07	—	·01	—	·02	14
15	·22	·24	—	·02	·20	·51	—	—	—	—	—	·18	15
16	·47	·01	·40	—	·06	·04	—	·12	—	·11	·04	·02	16
17	·36	—	·20	—	—	·09	—	·75	—	—	—	·01	17
18	·31	·02	·17	—	—	—	—	·24	—	·01	·01	·03	18
19	—	·09	·06	—	—	·05	·09	·19	—	—	—	—	19
20	·07	·10	·30	—	·14	·01	—	·14	—	·19	·03	—	20
21	—	·35	·21	—	·51	—	—	·19	—	·13	—	—	21
22	·53	·27	·16	—	·02	—	·06	·08	—	·25	·02	·18	22
23	·35	·42	·34	—	—	·08	—	·97	—	·06	·13	·16	23
24	·11	·09	—	—	—	·24	—	·13	—	—	—	·24	24
25	·14	—	—	—	—	·06	—	·26	—	·24	·20	·40	25
26	—	·03	·01	—	—	—	·10	·16	—	·22	·38	·37	26
27	—	·01	—	—	—	·45	·70	·05	—	·77	—	·36	27
28	—	·09	—	—	—	·09	·08	·25	·17	·56	·34	·71	28
29	—	·19	·01	—	—	·12	·06	·08	·45	·41	—	·02	29
30	—	—	—	—	·02	·08	·04	·03	·38	·33	—	—	30
31	—	—	·28	—	·01	—	·22	·01	—	·08	—	·14	31
Total	4·39	3·22 3.22	5·44	0·20	1·74	3·91	2·16	6·65	1·06	4·21	1·54	5·19	YEAR'S TOTAL 39·71 39.71
Rain Days.	19	23	24	5	10	21	17	28	6	16	15	24	208

W. 7,500, XI. 12

88 ✓

REGISTER OF RAINFALL IN 1913

Ex. Vol 3

27 JAN 1914

FORM A. BRITISH RAINFALL

194

Kept at Charmouth

in the County of Dorsetshire

by M. E. Mills

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·28	13	·14	·04				·15	·02	·11		1
2	·02	·08		·05	·15		·02			·24	·18	·03	2
3	·11		·03	·02	·19							·11	3
4	·79		·04		·25	·02	·01		·70	·53	·06	·10	4
5	·20	·08	·05		·13	·05			1·25	·02	·28	·24	5
6	·03	·05	·06		·08	·07	·05			·84	·01	·28	6
7		·30	·04		·37	·06	·03			·43	·24	·01	7
8		·10			·17	·02	·02			·05		·02	8
9		·04		·01	·06	·02	·06	·30		·01	·24	·02	9
10	·38	·01			·01	·03		·04		·18	·11		10
11	·70	·01		·07	·21	·02				·05	·49	·01	11
12					·26				·03		·34	·01	12
13	·27		·03		·04			14	·38		·19		13
14	·21		·09		·08				·31		·08		14
15	·25		·40	·36				·03	·25				15
16	·08		·47	·08		·02		·01	·15				16
17	·02		·02	·02							·01		17
18	·02		·17	·14	·02						·07		18
19	·46		·09		·02	·08	·01		·66				19
20	·17		·12	·25						·26	·17		20
21			·15	·23	·04					·08	·39		21
22	·52		·24	·56		·09	12	·01	·12			·14	22
23						·02					·10	·58	23
24	·04	·02		·05		·02		·01			·01		24
25		·03		·22						·03			25
26				·26				·15				·12	26
27	·13		·16	·38				·02		·08		·09	27
28	·57		·10	·32	·01					·39		·09	28
29	·21		·45	·24	·03					·22			29
30	·45				·02			·12	·03	·39			30
31	·25		·05				·01	·82		·28			31
Total	5·88	1·00	2·89	3·40	2·18	·52	·33	1·65	4·03	4·10	3·08	1·76	YEAR'S TOTAL 30·82
Rain Days.	22	11	20	18	20	13	9	11	11	18	18	14	185

W. 7,500, XI. 12

DL 296

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Charmouth

in the County of Dorsetshire 3

by M. E. Mills

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·03		·01	·10	·32			·20	·09	1
2				·01	·04	·04	·58	·03			·71	·39	2
3	·02	·01	·11	·15	·46			·02			·22	·04	3
4	·06		·03	·30	·10		·24	·71			·72	·46	4
5	·09		·08	·15	·15		·06				·02	·01	5
6		·12	·02	·13	·20							·24	6
7	·01	·64	·12	·20	·05	·09	·23	·11	·04			·32	7
8	·05		·66	·02		·13		·08	·02			·18	8
9	·02	·02	·36	·23	·06	·82		·06	·85		·04		9
10	·06	·21		·07	·07	·02			·44			·01	10
11		·15	·68		·05	·10	·35					·43	11
12		·12	·16		·03				·48			·51	12
13		·29	·31				·02		·15	·18	·28	·48	13
14		·16	·22			·46	·05	·85	·01	·23	·29	·14	14
15	·01		·11				·15	·08	·03	·08	·25	·02	15
16			·01						·39				16
17		·72	·16				·01					·45	17
18		·05	·04				·43		·09			·26	18
19		·12	·66				1·75		·02		·03	·09	19
20		·36	·19			·02						·32	20
21		·45	·01			·19				·15			21
22		·07	·02		·26	·05	·01	·03		·16		·02	22
23		·03	·25		·03					·65			23
24		·12	·03		·08					·31	·14		24
25	·06		·27				·03	·42		·43	·04	·45	25
26	·07		·08				·01			·03	·19	·46	26
27	·09	·02					·01			·05	·06	·27	27
28	·02	·13	·27		·04					·04	·45	1·00	28
29	·12		·08		·23		·02			·23	·15	·06	29
30	·03		·09	·03	·02	·03				·12	·38	·46	30
31	·06				·06		·50			·57		·13	31
Total	·77	3·79	5·05	1·32	1·93	1·96	4·55	2·71	2·52	3·23	4·17	7·29	YEAR'S TOTAL 39·29
Rain Days.	15	19	27	11	17	12	18	11	11	14	17	26	198

W.7,000, XI. 13

E d S. N

FORM A.
BRITISH RAINFALL.
4 JAN 1916

DORSET.
CHARMOUTH
"LUFTRELL HOUSE"
1915 – 1917

REGISTER

Kept at Luttrell House,
in the County of Dorset.
by Ruth J. Paine.

…mes Regis.
…ge 5 in.
…ound 1 ft. — in.
…a Level about 100. ft.

IMPORTANT NOTE.—Rain s… result entered to the previous day. If an Observer pref… al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·47	·25			·03			·24	·53	·32	·05	·30	1
2	·35	·16	·20	·05		·06		·18	·03	·33		·47	2
3	·06	·06	·13	·02	·36					·15		·51	3
4	·01	·11	·01		·03							·38	4
5	·10	·35		·04				·51				·49	5
6	·95	·17		·36			·73	·03				·22	6
7	·45	·57		·07			·30				·01	·23	7
8	·17	·37		·03			·02	·09			·02	·09	8
9	·05	·02		·06							·29	1·01	9
10	·25	·05		·05						·09	·01	·09	10
11	·16	·35	·04	·03	·60			·02		·02	1·13	·03	11
12	·19	·59	·02	·13	·51			·13		·05	·49		12
13		·42							·07	·01	·06	·02	13
14	·01	·01			·26		·29	·20	·08			1·20	14
15	·14				·16				·02	·06	·05	·10	15
16	·01	·97			·12		1·15		·01			·24	16
17		·38			·02		·03	·06	·01			·03	17
18		·29			·36		·01	·04			·01		18
19							·12						19
20	·14			·09		·22				·10		·05	20
21	·25	·33				·04	·18			·68		·03	21
22	·10	·08		·02		·06	·74		·01	·01		·26	22
23		·01	·44				·18		·33	2·29		·52	23
24			·09	·04			·25		·23	·16		·55	24
25				·03		·46	·01		·01	·01		·28	25
26	·07	·22	·01			·01	·28		·02			·91	26
27		·03				·13	·02			·67		·01	27
28		·06				·15			·44	·07		·06	28
29						·18	·06			·17	·17	·02	29
30	·21					·08	·15			*·53?	·43	·42	30
31										1·36		·14	31
Total	4·14	5·85	·94	1·02	2·45	1·39	4·52	1·50	1·79	7·08?	3·02	8·66	YEAR'S TOTAL 42·36?
Rain Days.	20	23.	8	14	10.	10.	17	10	13.	19	12	28.	184

W. 8,000. X. 15.

* had an accident with the gauge – "measured ·53 but thinks a good deal more fell
about right cs.

REGISTER

FORM A. BRITISH RAINFALL.

Kept at Luttrell House, Charmouth
in the County of Dorset.
by Ruth J. Paine.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lyme Regis.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 100. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·47	·25			·03			·24	·53	·32	·05	·30	1
2	·35	·16	·20	·05		·06		·18	·03	·33		·47	2
3	·06	·06	·13	·02	·36					·15		·51	3
4	·01	·11	·01		·03							·38	4
5	·10	·35		·04				·51				·49	5
6	·95	·17		·36			·73	·03				·22	6
7	·45	·57		·07			·30				·01	·23	7
8	·17	·37		·03			·02	·09			·02	·09	8
9	·05	02		·06							·29	1·01	9
10	·25	·05		·05						·09	·01	·09	10
11	·16	·35	·04	·03	·60			·02		·02	1·13	·03	11
12	·19	·59	·02	·13	·51			·13		·05	·49		12
13		·42							·07	·01	·06	·02	13
14	·01	·01			·26		·29	·20	·08			1·20	14
15	·14				·16				·02	·06	·05	·10	15
16	·01	·97			·12		1·15		·01			·24	16
17		·38			·02		·03	·06	·01			·03	17
18		·29			·36		·01	·04			·01		18
19							·12						19
20	·14			·09		·22				·10		·05	20
21	·25	·33				·04	·18			·68		·03	21
22	·10	·08		·02		·06	·74		·01	·01		·26	22
23		·01	·44				·18		·33	2·29		·52	23
24			·09	·04			·25		·23	·16		·55	24
25				·03		·46	·01		·01	·01		·28	25
26	·07	·22	·01			·01	·28		·02			·91	26
27		·03				·13	·02			·67		·01	27
28		·06				·15			·44	·07		·06	28
29						·18	·06			·17	·17	·02	29
30	·21	X				·08	·15			*·53	·43	·42	30
31		X		X		X			X	1·36	X	·14	31
Total	4·14	5·85	·94	1·02	2·45	1·39	4·52	1·50	1·79	7·08?	3·02	8·66	YEAR'S TOTAL 42·36 8
Rain Days.	20	23.	8	14	10.	10.	17	10	13.	19	12	28.	184

W. 8,000. X. 15.

* had an accident with the gauge – "I measured ·53 but thinks a good deal more fell"
about right CS.

24·IV-17

1694

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Charmouth
in the County of Dorset
by Ruth J. Paine.

Lat. ________ Long. ________
Time of Observation 9. a m
Nearest Railway Station Lyme Regis.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·03.	·09		·42	·02				·34	·34		1
2	·15.	·07	·02		·02				·02	·34	·18		2
3	·01.	1·11.			·23				·04	·77	·21		3
4	·12.	·13			·11	·28			·07	·01	·62		4
5	·02	·03.	·05		·07	·14				·03	·13		5
6	·01.	·10	·01		·11	·04	·75			·36	·76		6
7	·04	·16,	·31		·03	·01				·09	·89	·18	7
8		·08	·35		·30		·01				·17	·27	8
9		·04	·01		·07	·22	·01			·06	·11	·32	9
10		·77		·05	·04	·02	·01.				·10	·27	10
11			·01	·05		·03							11
12	·09.	·06.	·10	·05	·18		·13	·12		·02			12
13		·29	·23	·06	·01		·01.	·24					13
14	·02	·55	·01		·07			·35		·03			14
15		·14	·08	·06	·01			·11		·05		·01.	15
16	·18	·10		·29			·02	·21		·07		·02	16
17	·20	·24		·08				·15	·19	·71	·65		17
18	·02.	·05	·20	·01.					·15	·03	·01	·04	18
19	·10	·02.	·58	·02					·01.		·10	·06.	19
20	·07	·87	·11								·13	1·92	20
21	·01.	·22.	·12		·06						·02	·41	21
22						·13		·02		·44	·03	·56.	22
23				·05		·05		·25		·07	·20	·02	23
24		·08 ×			1·07			·05		·49	·05	·43.	24
25	·01	·18	·05	·01				·76	·06		·21	·05	25
26	·01.	·52	·02.			·56		·52	·77	·94	·02		26
27		·08	1·12.			·57		·11	·41	·47		·01.	27
28	·01	·20 ×	·01					·08	·22	·45		·43	28
29		·27	·03			·44		2·22	·22	·10		·31.	29
30		✕	·02.						·04	1·04			30
31		✕		✕		✕		·06	✕	·60	✕	·01.	31
Total	1·35	6·39	3·53	·73	2·80	2·51	·94	5·25 5·25	2·20	7·51	4·93	5·32	YEAR'S TOTAL 43·46 43·46
Rain Days.	18	26	22	11	16.	13	7	15	12	23	20	18	201.

W. 8,000. X. 14. × 24th to 28th Snow.

Ent JW 1623

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

8. JAN 1918

Kept at Charmouth

in the County of Dorset

by Ruth I. Paine

Lat. ______ Long. ______

Time of Observation 9 a m

Nearest Railway Station Lyme Regis

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14	·28	~~·17~~	·17		·46	·02		·05		1
2			·03	·08	~~·16~~	·16	·58	·01			·02		2
3	·07			·02				·04		·10	·36		3
4		·08	·40							·24		·02	4
5	·09		·25	·33	~~·08~~	·08	·27	·11	·16	·14	·05		5
6			·11				·19			·05	·08	·02	6
7	·56						·07	·20			·02		7
8	·16		·26	·09				·67	·12	·38	·14	·21	8
9			·07	·04	·01			·38	·06	·04	·13		9
10	·29		·32	·19				·31	·03	·03			10
11	·10		·74	·11	·04		·20			·30	·12		11
12	·13		·02		·43		·04			·07		·01	12
13			·21	·02				·17	·02		·02		13
14				·20	·02	·02	·25	·42	·03	·02			14
15							·13	·25	·02			·68	15
16		·19	·01	·08				·01	·01	·43		·46	16
17		·02		·06				·10	·84	·14			17
18		·15		·01	·03			·05	·73	·03			18
19		·93	·04			·08		·08	·15				19
20		·03	·04		·63	·02		·03	·15				20
21			·22		·01			·07		·10			21
22	·03		·01		·01			·16		·07			22
23		·26			·05			·11		·03		·02	23
24		·02				·02	·28	·03		·22	·02		24
25		·02	·02				·03	·35	·06	·01	·02		25
26			·01		·74	·06		·86	·15	·03			26
27					·34	·40		·10		·01			27
28		·04	·09		·19	52						·04	28
29			·09		·01		·04	·14		·24		·11	29
30		X	·20				·37			·02	·01		30
31		X	·07	X		X		·01	X	·34	X	·04	31
Total	1·43	1·74	3·35	1·61	2·51	1·53	2·45	5·12	2·55	3·04	1·04	1·61	YEAR'S TOTAL 27·88
Rain Days.	8	10	22	13	13	10	12	25	15	23	13	10	174

W. 8,000, IX. 17.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

RE(

CHEDINGTON COURT
DORSET
1911 - 1920

Kept at Chedingto
in the County of Dors
by H. Birkinshaw

in.
round 1 ft. — in.
ea Level 605 ft.
ame Crewkerne
stance 3 mls Direction W.N.W.

IMPORTANT NOTE. e result entered to the previous day. If an Obser al rule, he is earnestly requested to add the readin in the space provided for it at the end of this nt of rain, the selection and placing British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·03				·03				·06	1
2	·01			·03	·53			·28		·20	·19	·57	2
3					·21				·02		·15	·06	3
4			·07							×	·15	·49	4
5	·18		·03					·08		·09	·09		5
6	·51		·11							·01	·05	1·03	6
7	·05		×								·38		7
8	·04		·24								·08	·79	8
9	·03										·10	·71	9
10	·10	·04	·67		·09						·04	·38	10
11	·54		·02		·02						1·08	·03	11
12			1·08						·02	×	·05	·34	12
13									·25	·02	·01	·37	13
14		·02								·01		1·03	14
15		·02	×			·03					·41	·01	15
16		·01	·01			·41					·60	·67	16
17		·01				·14	·02			·01	·20	·89	17
18		·16	·01	·14	·10	·08				·02	·05	·65	18
19		·04		·04		·08			·32	·23	·05	·56	19
20	·07	·04	·23	·01					·13	·14		·62	20
21	·02	·13	·02						·14	·80		·13	21
22	·24	·05	·03	·03		·04			·16	·23		·62	22
23		·12	·02			·47			·07	·15		·57	23
24	·01	·11				·35		·21		·33		·27	24
25		·04	×	·09		·12		·18	·09	·14		·10	25
26		·10		·40	1·16			·04		·24	·03	·35	26
27		·34	·12	·02				·05	·07	·53	·05	·10	27
28		·32		·41				·16	·01		·23		28
29				·75		13	·22		·10	·39	·01		29
30						·07				·32	·66	·03	30
31							·01			×		·01	31
Total	1·80	1·55	2·67	1·95	2·11	1·92	·25	1·03	1·38	3·86	4·66	11·42	TOTAL for year
No. of Rain Days.	12	16	15.	11	6	11	3	8	12	18	22	27	34·60 on 161 days

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

RE[illegible] RAINFALL IN 1911

Kept at Chedington Court

in the County of Dorset. 1

by H. Birkinshaw for Sir Hy. Peto Bt.

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 605 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Crewkerne
Distance 3 mls. Direction W.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·03				·03				·06	1
2	·01			·03	·53			·28		·20	·19	·57	2
3					·21				02		·15	·06	3
4			·07							X	·15	·49	4
5	·18		·03					·08		·09	·09		5
6	·51		·11							·01	·05	1·03	6
7	·05		X								·38		7
8	·04		·24								·08	·79	8
9	·03										·10	·71	9
10	·10	·04	·67		·09						·04	·38	10
11	·54		·02		·02						1·08	·03	11
12			1·28						·02	X	·05	·34	12
13									·25	·02	·01	·37	13
14		·02								·01		1·03	14
15		·02	X			·03					·41	·01	15
16		·01	·01			·41					·60	·67	16
17		·01				·14	·02			·01	·20	·89	17
18		·16	·01	·14	·10	·08				·02	·05	·65	18
19		·04		·04		·08			·32	·23	·05	·56	19
20	·07	·04	·23	·01					·13	·14		·62	20
21	·02	·13	·02						·14	·80		·13	21
22	·24	·05	·03	·03		·04			·16	·23		·62	22
23		·12	·02			·47			·07	·15		·57	23
24	·01	·11				·35		·21		·33		·27	24
25		·04	X	·09		·12		·18	·09	·14		·10	25
26		·10		·40	1·16			·04		·24	·03	·35	26
27		·34	·12	·02				·05	·07	·53	·05	·10	27
28		·32		·41				·16	·01		·23		28
29				·75		·13	·22		·10	·39	·01		29
30						·07				·32	·66	·03	30
31							·01			X		·01	31
Total	1·80	1·55	2·67	1·95	2·11	1·92	·25	1·03	1·38	3·86	4·66	11·42	TOTAL for year 34·60 on 161 days
No. of Rain Days.	12	16	15.	11	6	11	3	8.	12	18	22	27	

W. 8,000, X. '11.

W. Hob

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

Kept at Chedington Court

in the County of Dorset 1

by F. Birkinshaw.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 605 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Crewkerne.
Distance 4m Direction N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·15			·34	·01		·04	·72		·41	1
2			·53	·01		·02	·15	·15		·02			2
3			·18			·42	·05	·96	·01		·01	·09	3
4			1·25		·01	·17		·66			·27		4
5	·70	·20	·20		·02	·03		·58	·02		·02	·25	5
6	·40	·13	·03		·24	·10	·26	·80				·07	6
7	·04	·65	·23	·01	·12	·90		·11				·33	7
8	·60	·36	1·23	·01		·02	X	·09				·05	8
9	·07	·04	·34	·04	·04	·03	·02	·21				·40	9
10	·04	·19	·01				·07	·13			·01	·33	10
11	·10	·07	·01			X	X	·02				·56	11
12	·02	·55	·21	·06			·05	·25			·02	·02	12
13	X	·04	·01			X						·04	13
14	·38		·46		·16			·05		·01		·02	14
15	·53	·33	X	·02	·20	·57		·01				·22	15
16	1·04	·06	·70		·06	·01		·26		·13		·03	16
17	·81		·18		·01	·05		1·76			·03	·01	17
18	·16	·05	·19					·42		·02	·03	·06	18
19	·03	·04	·12			·06	·10	·20			·02	·03	19
20	·05	·02	·52		·06		·03	·29		·28			20
21	·01	·37	·23		·45			·14		·12			21
22	·60	·61	·09		·04	·02	·02	·06		·08	·03	·11	22
23	·33	·52	·18			·55		·51		·17	·12	·28	23
24	·16	·07	·02			·13		·11				·26	24
25	·13							·31		·15	·29	66 ·65	25
26		·03					·05	·05		·55	·54	·27	26
27		·03	·03			·45	·75			1·38	·02	·44	27
28		·10				·23	·09	·60	·36	·85	·50	·60	28
29		·30	·01			·02	·35	·07	·70	·52	·02	·02	29
30					·06	·30	·08	·05	·42	·12			30
31			·38				·41	X		·02		·21	31
Total	6·04	4·76	7·49	·15	1·47	4·42	2·49	8·25	1·55	5·14	1·93	5·77	TOTAL for year 49·46
No. of Rain Days	20	22	26	6	13	20	16	27	6	16	15	26	213

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
9 JAN 1914

Kept at Chedington Court

in the County of Dorset.

by H. Birkinshaw for Sir Hy Peto Bt.

1

Lat. 51 Long. 43

Nearest Railway Station Crewkerne

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " Sea Level 605 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·28	·30	·12	·03				·22	·01	·36		1
2	·09	·14	·01	·04	·01		·09			·09	·14	·01	2
3	·28		·02	·02	·51				·10			·35	3
4	1·64		·03		·35				·48	·26	·11	·05	4
5	·15	·04			·13		·05		·87			·17	5
6	·10	·11	·10		·06	·06	·02			1·61	·02	·36	6
7	·03	·48	·03		·53	·27	·24			·39	·41	·02	7
8	·01	·16			·33	·05	·02		·02			·02	8
9		·07		·02	·13	·02	·03	·05		·03	·42		9
10	·40				·05			·04		·13	·34		10
11	·90			·11	·11					·12	·36		11
12	·01	·03			·40				·02	·09	·22	×	12
13	·11		·01	·02				·06	·61		·10		13
14	·32	·01	·08	·03					·20	·01	·06		14
15	·32	·03	·28	·66				·08	·45		·04	·02	15
16	·09		·45	·03					·06		×		16
17	·02		·01	·03		·01	·01		·01		×		17
18	·05		·65	·11							·04		18
19	1·01		·05			·05	·01		·64				19
20	·19		·12	·16		·01				·20	·38		20
21			·16	·28	·02		·04			·14	·72		21
22	·41		·39				·03	·05	·16			·10	22
23	·01		·06			·05					·14	·72	23
24		·01		·06		·06							24
25		·08		·13									25
26				·71				·28		·01		·16	26
27	·07		·25	·65				·02		·10		×	27
28	·23		·04	·50						·29		·03	28
29	·17		·67	·33				·07	·02	·82			29
30	·62			·01				·20		·83			30
31	·09		·05				·27	1·18		·13			31
Total	7·32	1·44	3·76	4·02	2·66	·58	·81	2·03	3·86	5·26	3·89	2·01	TOTAL for year 37·64
No. of Rain Days	25	12	21	20	13	9	11	10	14	18	16	12	181

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exd [illegible]

FORM A.
BRITISH RAINFALL.

11 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Chedington Court

in the County of Dorset

by H. Birkinshaw.

Lat. 51 Long. 43

Time of Observation 9 a.m.

Nearest Railway Station Crewkerne L.S.W.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 805 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·14			·01	·22	·49			·21	·09	1
2			×		·14		·50	·13			1·97	·33	2
3	·01		·05	·17	·75			·07			·13	·09	3
4	·10		·02	·36	·05		·30	·37			·80	·63	4
5			·07	·24	·09		·15				·04	·03	5
6		·40	·01	·12	·05		·04	×				·59	6
7	·03	·88	·05	·06	·03	·02	·17	·14	·02			·37	7
8	·05	·03	·64	·05	·10	·11		·19	×			·05	8
9	·02		·55	·28	·04	2·05		·13	·90			·03	9
10		·68	·01	·12	·04	·03			·31		·03	·04	10
11		·25	·49		·15	·16	·18		×		×	·46	11
12		·12	·09			×			·25	·01	·02	·69	12
13		·72	·47				·03		·10	·23	·14	·76	13
14		·45	·29			·76	·09	·67	·01	·21	·59	·11	14
15	·02		·21				·19	·30	·04	·08	·28	·01	15
16			×						·48				16
17		·77	·18						·04			1·01	17
18		·02	·07				·61		·10			·36	18
19		·09	·45				1·16		·10		·09	·05	19
20		·74	·11									·70	20
21		·65	·01			·24				·32		·02	21
22		·08	·01		·24	·03	·08	·03		·38			22
23		·24	·37		·01		·03			·24			23
24		·05	·04		·15					·29	·05	·08	24
25	·05		·38				·04	·71		·70	·05	·43	25
26	·02	·02	·16				·13	·07		·06	·32	·79	26
27	·15	×					·03			×	·08	·39	27
28	·02	·29	·50		×		·05			·03	·28	·97	28
29	·24		·40		·18		·07			·19	·64	·02	29
30	·01	×	·16			×				·39	·63	·91	30
31	·17	×		×	·03	×	·43		×	·74	×	·20	31
Total	·89	6·49	5·93	1·40	2·05	3·41	4·50	3·30	2·35	3·87	6·35	10·21	YEAR'S TOTAL 50·75
Rain Days.	13	19	27	8	15	9	20	12	11	14	18	28	194

W. 8,000. X. 14.

1688

FORM A.
BRITISH RAINFALL.
10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Chedington Court
in the County of Dorset
by H. Birkinshaw. for Sir Hy Peto Bt

Lat. 51 Long. 47
Time of Observation 9 a.m
Nearest Railway Station Crewkerne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 605 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·94	·21			·03			·30	·10	·25	·02	·35	1
2	·55	·20	·14			·01		·46		·12		·38	2
3	·08	·22	·15	·12	·24		·06	X		·05		·40	3
4	·03	·07	·01	·07				·02				·44	4
5	·05	·67		·04			·02	·20				·68	5
6	·79	·12		·81			·72	X				·30	6
7	·21	·94		·06			·10	X			·01	·27	7
8	·07	·38						·10			·05	·06	8
9	·01	·02						·01			·37	·62	9
10	·08	·09	·06	·08						·05	·02	·11	10
11	·17	·11	·02	·18	·58			·07		X	1·19		11
12	·03	·65		·12	·83			·06		·13	·37		12
13	·02	·38						·02	·09		·10	·01	13
14	·10	·04					·12	·24	·04	X		1·75	14
15		·01			·24		·11		·01	·04	·10	·20	15
16		1·99			·32		1·33					·22	16
17		·48			·29			·43				·02	17
18		·20			·03								18
19	X	·04			·38		·16						19
20	·23			·06		·04				·03		·05	20
21	·15	·20					·11			·86		·10	21
22	·10	·06	·30			·02	·80			·01		·42	22
23		·01	·15				·15		·47	1·87	·03	·30	23
24			X	·11			·22		·28	·49		·65	24
25			·05			·43	·34			X		·21	25
26		·18				·09	·23		·01			1·02	26
27		·08				·87	·11		·08	·81		·01	27
28		·05				·13		X	·54	·16	·03	·03	28
29						·16	·34	·02		·08	·41	·04	29
30	·15	X				·10	X			·80	·68	·46	30
31		X		X		X	·19	·02	X	1·06	X	·33	31
Total	3·76	7·40	·88	1·65	2·94	1·87	5·11	1·95	1·62	6·81	3·38	9·43	YEAR'S TOTAL 46·80
Rain Days.	18	25	8	10	9	9	17	13	9	16	13	27	174

W. 8,000. X. 15.

165

FORM A.
BRITISH RAINFALL.
8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Chedington Court

in the County of Dorset

by H. Birkinshaw

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Crewkerne L.S.W.R.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 605. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·01			·22	·01	X		·30	·24	·45		1
2	·16	·12	·03			X	X		X	·31	·15		2
3	·05	1·57			·11	X			·02	·86	·41		3
4	·13	·26			·13	·29			·01	·19	·66		4
5	·01	·05	·04		·15	·05				·03	·38		5
6	·03	·11	·03		·16	·04	·92			·20	1·12		6
7	·03	·04	·34		·02	·10	·02			·07	·84	·17	7
8	·01	·08	·14		·35	X					·06	·23	8
9		·05	·01		·03	·05	X			·08	·05	·23	9
10	X	·55		·03			·07			·02	·05	·23	10
11		X	·05	·02		·01			·01				11
12	·03	·03	·07	·02	·17		·03	·03		·01			12
13		·27	·18				·10	·41		·01			13
14	·03	·50	X	X	·01		·01	·09		·10			14
15	·01	·06	·07	·07				·25		·01			15
16	·16	·05		·17			·02	·48	·01	·05			16
17	·46	·18		·10				·27	·20	·56	·55		17
18	·03	·03	·18						·12	·02	·10	·17	18
19	·11	X	·69								·14	·11	19
20	·13	·29	·39								·06	1·72	20
21	·01	·13	·34	·01	·05						·02	·20	21
22						·05	X	·01		·44		·72	22
23		·34		·03		·09		·20		·02	·21	·03	23
24		·04		·16	1·27	·02		·06		1·06	·10	·35	24
25		·91	·06					·67			·14	·10	25
26	·01	·16	·05			·42		·37	1·14	·96	·07		26
27		·25	1·06			·01		·02	·21	·39		·02	27
28		·34	·02		X			·08	·38	·85		·25	28
29		·67	·01			·46		3·08	·42	·23	·01	·21	29
30		X	X			X		X	X	·62		X	30
31		X		X		X		·08	X	·25	X	·04	31
Total	1·63	7·09	3·76	·61	2·67	1·60	1·17	6·10	2·82	7·58	5·57	4·78	YEAR'S TOTAL 45·38
Rain Days.	18.	26	19	9	12	13	7	15	11	25	20	16	191

W. 8,000, VIII. 16

1582

FORM A.
BRITISH RAINFALL
5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Chedington Court.

in the County of Dorset.

by H. Birkinshaw. for Sir Hy Peto. Bt.

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Crewkerne.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 605. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14	·34		·24		·50	X		·06		1
2				·06		·09		·07			X		2
3	·03			·04			·38	X		·15	·46		3
4		·04	·31				X	·01		·20			4
5	·07		·34	·35		·04		X	·15	·07	·10		5
6										·06	·08		6
7	·35						·36	·24		·20	·06	·06	7
8	·08		·13	·05			·47	·61	·09	·31	·12	·16	8
9			·11	·01	·03		·08	·08	·02	·05	·09		9
10	·30		·51	·17				·23	·11	X	·06		10
11	·03		·67	·12	·02					·15			11
12	·05		X		·53					·25	X		12
13			·16	·01		·03		·24	·01	·02	X		13
14			·03	·11			·79	·26					14
15							·08	·07	X	·28		·67	15
16		·19		·09	X			·17	X	·60			16
17	·01	·02		·16			·35	X	·87	·17			17
18		·14			X		·13	X	·65	·01			18
19		·71	·09			·03			17				19
20		·03	·02		·28	·17		·04	·02				20
21			·20			·06				·08		·03	21
22			·01					·15		·05			22
23		·16			·11			·20		·04			23
24		·10				·01	·11	·08		·04			24
25		·09	·01				·10	·22	·17	·01	·01		25
26					·32	·02		·77	·11	·01	X		26
27					·53	·29		1·14					27
28		·03	·09		·06	1·45		·12				·04	28
29			·07			·16	·18			·64		·13	29
30		X	·24				·65	·13		·06			30
31		X	·16	X	·02	X		·02	X	·09	X	·02	31
Total	·92	1·51	3·29	1·51	1·90	2·59	3·68	5·55	2·37	3·54	1·04	1·11	YEAR'S TOTAL 29·01
Rain Days.	8	10	18	12	9	12	12	21	11	23	9	7	152

W. 8,000, IX. 17.

for originals ref to Rev H A Boys

2

REGISTER OF RAINFALL IN 19~~16~~18

FORM A.
BRITISH RAINFALL.

Kept at Chedington Court Misterton

in the County of ~~Somersetshire~~ Dorset

by H Birkinshaw Rev H A Boys
+ G. E Walters

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 605 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.12		.03	.11			.70			1.19	.01	1
2		.61		.11				.13		.01	.04	.44	2
3		.17		.07	.18			.03		.10	.11	.01	3
4		.05	.04					.13	.28	.24	2.00	.49	4
5		.01	30	.07	.06			.38	.28	.12		.09	5
6	.11	.16		.14				.06	.20	.01		.39	6
7		.13			.23				.37	.25	.44	.37	7
8	.03	.27					.04		.24	.16	.03	.07	8
9				.08		.17	.43		.75	.43		.60	9
10	.08			.32			.25		.12	.18	.14	.56	10
11			.15	.01			.46		.13	.01	.03	.06	11
12		.11	.06		.34		.11		.03			.01	12
13	20	.03			.02		.38		.80	.11	.04		13
14	.37					.18	.03		.20	.35		.15	14
15	1.32			.37	.05		.43		.03	.20		.33	15
16	.48		.01	.22		.07	.02		.57			.04	16
17	.27			.17			.23		.02			.28	17
18	1.04					.84	.12		.21			.15	18
19	.14	07	.02				18		.02			.09	19
20	.05	.14		.10					.22	.19			20
21	.06	03							.53	.12		.21	21
22	.07				.14		1.25		.48	.04		.10	22
23	.10				.05	.02	.71		.01		.25	.06	23
24		.18					.04		.12		.11	.10	24
25	.04			.01	.03		.01	.70			.10		25
26							.20		.01		.11	.23	26
27		.10	.10					10	.17	.01	.15		27
28		.11	.25						.04	02	.01		28
29			.31						1.28				29
30		✕	.53						.01	.12	.13		30
31		✕	.03	✕		✕		.07	✕	.05	✕		31
Total	4.36	2.29	1.80	1.70	1.21	1.28	4.89	2.30	7.19 7.12	2.72	4.88	4.84	YEAR'S TOTAL 39.4 39.39
Rain Days.	15	16	11	13	10	5	17	9	26	20	16	23	181

W. 6,500, VII. 18. w w c

1490

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Chedington Court, Misterton

in the County of ~~Somersetshire~~ Dorset.

by G. Walters per Boys

Lat.............. Long..............

Time of Observation..............

Nearest Railway Station..............

Diameter of Funnel of Rain Gauge..............in.

Height of top of Gauge above Ground..............ft..............in.

" " " " Sea Level..............ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·58		·18	·03	·06		·58		·02	·24	·02	1·10	1
2	·17						·07		·25			·01	2
3	·84		·37		·03				·24		·12	·12	3
4	·20	·36	·61					·05	·98		·01	·09	4
5	·05	·24	·84						·35			·04	5
6	·96	·12	·03								·12	·21	6
7	·30		·45	·12								·01	7
8	·44		·25	·07									8
9	·05		·03	·26							·48		9
10	·35		·35								·04	·53	10
11			·33	·16	·58		·27				·08	·17	11
12	·17		·02	·15			·03			·02		·12	12
13	·18			·80			·02			·02		·23	13
14	·85			·76			·13		·08			·45	14
15	·30	·12			·20					·08		·27	15
16	·01	·75			·07			·13			·22	·02	16
17		·39									·10	·01	17
18	·09	·02	·67				·35	·04			·11		18
19	1·02	·45	·71				·92	·31	·13		·14	·03	19
20	1·06	·02	·06			·32		·37			·01	·03	20
21	·03	1·11					·03		·27			·07	21
22		·01					·09		·05			·03	22
23										·45			23
24										·98	·10	·36	24
25				·05		·05		·35				·07	25
26	·20		·05	·02		·05		·04				·60	26
27	·15		·03	·28				·96				·04	27
28			·30					·73				·45	28
29			·03	·08				·10			·26	·17	29
30				·10		·17		·99		·08	·88	1·10	30
31			·04									·35	31
Total	8·00	3·59	5·35	2·88	·94	·59	2·49	4·07	2·37	1·87	2·69	6·68	Year's Total 41·52
Days with ·01 in. or more	21	11	19	13	5	4	10	11	9	7	15	27	152

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~W.J.~~ nd fr Ault 1405

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Chedington Court, Misterton

in the County of ~~Somersetshire~~ Dorset

by per Boys, G. Walters, Sir H. Peto. Bt.

Lat.…… Long.……

Time of Observation……

Nearest Railway Station……

Diameter of Funnel of Rain Gauge……in.

Height of top of Gauge above Ground……ft.……in.

" " " " Sea Level……ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·02	·13	·47	—	·50		·06	·17	·30	·59	1
2	·72			·11				·54		·14		·27	2
3	·10	·18		·01			·38		·01	·60		·03	3
4		·02	·01	·03			·39	1·10		·31			4
5			·17	·26	·07		·43	·27		·17			5
6			·32	·07	·25		·27			·15			6
7	·01			·22			·56						7
8	·11	·08		·28	·03		·43			·01		·04	8
9	·58	·01		·06		·09	·07						9
10	·74	·09	·17	·02		·18	·66						10
11	·20	·01	·14	·54	·27	·01	·21						11
12	·20	·06	·05	·25		·30	·01				·15	·04	12
13	·20	·01	·68	·06						·14			13
14	·03	·03	·32	·80			·01		·16	·47	·42		14
15		·11	·06	·41	·16				·03	·47	·05		15
16		·01		·06	·01	·05	·28		·21	·05			16
17			·01	·25	·38	·02			·37				17
18	·09			·10	·05	·24	·11	·42	·17				18
19	·31			·28		·23			·12				19
20		·17		·20		·47						·58	20
21				·01			·10		·01			·04	21
22	·03			·27								·44	22
23							·63					·56	23
24	·04		·38								·18	·13	24
25		·11	·11		·22		·66				·01		25
26	·31		·24		·01		·03				·19	·15	26
27	·69		·19	·16		·18					·02	·44	27
28	·90			·01			·14					·17	28
29	·49	·01	·18	·14							·70	·32	29
30	·22	×		·02	·07	·25			·70		·38	·60	30
31	·05	×	·26	×		×			×	·61	×	·20	31
Total	6·07	·90	3·31	4·75	~~1·69~~ 1·99	2·02	5·87	2·33	1·84	3·29	2·40	4·60	Year's Total ~~39·07~~ 39·37 39·37
Days with ·01 in. or more	21	14	17	26	12	11	19	4	10	12	10	16	172
Days with ·04 in. or more	18	7	14	20	9	9	16	4	7	11	8	15	138

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

from Dorset 7

RE

36 48 N
29 51 W

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

CHICKERELL
MONTERVIDEO
DORSET

1911 — 1920

Kept at Montevideo Ch

in. und 1 ft. – in.

in the County of Dorse

Level 100 ft.

by Mrs N. M. Rich

am

nce Direction

IMPORTANT NOTE result entered to the previous day. If an Obse rule, he is earnestly requested to add the readin the space provided for it at the end of this of rain, the selection and placing Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02							.02			.02	.01	1
2				.31	.26			.01		.06	.18	.20	2
3					.15				.01		.06	.09	3
4	.01		.07						.03	.01	.14	.24	4
5			.01					.09		.41	.05	.01	5
6	.09		.16							.13	.29	.63	6
7	.05										.41	.02	7
8	.02		10								.19	.53	8
9	.01		.01								.12	.29	9
10	.13	.12	.49								02	.32	10
11	.23		.02								1.13	.01	11
12			.95								.05	.18	12
13			.01						.08		.01	.45	13
14		.09								.01		.55	14
15		.01				.02					.25	.02	15
16						.31					.62	.24	16
17			.18		.13	.06				.02	.76	.27	17
18		.18	.04	.09	.01	.05				.04	.02	.24	18
19		.02				.10			.11	.04		.62	19
20	.01	.04	.18	.03				.02	.04	.20		.54	20
21	.01	.14	.06			.02			.04	.67		.02	21
22	.20	.01	.01	.01		.12			.06	.31		.48	22
23	.01	.06	.06			.17			.14	.32	.01	.22	23
24	.01	.13				.21		.19	.02	.54		.20	24
25		.02	.01	.10		.03				.16		.01	25
26		.07		.34						.35	.01	.23	26
27		.59	.04	.06				.01	.12	.65	.25	.10	27
28		.15	.01	.43				.22			.05	.01	28
29				.18	.11	.26	.14		.12	.37	.01	.01	29
30						.01			.01	.23	10	05	30
31			.04									.01	31
Total	.80	1.63	2.45	1.55	.66	1.36	.14	.56	.78	4.52	4.75	6.80	TOTAL for year 26.00
No. of Rain Days	13	14	19	9	5	12	1	7	12	18	23	31	164

9,000, IX. '10.

from Dorset F

36 48 N
29 51 W

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

RE

Ex Rn

Kept at Montevideo Chickerell

in the County of Dorset 3

by Mr N M Richardson (H. Stilwell)

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 100 ft.

Time of Observation 9.30 am

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02							.02			.02	.01	1
2				.31	.26			.01		.06	.18	.20	2
3					.15				.01		.06	.09	3
4	.01		.07						.03	.01	.14	.24	4
5			.01					.09		.41	.05	.01	5
6	.09		.16							.13	.29	.63	6
7	.05										.41	.02	7
8	.02		10								.19	.53	8
9	.01		.01								.12	.29	9
10	.13	.12	.49								02	.32	10
11	.23		.02								1.13	.01	11
12			.95								.05	.18	12
13			.01						.08		.01	.45	13
14		.09								.01		.55	14
15		.01				.02					.25	.02	15
16						.31					.62	.24	16
17			.18		.13	.06				.02	.76	.27	17
18		.18	.04	.09	.01	.05				.04	.02	.24	18
19		.02				.10			.11	.04		.62	19
20	.01	.04	.18	.03				.02	.04	.20		.54	20
21	.01	.14	.06			.02			.04	.67		.02	21
22	.20	.01	.01	.01		.12			.06	.31		.48	22
23	.01	.06	.06			.17			.14	.32	.01	.22	23
24	.01	.13				.21		.19	.02	.54		.20	24
25		.02	.01	.10		.03				.16		.01	25
26		.07		.34						.35	.01	.23	26
27		.59	.04	.06				.01	.12	.65	.25	.10	27
28		.15	.01	.43				.22			.05	.01	28
29				.18	.11	.26	.14		.12	.37	.01	.01	29
30						.01			.01	.23	10	05	30
31			.04									.01	31
Total	.80	1.63	2.45	1.55	.66	1.36	.14	.56	.78	4.52	4.75	6.80	TOTAL for year 26.00
No. of Rain Days	13	14	19	9	5	12	1.	7	12	18	23	31	164

9,000, IX. '10.

S = snow

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
16 JAN 1913

Kept at Montevideo, Chickerell, near Weymouth
in the County of Dorset 3
by Mrs. N. M. Richardson

Lat. 50°36'48" N. Long. 2°29'51"
Time of Observation 9.30 a.m.
Nearest Railway Station Westham Halt
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	1	—	15	—	*	3	1.45	—	27	1
2	—	*^{s}	40	2	*	2	8	*	*	2	*	1	2
3	—	*^{s}	9	*	—	45	2	35	3	—	1	3	3
4	18	1^{s}	33	—	1	28	—	5	—	—	52	—	4
5	61	24^{s}	23	—	4	*	—	60	—	—	1	21	5
6	42	1	*	—	35	20	—	39	—	—	—	1	6
7	2	47	18	*	20	90	—	10	—	—	—	11	7
8	52	13	15	—	1	1	*	*	—	—	—	5	8
9	7	5	18	1	—	5	3	16	*	—	—	46	9
10	2	2	1	3	—	3	*	9	—	—	*	35	10
11	8	2	—	—	*	—	*	16	—	—	1	44	11
12	2	31	16	1	35	—	3	31	—	*	2	1	12
13	1	2	1	—	—	*	*	1	—	1	1	4	13
14	2	1	26	—	7	—	—	4	*	—	—	1	14
15	26	11	*	1	3	67	—	2	—	—	—	38	15
16	1.29	1	38	—	6	2	—	14	—	7	17	1	16
17	69^{s}	—	39	—	1	12	—	59	—	*	—	3	17
18	27	1	7	—	—	—	—	8	—	1	*	1	18
19	1	2	25	—	—	1	4	15	—	—	1	*	19
20	*	4	37	—	17	*	—	14	—	32	1	—	20
21	*	30	38	—	88	—	*	10	—	14	—	*	21
22	46	41	15	—	2	*	18	19	—	12	1	8	22
23	15	20	22	—	—	*	*	72	—	25	13	20	23
24	11	3	1	—	*	14	—	10	—	16	*	23	24
25	31	—	*	—	—	5	—	15	—	24	25	50	25
26	1	2	1	—	—	—	17	5	—	—	40	20	26
27	—	3	1	—	—	12	58	10	*	54	1	33	27
28	—	10	—	—	—	6	8	36	5	59	31	58	28
29	—	10	4	—	—	5	9	15	96	58	*	*	29
30	—		4	—	2	9	5	2	66	17	—	1	30
31	—		51		—		13	2		3		8	31
Total	5.53	2.67	4.83	.09	2.22	3.42	1.48	5.34	1.73	4.70	1.88	4.64	YEAR'S TOTAL 38.53
Rain Days.	21	24	25	6	14	19	12	28	5	16	15	26	211

W. 7,500, XI. 12

Dorset 7 Ca ✓

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

6 - JAN 1914

Kept at Montevideo, Chickerell, near Weymouth.
in the County of Dorset 3 Z+M
by Mr N. M. Richardson

Lat. 50° 36' 40" N. Long. 2° 29' 51" W.
Time of Observation 9. 30 A.M.
Nearest Railway Station Weymouth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	28	10	11	*	—	—	—	24	2	16	*	1
2	1	6	1	10	7	—	*	—	*	2	7	3	2
3	8	1	3	6	20	—	—	—	1	17	*	8	3
4	54	—	—	1	17	2	*	—	12	24	3	7	4
5	14	12	3	—	11	13	*	—	1.18	6	28	19	5
6	2	18	2	—	3	12	*	—	*	1.02	2	46	6
7	*	30	15	—	35	11	9	—	—	26	18	—	7
8	1	30	1	—	13	—	3	—	—	1	3	10	8
9	—	5	—	—	8	—	*	9	—	—	10	*	9
10	31	1	—	—	4	—	—	—	—	10	36	—	10
11	70	—	—	8	34	1	—	—	*	8	31	1	11
12	6	—	—	*	27	—	—	—	*	1	32	—	12
13	8	—	3	1	*	—	*	4	58	—	16	—	13
14	30	—	9	—	58	—	—	—	75	1	1	*	14
15	29	2	31	39	—	—	13	*	44	—	*	*	15
16	15	—	41	5	—	2	1	4	2	—	*	—	16
17	13	1 Snow.	1	6	—	—	—	—	1	—	1	1	17
18	2	—	10	6	—	*	—	—	—	—	2	—	18
19	85	—	3	—	3	9	3	—	32	1	*	—	19
20	11	—	25	17	1	1	—	—	*	20	10	—	20
21	1	—	15	23	1	—	—	*	—	25	70	—	21
22	29	—	13	*	*	4	*	8	17	10	1	13	22
23	2	—	1	—	—	*	—	1	1	—	4	49	23
24	6	1	—	3	—	*	—	—	—	1	1	—	24
25	—	20	—	20	—	—	—	—	—	*	*	1	25
26	—	1	—	12	—	—	—	35	*	*	—	26	26
27	6	—	23	10	—	—	—	*	—	—	—	—	27
28	23	—	5	36	—	—	—	*	—	18	—	Snow. 1	28
29	20		28	29	3	—	—	9	*	25	1	*	29
30	42		—	*	1	—	—	1	—	24	—	—	30
31	11		1		—		*	80		3		—	31
Total	5.23 ✓	1.56 ✓	2.44 ✓	2.43 ✓	2.46 ✓	.55 ✓	.29 ✓	1.51 ✓	3.85 ✓	3.27 ✓	2.93 ✓	1.85 ✓	YEAR'S TOTAL 28.37 ✓
Rain Days.	27	14	22	18	17	9	5	9	12	21	21	13	188 ✓

W.7,000, XI. 13

~~WH~~McC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
4 JAN 1915

Kept at Montevideo, Chickerell
in the County of Dorset 3
by Mrs N. M. Richardson

Lat. 50°36'48" N. Long. 2°29'51" W.
Time of Observation 9.30 a.m.
Nearest Railway Station Westham Halt, Weymouth.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
S = Snow. " " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	*	—	1	1	—	—	—	53	—	—	21	7	1
2	—	*	—	1	1	*	39	2	—	—	1.01	18	2
3	*	1	4	12	43	—	*	1	—	—	5	2	3
4	9	—	1	20	5	—	26	1.23	—	—	91	40	4
5	4	1	4	9	7	—	44	1	—	—	70	1	5
6	—	19	1	13	5	—	9	*	—	*	—	32	6
7	3	42	17	7	1	9	24	11	2	—	1	{22}	7
8	*	11	51	2	*	7	—	2	3	—	1		8
9	2	1	35	13	14	2	—	1	79	—	—		9
10	8	26	1	6	11	2	—	—	31	—	1	{58}	10
11	—	10	58	—	3	6	12	—	3	*	1		11
12	—	4	26	—	—	—	1	—	34	3	2	52	12
13	*	40	30	—	—	—	1	—	13	16	12	55	13
14	*S	23	21	—	—	67	32	1.07	1	24	32	26	14
15	*	*	10	—	—	—	*	14	32	7	38	{22}	15
16	—	—	*	—	—	—	1	—	*	—	—		16
17	—	75	17	—	—	—	1	—	*	—	1	65	17
18	—	6	15	—	—	—	17	—	8	—	—	42	18
19	*S	4	60	—	—	—	97	—	2	—	6	{46}	19
20	—	32	21	—	—	3	—	—	—	*	—		20
21	*S	72	1	—	—	*	—	—	—	32	—	1	21
22	—	2	5	—	44	1	8	2	—	6	—	—	22
23	—	41	26	—	—	—	1	—	—	24	—	—	23
24	—	27	1	—	1	—	*	*	—	6	10	—	24
25	1	1	33	—	7	—	1	34	—	34	9	52	25
26	—	*	5	—	1	—	10	*	—	10	26	39	26
27	7	2	*	—	—	—	—	—	—	3	30	25	27
28	2	5	32	—	7	—	3	—	—	1	4	55	28
29	29		8	—	24	—	2	—	—	17	46	7	29
30	1		9	7	*	*	*	—	—	15	51	52	30
31	4		3		1		5	—		40		12	31
Total	.70	4.45	4.96	.91	1.75	.97	3.34	3.51	2.08	2.38	5.59	7.31	YEAR'S TOTAL 37.95
Rain Days.	11	22	28	11	16	8	20	12	11	15	22	28	204

W. 8,000. X. 14.

See over

Notes on back. P.T.O

S = Snow.

1699

FORM A.
BRITISH RAINFALL.
18. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Montevideo, Chickerell, near Weymouth

in the County of Dorset

3

by Mrs N. M. Richardson

Lat. 50°36'48" N. Long. 2°29'51" W.

Time of Observation 9.30 a.m.

Nearest Railway Station Weymouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	13	31	—	—	3	—	—	29	2	27	1	9	1
2	69	21	10	5	—	5	—	22	—	17	—	45	2
3	11	3	11	6	20	*	—	3	—	17	—	66	3
4	1	1	1	1	1	—	—	1	—	—	—	23	4
5	3	33	*	9	*	—	—	43	—	—	—	35	5
6	83	8	—	38	—	—	53	3	—	1	—	23	6
7	7	45	—	1	—	1	6	—	—	—	*	{65}	7
8	2	{50}	—	1	—	—	1	2	—	—	6		8
9	2		—	2	—	*	—	*	—	—	33	68	9
10	16	6	6	2	—	—	*	*	—	2	—	—	10
11	3	7	5	3	—	—	—	—	—	—	77	25	11
12	x	49	—	—	64	—	—	2	1	1	36	1^{s}	12
13	{18}	35	1	—	88	—	*	—	6	—	2	1	13
14	x	1	—	—	—	—	30	5	5	—	—	86	14
15	3	—	—	—	18	—	14	—	1	2	5	25	15
16	—	81	—	*	32	—	82	2	—	—	—	17	16
17	—	37	—	—	4	—	1	1	1	—	—	—	17
18	—	16	—	—	*	—	—	—	—	—	—	—	18
19	1	1	—	—	17	—	6	—	—	—	—	—	19
20	33	—	—	6	1	13	—	—	—	2	—	5	20
21	21^{s}	21	1	—	—	—	35	*	15	24	—	6	21
22	10^{s}	5^{s}	54	2	—	5	43	—	*	*	—	15	22
23	1	1^{s}	10	*	—	—	1	—	18	1.98	*	82	23
24	—	—	—	8	—	—	*	—	63	28	—	57	24
25	—	—	2	3	—	21	—	—	—	—	—	45	25
26	1	10	—	—	—	*	25	—	2	—	—	1,00	26
27	—	1	$*^{s}$	—	—	8	*	—	*	42	—	1	27
28	—	5	—	—	—	20	—	*	41	6	—	6	28
29	—	X	$*^{s}$	—	—	9	—	*	4	2	18	18	29
30	14	X	—	—	—	1	—	—	—	49	66	35	30
31	*	X	—	X	—	X	6	8	X	1.54	X	15	31
Total	3.12	4.68	1.01	.87	2.48	.83	3.03	1.21	1.59	5.72	2.44	8.74	YEAR'S TOTAL 35.72
Rain Days.	21	24	10	14	10	9	13	12	12	16	9	27	177

W. 8,000. X. 15.

Enid Ely

1667

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Montevideo, Chickerell, near Weymouth
in the County of Dorset
by Mrs N. M. Richardson

s = snow.

Lat. 50° 36′ 48″ Long. 2° 29′ 51″ W.
Time of Observation 9.30 a.m.
Nearest Railway Station Weymouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	8	1	–	–	30	1	*	–	45	65	24	*	1
2	14	8	–	–	1	–	–	–	1	34	7	–	2
3	2	65	15	–	4	1	–	–	18	58	19	–	3
4	6	25	–	–	1	18	–	–	–	–	23	–	4
5	1	2	$*^s$	*	18	9	–	–	–	10	18	–	5
6	–	8	1^s	–	9	1	62	–	–	7	60	–	6
7	1	rain 6 rain	34^s	–	22	–	2	–	–	4	65	17	7
8	–		25^s	–		*	–	–	–	–	5	27	8
9	–	1	–	–	2	*	–	–	1	–	2	26	9
10	–	61	1	2	4	*	–	–	–	–	2	10	10
11	–	*	3	3	1	11	–	–	*	*	–	17	11
12	2	6	7	2	8	–	15	4	–	8	–	–	12
13	*	24	20	1	1	*	*	3	–	–	*	–	13
14	–	50	–	–	6	–	–	2	–	–	–	–	14
15	*	16	3	2	–	–	–	3	*	4	–	38	15
16	7	3	–	21	–	–	3	25	3	3	–	71	16
17	14	10	–	8	–	–	–	18	25	54	65^s	–	17
18	5	13	11	1	–	–	–	–	6	1	7^s	18	18
19	6	2	57	7	–	–	–	–	*	*	rain 27 rain	19	19
20	6	55	22	*	–	*	–	–	–	–		200	20
21	–	10	15	2	6	–	–	–	–	–	1	24	21
22	*	$*^s$	*	*	–	5	11	–	–	–	1	rain 53 rain	22
23	–	6^s	–	1	–	3	–	17	–	23	rain rain 27 rain		23
24	*	1^s	Hail 6	1	19	–	–	6	–	39		37	24
25	–	41^s	14	–	–	1	–	27	1	3		–	25
26	2	18^s	1	–	*	5	–	2	78	78	1	–	26
27	1	$*^s$	Some snow. 82	–	–	10	–	1	38	6	–	2	27
28	–	16^s	$*^s$	5	–	*	–	14	27	26	2	33	28
29	–	Snow & rain 33	–	–	–	36	–	2.52	15	13	–	45	29
30	–	X	–	–	–	–	–	1	3	38	–	1	30
31	–	X	–	X	–	X	–	4	X	47	X	–	31
Total	.75	4.81	3.17	.56	1.32	1.01	.93	3.79	2.61	5.21	3.56	6.38	YEAR'S TOTAL 34.10
Rain Days.	14	26	17	13	16	12	5	15	13	20	21	18	190

W. 8,000, VIII. 16

P. made

1593

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.

9 JAN 1918

Kept at Montevideo, Chickerell

in the County of Dorset

by Mrs N. M. Richardson

Lat. 50°36'48" N. Long. 2°29'51" W.

Nearest Railway Station Weymouth

Time of Observation 9.30 a.m

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" " " Sea Level 100 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2	—	5	12	—	10	—	56	—	—	10	*	1
2	—	—	—	17 s	—	*	—	4	—	—	7	—	2
3	4	1 s	—	14	—	—	54	—	—	6	75	—	3
4	—	* s	39	3	—	—	*	2	*	16	—	—	4
5	5	—	10	7	—	14	—	*	16	2	4	—	5
6	—	—	2	—	—	2	—	—	—	28	8	—	6
7	35	—	—	—	—	—	10	59	—	4	—	5	7
8	25	—	24 s	4	—	—	30	—	16	36	20	—	8
9	—	—	3	4 s	5	—	2	2	6	—	4	—	9
10	30	—	30	32	—	—	—	11	—	—	6	—	10
11	2	—	49	6 s	8	—	—	—	—	40	—	—	11
12	6	—	4	—	27	—	—	2	—	5	1	23	12
13	—	—	18	2	—	2	—	11	3	—	—	—	13
14	—	—	8	6	—	—	—	—	2	3	—	—	14
15	* s	—	—	—	*	—	2	3	2	24	—	47	15
16	—	25	—	4	2	—	—	2	4	1.02	—	15	16
17	—	4	—	21	1	{13}	26	22	58	6	—	—	17
18	—	10	—	1	—		7	—	28	9	—	—	18
19	—	56	5	—	—	3	—	—	20	—	—	—	19
20	*	2	4	—	21	2	—	—	1	—	*	2	20
21	2	—	20 s	—	*	—	—	—	—	10	—	*	21
22	* s	—	7 s	—	—	—	—	8	—	9	—	—	22
23	—	25	—	—	11	—	—	12	—	7	—	—	23
24	—	9	2	—	—	*	24	1	—	14	2	—	24
25	—	2	4	—	—	—	—	3	4	—	3	—	25
26	—	—	1 s	—	21	2	—	32	9	5	—	—	26
27	—	—	—	—	64	26	—	70	—	—	—	*	27
28	—	—	11	—	9	31	—	21	—	—	1	—	28
29	—	—	2	—	*	4	10	1	—	29	—	7	29
30	* s		16	—	—	—	63	19	—	—	1	—	30
31	—		3		—		1	3		30		1	31
Total	1.11 ✓	1.34 ✓	2.67 ✓	1.33 ✓	1.69 ✓	1.09 ✓	2.29 ✓	3.44 ✓	1.69 ✓	3.85 ✓	1.42 ✓	1.00 ✓	TOTAL for year 22.92
No. of Rain Days	9 ✓	9 ✓	22 ✓	14 ✓	10 ✓	12 ✓	11 ✓	21 ✓	13 ✓	20 ✓	13 ✓	7 ✓	161

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8 · 1 · 19

Kept at Montevideo, Chickerell

in the County of Dorset

by Mrs J. M. Richardson

S = Snow, T = Thunder.

Lat. 50°36'48" N. Long. 2°29'51" W.

Time of Observation 9.30 A.M.

Nearest Railway Station Weymouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1	15	6	4	4	—	—	55	—	—	44	1	1
2	—	13	—	1	—	—	—	3	*	—	15	9	2
3	—	5	—	33	18	—	—	2	2	1	13	2	3
4	—	4	2	2	3	—	—	9	32	5	56	6	4
5	—	7	9	rain 19 rain	70	*	—	30	20	16	—	5	5
6	33	9	1		2	*	—	1	rain 23 rain	7	—	14	6
7	—	21	—	*	13	—	—	3		1	25	5	7
8	* S	7	—	2	—	—	—	—	4	28	—	2	8
9	4 S	1	—	11	—	7	47	—	37	3	2	50	9
10	3	—	—	21	—	1	88	—	7	13	6	32	10
11	*	—	—	5	—	—	11	—	6	3	5	6	11
12	—	5	—	—	49	—	3	—	10	3	*	*	12
13	4	—	—	—	—	—	59	—	54	10	—	2	13
14	15	—	—	—	2	4	1	—	46	6	—	4	14
15	85	—	—	22	—	*	15	—	2	9	—	9	15
16	40	—	2	4	—	*	1	—	23	—	—	—	16
17	22	—	—	7	—	—	57	—	2	—	—	10	17
18	61	—	—	*	—	43	27	*	24	—	—	27	18
19	8	3	16	*	—	—	9	*	2	2	—	4	19
20	1	9	1	11	—	1	7	2	33	6	—	—	20
21	6	2	—	2	—	—	2	—	54	12	—	rain 34 rain	21
22	3	—	1	—	1	—	63	—	18	1	—		22
23	13	—	—	—	17	—	14	*	7	—	6	—	23
24	2	15	—	—	—	*	*	—	25	—	rain rain 26 rain	6	24
25	2	—	—	3	5	—	10	47	1	*		*	25
26	—	3	—	—	1	—	12	—	2	5		29	26
27	—	7	—	—	—	*	2	5	10	2	16	1	27
28	—	—	22	2	—	—	—	—	—	4	1	3	28
29	—		rain 54 rain	—	—	—	—	—	1.35	*	2	3	29
30	2			—	—	—	—	—	11	6	12	7	30
31	1		4		—		—	*		15		—	31
Total	3.06	1.26	1.18	1.49	1.85	.56	4.28	1.57	5.90	1.58	2.29	2.71	YEAR'S TOTAL 27.73
Rain Days.	19	16	12	17	12	5	18	10	27	22	16	25	199

W. 8,000, IX. 17.

W. H. L. and gauntts Obs: agrees. 1501

5 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Montevideo, Chickerell
in the County of Dorset
by Mrs N. M. Richardson

Lat 50° 36′ 48″ N. Long 2° 29′ 57″ W.
Time of Observation 9.30 a.m.
Nearest Railway Station Weymouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	rain	—	rain	* Snow	2	—	31	—	4	13	3	72	1
2	rain	—	50 rain	—	—	—	8	—	14	2	*	3	2
3	2.06 rain	—	rain	—	14	—	*	—	28	—	2	5	3
4	rain	36	24	—	1	*	—	15	17	—	*	2	4
5	rain	33	17	—	1	—	—	—	4	—	22	9	5
6	40	—	15	—	*	—	—	—	—	—	—	18	6
7	16	27	33	10	—	—	—	—	—	—	—	1	7
8	11	—	32	*	—	—	—	—	—	—	6	—	8
9	40	—	2	15	8	—	—	—	—	—	Thunderstorm 63	—	9
10	12	—	15	1	—	—	—	—	—	2	2	9	10
11	14	—	7	21	18	—	11	—	—	—	—	7	11
12	28	—	2	1	—	—	*	—	—	2	—	2	12
13	7	18	10	33	—	—	3	—	—	*	—	5	13
14	44	14	—	7	—	—	*	—	6	—	—	11	14
15	21	12	—	6	22	—	8	*	—	4	—	26	15
16	4	88	—	1	3	—	—	*	—	—	13	2	16
17	—	20	—	—	3	—	*	2	—	—	6	2	17
18	4	18	88	—	—	—	25	—	—	—	18	—	18
19	64	30	31	—	—	12	92	15	5	—	3	5	19
20	12	rain 67	5	—	—	40	—	18	—	—	2	2	20
21	—	rain	—	—	—	*	3	—	6	—	2	5	21
22	—	1	* Snow	—	—	—	—	—	17	—	2	3	22
23	—	—	* Snow	*	—	*	—	3	—	58	2	5	23
24	*	1	—	*	—	7	—	2	—	1.08	6	19	24
25	10	rain 12	—	3	—	4	—	27	—	—	2	6	25
26	5	rain	6	10	—	—	—	6	9	—	5	20	26
27	8	rain	5	16	—	2	17	1.45	—	—	—	29	27
28	1	39 rain	Thunder 37	—	—	—	—	8	—	—	67	64	28
29	*	rain	—	2	—	—	—	11	—	5	1	26	29
30	—		—	9	—	11	—	10	—	—	59	31	30
31	—		* Snow		—		—	—		—		50	31
TOTAL	5.47	4.16	3.79	1.35	.72	.76	1.98	~~3.22~~ 2.62	1.10	1.94	2.86	4.39	YEAR'S TOTAL ~~31.74~~ 31.14
Days with ·01 in. or more	23	19	19	14	9	6	9	12	10	8	20	28	177 ✓

1446

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Montevideo, Chickerell, near Weymouth

in the County of Dorset

by Mrs N. M. Richardson

Lat. 50°36'48" N. Long. 2°29'51" W.

Time of Observation 9 30 a.m.

Nearest Railway Station Westham (Weymouth)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

s = snow

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11	—	7	13	30	—	25	—	6	24	16	84	1
2	23	*	—	14	1	—	3	30	8	4	—	8	2
3	6	6	—	3	—	*	14	1	—	24	—	2	3
4	—	1	3	1	—	—	13	51	—	17	—	*	4
5	—	—	15	10	—	—	45	15	—	37	—	—	5
6	—	—	13	4	41	—	29	1	—	—	—	—	6
7	3	—	1	34	5	—	30	—	—	—	—	—	7
8	*	4	—	11	4	—	17	2	—	—	—	—	8
9	72	4	5	3	—	16	16	—	—	—	—	—	9
10	40	4	10	10	—	38	28	—	—	—	—	—	10
11	42	—	13	57	21	4	26	—	—	—	—	—	11
12	20	4	—	41	—	11	*	—	—	—	5	—	12
13	13	—	50	2	—	—	*	—	—	—	—	14^{s}	13
14	19	3	36	57	—	—	3	—	39	12	24	2^{s}	14
15	3	3	9	26	6	16	—	—	2	63	3	1^{s}	15
16	*	1	2	11	2	3	17	—	13	3	—	—	16
17	2	—	—	8	21	2	5	—	33	—	—	—	17
18	10	—	—	3	4	18	—	38	3	—	—	*	18
19	4	—	—	23	—	34	1	—	56	—	—	—	19
20	—	5	—	9	—	50	—	—	—	—	—	27	20
21	2	—	—	2	—	—	26	—	2	4	—	8	21
22	6	—	—	19	—	—	—	—	—	1	—	35	22
23	2	—	—	—	—	—	7	3	—	—	—	34	23
24	1	1	12	—	—	—	—	—	—	—	6	6	24
25	9	2	19	—	13	—	47	—	—	—	2	1	25
26	—	1	23	—	2	—	—	—	—	—	9	11	26
27	37	*	7	5	2	*	—	—	*	—	2	18	27
28	74	3	13	14	1	11	13	—	—	—	—	9	28
29	27	2	33	2	—	1	—	—	—	—	9	20	29
30	7		—	—	—	16	4	—	60	3	26	33	30
31	3		21		—		—	—		67		18	31
TOTAL	4.36	.44	2.92	3.82	1.53	2.20	3.69	1.41	2.22	2.59	1.02	3.31	YEAR'S TOTAL 29.51
Days with ·01 in. or more	24	15	19	25	14	13	20	8	10	12	10	18	188
Days with ·04 in. or more	17	6	16	18	9	10	17	4	7	9	7	14	134

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DORSET.

CHICKERELL RECTORY.

1911–1912

REGI 911

FORM AR.
BRITISH RAINFALL
9 - JAN 1912

Kept at Chickerell

in the County of Dorset

by Rev: Sealy

op 8 in.
above Ground 1 ft. – in.
„ Sea Level 94 ft.
9.a.m.
on Name ~~Sealy~~ Weymouth
Distance 3m. Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	×	×	–	–	–	–	–	–	·01	·01	1
2	·01	–	–	·33	·16	–	–	·02	–	·06	·15	·10	2
3	–	×	–	×	·07	–	–	–	·01	–	·01	·11	3
4	–	–	·07	–	–	–	–	–	·03	–	·11	·13	4
5	·06	–	×	–	–	–	–	·08	–	·22	·03	×	5
6	·21	–	·15	–	–	–	–	–	–	·12	·22	·36	6
7	·06	–	×	–	–	–	–	–	–	–	·38	·01	7
8	×	–	·10	–	–	–	–	–	×	–	·20	·46	8
9	·04	–	×	–	–	–	–	–	–	–	·10	·32	9
10	·10	·12	·25	–	–	–	–	–	–	–	×	·31	10
11	·16	·01	·04	–	–	–	–	–	–	–	·99	–	11
12	–	–	·81	–	–	–	–	–	–	–	·02	·12	12
13	–	–	×	×	–	–	–	–	·06	–	–	·42	13
14	–	·09	–	×	–	–	–	–	–	·01	–	·49	14
15	·01	·01	×	–	–	·02	–	–	–	–	·09	·02	15
16	–	–	×	–	–	·31	–	–	–	–	·45	·09	16
17	×	×	·24	–	·09	·04	–	–	–	·02	·68	·13	17
18	–	·15	·06	·05	·04	·04	–	–	–	·03	·01	·18	18
19	–	·01	–	–	×	·09	–	–	·61	·04	–	·46	19
20	×	·02	·17	·01	–	–	–	·02	·01	·12	–	·53	20
21	×	·08	·05	–	–	·03	–	·10	·10	·55	×	·09	21
22	·27	·01	·01	·02	–	·03	–	–	·04	·27	–	·41	22
23	·01	·08	·06	–	–	·25	–	–	·12	·35	·02	·09	23
24	·01	·11	–	–	×	·23	·25	·17	–	·49	–	·25	24
25	–	·02	×	·09	–	·03	–	–	·01	·10	–	×	25
26	–	·05	–	·28	–	–	–	–	–	·31	–	·20	26
27	–	·40	·04	·06	–	–	–	–	·08	·62	·24	·10	27
28	–	·18	–	·39	–	–	–	·23	–	–	·07	–	28
29	–		–	·18	·07	·27	·28	–	·10	·24	–	×	29
30	–		–	–	–	·02	–	–	–	·13	·06	·04	30
31	–		·07		–		–	–		–		×	31
Total	·96	1·34	2·12	1·41	·43	1·36	·53	·62	1·17	3·68	3·84	5·43	TOTAL for year 22·89
No. of Rain Days.	12	15	14	9	5	12	2	6	11	17	19	25	147

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 9 - JAN 1912

Kept at Chickerell Rectory
in the County of Dorset 3
by Rev: Sealy Poole:

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 94. ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name ~~Sealy~~ Weymouth.
Distance 3 m: Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	×	×	–	–	–	–	–	–	·01	·01	1
2	·01	–	–	·33	·16	–	–	·02	–	·06	·15	·10	2
3	–	×	–	×	·07	–	–	–	·01	–	·01	·11	3
4	–	–	·07	–	–	–	–	–	·03	–	·11	·13	4
5	·06	–	×	–	–	–	–	·08	–	·22	·03	×	5
6	·21	–	·15	–	–	–	–	–	–	·12	·22	·36	6
7	·06	–	×	–	–	–	–	–	–	–	·38	·01	7
8	×	–	·10	–	–	–	–	–	×	–	·20	·46	8
9	·04	–	×	–	–	–	–	–	–	–	·10	·32	9
10	·10	·12	·25	–	–	–	–	–	–	–	×	·31	10
11	·16	·01	·04	–	–	–	–	–	–	–	·99	–	11
12	–	–	·81	–	–	–	–	–	–	–	·02	·12	12
13	–	–	×	×	–	–	–	–	·06	–	–	·42	13
14	–	·09	–	×	–	–	–	–	–	·01	–	·49	14
15	·01	·01	×	–	–	·02	–	–	–	–	·09	·02	15
16	–	–	×	–	–	·31	–	–	–	–	·45	·09	16
17	×	×	·24	–	·09	·04	–	–	–	·02	·68	·13	17
18	–	·15	·06	·05	·04	·04	–	–	–	·03	·01	·18	18
19	–	·01	–	–	×	·09	–	–	·61	·04	–	·46	19
20	×	·02	·17	·01	–	–	–	·02	·01	·12	–	·53	20
21	×	·08	·05	–	–	·03	–	·10	·10	·55	×	·09	21
22	·27	·01	·01	·02	–	·03	–	–	·04	·27	–	·41	22
23	·01	·08	·06	–	–	·25	–	–	·12	·35	·02	·09	23
24	·01	·11	–	–	×	·23	·25	·17	–	·49	–	·25	24
25	–	·02	×	·09	–	·03	–	–	·01	·10	–	×	25
26	–	·05	–	·28	–	–	–	–	–	·31	–	·20	26
27	–	·40	·04	·06	–	–	–	–	·08	·62	·24	·10	27
28	–	·18	–	·39	–	–	–	·23	–	–	·07	–	28
29	–		–	·18	·07	·27	·28	–	·10	·24	–	×	29
30	–		–	–	–	·02	–	–	–	·13	·06	·04	30
31	–		·07		–		–	–		–		×	31
Total	·96	1·34	2·12	1·41	·43	1·36	·53	·62	1·17	3·68	3·84	5·43	TOTAL for year 22·89
No. of Rain Days.	12	15	14	9	5	12	2	6	11	17	19	25	147

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
9 - JAN 1913

Kept at Chickerell Rectory
in the County of Dorset 3
by Rev: Sealy Poole.

Lat. 50.37.30 N. Long. 2.30.33" W.
Time of Observation 9 a.m.
Nearest Railway Station Weymouth.
Diameter of Rain Gauge 8. in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 96. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	×	–	×	–	–	·13	–	–	·04	1·25	–	·20	1
2	–	–	·33	·02	–	·01	–	–	–	·02	–	·01	2
3	–	–	·08	–	–	·42	·07	·34	·04	–	–	·01	3
4	·21	Snow. ·02	·23	–	–	·37	·01	–	–	–	·52	–	4
5	–	Snow & Rain ·22	–	–	·04	–	–	·55	–	–	·01	·08	5
6	·44	–	·01	–	·48	·16	–	·44	–	–	–	·03	6
7	·01	·38	·08	–	·07	1·16	–	·13	–	×	–	·04	7
8	·39	·12	·12	–	–	–	–	–	–	–	–	·07	8
9	·08	·02	·17	·01	–	·04	–	·13	–	–	–	·35	9
10	–	·03	–	·05	–	·02	·03	·11	–	–	–	·35	10
11	·10	·02	–	–	–	–	–	·16	–	–	–	·33	11
12	·02	·25	·12	·02	·29	–	–	·31	–	·01	–	–	12
13	×	–	–	–	–	–	·03	–	–	×	–	·04	13
14	·01	×	·26	–	·05	–	–	·07	–	×	–	–	14
15	·24	·09	–	–	·06	·62	–	–	–	–	–	·34	15
16	1·13	·01	·21	–	·04	·01	–	·07	–	·07	·21	–	16
17	·95	×	·39	–	–	·12	–	·47	–	·01	–	·04	17
18	·10	×	·12	–	–	– ~~·07~~	– ~~·06~~	·07	–	·01	–	·01	18
19	·01	·01	·20	–	–	·01	·06	·16	–	–	–	–	19
20	×	·05	·29	–	·12	–	–	·02	–	·37	·01	–	20
21	–	·29	·39	–	·78	–	–	·27	–	·10	–	–	21
22	·50	·25	·15	–	–	–	·20	·18	–	·12	–	·09	22
23	·12	·18	·24	–	–	·01	–	·68	–	·24	·13	·12	23
24	·09	·03	×	–	–	·10	·64	·10	–	·12	–	·15	24
25	·32	–	–	–	–	·01	–	·15	–	·27	·21	·42	25
26	–	–	×	–	–	–	·17	·04	–	·07	·27	·23	26
27	–	·02	–	–	–	·11	·57	·03	–	·27	–	·32	27
28	–	·08	–	–	–	·11	·02	·40	·03	·56	·31	·60	28
29	–	·04	·05	–	–	×	·10	·14	·83	·46	–	×	29
30	–		·02	–	·02	·10	·03	·05	·60	·12	–	×	30
31	–		·51		–		·11	·01		·03		·02	31
Total	4·72	2·11	3·97	·10	1·95	3·51	2·04	5·08	1·54	4·10	1·67	3·85	YEAR'S TOTAL 34·64
Rain Days.	17	19	20	4	10	18	13	25	5	18	8	22	179.

W. 7,500, XI. ·12

CORFE MULLEN

PUMP STATION

DORSET

1911 —— 1920

FORM A2.
BRITISH RAINFALL
26 APR 1912
(60)

9 11

Kept at Corf

in the County of

by Geo V. Spar

nowdon

top 5" in.

p above Ground 1 ft. 0 in.

„ Sea Level 82 ft.

9 am

ation { Name Bailey Gate
Distance 2½ mls Direction W

IMPORTANT ., and the result entered to the previous day. If t universal rule, he is earnestly requested to add th ving year in the space provided for it at the end easurement of rain, the selection and the British Rainfall Organization are given in "Rules for Rainfall Observers," ree on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	·03	-	-	-	-	-	—	—	—	-	·02	·04	1
2	-	-	-	·10	·38	-	—	—	—	·07	·15	·28	2
3	-	-	-	·18	·19	-	—	—	—	-	·15	·11	3
4	-	-	·06	·06	-	-	—	·10	—	·06	·35	·35	4
5	·04	-	-	-	-	-	—	—	—	·15	·04	—	5
6	·50	-	·16	-	-	-	—	—	—	·36	·06	·84	6
7	·04	-	-	-	-	-	—	—	—	—	·30	·03	7
8	·04	-	·20	-	-	-	—	—	—	—	·32	·58	8
9	·04	-	-	-	-	-	—	—	—	—	·03	·40	9
10	·27	·04	·39	-	·30	-	—	—	—	—	·02	·27	10
11	·25	-	·02	-	-	-	—	—	—	—	1·35	-	11
12	-	-	·96	-	-	-	—	—	—	—	·07	·17	12
13	-	-	-	-	-	-	—	—	·32	—	-	·37	13
14	-	-	-	-	-	-	—	—	—	—	-	·29	14
15	-	·12	·03	-	-	-	—	—	—	—	·22	·04	15
16	-	-	-	-	-	·20	—	—	—	—	·50	·38	16
17	-	-	·08	-	-	·08	—	—	—	—	-	·50	17
18	-	-	·05	-	-	·32	—	—	—	—	-	·39	18
19	-	·25	-	-	-	·26	—	—	·28	·15	-	·55	19
20	·03	·04	-	-	-	-	—	·20	·09	·07	-	·55	20
21	-	·31	·42	-	-	-	—	—	—	·63	-	·11	21
22	-	·10	·21	·06	-	·11	—	—	—	·38	-	·50	22
23	-	·09	-	-	-	·14	—	—	·15	·50	·14	·50	23
24	·15	·12	-	-	-	·35	—	·20	—	·45	-	·26	24
25	·03	·04	-	·10	-	·04	—	—	·06	·15	-	·23	25
26	-	·03	-	·30	-	-	—	—	—	·23	-	·20	26
27	-	·48	·07	·08	-	-	—	—	·07	·72	·14	·19	27
28	-	·28	-	·47	-	-	—	·17	—	—	-	-	28
29	-	-	-	·48	-	·23	—	—	—	·37	·03	-	29
30	-	-	-		-	-	·18	·08	·14	·26	·10	-	30
31	-	-	-	-	-	-	—	—		-	-	-	31
~~199~~ Total	1·42	1·90	2·65	1·83	·87	1·73	·18	·75	1·11	4·55	3·99	8·13	TOTAL for year 29·11
No. of Rain Days.	11	12	12	9	3	9	1	5	7	15	18	25	127

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
26 APR 1912
(60)

Kept at Corfe Mullen Pumping Station

in the County of Dorset 4

by Geo V. Sparrow. Waterworks Engineer

RAIN GAUGE	Pattern	Snowdon
	Diameter of top	5" in.
	Height of top above Ground	1 ft. 0 in.
	,, ,, ,, Sea Level	82 ft.

Time of Observation 9 am

Nearest Railway Station { Name Bailey Gate
Distance 2½ mls Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
11 1	·03	-	-	-	-	-	—	—	—	-	·02	·04	1
2	-	-	-	·10	·38	-	—	—	—	·07	·15	·28	2
3	-	-	-	·18	·19	-	—	—	—	-	·15	·11	3
4	-	-	·06	·06	-	-	—	·10	—	·06	·35	·35	4
5	·04	-	-	-	-	-	—	—	—	·15	·04	—	5
6	·50	-	·16	-	-	-	—	—	—	·36	·06	·84	6
7	·04	-	-	-	-	-	—	—	—	—	·30	·03	7
8	·04	-	·20	-	-	-	—	—	—	—	·32	·58	8
9	·04	-	-	-	-	-	—	—	—	—	·03	·40	9
10	·27	·04	·39	-	·30	-	—	—	—	—	·02	·27	10
11	·25	-	·02	-	-	-	—	—	—	—	1·35	-	11
12	-	-	·96	-	-	-	—	—	—	—	·07	·17	12
13	-	-	-	-	-	-	—	—	·32	—	-	·37	13
14	-	-	-	-	-	-	—	—	—	—	-	·29	14
15	-	·12	·03	-	-	-	—	—	—	—	·22	·04	15
16	-	-	-	-	-	·20	—	—	—	—	·50	·38	16
17	-	-	·08	-	-	·08	—	—	—	—	-	·50	17
18	-	-	·05	-	-	·32	—	—	—	—	-	·39	18
19	-	·25	-	-	-	·26	—	—	·28	·15	-	·55	19
20	·03	·04	-	-	-	-	—	·20	·09	·07	-	·55	20
21	-	·31	·42	-	-	-	—	—	—	·63	-	·11	21
22	-	·10	·21	·06	-	·11	—	—	—	·38	-	·50	22
23	-	·09	-	-	-	·14	—	—	·15	·50	·14	·50	23
24	·15	·12	-	-	-	·35	—	·20	—	·45	-	·26	24
25	·03	·04	-	·10	-	·04	—	—	·06	·15	-	·23	25
26	-	·03	-	·30	-	-	—	—	—	·23	-	·20	26
27	-	·48	·07	·08	-	-	—	—	·07	·72	·14	·19	27
28	-	·28	-	·47	-	-	—	·17	—	—	-	-	28
29	-	-	-	·48	-	·23	—	—	—	·37	·03	-	29
30	-	-	-	-	-	-	·18	·08	·14	·26	·10	-	30
31	-	-	-	-	-	-	—	—	-	-	-	-	31
~~199~~ Total	1·42	1·90	2·65	1·83	·87	1·73	·18	·75	1·11	4·55	3·99	8·13	TOTAL for year 29·11
No. of Rain Days.	11	12	12	9	3	9	1	5	7	15	18	25	127

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL
7 - JAN 1913

Kept at Corfe Mullen

in the County of Dorset 4

by Poole Corporation Waterworks

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bailey Gate

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 82' 0. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·05	—	—	·31	·15	—	-	·82	-	·31	1
2	—	—	·15	—	—	·03	·43	—	-	-	-	-	2
3	—	—	·25	—	—	·50	—	·80	-	-	-	·03	3
4	·32	·19	·50	—	—	·35	—	·08	-	-	·25	-	4
5	·50	—	·50	—	—	—	—	·41	-	-	-	·23	5
6	·57	—		—	·45	—	·14	·30	-	-	-	·05	6
7	—	—	·25	—	—	·50	—	·20	—	—	—	·13	7
8	·52	—	·14	—	—	·10	·04	—	—	—	—	-	8
9	—	—	·18	—	—	·17	—	·17	—	—	—	·50	9
10	—	·08	—	—	—	·10	—	·22	—	—	—	·50	10
11	·06	·18	—	—	—	·06	—	·25	—	—	—	·22	11
12	·04	—	·06	—	1·00	·40	·06	26	-	-	·03	-	12
13	—	—	—	—	—	—	·05	—	-	·03	-	·05	13
14	·23	—	·25	—	·15	—	—	·07	-	-	-	-	14
15	·17	·21	·04	—	—	·50	—	—	-	-	-	·32	15
16	·95		·45	—	·10	—	—	·12	-	·12	·09	-	16
17	·78	—	—	—	—	·05	—	1·00	-	-	-	·08	17
18	·07	—	·27	—	—	—	—	·50	-	-	-	·04	18
19	—	·03	·50	—	—	·07	—	·29	-	-	-	-	19
20	·03	·04	·50	—	·03	·03	·18	·25	-	·37	·02	-	20
21	—	—	·26	—	·36	—	—	·03	—	·15	—	-	21
22	·15	·54	·08	—	—	·03	·09	·23	—	-	—	-	22
23	·28	·50	·22	—	—	—	—	·74	—	·10	·15	·50	23
24	·20	·05	—	—	—	·25	—	·14	—	-	-	·40	24
25	·20	—	—	—	—	·20	—	·22	—	·20	·50	·50	25
26	—	·07	—	—	—	—	·50	·17	—	·43	·50	·50	26
27	—	·03	—	—	—	·14	·32	-	—	·90		·60	27
28	—	·09	—	—	—	·44	·12	·60	·29 ×	1·00	·60	·60	28
29	—	·20	—	—	—	·03	·17	·05	1·50 × 1·79	·22	-	-	29
30	—		—	—	—	·06	·03	-	·62	·25	-	-	30
31	—		·46		—		·25	·02	-	·05	-	08	31
99 Total	5·07	2·21	5·11	0·00	2·09	4·32	2·53	7·12	2·41	4·64	2·14	5·64	YEAR'S TOTAL 43·28
Rain Days.	16	13	19	—	6	21	14	24	3	13	8	19	156

W. 7,500, XI. 12

Written re No. 6 19.3.14

Cadby Obr 20.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

21 JAN 1914

Kept at Corfe Mullen Pumping Station
in the County of Dorset 4
by Poole Corporation Waterworks

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Wimborne
Diameter of Rain Gauge 5" in. 160
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 81 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

13

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·13	·20	—	—	—	—	·50	—	·02	—	1
2	·04	·37	—	·14	—	—	—	—	—	·17	·37	—	2
3	·28	—	—	·07	·26	—	—	—	—	—	·12	—	3
4	·78	—	·17	—	·43	—	—	—	·97	·42	–	·10	4
5	·30	·18	—	—	·05	—	·13	—	·67	·12	·08	—	5
6	—	—	—	—	·05	·23	—	—	—	·89	·20	·14	6
7	—	·50	—	—	·39	·11	·46	—	—	·41	—	·61	7
8	—	—	—	—	·16	—	—	—	—	—	·18	—	8
9	—	·30	—	—	·04	—	·14	·34	·04	—	—	·06	9
10	·61	—	—	—	·04	—	·03	—	—	·23	·18	—	10
11	·50	—	—	·13	·20	—	—	—	—	·11	·69	—	11
12	—	—	—	—	·50	—	—	—	—	—	·43	—	12
13	·20	—	·03	—	—	—	—	—	·43	—	·48	—	13
14	·28	—	·13	—	—	—	—	—	·20	—	·21	—	14
15	·47	·10	·42	—	—	—	·46	—	·18	—	·02	—	15
16	·14	—	·38	·95	—	—	—	—	—	—	—	—	16
17	·03	—	—	—	—	—	—	—	—	—	—	—	17
18	—	—	·30	·08	·03	—	—	—	—	—	·02	—	18
19	—	—	—	—	·04	·44	—	—	·43	—	·06	—	19
20	·50	—	·25	·15	—	—	—	—	—	—	—	—	20
21	·50	—	·25	·33	—	—	—	—	—	·36	·18	—	21
22	·33	—	·18	—	—	—	—	—	·28	—	·72	—	22
23	—	—	·15	—	—	—	—	—	—	—	—	—	23
24	—	·05	—	·16	—	—	—	—	—	—	–	·84	24
25	—	·19	—	·30	—	—	—	—	—	—	·04	—	25
26	—	—	—	·40	—	—	—	—	—	—	—	—	26
27	·04	—	·18	—	—	—	—	·38	—	·09	—	·33	27
28	·15	—	·08	·50	—	—	—	—	—	—	—	—	28
29	·15		·36	·23	·13	—	—	—	—	·43	—	—	29
30	·69		—	—	—	—	—	—	—	·50	—	—	30
31	·05		—		—		—	·70		·64		—	31
99 Total	6·04	1·69	3·01	3·64	2·32	·78	1·22	1·42	3·70	4·37	4·00	2·08	YEAR'S TOTAL 34·27
Rain Days.	19	7	14	13	13	3	5	3	9	12	17	6	121

4·00 34·27

W. 7,500, XI. 12

Ex D L

REGISTER OF RAINFALL IN 1914

FORM X. 160
BRITISH RAINFALL.
16 JAN 1915

Kept at Pumping Station, Corfe Mullen Nr Wimborne
in the County of Dorset 4
by Poole Corporation Waterworks

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Wimborne
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 81 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
14 1	-	-	-	-	-		-	.39	-	-	.46	.08	1
2	-	-	-	-	-	.03	.29	-	-	-	1.96	.38	2
3	-	-	.03	.12	.51	-	.04	-	-	-	.04	.06	3
4	-	-	.01	.25	.12	-	.15	1.00	-	-	.39	.57	4
5	.05	-	.04	.18	.10	-	.48	.10	-	-	.64	.03	5
6	-	.22	-	.15	.04	-	.14	.02	-	-	.02	.53	6
7	-	.63	.06	.09	.02	-	.17	.03	.01	-	-	.20	7
8	.05	.23	.62	.09	.01	.08	-	.25	-	-	-	.14	8
9	-	-	.46	.25	.02	.06	-	.02	.67	-	.01	.61	9
10	.05	.51	-	.07	.09	-	-	-	.28	-	-	-	10
11	-	.18	.57	-	.04	-	.36	-	-	-	.09	.63	11
12	-	.02	-	-	-	-	-	-	.43	.11	.06	.49	12
13	-	.58	.56	-	-	-	-	-	.09	.03	.11	.55	13
14	-	.41	.28	-	-	.97	.18	.49	.01	.34	.42	.36	14
15	-	-	.22	-	-	-	.17	.38	-	.10	.25	-	15
16	-	-	-	-	-	-	.05	-	.37	-	-	-	16
17	-	.53	.14	-	-	-	-	-	.02	-	-	.79	17
18	-	.02	.11	-	-	-	.11	-	-	-	-	.72	18
19	-	.07	.64	-	-	-	1.07	-	-	-	.07	.10	19
20	-	.60	.09	-	-	.11	-	-	-	-	-	.28	20
21	-	.64	-	-	-	-	-	-	-	.33	-	-	21
22	-	.06	-	-	.29	.03	.14	.02	-	.11	-	-	22
23	-	.04	.29	-	-	-	.02	-	-	.16	-	-	23
24	-	.29	.04	-	.02	-	-	-	-	.10	.13	-	24
25	.04	-	.24	-	-	-	.08	.38	-	.34	.04	.25	25
26	-	-	.11	-	-	-	.07	.08	-	.05	.23	.56	26
27	.03	.11	-	-	-	-	-	-	-	-	.22	.37	27
28	-	.11	.32	-	.01	-	-	-	-	.07	.17	.60	28
29	.27		.16	-	.03	-	-	-	-	.39	.48	.01	29
30	-		.10	-	.02	.02	-	-	-	.16	.87	.67	30
31	.02		-		-		.09	-		.74		.05	31
99 Total	.51	5.25	5.09	1.20	1.32	1.30	3.61	3.16	1.88	3.03	6.66	9.03	YEAR'S TOTAL 42.04
Rain Days.	7	18	21	8	14	7	17	12	8	14	20	24	170

W. 8,000. X. 14.

~~IV~~ LN cndly B. 5.V.16

1747

FORM A. BRITISH RAINFALL. 1607

REGISTER OF RAINFALL IN 1915

Kept at Corfe Mullen Water Works

in the County of Dorset

by Poole Corporation (Geo. V. Sparrow Eng: & Manager)

24

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Wimborne

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 81 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
15 1	·28	·24	–	–	–	–	–	·01	·48	·33	–	·18	1
2	·47	·28	·22	·03	·03	·04	–	·37	–	·25	–	·42	2
3	·30	·02	·12	·05	·13	–	–	·01	–	·17	–	·53	3
4	–	–	–	–	–	–	–	–	–	–	–	·44	4
5	·04	·54	–	·02	–	–	–	·24	–	–	–	·61	5
6	·76	·17	–	·47	–	–	·57	·02	–	–	–	·42	6
7	·14	·70	–	·05	–	–	·18	–	–	–	–	·52	7
8	·03	·63	–	·01	–	–	·01	·05	–	–	·06	·07	8
9	–	·07	–	·14	–	·01	–	–	–	–	·39	·94	9
10	·35	·01	–	·05	–	–	–	–	–	·02	1·43	·16	10
11	·04	·03	·05	·15	–	–	–	–	–	·01	·34	·03	11
12	·14	·52	–	·12	·51	–	–	–	–	·11	·08	–	12
13	–	·35	–	–	1·04	–	–	–	·11	–	–		13
14	·07	·01	–	–	–	–	·29	–	·03	–	–	1·25	14
15	·11	·08	–	–	·14	–	·08	·18	–	·01	·09	·45	15
16	–	1·11	–	–	·22	–	1·21	·07	·01	–	–	·23	16
17	–	·55	–	–	·24	–	–	·09	–	–	–	·06	17
18	–	·46	–	–	·02	–	–	·32	–	–	·02	–	18
19	–	·03	–	–	·21	–	·11	–	–	–	–	–	19
20	·24	–	–	·16	·19	–	–	–	–	·01	–	·04	20
21	·04	·34	–	–	–	–	·15	–	·06	·45	–	·28	21
22	·09	·16	·31	·13	–	–	·92	–	·03	·03	–	·33	22
23	–	–	·07	–	–	–	·05	–	·34	1·75	–	·48	23
24	–	–	–	·05	–	–	·06	–	·64	1·81	–	·61	24
25	–	–	·02	·05	–	·02	–	–	–	–	–	·24	25
26	·02	·16	–	–	–	·03	·14	–	·22	–	–	·95	26
27	–	·01	–	–	–	·17	–	–	–	·55	–	·01	27
28	–	·03	–	–	–	·07	–	–	·56	·07	·02	·03	28
29	–		–	–	–	·39	·08	·03	–	·02	·31	·14	29
30	·25		–	–	–	·02	–	–	–	·52	·98	·33	30
31	–		–		–		·01	·16		1·43		·54	31
99 Total	3.37	6·50	·79	1·48	2·73	·75	3·86	1·55	2·48	7·54	3·72	10·29	YEAR'S TOTAL ~~45·06~~ 45·06
Rain Days.	17	23	6	14	10	8	14	12	10	17	10	27	168

W. 8,000. X. 15.

1709

FORM A.
BRITISH RAINFALL.

5 JUN 1917

1607

REGISTER OF RAINFALL IN 1916

Kept at Corfe-Mullen Pumping Station
in the County of Dorset
by Poole Corporation Waterworks Dept

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Wimborne
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 81 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·23	·07	·12	-	·69	·02	-	-	·50	·17	·62	-	1
2	·46	·23	·04	-	·01	-	-	-	-	·16	·17	-	2
3	·05	1·06	-	-	-	-	-	-	-	·71	·29	-	3
4	·31	·14	-	-	·13	·22	·05	-	·18	·01	·69	-	4
5	·07	·06	·02	-	·15	·18	-	-	-	·10	·46	-	5
6	·01	·07	·01	-	·07	·08	·56	-	-	·09	1·04	-	6
7	·03	·01	·39	-	·07	·20	-	-	-	·03	·91	·12	7
8	-	·04	·02	-	·31	·03	-	-	-	-	·05	·31	8
9	-	-	-	-	·02	·34	·01	-	-	-	·02	·19	9
10	-	·72	-	·06	·05	·01	·15	-	-	-	·04	·30	10
11	-	-	·02	·13	·01	·17	-	-	-	-	-	·06	11
12	·02	·06	·05	·07	·16	·01	·07	·01	-	·07	·01	-	12
13	-	·24	·12	·02	-	-	-	·01	-	-	-	-	13
14	·01	·59	-	·03	·05	-	-	·02	-	·04	-	-	14
15	-	·21	·14	·01	-	-	-	·01	-	·01	-	-	15
16	·08	·05	-	·14	-	-	·01	·81	-	·03	-	·05	16
17	·21	·19	-	·13	-	-	-	·04	·16	·79	·68	-	17
18	·08	·04	·15	·02	-	-	-	·06	·14	·05	·14	·17	18
19	·20	-	·53	·03	-	-	-	-	·02	-	·16	·15	19
20	·16	·21	·40	·07	-	-	-	-	-	-	·02	1·73	20
21	·01	·24	·29	-	·04	-	-	-	-	-	·01	·21	21
22	-	-	·01	-	·05	·01	-	-	-	·42	·01	·62	22
23	·04	·08	-	-	-	·11	-	·12	-	·05	·33	·02	23
24	-	·04	-	·02	·33	-	-	·11	-	·44	·13	·45	24
25	-	·44	·12	-	-	-	-	·75	-	·06	·11	·01	25
26	-	·16	·01	-	-	·10	-	·03	·14	·65	-	-	26
27	-	·03	1·04	-	-	·93	·20	·02	·83	·48	-	-	27
28	-	·29	·02	·03	-	-	-	·11	·27	·29	·01	·25	28
29	-	·56	·03	-	-	·38	-	2·18	·43	·34	·02	·37	29
30	-		·01	-	-	-	-	-	-	·47	-	·01	30
31	-		-		-		-	·07		·42		·02	31
99 Total	1·97	5·83	3·54	·76	2·14	2·79	1·05	4·35	2·67	5·88	5·92	5·04	YEAR'S TOTAL 41·94
Rain Days.	16	25	21	13	15	15	7	15	9	23	22	18	199

W. 8,000, VIII. 16 36

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

19 JAN 1918

160

Kept at Corfe Mullen

in the County of Dorset

by Poole Corporation Waterworks

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·11	·16	-	·08	-	1·06	·02	-	·06	-	1
2	-	-	·03	·66	-	-	-	·08	-	-	-	-	2
3	·03	-	-	·05	-	-	·47	·04	-	·05	·25	-	3
4	-	-	·44	-	-	-	-	·01	·04	·19	-	·01	4
5	·09	-	·08	·16	-	·13	-	·02	·15	·23	·14	-	5
6	-	-	·22	·01	-	-	-	-	-	·13	·12	-	6
7	·38	-	-	-	-	-	·27	·05	-	·09	-	·08	7
8	·44	-	-	·01	-	-	·35	·79	·05	·34	·28	·15	8
9	-	-	·26	·01	·01	-	·01	·02	·03	·69	·06	-	9
10	·14	-	·44	·36	-	-	-	·54	-	·30	-	-	10
11	·04	-	·43	·24	·06	-	-	-	·01	·30	-	-	11
12	·02	-	·05	-	·18	-	-	-	-	·15	·02	-	12
13	-	-	·18	·01	-	-	-	·18	·01	·03	-	-	13
14	-	-	·05	·06	-	-	-	·03	-	·03	-	-	14
15	-	-	-	-	-	-	-	·10	·02	·36	-	·02	15
16	-	·12	-	·19	·01	-	-	-	-	1·62	-	·88	16
17	-	·02	-	·08	·01	·09	·30	·28	·67	·21	-	-	17
18	-	·07	-	·01	·02	·21	·18	-	·50	·06	-	-	18
19	-	·32	·07	-	-	·06	·02	·05	·32	-	-	-	19
20	·02	·05	·09	-	·42	·02	-	·02	·03	-	-	-	20
21	·04	-	-	-	-	·02	-	-	-	·03	-	-	21
22	·02	-	·28	-	-	·01	-	·05	-	·10	-	-	22
23	-	·17	-	-	·13	-	-	·10	-	·03	-	-	23
24	-	·22	-	-	-	·05	·11	·01	-	·36	-	-	24
25	-	·06	·02	-	-	-	·07	·01	·02	·04	·02	-	25
26	-	·01	·01	-	·69	-	-	·64	·10	-	·03	-	26
27	-	-	-	-	1·48	·17	-	1·08	-	-	-	·02	27
28	-	-	·04	-	·18	·85	-	·76	-	-	-	·02	28
29	-	×	-	-	·52	·10	·07	·01	-	·63	-	-	29
30	-	×	·23	-	-	-	·48	·24	-	-	-	-	30
31	-	×	·05	×	-	×	·04	·07	×	·25	×	·12	31
99 Total	1·22	1·04	3·08	2·01	3·71	1·79	2·37	5·64	1·97	6·22	·98	1·30	YEAR'S TOTAL 31·33
Rain Days.	10	9	19	14	12	12	12	25	14	23	9	8	167

W. 8,000, IX. 17.

1·77

55

FORM A.
BRITISH RAINFALL

13 5 19

1607

REGISTER OF RAINFALL IN 1918

Kept at Corfe Mullen
in the County of Dorset
by Poole Corporation Waterworks

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Wimborne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 81 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 18	Jan.	Feb	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·09	-	·01	·05	-	-	1·02	-	-	·58	·03	1
2	-	·24	-	·09	-	-	-	·37	-	-	·33	·29	2
3	-	·10	-	·22	·27	-	-	·05	-	·02	-	·03	3
4	-	·08	·01	·01		-	-	·09	-	·02	1·24	·15	4
5	-	·06	·21	-	·39	-	-	·32	·11	·34	-	·04	5
6	·02	·07	-	·26	-	-	-	·13	·05	·05	-	·14	6
7	-	·21	·01	·03	·31	-	-	·02	·36	·11	·34	·09	7
8	-	·10	-	-	-	-	-	-	·03	·14	-	-	8
9	-	-	-	·27	-	·04	·15	-	·65	·22	-	·43	9
10	·02	-	-	·17	-	·01	1·09	-	·38	·30	·01	·42	10
11	-	-	-	·03	-	-	·09	-	·09	·03	·02	·06	11
12	-	·10	-	-	·40	-	·04	-	·02	·01	-	·01	12
13	·19	-	-	-	·07	-	·71	-	·36	-	-	-	13
14	·23		-	-	·02	·11	·03	-	·39	·26	-	·11	14
15	1·56	-	-	·43	·04	·18	·21	-	·01	-	-	·16	15
16	·49	-	·04	·10	-	·01	-	-	·16	-	-	·04	16
17	·15	-	·01	·17	-	-	·56	-	·08	-	-	·32	17
18	·75	-	-	-	-	·62	-	-	·55	-	-	·17	18
19	·09	-	·12	·01	-	-	·36	-	·06	·03	-	·02	19
20	·01	·17	-	·19	-	-	·05	-	·29	-	-	-	20
21	·19	·04	-	-	-	-	-	-	·57	·40	-	·22	21
22	·09	-	-	-	·02	-	·46	-	·17	-	-	·22	22
23	·21	-	-	-	·09	-	·46	-	-	-	·10	·01	23
24	-	·25	-	-	-	-	-	-	·17	-	·10	-	24
25	·01	-	-	-	-	-	·04	·59	-	-	·04	-	25
26	-	-	-	-	-	-	·34	-	-	·05	·14	·37	26
27	-	·08	-	-	-	-	·03	·09	·20	·01	·14	-	27
28	-	-	·29	·02	-	-	-	-	-	·02	·30	·01	28
29	-	X	·12	-	-	-	-	-	1·45	-	·01	·03	29
30	·01	X	·46	-	-	-	-	-	·12	·07	·09	-	30
31	-	X	·12	X	-	X	-	·02	X	·07	X	·01	31
99 Total	4·02	1·59	1·39	2·01	1·66	·97	4·62	2·70	6·27	2·15	3·44	3·38	YEAR'S TOTAL 34·20
Rain Days.	15	13	10	15	10	6	15	10	22	18	14	24	172

W, 6,500, VII. 18. W W C

1543

1607

18 FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Corfe Mullen Wimborne.
in the County of Dorset.
by The Poole Corporation Waterworks

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Wimborne.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
" " " " Sea Level 81 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·46	—	·14	-	·01.	-	·14	-	·03.	·09.	·02	1·30.	1
2	·21.	-	·02.	-	·20.	-	·04	-	·31.	-	-	·07.	2
3	1·01.	-	·59.	-	-	-	·05.	-	·37.	-	-	·14.	3
4	·50.	·23.	·70.	·02.	-	·01.	-	·01.	-	-	·08.	·10.	4
5	·01.	·47.	·40.	-	·10.	-	-	-	·02	-	·14.	·18.	5
6	·41.	·17.	·14.	·02.	·32.	-	-	-	-	-	·02.	·16.	6
7	·29.	-	·47.	-	-	-	-	-	-	-	-	·01.	7
8	·29.	-	·27.	·04.	-	-	-	-	-	-	-	-	8
9	·24.	-	·01.	·23.	·02.	-	-	-	-	-	·36.	-	9
10	·19.	-	·35.	·04.	·05.	-	-	-	-	·04.	·02.	·33.	10
11	·16.	-	·05.	·19.	·15.	-	·21.	-	-	-	-	·11.	11
12	·11.	-	-	-	-	-	·05.	-	-	·09.	-	·01.	12
13	·08.	·02.	·09.	·57.	·01.	-	·01.	-	-	·02.	-	·10.	13
14	·72.	·08.	-	·32.	-	-	·05.	-	-	·02.	-	·12.	14
15	·66.	·10.	-	-	-	-	-	-	-	-	-	·47.	15
16	·05.	1·08.	-	-	-	-	-	·03.	-	-	·16.	-	16
17	·02.	·15.	-	-	-	-	-	-	-	-	·13.	·04.	17
18	-	·04.	·76.	-	-	-	-	·06.	-	-	·24.	-	18
19	·71.	·31.	·73.	-	-	·14.	1·00.	·20.	-	-	·04.	·04.	19
20	·32.	·08.	·03.	-	-	·50.	-	·22.	·10.	-	-	·02.	20
21	·16.	·71.	-	-	-	-	·04.	-	·04.	-	-	·07.	21
22	-	-	-	-	-	-	·10.	-	·37.	-	-	·12.	22
23	-	-	-	-	-	-	-	-	-	·13.	·06.	-	23
24	-	-	-	-	-	·28.	·57.	-	-	·88.	·06.	·20.	24
25	·08.	·13.	-	-	-	·05.	-	·40.	-	-	-	·12.	25
26	·08.	·19.	·11.	·09.	-	-	-	·02.	·09.	-	·07.	·46.	26
27	·06.	-	-	·35.	-	-	-	1·05.	-	-	-	·02.	27
28	-	·04.	·14.	-	-	-	-	·50.	-	-	·53.	·43.	28
29	-		·30.	-	-	-	-	·12.	-	·04.	-	·07.	29
30	-		·01.	·09.	-	·15.	-	·25.	-	·01.	·75.	·96.	30
31	-		-		-		-	-		-		·37.	31
99 TOTAL	6·82	3·80	5·31	1·96	·86	1·13	2·26	2·86	1·33	1·32	2·68	6·02	YEAR'S TOTAL 36·35
Days with ·01 in. or more	23	15	19	11	8	6	11	11	8	9	15	26	162.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1457

160

5 MAY

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Corfe Mullen Pumping Station
in the County of Dorset
by Poole Corporation Waterworks

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Wimborne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 81 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	·04	·10	·30	–	·48	·02	·03	·24	·19	·45	1
2	·20	–	·02	·09	–	–	·23	·28	·13	·11	–	·20	2
3	·01	·05	–	·01	–	–	·90	–	–	·47	–	·02	3
4	–	·05	·02	–	–	–	·16	·49	–	·18	–	–	4
x 5	–	–	·20	·04	–	–	·44	·33	–	·27	–	·01	5
6	–	–	·16	–	·24	–	·31	–	–	·01	–	–	6
7	·04	–	–	·24	·08	–	·33	–	–	·02	–	–	7
8	·02	·04	–	·13	·05	–	·32	·02	–	–	–	–	8
9	·52	·01	·03	·03	–	·04	–	–	–	–	–	–	9
10	·93	·02	·08	·19	–	·35	·59	–	–	–	–	–	10
11	·18	–	·11	·44	·25	·02	·18	–	–	–	–	·02	11
12	·17	·08	–	·21	–	·56	–	–	–	–	·03	·03	12
13	·18	·01	·47	–	–	–	–	–	–	–	–	–	13
14	·05	·05	·36	·52	–	–	–	–	·29	·47	·60	–	14
15	·03	·04	·05	·16	·07	·43	–	–	·06	·55	·09	–	15
16	–	–	·02	·10	–	·01	·07	–	·13	·02	–	–	16
17	·01	–	–	·34	·37	–	·01	–	·33	–	–	–	17
18	·13	–	–	·03	·02	·08	·04	·37	–	–	–	–	18
19	·01	–	–	·25	–	–	–	–	·12	–	–	·01	19
20	–	–	–	·23	·08	·62	–	–	–	–	–	·20	20
21	–	–	–	–	–	–	·35	–	·02	–	–	·20	21
22	·08	–	–	·26	–	–	–	–	·02	–	–	·36	22
23	·04	–	–	–	–	–	·30	–	–	–	–	·45	23
24	–	–	·23	–	–	–	–	–	–	–	·06	·18	24
25	·01	·09	·08	–	·09	–	·52	–	–	–	–	·01	25
26	·14	–	·25	–	–	·03	·06	–	–	–	·08	·13	26
27	·45	–	·02	·06	–	·07	·15	–	–	–	·05	·23	27
28	·53	–	·05	·03	·05	–	·12	–	–	–	–	·06	28
29	·59	·47	·15	·19	–	·03	–	–	–	–	·27	·41	29
30	·12	☒	–	–	–	·16	·08	–	·37	–	·47	·62	30
31	·02	☒	·07	☒	–	☒	–	–	☒	·32	☒	·30	31
99 TOTAL	4·50	·91	2·41	3·65	1·60	2·40	5·64	1·51	1·50	2·66	1·84	3·89	YEAR'S TOTAL 32·51
Days with ·01 in. or more	24	11	~~20~~ 19	21	11	12	20	6	10	11	9	19	17~~4~~3
Days with ·04 in. or more	17	8	14	17	10	8	19	4	7	8	8	13	13~~4~~3

FORM A2.
BRITISH RAINFALL.

2 JAN 1913

CORFE MULLEN

FORREST HILL

DORSET

1912 - 1920

Kept at Cofe ... 12

... Met: Office ... 8" in.

... ove Ground 2 ft. ... in.

in the County of ... ,, Sea Level 300 ft.

by E. Phil ... 9. am

Name Hamworthy

Distance 3½ mls Direction S.

IMPORTANT ... the result entered to the previous day. If ar... ...iversal rule, he is earnestly requested to add the ... year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·						·06	31 July ·20			4th .05	.32	1
2	·				.01		·79			87		.01	2
3	·					.37	·01		·02				3
4	·					.80	·	·93					4
5	·16							·02					5
6	.47	.10						·50			.25		6
7	.63	.45			.24							.39	7
8	·	·12				·91 bulk	·08	·30					8
9	.53	.02				·00	·02					·02	9
10	·	·09				·00	·00	·10				.5	10
11	·			.12		·20	·04	·37				.68	11
12	.02				·19	·39		·45				.01	12
13	.03				.80	·00	·03	·26		·07		.04	13
14	·					·00	·02					.01	14
15	·20	.22	no daily records			·00		·09				.32	15
16	·17				.11	·57		·05					16
17	1.02				.13	·09		·25			.13	.11	17
18	1.31	.02				·06		.87		.09		.05	18
19	.01					·00				.02			19
20	·	.05				·03	·09	.64			.02		20
21	·03				.04	·00	·14	·05		.32	.03		21
22	·	.82			.37	·00		·11		.18			22
23	.31	.35				·03	·08	·27			.02	.11	23
24	·32	.07				·02		·11		.14	.15	.54	24
25	·31					·41	·06	·25				.59	25
26	·12					·00	fall began 9·30·p.m.	·35		.32	.40	.35	26
27	·					·00	·59			.30	.43	.38	27
28	·					·14	·25	·25		.80	.59	.55	28
29	·					·36	·17	·55	.11	.85		.01	29
30	·					·03		·04	1.63	.25			30
31					·01	.06	·20	·02	.75	·15		·08	31
Total	5.64	2.31	5.54	·12	1.90	~~4·32~~ 4·38	~~2·42~~ ·20 2.56	6.83	2.51	4.36	2.07	5.07	TOTAL for year 43·29
No. of Rain Days.	16	11	✓	~~·12~~	9		16	2~~4~~3		13		20	

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Cope Mullen

in the County of Dorset 4

by E. Philip Belben

RAIN GAUGE	Pattern	Met^c Office
	Diameter of top	8" in.
	Height of top above Ground	2 ft. in.
	,, ,, ,, Sea Level	300 ft.

Time of Observation 9. am

Nearest Railway Station Baileygate 3 m. North
Name Hamworthy
Distance 3½ m Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.						.06	31st Jul .20			4th .05	.32	1
2	.				.01		.79			87		.01	2
3	.					.37	.01		.02				3
4	.					.80	.	.93					4
5	.16							.02					5
6	.47	.10						.50			.25		6
7	.63	.45			.24							.39	7
8	.	.12				bulk .91	.08	.30					8
9	.53	.02				.00	.02					.02	9
10	.	.09				.00	.00	.10				.5	10
11	.			.12		.20	.04	.37				.68	11
12	.02				.19	.39	.	.45				.01	12
13	.03				.80	.00	.03	.26		.07		.04	13
14	.		no daily record			.00	.02					.01	14
15	.20	.22				.00		.09				.32	15
16	.17				.11	.57		.05					16
17	1.02				.13	.09		.25			.13	.11	17
18	1.31	.02				.06		.87		.09		.05	18
19	.01					.00				.02			19
20	.	.05				.03	.09	64			.02		20
21	.03				.04	.00	.14	.05		.32	.03		21
22	.	.82			.37	.00		.11		.18			22
23	.31	.35				.03	.08	.27			.02	.11	23
24	.32	.07				.02		.11		.14	.15	.54	24
25	.31					.41	.05	.25				.59	25
26	.12					.00	fall began 9.30 p.m.	.35		.32	.40	.35	26
27	.					.00	.59			.30	.43	.38	27
28	.					.14	.25	.25		.80	.59	.55	28
29	.					.36	.17	.55	.11	.85		.01	29
30	.					.03		.04	1.63	.25			30
31					.01	.06	1.20	.02	.75	.15		.08	31
Total	5.64	2.31	5.54	.12	1.90	~~4.32~~ 4.38	~~2.42~~ 2.86	5.83	2.51	4.36	2.07	5.07	TOTAL for year 43.29
No. of Rain Days.	16	11	✓	~~.12~~	9		16	23		13		20	

W. 8,000, X. '11.

Imade ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

13 JAN 1914

Kept at Corfe Mullen Ex Bl

in the County of Dorset 4

by E. Philip Belben

Lat. 50°46′ Long. 2°2′ W
Time of Observation 9.0 am
Nearest Railway Station Hamworthy Junct
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 300 ft.

Harrod's Time Saver.
E. Philip Belben, Esq.,
Forest Hill,
CORFE MULLEN,
WIMBORNE.

IMP n should be measured daily at 9 a.m. and the result entered to the previous prefers not to conform to this almost universal rule, he is earnestly requested 9 a.m. on 1st January of the following year in the space provided for it at aph. Full instructions for the measurement of rain, the select gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.32		.22 ~~.07~~					.55		.31		1
2	.01	.13		~~.14~~	.02				.04		.13	.04	2
3	.14		.03	.15	.3				.01		.05	.09	3
4	.32				.32				.61	.42	.07	.06	4
5	.81	.08	.12		.02	.04	.07		.77	.21	.14	.06	5
6	.32	.19	.04		.08	.17	.47			1.03	.03	.15	6
7		.42	.02		.41		.14			.32	.19	.62	7
8		.27			.2		.02			.01			8
9		.06			.12		.10	.50	.04	.03	.21		9
10		.01			.02					.19	.70		10
11	.28			.23	.25					.14	.43		11
12	.9	.02			.45						.33	.01	12
13	.18		.01		.01	.01			.32	.02	.12		13
14			.18	.03	.02				.08		.01		14
15	.25	.13	.82	.78			.45		.23				15
16	.34		.39	.06					.02				16
17	.09	.03	.04	.08		16 .06					.03	.02	17
18	.08		.26	.09	.02	17					.07		18
19	.01		.03		.06	18 .03			.43	.81			19
20	.59		.24	.15		19 .37					.15	.02	20
21	.17		.24	.34	.04					.03	.80		21
22			.08	.02			.09	.18	.29		.01	.08	22
23	.51					.07		.05				.80	23
24	.01	.01		.22									24
25	.03	.23		.28									25
26		.02		.44				.24		.10		.30	26
27			.25							.32			27
28	.06	.14	.04	.19						.48			28
29	.19		.37	.55	.13			.05		.60	.01		29
30	.17				.02					.05			30
31	.65 .1		.03					.64					31
Total	6.21	2.06	2.69	3.83	2.49	.75	1.34	1.66	3.39	4.26	3.79	2.25	YEAR'S TOTAL 34.72
Rain Days.	23	15	18	16	18	7	7	6	12	16	19	12	169

W. 7,500, XI. 12

cop for auth 23.11.15 HLMC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Corfe Mullen

in the County of Dorset 4

by E. Philip Belben

Lat. 50° 46" Long. 2° 2"

Time of Observation 9.0 am

Nearest Railway Station Hamworthy

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.05		.40			.31	.11	1
2							.36				1.79	.40	2
3			.04	.13	.45		.03	.01	—	—	.04	.06	3
4	.05		.03	.30	.19		.17	.96			.47	.45	4
5	.02		.05	.20	.09		.46	.13			.65	.03	5
6		.21		.19	.04		.07	.03			.03	.52	6
7	.02		.10	.11	.01	.01	.19	.05	.01		.01	.21	7
8	.04		.66	.08	.02	.04		.25				.11	8
9	.02		.41	.15	.04	.06		.04	.72		.02	.63	9
10	.03	.47		.09	.10			.02	.34				10
11		.18	.04		.07	.01	.45		.01		.09	.55	11
12		.05	.12						.40	.20	.11	.37	12
13		.48	.54						.10	.03	.10	.47	13
14		.35	.24			.70	.19	.48		.47	.50	.38	14
15		.01	.20				.16	.33		.15	.27		15
16							.06		.36				16
17		.55	.14									.81	17
18		.03	.11				.12					.63	18
19		.13	.61				1.03				.10	.13	19
20		.50	.21			.12						.30	20
21		.64	.14							.39		.03	21
22		.06	.01		.27	.09	.08			.05			22
23		.05	.28			.07		.04		.25			23
24		.35	.01		.02		.02			.04	.11	.02	24
25	.05	.01	.23				.12	.39		.30	.04	.27	25
26		.01	.09				.09	.04		.04	.21	.54	26
27	.04	.01									.15	.36	27
28	.01	.11	.24		.02		.02			.07	.20	.56	28
29	.22		.16		.04					.38	.47		29
30	.05	X	.09			.04				.20	.75	.74	30
31		X		X	.02	X	.09		X	.65	X	.04	31
Total	.55	4.20	4.75	1.25	1.38 1.37	1.19	3.71	3.17 ~~2.27~~	1.94	3.22	6.47	8.72	YEAR'S TOTAL 40.50 ~~39.59~~
Rain Days.	11	19	24	8	14	10	18	14	7	14	21	25	185

W. 8,000. X. 14.

corr by auth 5.V.16

REGISTER OF RAINFALL IN 1915

1748

BRITISH RAINFALL FORM A.

13 JAN 1916

Kept at Corfe Mullen

in the County of Dorset

4

by

Harrod's Time Saver.
E. Philip Belben, Esq.,
Forest Hill,
CORFE MULLEN,
WIMBORNE.

Lat. 50° 46" Long. 2° 2"
Time of Observation 9.0 am
Nearest Railway Station Hamworthy Jn
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ~~300~~ 2 ft ft. in.
" " " " Sea Level 300 ft.

….—Rain should be measured daily at 9 a.m. and the result entered to the prev… …erver prefers not to conform to this almost universal rule, he is earnestly requ… reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.34	.24	.20		.02			.04	.35	.32		.15	1
2	.45	.25	.14	.04				.25		.19		.48	2
3	.32	.02		.05	.13					.20		.46	3
4	.01		.04									.37	4
5	.04	.64						.04				.58	5
6	.75	.20		.45			.55	.08				.24	6
7	.11	.80		.03			.20					.47	7
8	.07	.65					.04	.16			.08	.10	8
9		.11		.04				.04			.49	.91	9
10	.28	.01	.05							.06		.19	10
11	.07	.02	.02	.13				.01		.10	1.30		11
12		.50		.09	.26						.32		12
13	.01	.35			1.16				.11		.08		13
14	.08	.01					.27		.04			1.13	14
15	.11	.11			.15		.29	.07			.09	.29	15
16		1.22			.25		1.23		.03	.01		.18	16
17		.42			.27			.08					17
18		.24					.01	.25					18
19		.02			.26		.11						19
20	.23			.15	.12					.02		.06	20
21	.03	.34					.18		.07	.49		.25	21
22	.11	.11	.35				.74		.03	.02		.32	22
23		.02	.10				.11		.34	1.91	.01	.54	23
24				.05			.05		.58	1.74		.39	24
25				.04		.05						.24	25
26		.16				.03	.12		.11			.97	26
27		.03				.08				.42		.01	27
28		.11				.06			.59	.08	.02	.05	28
29						.20				.09	.31	.19	29
30	.19					.08	.02	.03		.45	.83	.40	30
31							.01	.22		1.78		.32	31
Total	3.20	6.58	.80 90	1.07	2.62	.50	3.93	1.27	2.25	7.88	3.53	9.29	YEAR'S TOTAL ~~42.92~~ 43.02
Rain Days.	17	24	7	10	9	6	15	12	10	16	10	25	161

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

X CJE [illegible]

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

4 JAN 1917

Kept at Forest Hill, Cope Mullen

in the County of Dorset

by E. Philip Bellen

Lat. 50°.46" N Long. 2°.2"

Time of Observation 9-am Greenwich

Nearest Railway Station Hamworthy Junc

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.19	.04	.03		.80	.02			.50	.20	.66		1
2	.31	.24	.15		.01					.14	.15		2
3	.04	1.11			.02					.71	.28		3
4	.23	.12	.02		.11	.31			.27	.02	.61		4
5	.07	.04		.02	.13	.16				.08	.49		5
6	.01				.07	.09	.51			.08	.95		6
7			.51		.07	.07	.03			.02	.83	.19	7
8	.03	.03			.23	.02					.07	.30	8
9			.03		.02	.51					.02	.29	9
10		.71	.04	.06	.07	.01					.03	.09	10
11				.12		.11						.09	11
12	.04	.11	.13	.04	.16		.08	.03		.07	.01		12
13		.23	.20					.02		.01			13
14	.02	.55		.02	.06					.02			14
15		.23	.19	.01			.01	.02		.02		.08	15
16	.10	.08		.15				.45		.04			16
17	.20	.18		.11				.13	.23	.68	.55	.19	17
18	.10	.04	.11	.02				.09	.13	.05	.20	.15	18
19	.19		.57	.03		.01			.04		.19	1.67	19
20	.17	.30	.51								.03	.30	20
21	.01	.20	.26		.05						.03	.72	21
22	.01	.01				.02				.34	.02	.01	22
23	.05	.09	.01	.03		.11		.17		.05	.30	.42	23
24				.02	.28			.11		.49	.13	.03	24
25		.63	.09					.67	.01	.08	.09		25
26	.01	.22	.97			.12		.06	.34	.60	.02	.02	26
27		.03	.02		.01	.83	.32	.01	.90	.35		.28	27
28		.33	.04	.05				.17	.30	.31		.37	28
29		.72	.02			.35		2.17	.55	.35	.03	.01	29
30		X								.25		.02	30
31		X		X		X		.08	X	.36	X		31
Total	1.78	6.24	3.90	.68	2.09	2.64	.95	4.18	3.27	5.32	5.69	5.43	YEAR'S TOTAL 42.03
	1.78	6.24				2.74						5.23	42.07
Rain Days.	18	23	19	13	15	15	5	14	10	24	22	19	197

W. 8,000, VIII. 16

1637

FORM A.
BRITISH RAINFALL.
27 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at ~~Forest Hill~~, Corfe Mullen
in the County of Dorset
by E. Philip Belben

Lat. Long.
Time of Observation 9 - am
Nearest Railway Station Hamworthy Junc
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.11	.12		.09		1.02	.02		.16		1
2			.04	.74				.09	.02	.05	.01		2
3	.04			.10				.05		.20	.29		3
4		.04	.37				.40	.01	.03	.18			4
5	.10		.06	.13		.13	.01	.02	.16	.13	.10	.01	5
6	.01		.16							.22	.12		6
7	.34						.23	.11	.04	.18	.01	.01	7
8	.37		.24	.02			.75	.87	.04	.60	.19		8
9			.07	.03	.02					.04	.08		9
10	.15		.43	.22				.51	.23	.01			10
11	.05		.43	.20	.06				.01	.28	.01		11
12	.05		.08		.18				.02	.18	.02		12
13	.01		.21	.01				.18	.01	.01			13
14				.03				.03	.02				14
15	.01				.01			.34	.01	.27			15
16		.13		.11	.03	.11		.01	.69	1.70		.17	16
17		.02	.04	.10		.27	.29	.27	.44	.20		.53	17
18	.01	.07	.09	.01	.01		.11		.33	.04		.20	18
19		.37	.10						.02				19
20		.03			.34	.03			.01				20
21		.01	.30							.06			21
22	.07		.05		.01			.05		.11		.02	22
23	.01	.19			.18			.12		.04			23
24		.21	.01			.04	.11	.02		.24	.03		24
25		.10	.03				.04	.02	.02	.01			25
26					.58	.03		.71	.09	.04			26
27					2.06	.17		1.05		.01	.03		27
28		.01	.07		.15	.75		.25					28
29			.03		.16	.11	.09	.02		.65		.02	29
30			.25				.57	.22				.10	30
31			.03				.07	.08		.25			31
Total	~~1.25~~ 1.22	1.18	3.20	~~1.84~~ 1.82	~~3.29~~ 3.79	1.73	2.67	6.05	~~2.29~~ 2.21	5.70	1.05	~~1.34~~ 1.06	YEAR'S TOTAL 31.68
Rain Days.	14	11	22	13	13	10	11	23	19	25	12	8	184

W. 8,000, IX. 17.

B. Made

Cor. for arith · 23.IV.19.

56

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
14.7.19

Kept at Forest Hill Corfe Mullen Wimborne

in the County of Dorset

by E. Philip Belben.

Lat. 50°.46" N. Long. 2°.2"

Time of Observation 9. am

Nearest Railway Station Hamworthy Junc

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.11		.01	.05			.90			.56	.03	1
2	.01	.23		.05				.28		.02	.37	.25	2
3		.10	.02	.23	.28			.10			.17	.02	3
4		.09						.08	.07	.02	1.21	.14	4
5		.08	.30	.23	.40			.31	.08	.28	.01	.04	5
6		.08		.03				.07	.05	.15		.15	6
7	.21	.21			.34	.02		.02	.19		.29	.09	7
8		.16		.23					.05	.24		.04	8
9				.16		.06	.16		.65	.19		.45	9
10				.05		.02	.75		.37	.31	.02	.39	10
11							.08		.06	.03	.04	.07	11
12		.02			.40		.03		.03				12
13		.09			.06		.59		.37	.01		.06	13
14					.04	.08	.04		.28	.24		.10	14.
15	.39		.03	.42	.04	.32	.21			.01		.14	15
16	1.50			.11			.01		.13			.02	16
17			.01	.20		.03	.59		.05			.30	17
18	.39					.63	.04		.53			.20	18
19	.72		.13	.02			.38		.03	.04		.02	19
20	.10	.18		.20			.06		.28	.10		.22	20
21	.02	.08							.53	.36	.01	.18	21
22	.19				.02		.75		.15				22
23	.09	.01			.04		.24		.07		.12	.02	23
24	.10	.24					.02		.19		.11		24
25		.01			.02			.58			.07	.01	25
26							.40		.02	.08	.17	.35	26
27			.05				.05	.09	.28	.02	.16		27
28		.11	.26						.01	.03	.03	.02	28
29			.13						1.50		.02	.06	29
30			.44					.01	.07	.10	.09	.03	30
31	.01		.07					.05		.07		.01	31
Total	3.73 ~~3.75~~	1.80	1.44	1.94 ~~1.96~~	1.69 ~~1.16~~	1.16	4.40	2.49	6.94 ~~5.84~~	2.30	3.45	3.41 ~~3.32~~	YEAR'S TOTAL 33.85 ~~33.60~~
Rain Days.	12 ~~14~~	16	10	13 ~~14~~	11	7	17	11	25	19	17	27	~~188~~ 185

W, 6,500, VII. 18. W W C

1544

20 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Forest Hill, Corfe Mullen
in the County of Dorset
by E. Philip Belben

Lat. 50°46" Long. 2° 2"
Time of Observation 9. am
Nearest Railway Station Hamworthy Jc 3½ mi
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. · in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.42		.08				.13			.09		1.30	1
2	.23		.03		.08				.42		.02	.17	2
3	.84		.72		.08		.18		.31			.13	3
4	.70	.24	.57			.02		.02	.17		.07	.17	4
5	.02	.39	.38		.04						.09	.05	5
6	.36	.17	.12		.15				.04		.06	.10	6
7	.32		.49	.12								.02	7
8	.33		.28	.02							.03		8
9	.25		.01	.20	.09						.41		9
10	.18		.25	.03					.03	.02		.34	10
11	.18		.05	.20	.11		.23				.02	.07	11
12	.14		.02				.04					.02	12
13	.10	.10	.12	.59			.01			.02		.09	13
14	.61	.03		.29			.05		.05	.06		.09	14
15	.50	.11		.02								.40	15
16	.03	1.11			.04						.14		16
17	.09	.21						.02			.11	.04	17
18	.08	.04	.71				.09	.03			.19	.02	18
19	.71	.33	.61			.14	.88	.26	.10		.05	.03	19
20	.28	.02	.06			.48	.05	.19				.03	20
21	.21	.69	.01									.06	21
22							.10		.40			.02	22
23			.02					.02		.22	.05	.04	23
24		.02				.22	.54	.02		1.06	.09	.09	24
25	.10	.12		.01		.03		.39				.20	25
26	.05	.20	.11	.04					.09			.46	26
27	.12	.05	.03	.36			.01	1.50			.07		27
28	.01			.01				.09		.04		.46	28
29	.01		(.46)	.02				.12				.10	29
30		✕		.13		.14		.31			.78	.76	30
31	.01	✕	.04	✕		✕			✕		✕	.37	31
TOTAL	6.83	3.83	5.17	2.04	.59	1.03	2.31	2.97	1.61	1.51	2.18	5.63	YEAR'S TOTAL 35.70
Days with ·01 in. or more	27	16	22	14	7	6	12	12	9	7	15 ~~18~~	27	17~~7~~4

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

.1458

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192

Kept at Forest Hill, Cofe Mullen.

in the County of Dorset

by E. P. Bellen

Lat. 50° 46' Long. 2° 2"

Time of Observation 9. am GmT.

Nearest Railway Station Hamworthy Junc

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08		.03	.13	.29		.48		.07	.24	.24	.45	1
2	.18		.02	.13			.18	.30	.17	.13		.12	2
3	.01	.04		.05			.88		.02	.45		.03	3
4		.06	.03	.02			.16	.44		.20			4
5			.18	.08			.51	.23		.28		.01	5
6		.01	.15		.25		.21			.02			6
7	.02	.02	.01	.27	.09		.45			.04			7
8	.04	.07		.09	.09		.21	.06					8
9	.36	.02				.06	.02						9
10	.92	.05	.07	.02		.34	.52						10
11	.20		.11	.56	.27	.07	.21		.01			.02	11
12	.18	.04	.02	.19		.47	.01		.01		.04		12
13	.20	.03	.41	.03		.02					.02	.02	13
14	.06	.08	.38	.51			.02		.24	(45)	.43	.01	14
15	.02	.05	.05	.14	.04	.36	.07		.05	.80	.05		15
16		.03	.02	.07		.02			.18	.03			16
17	.02			.31	.32		.02		.32				17
18	.02			.02	.09	.11	.03	.41	.01				18
19	.09			.07		.17			.05			.02	19
20	.02	.08		.24		.55	.05					.18	20
21							.33		.04			.20	21
22	.06			.23			.01		.02				22
23	.01						.26					.40	23
24	.02	.02	.25							.01		.09	24
25		.03	.05	.01	.12		.46			.01	.03	.01	25
26	.13		.28	.06		.07	.04				.12	.12	26
27	.41		.04	.04		.07	.14			.01	.01	.24	27
28	.55	.01	.03	.30			.09					.11	28
29	.49		.15		.02				.02	.01	.22	.27	29
30	.11	✕			.01	.15	.09		.36		.59	.56	30
31	.02	✕	.08	✕		✕			✕	.86	✕	.14	31
Total	4.22	.64	2.36	3.57	1.59	2.46	~~3.45~~ 5.45	1.44	1.52	3.04	1.75	3.00	Year's Total ~~31.04~~
Days with ·01 in. or more	25	16	20	~~24~~ 23	11	13	25	5	15	15	10	19	~~198~~ 197
Days with ·04 in. or more	16	8	~~17~~ 13	18	9	11	19	~~4~~ 5	9	9	7	12	~~134~~ 136

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CORFE CASTLE

KINGSTON VIC

DORSET

1916 - 1920

R 16

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Kingston
in the County of D
by Rev R.

Long. 2° 3½'
9 am
ion Corfe Castle
f Rain Gauge 5 in.
ge above Ground 1 ft. 3 in.
„ Sea Level 450 ft.

IMPORTANT and the result entered to the previous day. If universal rule, he is earnestly requested to add th g year in the space provided for it at the end asurement of rain, the selection and p e British Rainfall Organization are gi e on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·05	—	—	·63	·42	·35	—	1
2						—	·02	—	—	·32	·07	—	2
3						—	—	—	·02	·81	·24	—	3
4						·29	—	—	·11	·07	·45	—	4
5						·20	—	—	—	·14	·60	—	5
6						·11	·52	—	—	·02	·77	—	6
7						—	—	—	—	·03	·39	—	7
8						·04	—	—	—	—	·02	·07	8
9						—	·01	—	—	—	·02	·40	9
10						·09	—	—	—	·02	·03	·16	10
11						·11	—	—	—	—	—	·13	11
12						—	·16	·06	—	·09	·02	—	12
13					·11	—	—	—	—	·04	—	—	13
14					—	—	—	—	—	·01	—	—	14
15					—	—	—	·01	—	·01	—	·88 }	15
16					—	—	—	·41	—	·05	—		16
17					—	—	—	·09	·22	·59	} ·47	—	17
18					—	—	—	·08	—	·02		·20	18
19					—	—	—	—	·15	—	·40	·02	19
20					—	—	—	—	·02	—	·10	1·28	20
21					—	—	·18	—	—	—	·04	·27	21
22					—	—	—	—	—	·09	—	·77	22
23					—	·07	—	·06	—	·09	·17	—	23
24					·07	—	—	·14	—	·33	·14	·40	24
25					—	—	—	·59	—	·02	·11	—	25
26					—	·10	—	—	·38	·50	—	·06	26
27					—	·15	·07	·01	·72	·23	—	—	27
28					—	—	—	·15	·15	·31	—	·47	28
29					—	·38	—	3.44	·42	·23	—	·42	29
30		X			·02	—	—	—	—	·41	—	·01	30
31		X		X	—	X	—	·09	X	·19	X	·01	31
Total						1·59 ✓	·96 ✓	5·13 ✓	2·82 ✓	5·04 ✓	4·39 ✓	5·55 ✓	YEAR'S TOTAL
Rain Days.						11 ✓	6 ✓	12 ✓	10 ✓	25 ✓	19 ✓	18 ✓	

W. 8,000, VIII. 16

R [illegible] 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Kingston Vicarage Corfe Castle

in the County of Dorset

by Rev R. a. Bond

Lat. 50° 37′ Long. 2° 3½′

Time of Observation 9 am

Nearest Railway Station Corfe Castle

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·05	—	—	·63	·42	·35	—	1
2						—	·02	—	—	·32	·07	—	2
3						—	—	—	·02	·81	·24	—	3
4						·29	—	—	·11	·07	·45	—	4
5						·20	—	—	—	·14	·60	—	5
6						·11	·52	—	—	·02	·77	—	6
7						—	—	—	—	·03	·39	—	7
8						·04	—	—	—	—	·02	·07	8
9						—	·01	—	—	—	·02	·40	9
10						·09	—	—	—	·02	·03	·16	10
11						·11	—	—	—	—	—	·13	11
12						—	·16	·06	—	·09	·02	—	12
13					·11	—	—	—	—	·04	—	—	13
14					—	—	—	—	—	·01	—	—	14
15					—	—	—	·01	—	·01	—	·88	15
16					—	—	—	·41	—	·05	—		16
17					—	—	—	·09	·22	·59	·47	—	17
18					—	—	—	·08	—	·02		·20	18
19					—	—	—	—	·15	—	·40	·02	19
20					—	—	—	—	·02	—	·10	1·28	20
21					—	—	·18	—	—	—	·04	·27	21
22					—	—	—	—	—	·09	—	·77	22
23					—	·07	—	·06	—	·09	·17	—	23
24					·07	—	—	·14	—	·33	·14	·40	24
25					—	—	—	·59	—	·02	·11	—	25
26					—	·10	—	—	·38	·50	—	·06	26
27					—	·15	·07	·01	·72	·23	—	—	27
28					—	—	—	·15	·15	·31	—	·47	28
29					—	·38	—	3.44	·42	·23	—	·42	29
30		X			·02	—	—	—	—	·41	—	·01	30
31		X		X	—	X	—	·09	X	·19	X	·01	31
Total						1·59 ✓	·96 ✓	5·13 ✓	2·82 ✓	5·04 ✓	4·39 ✓	5·55 ✓	YEAR'S TOTAL
Rain Days.						11 ✓	6 ✓	12 ✓	10 ✓	25 ✓	19 ✓	18 ✓	

W. 8,000, VIII. 16

✓

FORM A. BRITISH RAINFALL.

17. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Kingston Vicarage: Corfe Castle

in the County of Dorset

by Rev R. A. Bond

Lat. 50° 37′ Long. 2° 3½′

Time of Observation 9 – 10 am

Nearest Railway Station Corfe Castle

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·10	·14		·11		·94	·02		·07		1
2			·30	·48				·08		·03	·01		2
3	·02		·06					·03		·07	·51		3
4		·15	·06				·20	·01	·01	·29			4
5	·10			·11		·15	·01		·13	·17	·14	·02	5
6											·11		6
7	·38						·23	·05		·16	·02	·12	7
8	·32			·08				1·10	·11	·42	~~·03~~ ·23	·22	8
9			·27		·03		·25		·02	·03	·02		9
10	·16		·36	·13				·34					10
11	·07		·31	·17	·05					·32	·02		11
12	·04		·04		·22			·13		·22			12
13			·26					·21	·04	·02		·01	13
14			·11	·05					·01		·02		14
15					·18			·05		·25		·05	15
16		·23		·03	·02				·01	1·59		·44	16
17		·05		·10		·10	·44	·31	·47	·20			17
18		·13				·46			·41				18
19		·37	·04			·06			·32				19
20	·01	·06	·11		·33	·01		~~·0~~					20
21		·02				·10				·09			21
22			·20					·06		·12			22
23		·29	·05		·18			·13		·04		·02	23
24		·24				·21	·36			·20	·02	~~·06~~	24
25		·02	·04						·01		·03		25
26					·83			·54	·20				26
27					1·31	·23		·98		·01			27
28			·07		·10	·61		·06				·02	28
29			·01		1·15	·17	·10	·02				·06	29
30		×	·40				·75	·26		·72	·02		30
31		×	·11	×		×	·08	·06	×	·41	×	·04	31
Total	1·10 ✓	1·56 ✓	2·90 ✓	1·29 ✓	4·40 ✓	2·21 ✓	2·42 ✓	5·38 ✓	1·76 ✓	5·36 ✓	1·22 ✓	1·00 ✓	YEAR'S TOTAL 30·60 ✓
Rain Days.	8 ✓	10 ✓	19 ✓	10 ✓	11 ✓	11 ✓	10	20 ✓	13 ✓	20	13 ✓	~~9~~ 10	~~154~~ 155

W. 8,000, IX. 17.

14

FORM A.
BRITISH RAINFALL.

8. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Kingston Vicarage
in the County of Dorset
by Rev R. A. Bond

Lat. 50° 37' Long. 2° 3½'
Time of Observation 9 A.M.
Nearest Railway Station Corfe Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
								·65			·43	·01	
1	·01	·13		·01				·41			·23	·20	1
2		·08		·34							·16	·05	2
3		·06	·03	·01	·24			·09			·79	·05	3
4		·13						·43				·03	4
5		·09	·15	·19	·41			·11	·18	·19		·16	5
6	·47							·06	·04	·06	·26	·01	6
7		·10			·23	·02			·20	·03		·01	7
8		·15		·15						·27		·47	8
9		·03					·14		·48	·14	·03	·41	9
10				·13			·26		·24	·47	·06	·08	10
11	·04	·01		·06		·03	·10		·18	·04		·03	11
12					·51				·05	·03		·03	12
13	·11	·15					·46		·27			·01	13
14	·24				·03		·04		·74	·35		·15	14
15	1·20			·27		·04			·01				15
16	·48		·04	·08					·31			·16	16
17	·57			·16			1·26		·02	·08		·16	17
18	·05					·70			·59			·04	18
19	·19		·20						·04	·03			19
20	·01	·14		·26		·01	·02		·30	·12		·27	20
21	·17	·02		·02					·60	·21		·19	21
22	·06				·22		·45		·18	·02		·03	22
23	·16						·23		·05		·35		23
24		·25							·24		·11		24
25	·01				·22			·48			·03	·26	25
26	·01						·17		·02	·10	·16		26
27		·14					·04	·08	·05	·03	·16	·02	27
28	·01		·26	·05						·05	·01	·04	28
29			·28	·01					1·08		·02	·05	29
30		╳	·52							·05	·16		30
31		╳	·04	╳		╳		·02	╳	·23	╳		31
Total	3·79	1·48	1·52	1·74	1·86	·80	3·17	2·33	5·87	2.50	2·96	2·92	YEAR'S TOTAL 30.94
Rain Days.	18	14	8	14	7	5	(14)	9	23	19	15	25	171

W, 6,500, VII. 18. w w c

REGISTER OF RAINFALL IN 19 *19*

Ex N°

FORM A.
BRITISH RAINFALL.
6 JAN 20

Kept at Kingston Vicarage
in the County of Co Dorset
by Rev R. A. Bond

Lat. 50° 37′ Long. 2° 3½′
Time of Observation 9 am
Nearest Railway Station Corfe Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 453 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
										·05			
1	·49				·01		·22			·02		·88	1
2	·30		·07		·02		·04		·21			·35	2
3	·96		·90		·13		·05		·57		·02	·07	3
4	·55	·10	·22			·02		·06	·09		·08	·03	4
5	·22	·45	·38		·06		·01		·01			·08	5
6	·34	·25	·15		·17						·04	·30	6
7	·11		·40	·04									7
8	·20		·36	·14									8
9	·18			·38							·92		9
10	·38		·19		·08					·03		·30	10
11	·18		·05	·38	·16		·12					·02	11
12	·24				·03		·05			·06			12
13	·06	·09	·15	·38			·05			·01	·10	·09	13
14	·52	·07		·24	·18		·15		·02			·07	14
15	·19			·05						·03		·60	15
16	·11	1·03									·17		16
17	·03	·25			·06						·08	·05	17
18		·08	·90					·03			·10		18
19	·87	·34	·41			·11	1·15	·20	·15		·07	·03	19
20	·25	·03				·47		·27			·04	·04	20
21	·04	·79	·02				·04		·05		·01	·06	21
22			·03				·10		·15		·04	·05	22
23			·03							·04	·02	·04	23
24		·02				·25	·38	·05		1·11	·12	·11	24
25	·08			·07		·05		·47				·08	25
26	·03	·35	·10	·08				·04	·10		·06	·49	26
27	·14		·05	·30			·05	·62				·05	27
28			·54					1·01			·53	·84	28
29								·16		·05		·15	29
30		X		·12		·04		·30			·59	·80	30
31	·01	X	·04	X		X			X		X	·53	31
Total	6·48	3·85	4·99	2·18	·90	·94	2·41	3·21	1·35	1·40	2·90	6·11	YEAR'S TOTAL 36·72
Rain Days.	24	13	20	11	10	6	13	11	9	9	17	25	168

W. 6,500, VII. 18. w w c

1418

8 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Kingston Vicarage

in the County of Dorset

by Rev R. A. Bond

Lat. 50° 37′ Long. 2° 3½

Time of Observation 9 am

Nearest Railway Station Corfe Castle

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 452 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05	·13	·22		·56	·03	·11	·15	·34	·70	1
2	·10		·02	·14			·20	·44		·06		·17	2
3	·01	·16		·10			·25			·34			3
4		·07	·04	·01			·06	·38		·17			4
5			·19	·02			·66	·07		·28			5
6			·09	·12	·59		·35					·01	6
7	·01			·32	·10		·25					·12	7
8	·03	·03	·02	·02	·09	·11	·46	·06		·02			8
9	·71	·04	·05	·07		·34							9
10	·71		·20	·14		·44	·50				·03		10
11	·24	·12	·15	·52	·19	·34	·44					} ·18	11
12	·21	·04		·21							·03		12
13	·21	·03	·35	·02							·05	·05	13
14	·07	·01	·55	·41					·16	·03	·34		14
15	·13	·04	·02	·13	·06	·02			·18	·33	·07		15
16	·02	·01	·09	·01		·02	·04		·29	·04			16
17	·06			·08	·33		·05		·27				17
18	·13	·02	·03	·01	·06	·16			·03			·02	18
19	·04			·18		·08		·72	·08			·01	19
20	·03	·15		·12		1·12						·12	20
21							·78			·01		·05	21
22	·09			·38								·30	22
23	·01						·24	·02	·03			·48	23
24	·04	·01	·15								·03	·13	24
25	·03	·01	·08		·19		·37					·01	25
26	·07		·20			·11					·10	·15	26
27	·36		·02	·11	·02		·10				·02	·27	27
28	·59	·02		·08		·01	·19					·13	28
29	·59	·01	·32	·03	·02				·01		·21	·48	29
30	·08	✕				·13	·05		·34		·23	·44	30
31	·03	✕	·12	✕		✕			✕	·41	✕	·24	31
TOTAL	4·60	·77	2·74	3·36	1·87	2·88	5·55	1·72	1·50	1·84	1·45	4·06	YEAR'S TOTAL 32.34
Days with ·01 in. or more	26	16	20	24	11	12	18	7	10	11	11	21	187
	18	[illegible]	15	11	9	9	18	5	7	8	7	17	137

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

15

and

REGIST

DORSET.

CORFE CASTLE,

"BUCKNOWLE HSE"

1918–1920

8

FORM A.
BRITISH RAINFALL

4. 1. 19

Kept at BUCKNOWLE Corfe

in the County of

by Charles Waterston

9 a.m.

Corfe Castle

ain Gauge 5 in.

ove Ground 1 ft. 6 in.

Sea Level 170 ft.

IMPORTANT NOTE.—R measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
		0.00											
1		0.09			0.01			0.66			0.36	0.03	1
2		0.07		0.02				0.18			0.21	0.18	2
3		0.05		0.34	0.29			0.24			0.16	0.04	3
4		0.12						0.08	0.08		0.66	0.03	4
5		0.10	0.19	0.01	0.41			0.50	0.11	0.20	0.05	0.15 }	5 2 days.
6	0.34	0.13		0.19				0.10	0.03	0.07			6
7		0.14				0.01		0.04	0.13	0.05	0.19	0.01	7
8		0.02					0.13		0.08	0.20			8
9				0.16					0.39	0.12		0.48	9
10	0.01			0.14		0.01	0.11		0.18	0.35	0.01	0.42	10
11				0.06			0.10		0.23	0.16	0.02	0.03	11
12	0.01	0.12			0.60				0.02	0.03		0.05	12
13	0.12						0.48		0.45	0.01		0.03	13
14	0.20				0.01	0.06	0.02		0.73	0.30		0.05	14
15	1.32			0.32	0.31	0.03	0.21			0.01		0.07	15
16	0.48		0.02	0.05			0.01		0.23				16
17	0.32			0.18			0.56		0.02	0.02		0.17	17
18	0.51					0.71			0.53			0.16	18
19	0.03	0.01	0.18				0.46		0.04	0.01		0.03	19
20	0.01	0.18		0.24		0.02	0.01		0.28	0.08			20
21	0.14	0.02		0.01	0.22				0.59	0.21		0.25	21
22	0.05	0.00					0.46		0.20	0.01			22
23	0.16				0.02		0.26		0.01		0.19		23
24		0.20							0.20		0.13		24
25					0.28			0.57			0.03		25
26							0.20		0.01	0.07		0.24	26
27		0.14	0.02				0.04	0.07	0.05	0.01	0.30		27
28			0.16	0.05						0.02	0.01	0.01	28
29			0.25						0.16			0.02	29
30		X	0.55	0.01					0.01	0.03	0.08	0.03	30
31		X	0.11	X		X		0.11	X	0.15	X		31
Total	3.70	1.39	1.48	1.78	1.85	0.84	3.05	2.55	5.76	2.11	2.40	2.48	YEAR'S TOTAL 29.39
Rain Days.	14	14	8	14	9	6	14	10	24	21	14	22	170.

W, 6,500, VII. 18. w w c

15

REGIST

FORM A.
BRITISH RAINFALL.

4. 1. 19

Kept at BUCKNOWLE HOUSE, CORFE CASTLE.

in the County of DORSET.

by Charles Waterston

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Corfe Castle

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
		0.00											
1		0.09			0.01			0.66			0.36	0.03	1
2		0.07		0.02				0.18			0.21	0.18	2
3		0.05		0.34	0.29			0.24			0.16	0.04	3
4		0.12						0.08	0.08		0.66	0.03	4
5		0.10	0.19	0.01	0.41			0.50	0.11	0.20	0.05	0.15 }	5 2 days.
6	0.34	0.13		0.19				0.10	0.03	0.07			6
7		0.14				0.01		0.04	0.13	0.05	0.19	0.01	7
8		0.02					0.13		0.08	0.20			8
9				0.16					0.39	0.12		0.48	9
10	0.01			0.14		0.01	0.11		0.18	0.35	0.01	0.42	10
11				0.06			0.10		0.23	0.16	0.02	0.03	11
12	0.01	0.12			0.60				0.02	0.03		0.05	12
13	0.12						0.48		0.45	0.01		0.03	13
14	0.20				0.01	0.06	0.02		0.73	0.30		0.05	14
15	1.32			0.32	0.01	0.03	0.21			0.01		0.07	15
16	0.48		0.02	0.05			0.01		0.23				16
17	0.32			0.18			0.56		0.02	0.02		0.17	17
18	0.51					0.71			0.53			0.16	18
19	0.03	0.01	0.18				0.46		0.04	0.01		0.03	19
20	0.01	0.18		0.24		0.02	0.01		0.28	0.08			20
21	0.14	0.02		0.01	0.22				0.59	0.21		0.25	21
22	0.05	0.00					0.46		0.20	0.01			22
23	0.16				0.02		0.26		0.01		0.19		23
24		0.20							0.20		0.13		24
25					0.28			0.57			0.03		25
26							0.20		0.01	0.07		0.24	26
27		0.14	0.02				0.04	0.07	0.05	0.01	0.30		27
28			0.16	0.05						0.02	0.01	0.01	28
29			0.25						0.16			0.02	29
30		X	0.55	0.01					0.01	0.03	0.08	0.03	30
31		X	0.11	X		X		0.11	X	0.15	X		31
Total	3.70	1.39	1.48	1.78	1.85	0.84	3.05	2.55	5.76	2.11	2.40	2.48	YEAR'S TOTAL 29.39
Rain Days.	14	14	8	14	9	6	14	10	24	21	14	22	170.

W, 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at BUCKNOWLE HOUSE, CORFE CASTLE,
in the County of DORSET.
by Charles Waterston

Lat. 50° 38N Long. 2° 4.3' West
Time of Observation 9 a.m.
Nearest Railway Station Corfe Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
„ „ „ „ Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.51	–	0.06	–	–	–	0.17	–	–	0.04	–	1.17	1
2	0.32	–	–	–	0.01	–	–	–	0.41	0.01	–	0.07	2
3	0.97	–	0.88	–	0.09	–	–	–	0.34	–	0.01	0.07	3
4	0.92	0.16	0.27	–	–	0.01	–	0.07	0.11	–	0.07	0.04	4
5	0.18	0.39	0.38	–	0.02	–	0.03	–	0.01	–	0.01	0.08	5
6	0.28	0.22	0.17	–	0.17	–	–	–	–	–	0.01	0.24	6
7	0.09	–	0.40	0.10	–	–	–	–	–	–	–	–	7
8	0.20	–	0.30	–	0.05	–	–	–	–	–	0.07	–	8
9	0.37	–	0.04	0.43	–	–	–	–	–	–	0.73	–	9
10	0.30	–	0.12	–	–	–	–	–	–	–	–	0.21	10
11	0.19	–	0.03	–	0.12	–	0.11	–	–	–	–	0.01	11
12	0.20	–	0.01	0.34	–	–	0.07	–	–	0.06	0.07	–	12
13	0.06	0.04	0.12	0.31	–	–	0.03	–	–	–	–	0.08	13
14	0.49	0.07	–	0.18	0.16	–	0.12	–	0.06	–	–	0.04	14
15	0.19	0.10	–	0.08	–	–	–	–	–	0.01	–	0.52	15
16	0.10	0.97	–	–	0.06	–	–	–	–	–	0.26	[illegible]	16
17	0.01	0.26	–	–	–	–	–	–	–	–	0.08	0.02	17
18	—	0.10	0.85	–	–	–	0.02	0.01	–	–	0.14	–	18
19	0.83	0.41	0.59	–	–	0.11	0.86	0.19	0.17	–	0.04	0.04	19
20	0.30	0.01	–	–	–	0.47	–	0.26	–	–	0.03	0.01	20
21	0.01	0.75	0.01	–	–	–	0.02	–	0.05	–	–	0.03	21
22	—	0.01	0.01	–		–	0.06	–	0.26	–	–	–	22
23	–	–	0.03	–	–	–	–	0.01	–	0.07	–	–	23
24	—	0.02	—	–	–	0.16	0.39	0.18	–	1.20	0.20	0.10	24
25	0.05	0.07	–	0.07	–	0.05	–	0.78	–	–	–	0.07	25
26	—	0.27	0.08	0.08	–	–	–	0.04	0.11	–	0.09	0.50	26
27	0.17	–	0.03	0.28	–	–	0.05	1.24	–	–	–	0.02	27
28	—	–	0.58	–	–	–	–	0.45	–	–	–	0.83	28
29	0.01	–	–	–	–	–	–	0.14	–	0.01	–	0.18	29
30		X	.	0.09	–	0.04	–	0.26	–	–	1.04	0.76	30
31		X	0.03	X		X	–		X	.	X	0.61	31
TOTAL	6.75	3.85 [illegible]	4.99	1.96	0.68	0.84	1.93	3.63	1.52	1.40	2.85	5.70	YEAR'S TOTAL 36.19
Days with ·01 in. or more	23	16	21	10	8	6	12	12	9	7	15	23	162

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1.419

FORM A.
BRITISH RAINFALL.

JAN 192

REGISTER OF RAINFALL IN 1920

Kept at Bucknowle House, Corfe Castle.
in the County of Dorset
by C. Waterston.

Lat. 50° 38" N Long. 2° 4 3"
Time of Observation 9. a. m.
Nearest Railway Station Corfe Castle.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.17		0.02	0.10			0.54	0.04		0.12	0.27	0.48	1
2	0.09			0.08	0.01		0.16	0.33		0.10			2
3	0.02	0.10		0.05			0.19		0.08	0.25		0.17	3
4		0.09		0.01			0.18	0.37		0.13			4
5			0.21				0.57	0.08		0.29			5
6			0.07		0.52		0.33			0.02			6
7	0.02			0.33	0.06		0.41						7
8	0.01	0.02		0.09	0.02		0.23	0.05					8
9	0.72	0.01	0.02	0.07		0.09	0.01						9
10	0.91	0.08	0.21	0.13		0.35	0.51				0.02		10
11	0.25		0.16	0.47	0.18	0.30	0.31					0.04	11
12	0.19	0.05		0.18		0.44					0.06	0.08	12
13	0.21	0.01	0.50			0.01						0.03	13
14	0.02	0.01	0.53	0.43					0.29	0.07	0.47		14
15	0.14	0.03	0.01	0.10	0.04				0.04	0.42	0.06		15
16	0.01		0.03	0.02		0.01	0.03		0.21	0.02			16
17	0.03			0.06	0.30		0.02		0.43				17
18	0.13		0.01	0.01	0.14	0.11		0.57	0.03				18
19	0.01			0.14		0.07						0.03	19
20		0.13		0.11		0.96						0.12	20
21							0.74						21
22	0.06			0.33			0.01		0.03			0.38	22
23							0.21					0.58	23
24	0.01	0.01	0.13				0.39				0.06	0.12	24
25		0.01	0.04		0.22								25
26	0.07		0.24				0.19				0.09	0.13	26
27	0.32		0.01	0.04	0.01	0.11	0.19				0.01	0.25	27
28	0.71	0.01	0.01	0.02		0.01						0.09	28
29	0.56		0.25			0.16					0.18	0.50	29
30	0.09			0.20			0.01		0.34		0.15	0.40	30
31	0.01		0.12							0.33		0.23	31
Total	4.76	0.56	2.57	2.97	1.50	2.62	5.23	1.44	1.45	1.75	1.37	3.63	YEAR'S TOTAL 29.85
Rain Days.	24	13	18	21	10	12	21	6	8	10	10	16	169
	15	5	11	17	7	9	15	6	6	8	8	14	121

W. 7,500, XI. 12

1561

CREECH GRANGE

DORSET

1911 - 20

78260!

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

RE

Kept at Cree

in the County of D

by

in.

ound 1 ft. 2 in.

Level 240 ft.

me Wareham

stance 4 miles Direction NNE

IMPORTANT NOT e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											.02	.11	1
2				.10	.35					.27	.18	.25	2
3					.22						.13	.17	3
4			.10						.11	.70	.27	.48	4
5				.05				.17			.07		5
6	.43		.08								.25	.56	6
7	.12										.29		7
8	.03		.27								.26	.65	8
9	.03		.02								.08	.47	9
10		.09	.46									.26	10
11	.47		.14								1.49		11
12			1.02					.07			.07	.42	12
13									.14			.30	13
14		.11										.31	14
15		.04	.03								.21		15
16						.21					.52		16
17		.18	.36		.37	.09					1.02	.30	1
18			.12	.06		.31				.12		.39	
19		.02				.05			.36	.08	.09	.62	19
20		.03	.22						.04	.06		.77	20
21	.08	.27	.03						.18	.72		.04	21
22		.04	.02	.02		.33			.04	.54		.68	22
23	.17	.14	.04			.37			.30	.27	.24	.36	23
24	.03	.19				.25				.54		.27	24
25		.05		.20		.05			.04				25
26		.06	.05	.42						.11		.60	26
27		.48		.02					.08	1.54		.16	27
28		.28		.46				.22			.16		28
29		X		.49	.47	.32	.26		.12	.55	.11		29
30		X			.17		.08	.08		.31			30
31		X		X		X			X		X		31
Total	1.36	1.98	2.96	1.82	1.58	1.98	.34	.54	1.41	5.78	5.46	8.17	TOTAL for year 33.38
No. of Rain Days.	8	14	15	9	5	9	2	4	10	13	18	21	128

W. 8,000, X. '11.

RE

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Creech Grange

in the County of Dorset

by

RAIN GAUGE	Pattern
	Diameter of top 5 in.
	Height of top above Ground 1 ft. 2 in.
	,, ,, ,, Sea Level 240 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Wareham; Distance 4 miles; Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				[illegible]	~~.35~~						.02	.11	1
2				.10	.35					.27	.18	.25	2
3					.22						.13	.17	3
4			.10						.11	.70	.27	.48	4
5				.05			[illegible]	.17			.07		5
6	.43		.08								.25	.56	6
7	.12										.29		7
8	.03		.27								.26	.65	8
9	.03		.02								.08	.47	9
10		.09	.46									.26	10
11	.47		.14								1.49		11
12			1.02					.07			.07	.42	12
13									.14			.30	13
14		.11										.31	14
15		.04	.03								.21		15
16						.21					.52		16
17		.18	.36		.37	.09					1.02	.30	1
18			.12	.06		.31				.12	[illegible]	.39	
19		.02				.05			.36	.08	.09	.62	19
20		.03	.22						.04	.06		.77	20
21	.08	.27	.03						.18	.72		.04	21
22		.04	.02	.02		.33			.04	.54		.68	22
23	.17	.14	.04			.37			.30	.27	.24	.36	23
24	.03	.19				.25				.54		.27	24
25		.05		.20		.05			.04				25
26		.06	.05	.42						.11		.60	26
27		.48		.02					.08	1.54		.16	27
28		.28		.46				.22			.16		28
29		X		.49	.47	.32	.26		.12	.55	.11		29
30		X			.17		.08	.08		.31			30
31		X		X		X			X		X		31
Total	1.36	1.98	2.96	1.82	1.58	1.98	.34	.54	1.41	5.78	5.46	8.17	TOTAL for year 33·38
No. of Rain Days.	~~8~~	~~14~~	~~15~~	~~9~~	~~5~~	~~9~~	~~2~~	~~4~~	~~10~~	~~13~~	~~18~~	~~21~~	~~128~~

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 - JAN 1913

Kept at Creech Grange
in the County of Dorset 3
by J. W. G. Bond

Lat. 50° 38′ Long. 2° 8′
Time of Observation 9 a.m
Nearest Railway Station Wareham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1						.12				1.09		.27	1
2			.16		.01	.01	.02			.02			2
3			.04			.30		.72			.03		3
4	.36		.50			.50		.07	.03		.22		4
5		.30	.16					.36				.32	5
6	1.24				.35	.10		.41				.09	6
7		.51	.09		.25	.50						.10	7
8	.65	.18	.16			.03		.03					8
9		.10	.31	.01		.07		.19				.55	9
10		.06						.10				.48	10
11	.10	.11				.22		.09				.46	11
12	.03	.28	.15		.63	.10		.25					12
13		.04	.03					.03				.10	13
14	.21		.24					.05				.02	14
15	.27	.31			.10	.70						.45	15
16	1.27	.06	.45		.09			.58		.15	.20		16
17	.65		.50			.17		.85				.25	17
18	.34		.18					.10		.01		.02	18
19		.05	.33			.01	.06	.15					19
20	.03	.07	.50		.02		.09	.16		.56	.02		20
21		.36	.31		.28			.15		.14			21
22	.57	.52	.13			.03		.18			.01	.07	22
23	.38	.19	.26					1.18		.30	.16	.27	23
24	.33	.09				.15		.42				.35	24
25	.08					.25		.27		.37	.13	.73	25
26		.10					.32	.07		.30	.97	.38	26
27		.07				.18	1.27			.75		.57	27
28		.11				.20	.22	.55	.03	.67	.40	.37	28
29		.14					.35	.06	1.60	.10	.02	.02	29
30		×						.03	1.06	.08			30
31		×	.65	×		×	.26	.05	×		×	.05	31
Total	6.51	3.65	5.15	.01	1.73	3.64	2.59	7.10	2.72	4.54	2.16	5.92	YEAR'S TOTAL 45.72
Rain Days.	~~15~~	~~20~~	~~19~~	~~1~~	~~8~~	~~18~~	~~8~~	~~26~~	~~4~~	~~13~~	~~10~~	~~21~~	~~163~~

W. 7,500, XI. 12

✓ end by Dorset F.C. 16.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6- JAN 1914

Kept at Creech Grange ~~H~~ RA 3
in the County of Dorset
by J. W. G. Bond

Lat. 50 · 38 Long. 2 · 8
Time of Observation 9 a.m
Nearest Railway Station Wareham L.S.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·40		·30					·58	·02	·20		1
2	·05	·10						1·07		·48	·08	·04	2
3	·08		·07	·04	·25				·02	·02		·08	3
4	·65		·10		·23				·20	·92	·07	·03	4
5	·42	·27	·03		·02	·10	·02		1·04	·12	·40	·20	5
6		·08	·04		·03	·20	·05			1·17	·08	·68	6
7		·35	·03		·35	·06	·20			·27	·23	·03	7
8		·34			·10				·04			·20	8
9		·05			·09					·02	·13		9
10	·20			·07	·04		·13			·12	·65		10
11	·91				·29						·83	·12	11
12					·37						·50		12
13	·04			·04				·04	·34		·26		13
14	·30		·15		·20				·18				14
15	·29	·08	·41	·56			·45	·04	·24				15
16	·17		·49	·09					·03		·02		16
17	·15					·04							17
18			·21	·11							·05		18
19	·55		·01		·05				·40				19
20	·05		·28	·13						·35			20
21	[illegible]		·13	·34						·15	·95		21
22	·43		·06				·12	·19	·18	·12		·15	22
23	·01					·05					·09	·70	23
24	·10			·21							·02		24
25		·10											25
26				·54						·08		·24	26
27	·10		·20	·10				·30		·01			27
28	·22		·05	·16						·35			28
29	·20	X	·34	·50	·10					·80			29
30	·73	X								·40			30
31	·03	X		X		X		·78	X	·01	X		31
Total	5·71	1·77	2·60	3·19	2·12	·45	·97	2·42	3·25	5·41 ✓	4·56	2·47	YEAR'S TOTAL 34·92
Rain Days.	22	9	16	14	13	5	6	6	11	18 ✓	16	11	147

W.7,000, XI. 13

X· Please note height of gauge is ~~one foot~~ not 1 ft. 2 in. as erroneously printed in last 3 editions of "British Rainfall" HRB

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

5 - JAN 1915

Kept at Creech Grange

in the County of Dorset 3 ExLMcC

by J. W. G. Bond

Lat. 50·38′ Long. 2·8′

Time of Observation 9 a.m

Nearest Railway Station Wareham

Diameter of Rain Gauge 5 in.

X· Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·57			·14	·14	1
2						·02	·11				1·32	·28	2
3			·03	·20	·45		·03	·04				·04	3
4	·03			·33			·17	1·27			·34	·40	4
5	·05		·10	·25	·06		·70				·50		5
6		·19		·18	·10		·02					·54	6
7	·04	·55	·27	·12			·27	·05				·38	7
8		·45	·70	·03		·11		·38			·02	·04	8
9	·08		·80	·19		·02		·04	·52			·62	9
10	·11	·24		·12	·25				·56				10
11		·15	·60				·52				·07	·78	11
12		·03	·36						·51	·27		·27	12
13		·50	·30						·16	·05	·20	·57	13
14		·42	·14			·33	·21	·58		·50	·77	·27	14
15			·25						·02	·34	·57		15
16	·03						·03		·42				16
17		·80	·09									·60	17
18		·03	·15				·29		·04			·90	18
19		·25	·65				1·11				·10	·13	19
20		·70	·37			·16						·31	20
21		·60								·30			21
22		·07	·02		·27		·32	·18		·10			22
23		·10	·49										23
24			·02							·20	·16	·05	24
25			·20				·02	·70		·52	·04	·50	25
26			·10				·06	·11		·19	·30	·71	26
27											·08	·25	27
28	·02	·10	·38				·15			·13	·30	·47	28
29	·50	X	·06	·06	·04					·28	·38		29
30	·04	X	·14			·11				·30	·84	·70	30
31	·10	X		X	·02	X	·08		X	·77	X	·04	31
Total	1·00	5·18	6·22	1·48	1·19	·75	4·09	3·92	2·23	3·95	6·13	8·99	YEAR'S TOTAL 45·13
Rain Days.	10	16	22	9	7	6	16	10	7	13	17	23	156

W. 8,000. X. 14.

1703

FORM A.
BRITISH RAINFALL.
4. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Creech Grange
in the County of Dorset 3
by J. W. G. Bond

Lat. 50 . 38 Long. 2 '8
Time of Observation 9 a.m.
Nearest Railway Station Wareham L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·51	·27			·02				·32	·28		·05	1
2	·52	·25	·29	·07				·20		·23		·50	2
3	·26		·36	·14	·15			·08		·17		·70	3
4	·02					·02		·02				·50	4
5	·16	·37	·11	·02				·45				·57	5
6	·99	·27		·50			·60	·04				·30	6
7	·19	·67		·07			·15					·28	7
8	·04	·66										·15	8
9		·16		·04							·47	·95	9
10	·30		·06	·02						·03		·24	10
11	·09			·10							1·10		11
12	·15	·56		·15	·60			·05		·07	·35		12
13	·02	·45			1·55				·08				13
14	·08						·25		·10			1·25	14
15	·10				·13		~~[illegible]~~				·10	·30	15
16		1·06			·09		1·96	·14				·50	16
17		·37			·25			·28					17
18		·23											18
19					·27		·06						19
20	·20			·10		·06				·08		·03	20
21	·05	·27					·30		·05	·32		·15	21
22	·10	·17	·40	·08			1·27		·03			·28	22
23			·14						·50	1·05		·82	23
24				·06					·68	2·02		·48	24
25				·05		·19	·05					·38	25
26	·02	·10				·05	·20					1·20	26
27		·05				·05	·04			·40			27
28						·30				·07		·06	28
29		×	·04			·02			·58	·17	·32	·05	29
30	·25	×				·04				·41	·83	·26	30
31		×		×		×	·05	·36	×	1·25	×	·42	31
Total	4·05	5·91	1·40	1·40	3·06	·73	4·93	1·62	2·34	6·55	3·17	10·42	YEAR'S TOTAL 45·58
Rain Days.	~~19~~	~~16~~	~~7~~	~~13~~	~~8~~	~~8~~	~~11~~	~~9~~	~~8~~	~~14~~	~~6~~	~~24~~	~~143~~

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Creech Grange
in the County of Dorset
by J. W. G. Bond

Lat. 50, 38 Long. 2'8
Time of Observation 9 a.m.
Nearest Railway Station Wareham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·06	·47		·50	·02			·60	·35	·46		1
2	·30		·04							·25	·06		2
3	·04	·96							·03	·95	·26		3
4	·09	·18			·10	·40			·09	·12	·65		4
5	·10	·05	·04		·38	·07				·15	·24		5
6	·03	·09	·03		·03	·37	·73				·56		6
7		·05	·45		·11					·07	·62	·15	7
8		·08	·50		·30	·15					·03	·37	8
9		·04			·08							·25	9
10		·84		·02	·07	·05				·05	·08	·12	10
11			·03	·16		·13						·07	11
12		·11	·36		·16					·09			12
13		·22	·26				·24						13
14		·60	·04	·02	·10								14
15		·28	·24									·11	15
16	·20	·04		·18						·03		·44	16
17	·25						·02	·35	·25	·80	·60		17
18		·10	·18	·02				·10	·13		·15	·48	18
19	·17		·54	·04						·03	1·13	·35	19
20		·28	·26									1·50	20
21	·08	·17	·18						·03		·06	·38	21
22						·05				·19	·04	·90	22
23	·02	·08			·10			·08			·15		23
24		·04		·05		·07		·17		·35		·50	24
25		·50	·14					·76		·11	·13		25
26		·18						·03	·55	·65			26
27	·05	·03	·93			·06			·70	·26		·05	27
28		·34		·05			·64	·40	·23	·29		·64	28
29		·54				·48		3·30		·23		·46	29
30		×								·62			30
31		×		×		×		·15	×	·46	×	·02	31
Total	1·47	5·86	4·69	·54	1·93	1·85	1·63	5·34	2·61	6·35 6·05	5·22	6·79	YEAR'S TOTAL ~~43·28~~ 43·98
Rain Days.	12	24	19	8	11	11	4	9	9	20	16	17	158

1598

FORM A.
BRITISH RAINFALL.

3 JAN

REGISTER OF RAINFALL IN 1917

Kept at Creech Grange

in the County of Dorset

by J. W. G. Bond

Lat. 50° 38′ Long. 2° 8′

Time of Observation 9 a.m

Nearest Railway Station Wareham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·18				·97			·06		1
2				·46				·07		·03			2
3				·07			·25	·03			·60		3
4			·47				·03		·02	·30			4
5	·10		·14	·14		·16			·14	·15	·10		5
6										·08	·16	·06	6
7	·43						·39	·20		·24		·14	7
8	·33		·35				·27	1·15	·07	·61	·29		8
9			·12		·05			·54	·09				9
10	·20		·35	·25									10
11	·05		·38	·11	·15					·40			11
12	·03		·06		·33					·16			12
13			·20					·21	·05	·03			13
14			·13	·05				·03	·02				14
15								·07		·15		·37	15
16		·38		·05						2·20		·40	16
17		·03		·10		·10	·35	·30	·48				17
18		·10			·03	·37	·07		·45				18
19		·45							·41				19
20		·03	·25		·42								20
21			·34			·10				·11			21
22			·07					·04		·13			22
23		·32			·07			·16					23
24		·25	·04			·10	·78			·40	·03		24
25													25
26					·67			·49	·18				26
27					1·30	·25		1·12		·05			27
28			·10		·09	·75		·14				·08	28
29		X	·03		·13	·07	·08	·04		·64		·03	29
30		X	·33				·82	·32					30
31		X	·02	X		X	·11	·10	X	·37	X	·05	31
Total	1·14 ✓	1·56 ✓	3·38 ✓	1·41 ✓	3·24 ✓	1·90 ✓	3·15 ✓	5·98 ✓	1·91 ✓	6·05 ✓	1·24 ✓	1·13 ✓	YEAR'S TOTAL 32·09
Rain Days.	6 ✓	7 ✓	17 ✓	9 ✓	10 ✓	8 ✓	10 ✓	18 ✓	10 ✓	17 ✓	6 ✓	7 ✓	125 ✓

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

17

FORM A.
BRITISH RAINFALL

4. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Creech Grange

in the County of Dorset

by J W G Bond

Lat. 50° 38' Long. 2° 8'

Time of Observation 9 a.m

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·16						·83			·46	·06	1
2		·10						·06			·17	·24	2
3		·07		·36	·25			·10		·03	·10	·05	3
4		·13		·07				·17	·07		·87	·08	4
5		·11	·19		·37			·56	·03	·25		·04	5
6	·38	·17		·25				·09	·03	·05		·23	6
7		·18		·03	·23			·08	·37	·07	·30		7
8		·02							·05	·25		·03	8
9				·16		·04	·26		·53	·24		·63	9
10	·02			·15			·23		·18	·57		·42	10
11				·04			·16		·10	·10	·07	·10	11
12		·17			·60				·03	·07			12
13	·13				·02		·63		·56	·03		·06	13
14	·20					·06			·83	·32		·13	14
15	1·20			·30	·04		·22					·19	15
16	·45		·02	·06		·04			·21				16
17	·20			·16			·56		·03			·17	17
18	·70					·70	·09		·66			·12	18
19	·05		·22						·02				19
20		·25		·19		·02	·40		·46	·10		·04	20
21	·14	·05		·01					·73	·24		·32	21
22	·06				·46		·80		·20			·12	22
23	·22				·10		·16		·03		·22		23
24		·20							·26		·15		24
25					·26		·07	·73					25
26							·20		·04	·07	·21	·35	26
27		·14	·02				·01	·08	·24		·14		27
28			·25	·06					·03	·02			28
29			·24	·02					1·62			·02	29
30			·67							·03	·15	·06	30
31			·10					·09		·12			31
Total	3·75	1·75	1·71	1·86	2·33	·86	3·79	2·79	7·31	2·56	2·84	3·46	YEAR'S TOTAL 35·01
Rain Days.	12	13	8	14	9	5	13	9	24	17	11	21	156

W. 6,500, VII. 18. W W G

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

9 JAN 20

Kept at Creech Grange
in the County of Dorset
by J W G Bond

Lat. 50° 38' Long. 2° 8'
Time of Observation 9 a. m
Nearest Railway Station Wareham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·63		·09				·08			·13		1·33	1
2	·44						·03		·48	·01			2
3	·95		1·00		·12				·50			·10	3
4	·90	·18	·32					·04	·14			·08	4
5	·12	·37	·82		·06						·09	·09	5
6	·39	·18	·20		·23							·40	6
7	·17		·47	·12									7
8	·27		·37							·03	·05		8
9	·33		·07	·45	·07						·65		9
10	·25		·19		·02					·07		·25	10
11	·28		·09	·31	·24		·15					·10	11
12	·18				·02		·07				·10		12
13	·16	·09	·12	·38								·07	13
14	·68	·06		·28			·02		·07			·05	14
15	·28	·10		·04			·15					·56	15
16	·05	1·05			·05						·05		16
17	·02	·35									·20	·04	17
18		·07	·74				·10	·02			·14		18
19	1·10	·43	·70			·11	1·12	·29	·14		·15	·04	19
20	·30					·33		·33				·05	20
21		·75					·04		·04		·05		21
22							·10		·31	·19		·08	22
23			·02							1·14	·03		23
24		·02	·03	·02		·03	·24				·14	·27	24
25	·09	·09		·09		·10		·86				·08	25
26	·03	·28	·12	·08					·14		·10	·56	26
27	·14		·05	·32			·10	1·56				·02	27
28			·65					·21		·03	·57	·90	28
29								·09				·10	29
30			·11	·10		·05		·29			1·25	·87	30
31												·55	31
TOTAL	7·70	4·02	6·16	2·19	·81	·62	2·20	3·69	1·82	1·60	3·57	6·59	YEAR'S TOTAL 40·97
Days with ·01 in. or more	22	14	19	11	8	5	12	9	8	7	14	22	151

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

271 1920

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Creech Grange

in the County of Dorsetshire

by J. W. G. Bond

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14		.04	.15	.26		.77		.04	.14	.28	.70	1
2	.15			.07			.24	.45	.05	.06		.26	2
3	.02	.11		.15			.20			.30			3
4		.10					.17	.44		.14			4
5				.06			.80	.10		.28			5
6			.09		.51		.22						6
7	.05		.20	.40	.08		.48			.67			7
8	.04	.05		.11	.03		.20	.10					8
9	.80			.19		.11	.05						9
10	.95	.12	.29	.14		.46	.55						10
11	.35		.15	.50	.26	.23	.46				.10		11
12	.24	.06		.20		.60						.55	12
13	.21	.02	.47	.50									13
14	.06		.52	.10					.34	.12	.50		14
15	.20	.05			.09	.04			.07	.63	.07		15
16			.10				.10		.37				16
17	.04			.10	.36		.04		.30				17
18	.14	.22	.02	.03	.07	.18		.66					18
19	.02			.33		.21							19
20		.10		.19		1.03						.18	20
21							.64					.05	21
22	.12			.40								.35	22
23							.17	.03				.64	23
24	.04										.20	.23	24
25	.03	.05			.25		.60						25
26	.12		.45								.10	.10	26
27	.49			.07		.12						.26	27
28	.63		.04	.04			.27					.07	28
29	.74		.27	.03		.03					.19	.62	29
30	.14	✕				.20	.03		.38		.23	.50	30
31	.04	✕	.20	✕		✕			✕	.45	✕	.27	31
Total	5.76	.88	2.84	3.76	1.91	3.21	5.99	1.78	1.55	2.79	1.67	4.78	Year's Total 36.92
Days with ·01 in. or more	~~24~~	~~10~~	~~13~~	~~20~~	~~9~~	~~11~~	~~18~~	~~6~~	~~7~~	~~9~~	~~8~~	~~14~~	~~149~~
	22	9	12	18	8	10	17	5	7	9	8	14	~~15~~ 139 138

(44283). Wt. 21,938—218. 1500. 10/19. Gp.132. A.&E.W.

DORCHESTER
KINGSCOTE

DORSET

1914 – 1920

FORM A.
BRITISH RAINFALL.

31 MAR 1915

REGIS

Kept at Kingscote

in the County of Do

by E Archdale

227

5 in.

Ground 1 ft. – in.

Sea Level 226.4 ft.

IMPORTANT NOTE … e result entered to the previous day. If an Obse… al rule, he is earnestly requested to add the reading… n the space provided for it at the end of this p… of rain, the selection and placing of… Rainfall Organization are given in "… cation to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	.14	.57	-	-	.23	.04	1
2	-	-	-	.16	-	-	.65	-	-	-	1.27	.14	2
3	-	-	-	-	.37	-	.02	.03	-	-	-	.02	3
4	.08	-	.07	.21	.15	-	.32	-	-	-	.47	.55	4
5	-	-	.06	.17	.07	-	.54	.02	-	-	.56	-	5
6	.04	.30	.17	.21	.05	-	.01	.03	-	-	-	.44	6
7	.05	.23	.66	-	.10	-	.27	.15	-	-	-	.24	7
8	.02	-	-	.03	.09	.05	-	.09	-	-	-	.07	8
9	-	-	.34	.14	.18	.07	-	.04	.43	-	-	-	9
10	.10	.18	-	-	-	-	-	-	.41	-	-	.03	10
11	-	.18	.54	-	.02	.03	.23	-	-	-	-	.88	11
12	-	.03	.18	-	-	-	-	-	.37	-	.04	.55	12
13	-	.22	.14	-	-	-	.02	-	.10	-	.19	.73	13
14	-	.15	.15	-	-	.24	.27	.96	-	.44	.36	.18	14
15	-	-	.21	-	-	-	-	.28	-	.09	.39	.01	15
16	-	-	.18	-	-	-	-	-	.42	-	-	.01	16
17	-	.70	.14	-	-	-	.02	-	-	-	-	.66	17
18	-	-	-	-	-	-	.20	-	.07	-	-	.51	18
19	-	-	.57	-	-	-	.96	-	.09	-	.07	.05	19
20	-	.43	.19	-	-	-	-	-	-	-	-	.35	20
21	-	.63	.03	-	-	-	-	-	-	.37	-	.01	21
22	-	.17	.04	-	.40	.07	.03	.05	-	.10	-	-	22
23	-	-	.40	-	-	-	.04	-	-	.29	-	-	23
24	-	.07	.03	-	-	-	-	-	-	.12	.11	-	24
25	.04	-	.25	-	-	-	-	.49	-	.49	.06	.42	25
26	-	-	.10	-	-	-	.09	.01	-	.07	.37	.63	26
27	-	-	-	-	-	-	-	-	-	-	.06	.22	27
28	-	.10	.43	-	-	-	.41	-	-	-	.16	.75	28
29	.60	-	.24	-	.20	-	-	-	-	.34	.30	.01	29
30	-	×	.10	-	-	-	-	-	-	.22	.62	.57	30
31	.07	×	-	×	.02	×	.17	-	×	.86	×	.26	31
Total	1.00	~~3.38~~ 3.39	5.16	.92	1.65	.46	4.39	2.72	1.89	3.39	5.26	8.33	YEAR'S TOTAL 38.56
Rain Days.	8	13	23	6	11	5	18	12	7	11	16	26	156

W. 8,000. X. 14.

38.56

✓

REG ... 27

FORM A.
BRITISH RAINFALL.
31 MAR 1916

Kept at Kingscote Dorchester

in the County of Dorset

by E. Archdale Ffooks

Time of Observation 9 a.m. or shortly after

Nearest Railway Station G.W.R. & S.W.R. 5 miles walk

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 226.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	.14	.57	-	-	.23	.04	1
2	-	-	-	.16	-	-	.65	-	-	-	1.27	.14	2
3	-	-	-	-	.37	-	.02	.03	-	-	-	.02	3
4	.08	-	.07	.21	.15	-	.32	-	-	-	.47	.55	4
5	-	-	.06	.17	.07	-	.57	.02	-	-	.56	-	5
6	.04	.30	.17	.21	.05	-	.01	.03	-	-	-	.44	6
7	.05	.23	.66	-	.10	-	.27	.15	-	-	-	.24	7
8	.02	-	-	.03	.09	.05	-	.09	-	-	-	.07	8
9	-	-	.34	.16	.18	.07	-	.04	.43	-	-	-	9
10	.10	.18	-	-	-	-	-	-	.41	-	-	.03	10
11	-	.18	.54	-	.02	.03	.23	-	-	-	-	.88	11
12	-	.03	.18	-	-	-	-	-	.37	-	.04	.55	12
13	-	.22	.14	-	-	-	.02	-	.10	-	.19	.73	13
14	-	.15	.15	-	-	.24	.27	.96	-	.44	.36	.18	14
15	-	-	.21	-	-	-	-	.28	-	.09	.39	.01	15
16	-	-	.18	-	-	-	-	-	.42	-	-	.01	16
17	-	.70	.14	-	-	-	.02	-	-	-	-	.66	17
18	-	-	-	-	-	-	.20	-	.07	-	-	.51	18
19	-	-	.57	-	-	-	.96	-	.09	-	.07	.05	19
20	-	.43	.19	-	-	-	-	-	-	-	-	.35	20
21	-	.63	.03	-	-	-	-	-	-	.37	-	.01	21
22	-	.17	.04	-	.40	.07	.03	.05	-	.10	-	-	22
23	-	-	.40	-	-	-	.04	-	-	.29	-	-	23
24	-	.07	.03	-	-	-	-	-	-	.12	.11	-	24
25	.04	-	.25	-	-	-	-	.49	-	.49	.06	.42	25
26	-	-	.10	-	-	-	.09	.01	-	.07	.37	.63	26
27	-	-	-	-	-	-	-	-	-	-	.06	.22	27
28	-	.10	.43	-	-	-	.41	-	-	-	.16	.75	28
29	.60	-	.24	-	.20	-	-	-	-	.34	.30	.01	29
30	-	X	.10	-	-	-	-	-	-	.22	.62	.57	30
31	.07	X	-	X	.02	X	.17	-	X	.86	X	.26	31
Total	1.00	~~3.38~~ 3.39	5.16	.92	1.65	.46	4.39	2.72	1.89	3.39	5.26	8.33	YEAR'S TOTAL 38.56
Rain Days.	8	13	23	6	11	5	18	12	7	11	16	26	156

38.56

W. 8,000. X. 14.

and for pr. W.D 5.V.16

REGISTER OF RAINFALL IN 19~~16~~15

FORM A. BRITISH RAINFALL.

20 JAN 1916

Kept at Kingscote Dorchester

in the County of Dorset

by E. Archdale Ffooks

Lat. 50.42 Long. 2.27

Time of Observation 9 a.m. a soon after

Nearest Railway Station G.W.R. S.W.R. 7 miles, walk

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 226.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.05	—	.01	—	—	.39	.52	.32	.01	.25	1
2	.08	.20	.03	.11	—	.03	—	.24	—	.28	—	.63	2
3	.65	.18	.17	.04	.26	—	—	—	—	.11	—	.55	3
4	.09	.03	.29	—	.01	—	—	.05	—	—	—	.19	4
5	.05	—	—	.04	—	—	—	.24	—	—	—	.43	5
6	.20	.35	—	.43	—	—	.70	.03	—	—	—	.12	6
7	.80	.12	—	.04	—	.03	.14	—	—	.01	—	.57	7
8	.14	.45	—	—	—	—	—	.04	—	—	.06	.15	8
9	.06	.52	—	.10	—	—	—	—	—	—	.43	.80	9
10	—	.09	—	.05	—	—	—	—	—	.04	—	.20	10
11	.29	.01	—	.02	—	—	—	—	—	—	1.33	—	11
12	.13	.16	.04	.07	.56	—	—	—	—	.05	.25	—	12
13	.12	.51	—	—	.90	~~.01~~	.01	—	.07	—	.05	—	13
14	—	.15	—	—	—	~~.33~~	.33	.02	.09	—	—	1.34	14
15	.02	.03	—	—	.19	~~.13~~	.13	—	—	.07	.11	.29	15
16	.09	—	—	—	.44	—	1.38	.07	—	—	—	.22	16
17	—	.85	—	—	.07	—	—	.11	—	—	—	—	17
18	—	.26	—	—	—	~~trace~~	trace	—	—	—	—	—	18
19	—	.23	—	—	.27	—	—	—	—	—	—	—	19
20	—	—	—	.05	—	.04	—	—	—	.09	—	—	20
21	.22	—	—	—	—	—	.57	—	.09	.23	—	.14	21
22	.15	.49	.50	.02	—	.05	.74	—	.03	—	—	.22	22
23	.10	.11	.15	—	—	—	.03	—	.19	1.70	—	.73	23
24	—	—	—	.05	—	—	.05	—	.59	.28	—	.55	24
25	—	—	.04	.05	—	.43	—	—	.02	—	—	.33	25
26	—	—	—	—	—	—	.15	—	.06	.01	—	1.00	26
27	—	.17	—	—	—	.08	—	—	.01	.45	—	—	27
28	—	—	—	—	—	.21	.04	—	.52	.08	—	.03	28
29	—	×	—	—	—	.05	—	—	.01	.05	.29	.11	29
30	—	×	—	—	—	.02	—	—	—	.74	.61	.33	30
31	.22	× .05	—	×	—	×	.08	.16	×	1.04	×	.17	31
Total	3.41	~~4.91~~ 4.96	~~1.27~~ 1.22	1.07	2.71	.94	4.29	1.35	2.20	5.55	3.14	9.29	YEAR'S TOTAL 40.13
Rain Days.	17	~~19~~ 20	~~8~~ 7	13	9	9	14	10	12	17	9	23	160

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
11 JUN 1917

Kept at Kingscote Dorchester
in the County of Dorset
by E. Archdall Ffooks

Lat. 50. 42 Long. 227
Time of Observation 9 Am
Nearest Railway Station G.W.R. & S.W.R. 7 minutes walk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 226. 4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	trace	.12	.	.28	.01	.	.	.65	.26	.35	.	1
2	.10	.08	.02	.	.	.	.	.	.	.31	.09	.	2
3	.01	.52	.	.	.06	.	.	.	.	.77	.19	.	3
4	.06	.23	.	.	.	.39	.	.	.01	.02	.54	.	4
5	.01	.01	.	.	.24	} .26	.	.	.	.10	.25	.	5
6	.	.08	trace Snow	.	.07		.87	.	.	.02	.73	.	6
7	.02	.04	.37 "	.	.03	.	.	.	.	.05	1.32	.15	7
8	.	.08	.29 "	.	.40	.	.	.	.	.	.08	.35	8
9	.	.01	.	.	.02	.	.	.	.	.	.02	.13	9
10	.	.57	.01	.03	.04	.	.	.	.	.	.05	.21	10
11	.	.	.02	.02	.	.	.	.	.	.	.	.03	11
12	.04	.04	.13	.03	.08	.	.14	.10	.	.08	.	.	12
13	.	.18	.25	.	.	.	.	.02	.	.01	.	.	13
14	.	.42	.02	.	.05	.	.01	.	.	.01	.	.	14
15	.	.14	.11	.	.	.	.	.	trace	.	.	.	15
16	.13	.02	trace	.15	.	.	.03	.	.	.10	.	.	16
17	.14	.13	.	.	.	.	.	.20	.17	.82	.59	.	17
18	.05	.12	.18	.08	.	.	.	.07	.19	.03	.08	.69	18
19	.08	.	.70	.	.	.	.	.	.	.	.14	.15	19
20	.03	.37	.22	.05	.	.	.	.	.	.	.08	1.86	20
21	trace	.11	.40	.	.09	.	.05	.	.	.	.01	.17	21
22	.	.	.01	.	.	.05	.	.	.	.30	.03	.53	22
23	.	.07	.	.	.	.	.	.	.	.06	.11	.01	23
24	.	.	.	.04	.54	.09	.	.15	.	.63	.06	.42	24
25	.	.32	.11	.	.	.	.	.37	.03	.01	.09	.	25
26	.	.13	.	.	.	.20	.	.	.83	.87	.01	.	26
27	.	.03	.01	.	.	.09	.	.	.04	.55	.	.	27
28	.	.10	.	.01	.	.	.	.15	.41	.36	.02	.49	28
29	.	.50	.	.	.	.47	.	2.70	.	.17	.02	.43	29
30	.	X	.	.	.	.	.	.	.01	.70	.	.	30
31	.	X	.	X	.	X	.	.17	X	.35	X	.	31
Total	.89	4.30	2.97	.41	1.90	1.56	1.10	3.93	2.34	6.58	4.86	5.62	YEAR'S TOTAL 36.46
Rain Days.	12	24	17	8	12	8	5	9	9	23	22	14	163

W. 8,000, VIII. 16

1610

FORM A. BRITISH RAINFALL
17. JAN

REGISTER OF RAINFALL IN 1917

Kept at Kingscote Dorchester
in the County of Dorset
by E. Archdall Ffooks

Lat. 50. 42 Long. 227
Time of Observation 9 Am.
Nearest Railway Station GWR - SWR 7 minutes walk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 226.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	–	.09	.10	–	.14	–	.41	.05	–	.04	–	1
2	–	–	–	.09	–	–	–	.07	–	.03	.01	–	2
3	.04	–		.04	–	–	.39	–	–	.11	.59	–	3
4	.01	–	.54	–	–	–	–	–	–	.25	–	–	4
5	.08	snow .10	.18	.21	–	.12	–	.35	.14	.16	.07	–	5
6	–	–	.05	.03	–	–	–	–	–	.18	.12	.07	6
7	.52	–	–	–	–	–	.16	.47	–	.18	.08	.07	7
8	.25	–	.34	–	–	–	.27	.74	.06	.46	.23	.24	8
9	–	–	.06	.02	.05	–	.02	–	.03	.09	.06	–	9
10	.21	–	.48	Gale & snow × (.29)	.03	–	–	.20	–	–	–	–	10
11	.02	–	.40	.16	.06	–	–	.04	–	.46	.06	–	11
12	.06	–	.02	trace	.22	–	–	–	–	.31	–	–	12
13	–	–	.18	–	–	–	–	.18	.02	.02	–	–	13
14	–	–	.08	.09	–	–	–	.05	.01	–	–	–	14
15	–	–	–	–	–	–	–	.14	–	.35	–	–	15
16	–	.15	–	.10	–	–	–	–	.01	1.09	–	.49	16
17	–	.03	–	.17	–	.09	.25	.22	.80	.12	–	.31	17
18	–	.14	–	–	–	.06	.13	–	.54	–	–	–	18
19	–	.53	.07	–	–	–	–	–	.28	–	–	–	19
20	–	.02	–	–	.30	–	–	–	.10	–	–	–	20
21	–	–	snow .24	–	–	–	–	–	–	.10	–	–	21
22	–	–	.06	–	–	–	–	.09	–	.09	–	–	22
23	–	.15	–	–	.11	–	–	.09	–	.06	–	–	23
24	–	.12	–	–	–	.05	.21	–	–	.35	.06	–	24
25	–	.03	–	–	–	–	.07	.05	.08	.02	–	–	25
26	–	–	.05	–	.17	–	–	.48	.15	.01	.03	–	26
27	–	–	–	–	.47	.18	–	1.08	–	–	–	–	27
28	–	–	.09	–	.09	.30	–	.20	–	–	–	.05	28
29	–	–	.05	–	–	.18	.05	.01	–	.47	–	.08	29
30	–	×	.22	–	–	–	.55	.27	–	–	–	.01	30
31	–	×	.05	×	–	×	–	–	×	.25	×	–	31
Total	1.20	1.27	3.25	(1.30)	1.50	1.12	2.10	5.14	2.27	5.16	1.35	1.32	YEAR'S TOTAL 26.98
Rain Days.	9	9	19	11	9	8	10	19	13	22	11	8	148

× My Gauge blew over, so I have inserted Capt. Acland's figures this day.

W. 8,000, IX. 17.

Ex M.J. 27

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
10

Kept at Kingscote Dorchester
in the County of Dorset
by E. Archdall Ffooks

Lat. 50·42 Long. 227
Time of Observation 9 Am.
Nearest Railway Station G.W.R. & L.S.W. 7 minutes walk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 226·4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.16	—	—	.07	—	—	.84	—	—	.65	.01	1
2	—	.24	—	.10	–	—	—	.08	—	.01	.12	.26	2
3	—	.06	.01	.26	.23	–	—	–	–	.08	.07	.02	3
4	—	.02	–	.01	–	–	—	.19	.22	–	.55	.14	4
5	–	.04	.20	–	.39	–	—	.35	.21	.25	–	.04	5
6	.25	.20	—	.36	–	—	—	.03	.11	.14	–	.17	6
7	—	.19	—	–	.15	=	—	.04	.21	—	.25	.05	7
8	—	.06	—	–	—	–	—	—	.10	.31	–	.02	8
9	.02	–	—	.11	–	.15	.70	–	.55	.12	.03	.65	9
10	.03	—	–	.20	–	—	.53	–	.56	.38	.01	.42	10
11	.01	–	–	.03	–	—	.10	—	.20	.04	.05	.03	11
12	–	.09	—	–	.55	—	.17	–	.10	.04		—	12
13	.10	—	—	—	–	–	.85	–	.75	.06		—	13
14	.17	—	—	–	.03	.05	.01	–	.48	.29		.11	14
15	1.33	—	—	.35	—	.10	.20	–	.01	—		.13	15
16	.44	—	–	.05	—	.04	.01	–	.54	–		.01	16
17	.16	—	.02	.12	–	—	.38	–	.02	—		.23	17
18	.74	—	–	—	–	.76	.02	.02	.26	–		.33	18
19	.08	—	.17	—	—	–	.33	—	.04	—		.05	19
20	–	.23	—	.11	—	—	.10	–	.47	.08		–	20
21	.09	.02	—	—	—	—	–	–	.95	.07		.32	21
22	.05	–	—	—	—	—	.61	–	.14	.01		.10	22
23	.16	.03	—	—	.08	–	.15	–	.06	—	.12	–	23
24	–	.22	—	—	—	.01	–	–	.29	–	—	.08	24
25	.01	–	—	.02	—	–	.01	.68	–	–	.08	.01	25
26	—	–	—	—	—	–	.23	–	.04	.02	.13	.36	26
27	—	.15	—	–	—	–	.04	.05	.35	.02	.18	–	27
28	—	.02	.21	–	–	.09	—	–	—	.03	–	.01	28
29	—	–	.29	—	—	—	–	–	2.15	—	–	.04	29
30	—	×	.42	—	–	–	–	–	.11	.04	.13	.01	30
31	–	×	.28	×	—	×	–	–	×	.06	×	–	31
Total	3.64	1.73	1.60	1.72	1.50	1.20	4.44	2.28	8.92	2.05	2.37	3.60	YEAR'S TOTAL 35·05
Rain Days.	15	15	8	12	7	7	17	9	25	19	13	25	172

W, 6,500, VII. 18. W W C

Kindly acknowledge [illegible]

Ex. [illegible]

1514

13 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Kingscote Dorchester

in the County of Dorset

by L. Archdale Ffooks

Lat. 50.42 Long. 227

Time of Observation 9 a.m. approx.

Nearest Railway Station G.W.R. S.W.R. 7 minutes each walk

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 226.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.66	—	.13	—	.01	—	.31	—	—	.10	Hail .02	.80	1
2	.20	—	.01	—	.05	—	.21	—	.28	—	—	.07	2
3	.75	—	.73	—	.08	—	.02	—	.26	—	—	.10	3
4	.25	.28	.64	—	—	—	—	.06	.60	—	.13	.05	4
5	.05	.35	.26	—	.02	—	—	—	.07	—	.17	.07	5
6	.43	.22	.24	.03	.03	—	—	—	—	—	.02	.39	6
7	.19	—	.47	.10	—	—	—	—	—	—	—	—	7
8	.25	—	.22	trace	—	—	—	—	—	—	—	—	8
9	.11	—	.02	.40	.07	—	—	—	—	—	.40	.17	9
10	.32	—	.24	trace	—	—	—	—	—	—	.01	.05	10
11	.15	—	.04	.23	.23	—	.16	—	—	.02	—	—	11
12	.19	—	.02	.04	.01	—	—	—	—	.15	.04	—	12
13	.07	.15	.06	.58	—	—	—	—	—	.03	—	.13	13
14	.65	.13	—	.52	.09	—	.13	—	—	.01	—	.21	14
15	.32	.18	—	.06	.01	—	—	—	—	.16	—	.35	15
16	.02	1.12	—	—	.05	—	—	—	—	—	.17	—	16
17	.07	.22	—	—	—	—	—	—	—	—	.11	.05	17
18	—	.14	.62	—	—	—	.20	.08	—	—	.17	—	18
19	1.15	.44	.62	—	—	.10	.89	.30	.20	—	.12	.04	19
20	.25	.02	.07	—	—	.43	—	.28	—	—	.02	.05	20
21	.01	.81	—	—	—	—	.09	.35	.07	—	.02	.07	21
22	—	.01	—	—	—	—	.10	—	.60	—	—	.04	22
23	—	—	snow .02	—	—	—	—	—	—	.78	.04	.02	23
24	—	.01	—	.05	—	—	—	—	—	1.21	.07	.24	24
25	.14	.02	—	.05	—	—	—	—	—	—	—	.05	25
26	.03	.07}	.11	.04	—	—	—	—	.11	—	.02	.72	26
27	.15		.07	snow .35	—	—	.19	1.65	—	—	—	.04	27
28	—	—	.47}	—	—	—	—	.20	—	—	.80	.76	28
29	—	~~.47~~		.03	—	—	—	.16	—	.07	—	.10	29
30	.01		—	.10	—	.11	—	.55	—	—	.65	.77	30
31	—		—		—		—	—		—		.44	31
TOTAL	6.42	4.17	5.06	2.58	.65	.64	2.30	3.63	2.19	2.53	2.98	5.78	YEAR'S TOTAL 38.93
Days with ·01 in. or more	24	17	?20	14	11	3	10	9	8	9	18	25	168

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~W~~ WMD 1428

FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Kingscote Dorchester
in the County of Dorset
by E. Archdall Ffooks

Lat. 50.42 Long. 2.27
Time of Observation 9 a.m. approx
Nearest Railway Station G.W.R. L.W.R. 7 minutes walk each
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 226.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	—	.08	.09	.39	—	.40	.03	.03	.52	.33	.70	1
2	.52	—	—	.12	—	—	.05	.22	.05	.09	—	.43	2
3	.04	.13	.02	.03	—	—	.55	—	.01	.42	—	.14	3
4	—	.03	.01	.02	—	—	.41	.81	—	.15	—	.03	4
5	—	—	.19	.18	.05	—	.69	.10	—	.32	—	—	5
6	—	—	.18	—	.47	—	.25	—	—	.07	—	—	6
7	.05	—	.05	.44	.01	—	.34	—	—	—	—	—	7
8	.05	.05	—	.18	.06	—	.25	—	—	—	—	—	8
9	.75	.02	—	.04	—	.09	.01	.04	—	—	—	—	9
10	.60	.10	.32	.20	—	.50	.81	—	—	—	—	—	10
11	.22	trace	.15	.63	.29	—	.22	—	—	—	—	—	11
12	.27	.06	—	.55	—	.34	.02	—	—	—	—	(snow	12
13	.13	.02	.68	.09	—	—	—	—	—	.02	.15	5 or 6 in .50	13
14	.12	.02	.50	.76	—	—	.05	—	.48	.31	.70	—	14
15	.08	.05	.03	.23	.09	—	—	—	.05	.40	.03	—	15
16	.01	.02	.04	—	—	.55	.20	—	.14	.02	—	~~.50~~ —	16
17	.02	—	—	.10	.35	.05	.05	—	.37	—	—	—	17
18	.14	—	—	.04	—	—	—	—	.36	—	—	—	18
19	.03	—	—	.42	—	.20	—	.47	—	—	—	—	19
20	.01	.11	—	.30	—	.18	—	—	—	—	—	.37	20
21	—	—	—	.03	—	.50	.35	—	.01	.09	—	.06	21
22	.08	—	—	.29	—	—	.03	—	—	—	—	.45	22
23	.02	—	—	—	—	—	.18	—	—	—	—	.70	23
24	.02	—	.21	—	—	—	—	.03	—	—	.16	—	24
25	trace	.04	.18	—	—	—	.76	—	—	—	.01	—	25
26	.10	—	.18	—	—	—	—	—	—	—	.11	.13	26
27	.49	—	.12	.12	.10	.16	trace	—	—	—	.03	.23	27
28	1.02	.02	.05	.04	—	.01	.33	—	—	—	—	.14	28
29	.29	—	.37	.08	—	—	—	—	—	—	.19	.33	29
30	.22		—	—	.02	.23	.05	—	.55	—	.43	.46	30
31	.06		.21		—		—	—		.68		.25	31
Total	5.44	.67	3.57	4.98	1.83	2.81	6.00	~~1.80~~ 1.70	2.05	3.09	2.14	4.92	Year's Total ~~39.30~~ 39.20
Days with ·01 in. or more	26	13	19	23	10	11	21	7	11	12	10	15	178
Days with ·04 in. or more	20	7	16	20	8	10	18	5 ~~6~~	8	10	7	14	145

snow on ground

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Smade

REC

FORM A.
BRITISH RAINFALL.

Kept at Sti

in the County of D

by J. Wendl

2 · 24

9 o'c AM

Dorchester

in Gauge 5 in.

bove Ground 1 ft. — in.

Sea Level 204 ft.

DORCHESTER

STINSFORD

DORSET

1917, 1919.

IMPORTANT NO … d the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the r… year in the space provided for it at the end of … rement of rain, the selection and plac… British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, Camden …

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·06	Snow ·20	—	·16	—	·39	·04	—	·34	·01	1
2	[illegible]	–	–	Snow ·09	—	–	–	·07	—	—	·01	—	2
3	·06	–	–	·04	–	–	·38	·02	—	·10	·54	—	3
4	—	–	·50	–	–	—	–	·02	—	·26	—	—	4
5	·13	·05	·17	·25	—	·16	—	·03	·11	·12	·14	–	5
6	·01	–	·05	–	—	–	–	–	–	·22	·15	·01	6
7	·61	–	–	–	–	–	·39	·30	—	·15	·04	·18	7
8	34	–	} Snow	·01	—	–	·25	·63	·07	·44	·28	·26	8
9	—	–	·32	–	·02	–	·02	·01	·03	·06	·07	—	9
10	·18	–	·45	·27	·03	–	—	·25	–	·01	—	—	10
11	·03	–	·51	·16	·07	—	—	·02	—	·50	·04	—	11
12	·06	–	·02	–	·15	–	—	·02	–	·30	—	—	12
13	·01	–	·18	–	—	–	–	·19	·03	·08	—	—	13
14	—	–	·12	·11	–	—	–	·21	·01	–	—	—	14
15	–	–	—	–	—	—	—	·07	·03	·47	—	·55	15
16	–	·15	–	·12	—	—	—	—	·01	1·35	—	·40	16
17	—	·02	–	·17	—	·08	·26	·25	·96	·11	—	—	17
18	–	·15	–	—	·01	·07	·15	—	·65	—	—	—	18
19	–	·55	·03	—	—	·02	–	–	·33	—	–	—	19
20	—	·04	·07	—	·32	·03	—	—	·08	—	·01	—	20
21	·06	–	Snow ·30	—	—	—	–	—	—	·09	—	—	21
22	–	–	Snow ·05	—	—	—	—	·09	–	·10	—	—	22
23	—	·20	[illegible]	—	·13	—	—	·13	–	·05	—	—	23
24	–	·13	[illegible]	—	–	—	·25	}	—	·30	·07	—	24
25	–	·02	·01	—	–	—	·08	} ·73	·08	·02	[illegible]	—	25
26	—	—	·03	—	·20	—	—	}	·16	·01	·03	—	26
27	–	—	–	—	·50	·21	—	1·26	—	—	[illegible]	}	27
28	–	–	·09	–	·10	·37	–	·24	—	—	–	} ·06	28
29	–	–	·05	—	—	·08	·06	·03	–	·78	—	·12	29
30	–	X	·25	–	–	—	·54	·32	—	}	·02	—	30
31	–	X	·05	X	–	X	·01	·04	X	} ·29	X	–	31
Total	1·50	1·31	3·31	1·42	1·53	1·17	2·39	5·32	2·59	5·81	1·74	1·59	YEAR'S TOTAL 29·68
Rain Days.	11	9	20	10	10	9	11	25	14	23	13	9	164

W. 8,000, IX. 17.

8 made

REC

FORM A. BRITISH RAINFALL.

Kept at Stinsford

in the County of Dorset

by J. Wyndham Hull

Lat. 50 · 43 Long. 2 · 24

Time of Observation 9 o'c AM

Nearest Railway Station Dorchester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 204 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·06	Snow ·20	—	·16	—	·39	·04	—	·34	·01	1
2	—	—	—	Snow ·09	—	—	—	·07	—	—	·01	—	2
3	·06	—	—	·04	—	—	·38	·02	—	·10	·54	—	3
4	—	—	·50	—	—	—	—	·02	—	·26	—	—	4
5	·13	·05	·17	·25	—	·16	—	·03	·11	·12	·14	—	5
6	·01	—	·05	—	—	—	—	—	—	·22	·15	·01	6
7	·61	—	—	—	—	—	·39	·30	—	·15	·04	·18	7
8	34	—	} Snow	·01	—	—	·25	·63	·07	·44	·28	·26	8
9	—	—	} ·32	—	·02	—	·02	·01	·03	·06	·07	—	9
10	·18	—	·45	·27	·03	—	—	·25	—	·01	—	—	10
11	·03	—	·51	·16	·07	—	—	·02	—	·50	·04	—	11
12	·06	—	·02	—	·15	—	—	·02	—	·30	—	—	12
13	·01	—	·18	—	—	—	—	·19	·03	·08	—	—	13
14	—	—	·12	·11	—	—	—	·21	·01	—	—	—	14
15	—	—	—	—	—	—	—	·07	·03	·47	—	·55	15
16	—	·15	—	·12	—	—	—	—	·01	1·35	—	·40	16
17	—	·02	—	·17	—	·08	·26	·25	·96	·11	—	—	17
18	—	·15	—	—	·01	·07	·15	—	·65	—	—	—	18
19	—	·55	·03	—	—	·02	—	—	·33	—	—	—	19
20	—	·04	·07	—	·32	·03	—	—	·08	—	·01	—	20
21	·06	—	Snow ·30	—	—	—	—	—	—	·09	—	—	21
22	—	—	Snow ·05	—	—	—	—	·09	—	·10	—	—	22
23	—	·20	—	—	·13	—	—	·13	—	·05	—	—	23
24	—	·13	—	—	—	—	·25	}	—	·30	·07	—	24
25	—	·02	·01	—	—	—	·08	} ·73	·08	·02	—	—	25
26	—	—	·03	—	·20	—	—	}	·16	·01	·03	—	26
27	—	—	—	—	·50	·21	—	1·26	—	—	—	}	27
28	—	—	·09	—	·10	·37	—	·24	—	—	—	} ·06	28
29	—	—	·05	—	—	·08	·06	·03	—	·78	—	·12	29
30	—	✕	·25	—	—	—	·54	·32	—	}	·02	—	30
31	—	✕	·05	✕	—	✕	·01	·04	✕	} ·29	✕	—	31
Total	1·50	1·31	3·31	1·42	1·53	1·17	2·39	5·32	2·59	5·81	1·74	1·59	YEAR'S TOTAL 29·68
Rain Days.	11	9	20	10	10	9	11	25	14	23	13	9	164

W. 8,000, IX. 17.

E-RR

14 JUN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Stinsford Farm House

in the County of Dorset

by J. Wyndham Hull

Lat. 50·43 Long. 2·24

Time of Observation 9 o'c A.M.

Nearest Railway Station Dorchester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 207 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·84		·13		·05		·37			·10	·04	1·05	1
2	·23				·09		·57		·28		·01	·08	2
3	·88		·62		·07		·08		·27		·01	·12	3
4	·38	·24	·67					·02	·78		·10	·05	4
5	·03	·38	·34		·10				·05		·15	·10	5
6	·64	·18	·20	·06	·01							·32	6
7	·24		·60	·10									7
8	·47		·20										8
9	·13		·03	·34	·16						·33		9
10	·25		·44	·03	·02					·02		·26	10
11	·18		·06	·24	·31							·05	11
12	·20		·01	·02	·01		·18			·13	·06	·01	12
13	·15	·10	·07	·73						·02		·18	13
14	·96	·12		·59	·11		·11		·03	·01		·22	14
15	·50	·16		·08	·03					·14		·40	15
16	·04	1·06			·04						·14		16
17	·07	·26									·12	·06	17
18	·10	·06	·68				·18	·10			·16	·01	18
19	1·30	·52	·65		~~·08~~	·08	·85	·25	·11		·11	·05	19
20	·51	·04	·10		~~·50~~	·50		·30			·04	·07	20
21	·02	1·13					·10		·04		·02	·06	21
22		·02					·07		·56			·03	22
23			·02					·01		·36	·07	·02	23
24		·02		·07	~~·07~~	·07				1·25	·04	·22	24
25	·12			·05	~~·04~~	·04		·28				·06	25
26	·03	·08	·12	·40				·02	·07		·02	·90	26
27	·14	·02	·08				·15	1·30				·04	27
28			·45					·80			·73	·71	28
29								·13		·06		·11	29
30		✗		·09		·13		·58			·70	1·05	30
31		✗	·03	✗		✗			✗		✗	·44	31
TOTAL	8·41	4·39	5·50	2·80	1·00	·82	2·66	3·79	2·19	2·09	2·85	6·67	YEAR'S TOTAL 43·17
Days with ·01 in. or more	24	16	20	13	12	5	10	11	9	9	18	27	174

43·17

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DORCHESTER

W. W.

DORSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.

19 JAN 1912

911

Glaciers"

Kept at Dorc

top 8 in.

above Ground 1 ft. - in.

in the County of

„ Sea Level 315 ft.

9 a.m.

by ~~H. D. Strang~~

tion { Name G W Railway.
Distance 600 yds Direction S. E.

IMPORTANT , and the result entered to the previous day. If a universal rule, he is earnestly requested to add th ng year in the space provided for it at the end asurement of rain, the selection and ne British Rainfall Organization are given in "Rules fo e on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	-	-	-	-	-	-	·01	-	-	·03	·04	1
2	·01	-	-	·18	·33	-	-	·07	·01	·06	·18	·36	2
3	-	-	-	-	·17	-	-	-	-	-	·09	·16	3
4	-	-	·06	-	-	-	-	-	·01	·01	·20	·27	4
5	·13	-	-	-	-	-	-	·14	-	·11	·08	-	5
6	·83	-	·21	-	-	-	-	-	-	·06	·06	·84	6
7	·04	-	-	-	-	-	-	-	-	-	·46	·03	7
8	·02	·01	·25	-	-	-	-	-	-	-	·23	·63	8
9	·08	-	·01	-	-	-	-	-	-	-	·08	·29	9
10	·17	·04	·68	-	·06	-	-	-	-	-	-	·35	10
11	·65	·01	·02	-	-	-	-	-	-	-	1·38	·02	11
12	-	-	1·11	-	·01	-	-	-	-	-	·08	·19	12
13	-	-	-	-	-	-	-	-	·19	-	-	·44	13
14	-	·12	-	-	-	-	-	-	-	·02	-	·70	14
15	-	·03	·08	-	-	·03	-	-	-	-	·23	·06	15
16	-	-	·01	-	-	·48	-	-	-	-	·67	·35	16
17	·01	·02	·15	-	·30	·12	-	-	-	·01	·45	·35	17
18	-	·16	·07	·06	·02	·13	-	-	-	·10	·04	·31	18
19	-	·02	-	-	·03	·23	-	-	·13	·13	·03	·45	19
20	·03	·03	·18	·03	-	-	-	-	·05	·15	-	·70	20
21	·02	·38	·02	·01	-	·05	-	-	·04	·75	-	·10	21
22	·20	·04	-	·03	-	·10	-	-	·13	·53	-	·66	22
23	-	·17	·05	-	-	·16	-	-	·18	·30	·04	·39	23
24	·02	·24	-	-	-	·28	-	·28	·03	·68	-	·28	24
25	-	·04	-	·22	-	·06	-	-	·08	·13	-	·03	25
26	-	·10	-	·49	1·91	-	-	·04	-	·45	·02	·53	26
27	-	·67	·05	·01	-	-	-	-	·05	·70	·11	·14	27
28	-	·42	-	·65	-	-	-	·19	-	-	·18	-	28
29	-		-	·26	·05	·22	·14	-	·17	·66	·01	-	29
30	-		-	-	-	·05	-	·05	-	·17	·25	·01	30
31	-		-		-		-	-		·10		-	31
Total	2·24	2·50	2·95	1·94	2·88	1·91	·14	·78	1·07	5·12	4·90	8·68	TOTAL for year 35·11
No. of Rain Days.	14	17	15	10	9	12	1	7	12	19	22 ~~16~~	= 27	165

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

19 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Dorchester

in the County of Dorset 3

by ~~H. D. Strange~~ M.I.Mun.E. Borough Engineer & Surveyor.

RAIN GAUGE	Pattern	"Glaciers"
	Diameter of top	8 in.
	Height of top above Ground	1 ft. – in.
	,, ,, ,, Sea Level	315 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name G W Railway. Distance 600 yds Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	-	-	-	-	-	-	·01	-	-	·03	·04	1
2	·01	-	-	·18	·33	-	-	·07	·01	·06	·18	·36	2
3	-	-	-	-	·17	-	-	-	-	-	·09	·16	3
4	-	-	·06	-	-	-	-	-	·01	·01	·20	·27	4
5	·13	-	-	-	-	-	-	·14	-	·11	·08	-	5
6	·83	-	·21	-	-	-	-	-	-	·06	·06	·84	6
7	·04	-	-	-	-	-	-	-	-	-	·46	·03	7
8	·02	·01	·25	-	-	-	-	-	-	-	·23	·63	8
9	·08	-	·01	-	-	-	-	-	-	-	·08	·29	9
10	·17	·04	·68	-	·06	-	-	-	-	-	-	·35	10
11	·65	·01	·02	-	-	-	-	-	-	-	1·38	·02	11
12	-	-	1·11	-	·01	-	-	-	-	-	·08	·19	12
13	-	-	-	-	-	-	-	-	·19	-	-	·44	13
14	-	·12	-	-	-	-	-	-	-	·02	-	·70	14
15	-	·03	·08	-	-	·03	-	-	-	-	·23	·06	15
16	-	-	·01	-	-	·48	-	-	-	-	·67	·35	16
17	·01	·02	·15	-	·30	·12	-	-	-	·01	·45	·35	17
18	-	·16	·07	·06	·02	·13	-	-	-	·10	·04	·31	18
19	-	·02	-	-	·03	·23	-	-	·13	·13	·03	·45	19
20	·03	·03	·18	·03	-	-	-	-	·05	·15	-	·70	20
21	·02	·38	·02	·01	-	·05	-	-	·04	·75	-	·10	21
22	·20	·04	-	·03	-	·10	-	-	·13	·53	-	·66	22
23	-	·17	·05	-	-	·16	-	-	·18	·30	·04	·39	23
24	·02	·24	-	-	-	·28	-	·28	·03	·68	-	·28	24
25	-	·04	-	·22	-	·06	-	-	·08	·13	-	·03	25
26	-	·10	-	·49	1·91	-	-	·04	-	·45	·02	·53	26
27	-	·67	·05	·01	-	-	-	-	·05	·70	·11	·14	27
28	-	·42	-	·65	-	-	-	·19	-	-	·18	-	28
29	-		-	·26	·05	·22	·14	-	·17	·66	·01	-	29
30	-		-	-	-	·05	-	·05	-	·17	·25	·01	30
31	-		-		-		-	-		·10		-	31
Total	2·24	2·50	2·95	1·94	2·88	1·91	·14	·78	1·07	5·12	4·90	8·68	TOTAL for year 35·11
No. of Rain Days.	14	17	15	10	9	12	1	7	12	19	22 ~~16~~	27	165

W. 8,000, X. '11.

Cod by OHW (Dorset RC) 27.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
8-JAN 1913

Kept at Dorchester

in the County of Dorset 3

by ~~H D Strange~~ M. Inst. Mun. E.

Lat. 50·43 Long. 2·27

Time of Observation 9 a.m.

Nearest Railway Station G. W. Rly.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·02	-	-	·15	-	-	·03	1·15	-	·35	1
2	-	-	·42	-	-	·01	·10	-	-	-	-	-	2
3	-	-	·12	-	-	·41	-	·65	·02	-	-	·04	3
4	·25	-	·72	-	-	·26	-	·01	-	-	·25	-	4
5	·85	·24	·32	-	·02	-	-	·64	-	-	-	·21	5
6	·60	·03	-	-	·32	·09	·10	·58	-	-	-	·08	6
7	·02	·51	·17	-	·19	·98	-	·05	-	-	-	·19	7
8	·82	·26	·32	-	-	·01	-	·15	-	-	-	·11	8
9	·03	·01	·17	·02	-	·02	-	·28	-	-	-	·65	9
10	-	·12	·01	-	-	·01	-	·08	-	-	·01	·37	10
11	·06	·09	·01	-	-	·01	-	·04	-	-	-	·64	11
12	·03	·39	·43	·03	·15	-	-	·36	-	-	-	-	12
13	-	-	·02	-	-	-	-	-	-	·03	·05	·08	13
14	·14	-	·34	-	·07	-	-	·12	-	-	-	·02	14
15	·30	·33	-	·01	·02	·59	-	·02	-	-	-	·48	15
16	1·03	·04	·73	-	·06	-	-	·53	-	·15	·15	-	16
17	·72	-	·28	-	·01	·15	-	·98	-	-	-	·03	17
18	·24	·02	·24	-	-	-	-	·14	-	·02	-	-	18
19	·03	·09	·25	-	-	-	·13	·34	-	-	-	-	19
20	·04	·10	·59	-	·20	-	-	·05	-	·33	-	-	20
21	-	·50	·39	-	1·15	-	-	·14	-	·21	-	-	21
22	·47	·66	·13	-	-	-	·06	·14	-	·10	·02	·26	22
23	·20	·36	·28	-	-	-	-	·99	-	·25	·25	·31	23
24	·05	·05	·01	-	-	·25	-	·14	-	-	-	·23	24
25	·38	·01	·02	-	-	·17	-	·14	-	·27	·39	·51	25
26	-	·03	-	-	-	-	·19	·08	-	·51	·31	·27	26
27	-	·07	-	-	-	·18	·70	-	-	·63	-	·50	27
28	-	·09	-	-	-	·04	·20	·56	·17	·79	·94	·87	28
29	-	·08	-	-	-	·03	·12	·14	1·25	·37	-	-	29
30	-	X	·12	-	·10	·04	·06	·01	·66	·28	-	-	30
31	-	X	·72	X	-	X	·27	·03	X	·01	X	·11	31
Total	6·26 6·26	4·08	6·83	·06	2·29	3·40	1·93	7·39	2·13	5·10	2·37	6·31	YEAR'S TOTAL 48·35
Rain Days.	19	22	25	3	11	18	10	27	~~07~~ 5	15	9	21	185.

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
9 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Dorchester 3
in the County of Dorset
by H. D. Strange - Borough Surveyor

Lat. 50 43 Long. 2 27
Time of Observation 9 A.M.
Nearest Railway Station G. W. Railway
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
-

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·36	·23	·28	-	-	-	-	·16	·04	·38	·01	1
2	·01	·12	-	·08	·09	-	-	-	-	·07	·14	·04	2
3	·04	-	·05	·05	·26	-	-	-	·02	·10	-	·11	3
4	·89	-	·11	·02	·21	·01	-	-	·27	·29	·06	·05	4
5	·37	·05	-	-	·17	·12	-	-	·74	·12	·24	·20	5
6	·05	·19	·04	-	·03	·23	·10	-	-	2·0	·05	·62	6
7	·01	·44	·03	-	·36	·20	·05	-	-	·37	·32	·01	7
8	·01	·35	-	-	·20	·01	·01	-	-	-	-	·09	8
9	-	·06	-	-	·07	-	·05	·19	-	·02	·22	·02	9
10	·41	·01	-	-	·03	-	-	·01	-	·51	·41	-	10
11	·90	-	-	·12	·37	-	-	-	-	·04	·41	·03	11
12	-	·01	-	-	·44	-	-	-	·04	·01	·41	-	12
13	·22	-	·05	·04	-	-	-	-	·60	-	·29	-	13
14	·36	-	·11	·10	·18	-	-	-	·30	-	·02	-	14
15	·36	-	·36	·50	-	-	·15	·05	·61	-	·03	·02	15
16	·13	-	·47	·10	-	·03	-	-	·02	-	-	-	16
17	·05	-	·01	·10	-	-	-	-	-	-	-	-	17
18	·01	-	·15	·09	-	·01	-	-	-	-	·04	-	18
19	1·26	-	·03	-	·02	·03	·02	-	·53	·05	-	-	19
20	·17	-	·13	·15	-	-	-	-	-	·28	·15	-	20
21	-	-	·34	·30	-	-	-	-	-	·13	·74	-	21
22	·40	-	·12	·04	-	-	-	·08	·29	·06	-	-	22
23	-	-	·05	-	-	·03	-	·01	-	-	·14	·12	23
24	·02	·03	-	·04	-	·01	-	-	-	-	·01	·62	24
25	-	·18	-	·24	-	-	-	-	-	-	-	-	25
26	-	-	-	·21	-	-	-	·33	-	-	-	-	26
27	·05	-	·25	·16	-	-	-	-	-	·02	-	·30	27
28	·33	-	·13	·46	-	-	-	-	-	·20	-	-	28
29	·17	X	·45	·33	·04	-	-	·07	-	·24	-	-	29
30	·81	X		-		-	-	-	·39	·31	-	-	30
31	·19	X	·02	X	-	X	-	·63	X	·16	X	-	31
Total	7·25	1·80	3·13	3·41	2·47	·68	·38	1·37	3·97	5·02	4·06	2·24	YEAR'S TOTAL 35·78
Rain Days.	25	11	20	20	14	10	6	8	12	20	18	14	178

W. 7,500, XI. 12

[illegible] 22.IV.15 copied from ~~returned to obs!~~ Dorset FC

REGISTER OF RAINFALL IN 1914

✓

#LM

Kept at Dorchester

in the County of Dorset

by H D Strange (Boro Surveyor) Dorset FC

Lat. 50° 43′ N Long. 2° 27′ W

Time of Observation 9 am:

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 315 ft.

FORM A.
BRITISH RAINFALL.

20 APR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·07	-	-	·11	·56	-	-	·25	·03	1
2	-	-	-	-	·02	-	·62	·01	-	-	1·32	·16	2
3	-	-	·07	·13	·58	-	·02	·05	-	-	·03	·03	3
4	·04	-	·02	·32	·24	-	·33	1·13	-	-	·45	·58	4
5	·02	-	·09	·21	·06	-	·52	-	-	-	·70	-	5
6	·04	·32	·01	·10	·06	-	·02	·03	-	-	-	·47	6
7	·03	·39	·28	·14	·01	-	·28	·14	-	-	-	·30	7
8	·06	·05	·78	·03	·07	·07	-	·15	-	-	-	·08	8
9	·01	-	·44	·19	-	·07	-	·06	·43	-	·01	·01	9
10	·12	·30	-	·08	·18	-	-	-	·42	-	-	-	10
11	-	·25	·74	-	·01	·04	·25	-	-	-	·01	·86	11
12	-	·04	·19	-	-	-	-	-	·48	-	·03	·59	12
13	-	·44	·23	-	-	-	-	-	·12	·11	·21	·77	13
14	-	·30	·26	-	-	·28	·29	·95	-	·27	·40	·21	14
15	·01	-	·25	-	-	-	·01	·33	-	·11	·32	·01	15
16	-	-	-	-	-	-	·04	-	·56	-	-	-	16
17	-	1·11	·17	-	-	-	-	-	-	-	-	·98	17
18	-	·07	·14	-	-	-	·20	-	·06	-	-	·78	18
19	-	·19	·53	-	-	-	·97	-	·08	-	·08	·08	19
20	-	·37	·14	-	-	-	-	-	-	-	-	·32	20
21	-	·72	·06	-	-	-	-	-	-	·41	-	-	21
22	-	·19	-	-	·48	·06	·03	·05	-	·16	-	-	22
23	-	·10	·42	-	-	-	·04	-	-	·14	-	-	23
24	-	·02	·01	-	·04	-	-	-	-	·28	·11		24
25	·02	-	·26	-	-	-	·01	·57	-	·55	·08	·01	25
26	-	-	·08	-	-	-	·07	·02	-	·57	·38	·61	26
27	·06	-	-	-	-	-	-	-	-	-	·06	·63	27
28	·04	24	·45	-	-	-	·25	-	-	-	·17	·23	28
29	·74	-	·26	-	·21	-	-	-	-	·24	·46	·50	29
30	·01		·11	-	-	-	-	-	-	·30	·70	-	30
31	·07		-		·01		·20	-		·76		·60 (·04)	31
													YEAR'S TOTAL
Total	1·27	5·10	5·99	1·27	1·97	·52	4·26	4·05	2·15	3·90	5·77	8·88	45·13
Rain Days.	14	17	24	9	13	5	19	13	7	12	19	24	176

W. 8,000. X. 14.

[illegible] 5.V.16

[illegible] 16.V.16

1714

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Dorchester Waterworks

in the County of Dorset.

by H. O. Strange, Borough Engineer

3

Lat. 50° 43′ Long. 2° 27′

Time of Observation 9. a.m.

Nearest Railway Station Dorchester G.W.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17.	–	–	–	·02	–	–	·35	·52	·29.	·01.	·39	1
2	·75	·27	·24	·08	–	·03	–	·43	–	·28	–	·52	2
3	·50.	·15	·27	·10	·75	Trace due to fog.	–	–	–	·09	–	·58	3
4	·27	·05	–	–	·01	– do –	–	·03	–	–	–	·74	4
5	·03.	–	–	·03	–	–	–	·74	–	–	–	·48	5
6	·16.	·32	–	·49	–	–	·59.	·02	–	–	–	·15	6
7	·89	·15	–	·06	–	·04	·31	–	–	–	–	·56	7
8	·18	·61	–	–	–	–	–	·04	–	–	·08	·08	8
9	·17	·64	–	·08	–	–	–	–	–	–	·47	1·00	9
10	–	·09	·03	·05	–	–	–	–	–	·05	·01	·70	10
11	·39	·03	Trace	·02	–	–	–	–	–	–	1·63	–	11
12	·11	·19	–	·08	·53	–	–	·02	–	·09	·33	–	12
13	·15	·52	–	–	1·03	–	·01	–	·07.	–	·06	·03	13
14	·01	·78	–	–	–	–	·38	-·02	·11	–	–	1·92	14
15	·05	·04	–	–	·20	–	·07	·03	Trace,	·08	·09	·26	15
16	·12	–	–	–	·42	–	2·04.	·12	–	–	–	·21	16
17	–	1·32	–	–	·06	–	–	·10	–	–	–	–	17
18	–	·52	–	–	·01	–	·01.	–	–	–	–	–	18
19	–	·75	–	–	·78	–	·10	–	–	–	–	–	19
20	–	–	–	·05	–	·04	–	–	–	·10	–	·05	20
21	·74	–	·02	–	–	–	·48	–	·11.	·29	–	·11	21
22	·05	·45	·44	·02	–	·05	1·19	–	·03	–	–	·30	22
23	·15	·09	·16	–	–	–	·01	–	·19	1·61	–	·71	23
24	–	–	–	·04	–	–	·06	–	·62	·49	–	·72	24
25	–	–	·03	·04	–	·49	–	–	·03	·02	–	·26	25
26	–	–	–	–	–	·04	·14	–	·06	–	–	1·06	26
27	·03	·16	–	–	–	·09	·01	–	·01	·63	–	–	27
28	–	·04	–	–	–	·02	·01	·00	·49	·09	·02	·04	28
29	–		–	–	–	·06.	·01	·00.	–	·06	·35	·09	29
30	–	X	–	–	–	·03	–	–	–	·78	·69.	·40.	30
31	·20.	X	–	X	–	X	·07	·16	X	1·11	X	·28.	31
Total	~~6·18.~~ – 3·95	(–) 6·17.	1·19	1·14.	2·81.	0·89.	5·49.	1·56.	2·24.	6·06	3·74	10·64	YEAR'S TOTAL ~~45·11~~ 45·88
Rain Days.	20	20	7	13	10	10	17	12	11	16	11	25.	~~179~~ 172

W. 8,000. X. 15.

1683

Encd [illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

6 JAN 1917

Kept at Dorchester, Waterworks

in the County of Dorset

by H. D. Strange

Lat. 50°43 Long. 2°27
Time of Observation 9 am
Nearest Railway Station G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 12 in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	6.4	0.3	2.5	—	4.1	0.6	—	—	16.3	5.8	10.4	—	1
2	6.2	3.3	—	—	0.2	—	—	—	—	7.6	1.3	—	2
3	1.0	19.1	—	—	1.8	0.5	—	—	0.5	21.6	61	—	3
4	3.8	6.5	—	—	0.4	12.2	—	—	0.2	1.5	12.2	—	4
5	1.2	1.3	Trace	—	6.3	2.3	—	—	—	3.3	8.9	—	5
6	—	2.0	Trace	—	2.0	3.2	23.6	—	—	1.3	19.6	—	6
7	0.5	1.2	7.4	—	1.1	0.3	—	—	—	1.5	42.4	3.8	7
8	0.3	1.8	5.5	—	11.4	—	—	—	—	—	1.3	9.4	8
9	—	0.5	—	—	0.5	—	0.8	—	—	—	0.5	3.6	9
10	—	15.6	—	1.1	1.9	—	0.5	—	—	0.5	1.5	5.8	10
11	—	—	—	1.3	—	—	—	—	0.2	—	—	0.5	11
12	1.4	2.0	3.1	1.1	2.4	—	4.8	1.5	—	2.3	—	—	12
13	—	6.5	5.9	0.9	—	—	0.3	1.0	—	0.2	—	—	13
14	0.5	17.5	0.5	—	1.6	—	—	0.8	—	—	—	—	14
15	0.2	7.8	2.9	0.5	—	—	—	0.2	0.2	0.3	—	—	15
16	3.8	0.4	—	4.1	—	—	1.0	6.4	—	1.3	—	10.2	16
17	6.3	3.7	—	2.1	—	—	—	2.2	7.4	26.4	14.2	—	17
18	1.3	3.3	3.3	0.4	—	—	—	0.2	4.8	1.0	2.3	8.4	18
19	4.0	—	18.8	1.7	—	—	—	—	—	—	4.1	1.5	19
20	2.3	8.5	5.0	0.4	—	—	—	—	—	—	1.5	46.2	20
21	—	3.0	9.1	0.4	2.4	—	2.8	—	—	—	0.3	5.1	21
22	0.3	—	0.3	—	—	1.5	—	—	—	8.9	1.3	13.7	22
23	—	1.1	—	—	—	2.5	—	4.1	—	1.3	4.3	0.3	23
24	—	—	—	1.4	12.1	—	—	3.8	—	15.0	2.0	10.4	24
25	—	7.4	4.4	—	—	—	—	10.7	0.3	0.3	3.0	0.5	25
26	—	1.0	0.3	—	—	5.1	—	0.2	22.9	19.6	—	—	26
27	—	1.0	27.6	—	—	3.6	—	—	10.7	21.6	—	0.5	27
28	—	2.7	1.2	0.2	—	—	—	3.0	10.9	9.4	0.8	13.2	28
29	—	12.0	~~0~~	—	—	16.5	—	57.4	9.4	4.3	0.5	11.7	29
30	—	X	0.4	—	—	—	—	—	—	21.6	—	—	30
31	—	X	—	X	—	X	—	4.1	X	13.2	X	0.8	31
Total	39.5	129.5	98.2	15.6	51.2	48.3	33.8	95.6	83.8	189.8	138.5	1456	YEAR'S TOTAL 1069.4
Rain Days.	16	25	17 ~~19~~	13	14	11	7	14	12	24	21	18.	192 ~~194~~

W. 8,000, VIII. 16

√ 1611

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Dorchester

in the County of Dorset.

by ~~H.D. Strange~~ for Dorchester Town Council.

Lat. 50° 43′ Long. 2° 27′

Time of Observation 9 a.m.

Nearest Railway Station G. W. R.

Diameter of Funnel of Rain Gauge 8″ in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ✕

Date	Jan. m·m·	Feb. m·m·	March. m·m·	April. m·m·	May. m·m·	June. m·m·	July. m·m·	Aug. mm	Sept. mm	Oct. mm	Nov. mm	Dec. mm	*Date.* mm
1	0·3	–	2·3	3·3	–	4·1	–	10·2	1·0	–	1·3	0·3	1
2	–	–	–	2·0	–	–	–	2·0	–	0·3	0·3	–	2
3	1·8	–	–	0·8	–	–	9·7	0·5	–	2·5	15·0	–	3
4	–	–	11·9	–	–	–	–	–	–	6·9	–	–	4
5	3·6	–	4·3	5·8	–	3·0	–	5·8	3·8	4·1	2·0	–	5
6	–	–	1·5	–	–	–	–	–	–	3·3	3·8	1·3	6
7	16·3	–	–	–	–	–	4·1	14·0	–	5·8	1·5	2·8	7
8	8·4	–	5·1	0·8	–	–	7·9	21·3	2·0	12·4	6·9	6·6	8
9	–	–	2·0	0·3	1·3	–	0·8	0·5	0·8	2·3	1·3	–	9
10	5·3	–	9·1	7·4	0·8	–	–	5·6	–	–	–	–	10
11	0·5	–	13·6	4·0	1·5	–	–	1·6	–	12·2	1·5	–	11
12	1·3	–	0·5	–	6·1	–	–	–	–	8·4	0·3	–	12
13	–	–	4·8	0·3	–	0·3	–	4·1	0·8	0·5	–	–	13
14	–	–	2·0	3·0	–	–	–	0·8	0·3	–	–	–	14
15	–	–	–	–	–	–	–	2·8	0·3	10·7	–	8·6	15
16	–	3·8	–	2·5	–	–	–	–	0·3	31·0	–	12·2	16
17	–	0·5	–	4·3	–	2·3	6·6	6·1	22·9	3·6	–	–	17
18	–	4·1	–	–	0·3	1·5	3·3	–	15·2	–	–	–	18
19	–	14·2	1·0	–	–	0·5	–	–	7·6	–	–	–	19
20	–	0·8	1·5	–	8·1	–	–	–	2·5	–	–	0·3	20
21	–	–	5·8	–	–	–	–	0·5	–	2·8	–	–	21
22	–	–	(1·7)	–	–	1·3	–	3·0	–	2·5	–	–	22
23	–	4·3	–	–	2·5	–	–	3·3	–	1·2	–	–	23
24	–	3·0	–	–	–	0·5	7·9	0·3	–	7·6	1·3	–	24
25	–	0·8	0·5	–	–	–	2·5	1·5	2·3	0·5	–	–	25
26	–	–	0·8	–	5·6	–	–	15·0	4·3	0·3	1·3	–	26
27	–	–	–	–	11·9	5·8	–	30·5	–	–	–	0·3	27
28	–	–	2·8	–	2·5	8·6	–	6·6	–	–	–	0·8	28
29	–	–	2·3	–	–	2·3	1·3	0·8	–	14·6	0·3	2·8	29
30	–	✕	6·6	–	–	–	12·7	7·6	–	–	0·3	–	30
31	–	✕	1·5	✕	–	✕	10·2	1·3	✕	6·4	✕	–	31
Total	37·5 ✓	31·5 ✓	81·0 ✓	34·5 ✓	40·6 ✓	30·2 ✓	67·0 ✓	145·1 ✓	64·1 ✓	136·9 ✓	37·1 ✓	36·0	YEAR'S TOTAL 741·5
Rain Days.	8 ✓	8 ✓	21 ✓	12 ✓	10 ✓	11 ✓	11 ✓	24 ✓	14 ✓	22 ✓	14 ✓	10 ✓	165

W. 8,000, IX. 17.

28

~~Rt~~ pe Co. for arith – obsr. agrees.

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

3. 1. 19

✓ answered 30.IV.19

Kept at Dorchester.

in the County of Dorset

by W. H. D. Strange. Borough Engineer & Surveyor.

Lat. 50° 43′ Long. 2° 27′

Time of Observation 9 a.m.

Nearest Railway Station G. W. R. or L. & S. W. R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan. mm	Feb. mm	March. mm	April. mm	May. mm	June. mm	July. mm	Aug. mm	Sept. mm	Oct. mm	Nov. mm	Dec. mm	Date. mm.
1	–	3·3	–	–	1·3	–	–	20·6	–	0·3	22·1	0·3	1
2	–	8·1	–	2·3	–	–	–	2·8	–	2·0	2·8	7·6	2
3	–	2·5	–	6·9	5·8	–	–	–	0·3	0·5	1·3	0·8	3
4	–	0·8	0·3	–	–	–	–	3·8	6·4	6·9	22·4	5·3	4
5	–	1·0	5·3	–	8·4	–	–	10·2	2·0	3·6		1·0	5
6	6·4	5·6	–	9·4	–	–	–	1·0	2·5	0·5	–	5·6	6
7	–	6·1	–	–	3·3	–	–	0·8	6·1	1·1	7·1	2·0	7
8	–	1·8	–	–	–	–	–	–	3·3	3·6	0·3	0·8	8
9	0·3	–	–	2·8	–	3·8	17·5	–	17·5	11·4	0·3	16·0	9
10	0·8	–	–	5·1	–	–	14·2	–	16·5	1·3	0·3	11·9	10
11	–	–	–	0·8	–	–	3·0	–	2·8	1·3	1·0	1·3	11
12	–	3·3	0·3	–	14·5	–	4·8	–	2·0	1·5	–	0·3	12
13	2·8	–	–	–	0·5	–	23·1	–	2·3	8·4	–	0·5	13
14	5·1	–	–	–	0·5	1·8	0·5	–	12·4	–	–	0·3	14
15	34·5	–	–	10·2	–	1·0	5·8	–	–	–	–	5·1	15
16	10·9	–	0·5	1·3	–	0·8	–	–	10·2	–	–	0·5	16
17	5·1	–	0·5	3·3	–	–	10·9	0·8	0·3	–	–	7·1	17
18	23·9	–	–	–	–	23·1	1·0	–	7·4	–	–	6·9	18
19	2·3	–	4·3	–	–	–	9·4	0·3	1·3	–	–	1·3	19
20	0·8	6·1	–	2·8	–	–	3·6	0·3	9·9	2·3	–	–	20
21	3·0	0·8	–	–	–	–	0·3	–	23·1	1·8	0·5	8·1	21
22	1·5	0·3	–	–	–	–	17·3	–	5·3	–	2·8	2·8	22
23	5·3	0·5	–	–	1·5	–	4·8	–	1·5	–	3·0	0·5	23
24	–	6·1	–	–	–	0·3	–	–	7·4	–	2·3	1·8	24
25	–	–	–	0·3	–	–	0·5	19·3	–	–	2·5	0·3	25
26	–	0·5	–	–	–	–	6·6	–	1·3	0·5	5·8	10·2	26
27	–	3·8	–	–	–	–	0·8	1·5	9·4	0·5	0·3	–	27
28		0·5	4·6	0·3	–	1·3	–	–	–	0·8	0·3	0·5	28
29	due fog 0·3	–	6·4	–	–	–	–	–	57·2	–	3·6	1·3 ~~2·4~~	29
30	due fog 0·3	X	13·2	–	–		–	0·3	2·5	1·5	–	0·3	30
31	–	X	7·4	X	–	X	–	–	X	–	X	–	31
Total	103·3	51·1 ~~51·0~~	42·8	45·5	35·8	32·1	124·1	61·7	210·9 ~~220·9~~	55·8 ~~106·4~~	78·7 ~~77·7~~	100·4	YEAR'S TOTAL 942·2 ~~1057·7~~
Rain Days.	16	17	10	12	8	7	17	12	25	19	18	28	189

W, 6,500, VII. 18. w w c

1575

6 JAN 20

FORM A.2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Dorchester Waterworks
in the County of Dorset
by H. D. Strange. Boro' Surveyor. Corporation of Dorchester

Lat. 50° Long. 43
Time of Observation 9 AM.
Nearest Railway Station G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	19·1	-	3·0	0·5	0·8	-	-	-	2·3	2·5	0·8	22·4	1
2	5·6	-	0·5	-	1·5	-	7·9	-	6·6	-	0·5	1·5	2
3	17·0	-	17·5	-	2·3	-	5·6	-	6·4	-	0·3	3·8	3
4	7·1	7·1	22·9	-	-	-	0·8	1·0	18·3	-	3·0	1·3	4
5	1·5	9·6	6·4	-	0·8	-	-	-	1·5	-	3·8	2·5	5
6	14·5	(5·1)	5·6	0·3	-	-	-	-	-	-	0·5	7·9	6
7	6·9	-	12·7	2·5	-	-	-	-	-	-	-	-	7
8	8·9	-	5·6	-	-	-	-	.	-	-	-	-	8
9	2·8	-	-	9·4	1·8	-	-	.	-	-	9·7	-	9
10	7·9	-	7·4	0·3	-	-	-	.	-	0·5	-	3·6	10
11	3·3	-	1·5	6·9	6·6	-	3·8	.	-	-	-	1·0	11
12	5·3	-	0·3	0·3	0·3	-	0·5	.	-	3·0	1·3	-	12
13	3·0	3·8	1·5	18·3	-	-	0·3	.	-	0·8	-	3·0	13
14	17·8	3·8	-	13·7	2·3	-	2·5	.	0·8	0·3	-	4·8	14
15	7·9	3·8	-	1·3	0·3	-	-	.	-	4·1	-	8·1	15
16	0·5	28·4	-	-	1·3	-	-	.	-	-	4·3	-	16
17	3·3	6·1	-	-	-	-	-	.	-	-	3·6	1·3	17
18	1·3	1·3	17·8	-	-	-	4·1	2·5	-	-	4·1	0·3	18
19	26·7	12·7	16·8	-	-	2·5	22·9	7·9	3·0	-	3·0	1·0	19
20	9·1	0·8	2·3	-	-	10·9	-	6·4	-	-	0·3	1·5	20
21	0·3	23·4	-	-	-	-	3·3	.	1·5	-	0·5	1·5	21
22	-	0·3	-	-	-	-	2·5	.	14·0	-	-	1·3	22
23	-	-	0·5	-	-	-	-	.	-	12·4	1·8	0·5	23
24	-	0·5	-	1·3	-	1·8	-	-	-	36·8	1·5	4·6	24
25	3·6	0·8	-	1·8	-	1·3	-	8·9	-	-	-	1·0	25
26	1·3	1·5	3·6	0·5	-	Trace	-	0·3	2·3	-	(0·6)	19·3	26
27	4·3	0·3	2·0	10·2	-	-	4·8	34·5	-	-	-	0·8	27
28	-	-	-	-	-	-	-	18·3	-	-	21·0	19·3	28
29	-		11·7	0·8	-	-	-	3·8	-	1·8	-	2·3	29
30	-		-	2·5	-	2·8	-	18·3	-	-	17·8	21·6	30
31	-		-		-		-	-		-		10·7	31
TOTAL	149·0	109·3	139·6	70·6	18·0	19·3	59·0	101·9	56·7	62·2	78·4	146·9	YEAR'S TOTAL 1040·9 1140·9
Days with 0·2 mm. or more	24	17	19	16	10	5	12	10	10	9	19	26	177

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

1515

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Dorchester (M.O)
in the County of Dorset
by [illegible]

Lat. 50° 43' N Long. 2° 27' W
Time of Observation 9h Local Time (8 Summer Time)
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 316 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	19.1	–	3.0	0.5	0.8	–	–	–	2.3	2.5	0.8	22.4	1
2	5.6	–	0.5	–	1.5	–	7.9	–	6.6	–	0.5	1.5	2
3	17.0	–	17.5	–	2.3	–	5.6	–	6.4	–	0.3	3.8	3
4	7.1	7.1	22.9	–	–	–	0.8	1.0	18.3	–	3.0	1.3	4
5	1.5	9.1	6.4	–	0.8	–	–	–	1.5	–	3.8	2.5	5
6	14.5	5.6	5.6	0.3	–	–	–	–	–	–	0.5	7.9	6
7	6.9	–	12.7	2.5	–	–	–	–	–	–	–	–	7
8	8.9	–	5.6	–	–	–	–	–	–	–	–	–	8
9	2.8	–	–	9.4	1.8	–	–	–	–	–	9.7	–	9
10	7.9	–	7.4	0.3	–	–	–	–	–	0.5	–	3.6	10
11	3.3	–	1.5	6.9	6.6	–	3.8	–	–	–	–	1.0	11
12	5.3	–	0.3	0.3	0.3	–	0.5	–	–	3.0	1.3	–	12
13	3.0	3.8	1.5	18.3	–	–	0.3	–	–	0.8	–	3.0	13
14	17.8	3.8	–	13.7	2.3	–	2.5	–	0.8	0.3	–	4.8	14
15	7.9	3.8	–	1.3	0.3	–	–	–	–	4.1	–	8.1	15
16	0.5	28.4	–	–	1.3	–	–	–	–	–	4.3	–	16
17	3.3	6.1	–	–	–	–	–	–	–	–	3.6	1.3	17
18	1.3	1.3	17.8	–	–	–	4.1	2.5	–	–	4.1	0.3	18
19	26.7	12.7	16.8	–	–	2.5	22.9	7.9	3.0	–	3.0	1.0	19
20	9.1	0.8	2.3	–	–	10.9	–	6.4	–	–	0.3	1.5	20
21	0.3	23.4	–	–	–	–	3.3	–	1.5	–	0.5	1.5	21
22	–	0.3	–	–	–	–	2.5	–	14.0	–	–	1.3	22
23	–	–	0.5	–	–	–	–	–	–	12.4	1.8	0.5	23
24	–	0.5	–	1.3	–	1.8	–	–	–	36.8	1.5	4.6	24
25	3.6	0.8	–	1.8	–	1.3	–	8.9	–	–	–	1.0	25
26	1.3	1.5	3.6	0.5	–	–	–	0.3	2.3	–	0.5	19.3	26
27	4.3	0.3	2.0	10.2	–	–	4.8	34.5	–	–	–	0.8	27
28	–	–	–	–	–	–	–	18.3	–	–	21.1	19.3	28
29	–		11.7	0.8	–	–	–	3.8	–	1.8	–	2.3	29
30	–		–	2.5	–	2.8	–	18.3	–	–	17.8	21.6	30
31	–		–		–		–	–		–		10.7	31
TOTAL	179.0	109.3	139.6	70.6	18.0	19.3	59.0	101.9	56.7	62.2	78.4	146.9	YEAR'S TOTAL 1040.9
Days with 0·2 mm. or more	24	17	19	16	10	5	12	10	10	9	19	26	177

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.
Copied from M.O. Form 3203.

1515
Dorset

H. D. STRANGE,
M. INST. M. & CY. E.
BOROUGH AND
WATER ENGINEER.
TELEPHONE No. 34.

Engineer & Surveyor's Office,
Guildhall Chambers,
Dorchester.

April 7th. 1920.

Dear Sir,

In reply to your letter of the 31st. ultimo re error in rainfall totals. I have checked this by my monthly totals and find that a mistake was made in the addition.

The correct total being 1040.9 as you assumed.

Yours Faithfully,

H. D. Strange.

Borough Engineer & Surveyor.

The Superintendant,
Meteorological Office,
62 Camden Square,
London N.W.1.

MO 1429

JAN 1921

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dorchester Waterwork

in the County of Dorset

by H D Strange.

Lat. 50° 43′ N Long. 2° 27′ W

Time of Observation

Nearest Railway Station G. W. R. 600 yds S. E.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2·		·3	2·5	10·2		9·7	·8	·3	16·5	7·9	12·7	1
2	12·2		1·3	2·7			1·3	5·8	2·	3·		3·9	2
3	0·8	2·8	·3				11·9		·3	9·1		·8	3
4		0·5		1·			8·1	20·6		3·8			4
5			·5	5·8	1·0		13·	2·6		8·1			5
6			5·1		12·2		10·9			1·6			6
7	1·3		5·6	9·7	·3		8·3						7
8	1·0	1·3	·5	6·4	1·8		8·1	·8					8
9	17·0	0·5		·5	·3	2·6	·3						9
10	17·8	2·8	·3	5·1		13·2	22·4						10
11	6·1		7·7	14·4	5·6	·3	5·8						11
12	6·6	1·5	3·6	14·2	1·3	8·5	·8			·3			12
13	4·6	0·3		·5							2·3		13
14	1·8	0·5	16·8	20·6			1·8		10·9	12·1	2·8	·5	14
15	1·8	1·5	12·	3·8	2·	10·4			1·6	9·3	17·0		15
16		0·3	·8	2·3	·3	1·0	5·4		3·4	·6	2·1		16
17	0·5		1·3	2·5	8·3		1·0		9·7				17
18	4·1		·3	·8	·3	5·1		12·8	2·0				18
19	0·5	0·3		10·7		4·6			7·7				19
20	0·3			5·6		12·2	·3					7·7	20
21		8·1					9·9		·3	1·5		4·1	21
22	1·5			6·6			1·0			·6		11·5	22
23	0·3						5·2	·8				16·3	23
24	0·5										5·1	7·1	24
25		1·3	4·1	·3	2·5		19·1					·3	25
26	2·5	6·4	4·3				·3				3·6	3·6	26
27	13·2			3·		4·6					1·	5·1	27
28	25·9	0·5	5·1	·8	·3	2·5	9·0				5·6	3·6	28
29	8·1		3·6	1·3		2·5					10·2	9·8	29
30	5·1		8·5	3·8	·3	6·6	1·5		12·2			11·3	30
31	1·5		5·6							19·2		6·6	31
TOTAL	137·0	28·6	87·6	124·9	46·7	74·1	~~136·1~~ 155·1	44·0	50·4	85·7	~~59·6~~ 57·6	~~106·8~~ 104·9	YEAR'S TOTAL ~~880·5~~ 996·6
Days with 0·2 mm. or more	25	15	21	24	15	13	23	7	11	13	10	16	193
Days with 1·0 mm. or more	19	8	14	19	9	12	19	4	8	10	10	13	145

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

HRR orig MWR

1429

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dorchester (Mo)

in the County of Dorset

by Borough Engineer

Lat. 50° 43′ N Long. 2° 27′ W

Time of Observation 9 h.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.0	-	0.3	2.5	10.2	-	9.7	0.8	0.3	16.5	7.9	12.7	1
2	12.2	-	1.3	2.7	-	-	1.3	5.8	2.0	3.0	-	3.9	2
3	0.8	2.8	0.3	-	-	-	11.9	-	0.3	9.1	-	0.8	3
4	-	0.5	-	1.0	-	-	8.1	20.5	-	3.8	-	-	4
5	-	-	0.5	5.8	1.0	-	13.0	2.5	-	8.1	-	-	5
6	-	-	5.1	-	12.2	-	10.9	-	-	1.6	-	-	6
7	1.3	-	5.6	9.7	0.3	-	8.3	-	-	-	-	-	7
8	1.0	1.3	0.5	6.4	1.8	-	8.1	0.8	-	-	-	-	8
9	17.0	0.5	-	0.5	0.3	2.6	0.3	-	-	-	-	-	9
10	17.8	2.8	0.3	5.1	-	13.2	22.4	-	-	-	-	-	10
11	6.1	-	7.7	14.4	5.6	0.3	5.8	-	-	-	-	-	11
12	6.6	1.5	3.6	14.2	1.3	8.5	0.8	-	-	0.3	-	-	12
13	4.6	0.3	-	0.5	-	-	-	-	-	-	2.3	-	13
14	1.8	0.5	16.8	20.6	-	-	1.8	-	10.9	12.1	2.8	0.5	14
15	1.8	1.5	12.0	3.8	2.0	10.4	-	-	1.6	9.3	17.0	-	15
16	-	0.3	0.8	2.3	0.3	1.0	5.4	-	3.4	0.6	2.1	-	16
17	0.5	-	1.3	2.5	8.3	-	1.0	-	9.7	-	-	-	17
18	4.1	-	0.3	0.8	0.3	5.1	-	12.8	2.0	-	-	-	18
19	0.5	0.3	-	10.7	-	4.6	-	-	7.7	-	-	-	19
20	0.3	-	-	5.6	-	12.2	0.3	-	-	-	-	7.7	20
21	-	8.1	-	-	-	-	9.9	-	0.3	1.5	-	4.1	21
22	1.5	-	-	6.6	-	-	1.0	-	-	0.6	-	11.5	22
23	0.3	-	-	-	-	-	5.2	0.8	-	-	-	16.3	23
24	0.5	-	-	-	-	-	-	-	-	-	5.1	7.1	24
25	-	1.3	4.1	0.3	2.5	-	19.1	-	-	-	-	0.3	25
26	2.5	6.4	4.3	-	-	-	0.3	-	-	-	3.6	3.6	26
27	13.2	-	-	3.0	-	4.6	-	-	-	-	1.0	5.1	27
28	25.9	-	5.1	0.8	0.3	2.5	9.0	-	-	-	-	3.6	28
29	8.1	0.5	3.6	1.3	-	2.5	-	-	-	-	5.6	9.8	29
30	5.1		8.5	3.8	0.3	6.6	1.5	-	12.2	-	10.2	11.3	30
31	1.5		5.6		-		-	-		19.2		6.6	31
TOTAL	137.0	128.6	87.6	124.9	46.7	74.1	155.1	44.0	50.4	85.7	57.6	104.9	YEAR'S TOTAL 996.6
Days with 0·2 mm. or more	25	15	21	24	15	13	23	7	11	13	10	16	193
	19	8	14	19	9	12	19	4	8	10	10	13	145

(44,284) Wt. [illegible]958—21S. 500. 10/19. Gp.132. A.&E.W.

Copied from 101 3203.

DORCHESTER
WOLLASTON HSE
DORSET
1911 - 1920

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

911

sella

Kept at Wollaston

in the County of

by Capt J. E. A

5 in.
bove Ground 1 ft. 0 in.
" Sea Level 200 ft.
9.0. A.M
Name Dorchester. L.S.W
Distance 600 yds Direction S.S.W

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the year in the space provided for it at the end of arement of rain, the selection and pla British Rainfall Organization are given n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.01	-	-	-	-	.	-	-	.03	.03	1
2	-	-	-	.25	.45	-	-	.04	.01	.05	.17	.41	2
3	-	-	-	-	.25	-	-	-	-	-	.10	.11	3
4	-	-	.04	-	-	-	-	-	-	.02	.25	.33	4
5	.12	-	.01	.01	-	-	-	.12	-	.10	.06	-	5
6	.83	-	.20	-	-	-	-	-	-	.07	.04	1.02	6
7	.02	.04	-	.01	-	-	-	-	-	-	.46	.02	7
8	.01	.	.22	-	-	-	-	-	-	.01	.28	.70	8
9	.07	.01	.01	-	-	-	-	-	-	-	.06	.50	9
10	.20	.05	.72	-	.05	-	-	-	-	-	-	.43	10
11	.73	-	.01	-	-	-	-	-	-	-	1.40	.01	11
12	-	-	1.12	-	-	-	-	.02	-	-	.04	.11	12
13	-	-	.01	-	-	-	-	-	.20	-	-	.43	13
14	-	.12	-	-	-	-	-	-	-	.01	-	.70	14
15	-	.02	.03	-	-	.03	-	-	-	-	.30	.02	15
16	-	.01	.01	-	-	.45	-	-	-	-	.65	.42	16
17	-	.02	.18	-	.35	.11	-	-	-	.01	.52	.35	17
18	-	.16	.02	.13	-	.19	-	-	-	.09	.05	.37	18
19	-	.02	-	-	.02	.22	-	-	.12	.15	.03	.54	19
20	-	.03	.15	.03	-	-	-	-	.07	.16	-	.60	20
21	-	.50	.01	.02	-	.05	-	-	.06	.80	-	.05	21
22	.25	.04	-	.04	-	.15	-	-	.15	.63	-	.66	22
23	-	.21	.03	-	-	.25	-	-	.15	.42	.03	.61	23
24	.01	.25	-	-	-	.23	-	.26	.06	.67	-	23	24
25	-	.03	.01	.25	-	.03	-	-	.08	.22	-	.02	25
26	-	.22	-	.57	1.05	-	-	.04	-	41	.02	.53	26
27	-	.88	.02	.01	-	-	-	-	.05	.70	.15	.12	27
28	-	.29	-	.70	-	-	-	.16	-	-	.11	.01	28
29	-	×	-	.27	.04	.21	.12	-	.18	67	.01	-	29
30	-	×	-	-	-	.03	-	.06	.02	22	.20	-	30
31	-	×								-			31
Total	2.27	2.90	2.81	2.29	2.21	1.95	.12	.70	1.15	5.41	4.90	9.33	TOTAL for year 36.10
No. of Rain Days.	10	18	19	12	7	12	1	7	12	19	22	27	166

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Wollaston House Dorchester

in the County of Dorset 3

by Capt J. E. Acland

RAIN GAUGE Pattern Casella
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 200 ft.

Time of Observation 9.0. A.M

Nearest Railway Station Name Dorchester L.S.W
Distance 600 yds Direction S.S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·01	-	-	-	-	-	-	-	·03	·03	1
2	-	-	-	·25	·45	-	-	·04	·01	·05	·17	·41	2
3	-	-	-	-	·25	-	-	-	-	-	·10	·11	3
4	-	-	·04	-	-	-	-	-	-	·02	·25	·33	4
5	·12	-	·01	·01	-	-	-	·12	-	·10	·06	-	5
6	·83	-	·20	-	-	-	-	-	-	·07	·04	1.02	6
7	·02	·04	-	·01	-	-	-	-	-	-	·46	·02	7
8	·01	-	·22	-	-	-	-	-	-	·01	·28	·70	8
9	·07	·01	·01	-	-	-	-	-	-	-	·06	·50	9
10	·20	·05	·72	-	·05	-	-	-	-	-	-	·43	10
11	·73	-	·01	-	-	-	-	-	-	-	1.40	·01	11
12	-	-	1.12	-	-	-	-	·02	-	-	·04	·11	12
13	-	-	·01	-	-	-	-	-	·20	-	-	·43	13
14	-	·12	-	-	-	-	-	-	-	·01	-	·70	14
15	-	·02	·03	-	-	·03	-	-	-	-	·30	·02	15
16	-	·01	·01	-	-	·45	-	-	-	-	·65	·42	16
17	-	·02	·18	-	·35	·11	-	-	-	·01	·52	·35	17
18	-	·16	·02	·13	-	·19	-	-	-	·09	·05	·37	18
19	-	·02	-	-	·02	·22	-	-	·12	·15	·03	·54	19
20	-	·03	·15	·03	-	-	-	-	·07	·16	-	·60	20
21	-	·50	·01	·02	-	·05	-	-	·06	·80	-	·05	21
22	·25	·04	-	·04	-	·15	-	-	·15	·63	-	·66	22
23	-	·21	·03	-	-	·25	-	-	·15	·42	·03	·61	23
24	·01	·25	-	-	-	·23	-	·26	·06	·67	-	23	24
25	-	·03	·01	·25	-	·03	-	-	·08	·22	-	·02	25
26	-	·22	-	·57	1.05	-	-	·04	-	41	·02	·53	26
27	-	·88	·02	·01	-	-	-	-	·05	·70	·15	·12	27
28	-	·29	-	·70	-	-	-	·16	-	-	·11	·01	28
29	-	×	-	·27	·04	·21	·12	-	·18	67	·01	-	29
30	-	×	-	-	-	·03	-	·06	·02	22	·20	-	30
31	-	×			-		-	-		-			31
Total	2.27	2·90	2·81	2·29	2·21	1·95	·12	·70	1·15	5·41	4·90	9·33	TOTAL for year 36·10
No. of Rain Days.	10	18	19	12	7	12	1	7	12	19	22	27	166

W. 8,000, X. '11.

BRITISH RAINFALL FORM A.
8 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Wollaston House Dorchester
in the County of Dorset. 3
by Capt J. E. Acland

Lat. 50. 43 N. Long. 2. 26 W
Time of Observation 9. 0. A.M
Nearest Railway Station Dorchester
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	·02	—	—	·15	·01	—	·02	1.16	—	·32	1
2	—	—	·48	·01	—	·01	·12	—	—	—	·01	—	2
3	—	—	·13	—	—	·50	—	·64	·02	—	—	·02	3
4	·21	·05	·82	—	—	·20	—	·02	—	—	·23	—	4
5	·89	15	·23	—	Trace	—	—	·63	—	—	—	·21	5
6	50	11	·01	—	·32	·04	·11	·62	—	—	—	·09	6
7	·01	·51	·24	—	·18	1.08	—	·03	—	—	—	·22	7
8	·88	·24	·31	Trace	—	—	—	·15	—	—	—	·06	8
9	02	·02	·16	·02	—	·02	·02	·33	—	—	—	·64	9
10	02	·08	·01	—	—	·01	·01	·07	—	—	·01	·31	10
11	02	·05	·01	—	—	·01	—	·03	—	—	—	·73	11
12	·01	·33	·53	·03	·12	—	·02	·35	—	—	·04	—	12
13	—	—	·02	—	—	Trace	·01	—	—	·02	—	·07	13
14	·12	·02	·36	—	·08	—	—	11	—	—	—	·01	14
15	·30	33	·01	·01	·02	·55	—	·01	—	—	—	·48	15
16	1.20	·01	·72	—	·08	·01	~~·12~~	·62	—	·17	·12	—	16
17	·98	—	·38	—	·01	·14	~~·11~~	1·03	—	—	—	·02	17
18	·18	—	·12	—	—	—	—	·20	—	—	—	—	18
19	·01	·07	·20	—	—	—	·62	45	—	—	—	—	19
20	·01	·09	·65	—	15	—	Trace	·07	—	·40	·01	—	20
21	—	·52	·51	—	1·02	—	—	·15	—	·20	—	—	21
22	·41	·65	·09	—	—	—	·06	14	—	·10	·01	·24	22
23	·16	·39	30	—	—	—	—	1·03	—	·25	·23	·31	23
24	·08	·04	·01	—	—	·40	—	·12	—	—	—	·30	24
25	·31	—	·02	—	—	·10	—	·11	—	·40	·39	·51	25
26	—	·03	—	—	—	—	·22	·09	—	·42	·35	·24	26
27	—	·14	—	—	—	·20	·73	—	—	65	—	·52	27
28	—	·10	—	—	—	·07	·27	·61	·22	·81	·85	·74	28
29	—	·10	—	—	—	—	·12	·14	1.29	·36	—	—	29
30	—	×	·04	—	·08	·01	·10	—	·65	30	—	—	30
31	—	×	·68	×	—	×	·28	·01	×	·02	×	15	31
Total	6·32	4·03	7.06	0·07	2·06	3·50	2·20	7.76	2.20	5·26	2·25	6·19	YEAR'S TOTAL 48·90
Rain Days.	20	22	27	4	10	17	15	26	5	14	11	21	192

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6- JAN 1914

Kept at Wollaston House. Dorchester

in the County of Dorset Ex M3

by Capt. J. E. Acland

Lat. 50·43 N. Long. 2.26 W.
Time of Observation 9. 0. A.M
Nearest Railway Station Dorchester.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·33	·25	·22	—	—	—	—	·15	·04	·48	—	1
2	·01	·11	·01	·07	·12	—	—	—	—	·22	·16	·03	2
3	·14	—	·03	·03	·33	—	—	—	·01	·03	—	·12	3
4	·91	—	·14	·01	·23	—	—	—	·12	·31	·08	·05	4
5	·44	·04	·01	—	·16	·14	·02	—	·70	—	·24	·05	5
6	·06	·16	·04	—	·03	·24	·08	—	—	1.81	·04	·80	6
7	·01	·50	·02	—	·35	·20	·05	—	—	·38	·36	·02	7
8	·01	·40	—	—	·16	—	·01	—	—	·01	—	·13	8
9	—	·04	—	—	·07	—	·04	·27	—	·01	·20	·01	9
10	·45	·02	—	—	·03	—	—	·01	—	·25	·42	—	10
11	·90	—	—	·11	·33	—	—	—	—	·08	·66	·02	11
12	—	—	—	—	·37	—	—	—	·03	—	·36	—	12
13	·12	—	·05	·06	—	—	—	—	·56	—	·34	—	13
14	·40	—	·11	·03	·15	—	—	—	·37	—	—	—	14
15	·35	·02	·39	·57	—	—	·15	·03	·68	—	·06	·02	15
16	·10	—	·50	·06	—	—	—	—	·02	—	·01	—	16
17	·03	—	·02	·10	—	·01	—	—	—	—	—	—	17
18	—	—	·20	·11	—	—	—	—	—	—	·05	—	18
19	1.32	—	·02	—	·01	·04	·02	—	·54	·04	—	—	19
20	·14	—	·13	·15	—	·01	—	—	—	·35	·25	—	20
21	—	—	·45	·30	·02	—	—	—	—	·13	·87	—	21
22	·40	—	·11	·02	—	—	—	·09	·25	·03	—	·05	22
23	—	—	·03	—	—	·02	—	·01	—	·01	·13	·65	23
24	·01	—	—	·05	—	—	—	—	—	—	·02	—	24
25	—	·15	—	·25	—	—	—	—	—	—	—	—	25
26	—	—	—	·24	—	—	—	·35	—	—	—	·30	26
27	·02	—	·17	·21	—	—	—	·01	—	·01	—	—	27
28	·23	—	·10	·44	—	—	—	—	—	·20	—	—	28
29	·15		·43	·31	·02	—	—	·09	—	·24	—	·01	29
30	·91		—	—	—	—	—	—	·43	·31	·01	—	30
31	·19		·01		—		—	·61		·14		—	31
Total	7·33	1·77	3·22	3·34	2·38	·66	·37	1·47	3·86	4·60	4·74	2·26	YEAR'S TOTAL 36·00
Rain Days.	24	10	22	20	15	7	7	9	12	20	19	14	179

✓

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at Wollaston House. Dorchester
in the County of Dorset 3
by Capt J. E. Acland F. S. A

Lat. 50° 43' N Long. 2°. 26' W
Time of Observation 9. 0. A.M
Nearest Railway Station Dorchester
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·01	·02	–	–	·15	·60	–	–	·40	–	1
2	–	–	–	·03	–	–	·61	·01	–	–	1·22	·20	2
3	–	–	·04	·10	·58	–	·01	·01	–	–	·03	·02	3
4	·03	–	·01	·33	·20	–	·28	·94	–	–	·51	·71	4
5	·02	–	·09	·22	·05	–	·60	–	–	–	·54	–	5
6	·02	·31	·01	·10	·05	–	–	·02	–	–	–	·53	6
7	·03	·52	·22	15	·01	–	·22	·16	–	–	–	·32	7
8	·10	·08	·98	·02	·04	·06	–	·13	–	–	–	·08	8
9	·02	–	·23	·21	·06	·04	–	·02	·41	–	–	·02	9
10	·11	·41	·01	·09	·12	–	–	–	·44	–	–	–	10
11	–	·29	·77	–	–	·02	·22	–	–	–	·01	·60	11
12	–	·04	·20	–	–	–	–	–	·50	–	·02	·48	12
13	–	·60	·31	–	–	–	–	–	·12	·11	·20	·71	13
14	–	·32	·26	–	–	·25	·32	·82	·01	·26	·52	·16	14
15	·01	–	·30	–	–	–	·01	·35	–	·10	·38	–	15
16	–	–	·14	–	–	–	·02	–	·60	–	–	–	16
17	–	1.08	–	–	–	–	–	–	·01	–	–	1.08	17
18	–	·10	·12	–	–	–	·20	–	·04	–	–	·62	18
19	–	·20	·52	–	–	–	·91	–	·09	–	·06	·10	19
20	–	·41	·20	–	–	–	–	–	–	–	–	·31	20
21	–	·66	·01	–	–	–	–	–	–	·43	–	–	21
22	–	·24	·02	–	·45	·06	·01	·04	–	·14	–	–	22
23	–	·06	·48	–	–	03	·02	–	–	·26	–	–	23
24	–	·01	·01	–	·01	–	–	–	–	·11	·10	–	24
25	·04	–	·29	–	–	–	·01	·58	–	·69	·11	·80	25
26	–	–	·04	–	–	–	·04	·02	–	·07	·54	·51	26
27	·06	·01	–	–	–	–	–	–	–	–	·10	·32	27
28	·02	24	·46	–	–	–	·15	–	–	–	·20	·83	28
29	·86	×	24	–	·17	–	–	–	–	·20	·68	–	29
30	·01	×	·13	–	–	–	–	–	–	·30	·62	·80	30
31	·09	×	–	×	–	×	16	–	×	·73	×	31	31
Total	1.42	5.58	6.10	1.27	1.74	0.46	3.94	3.70	2.22	3.40	6.24	9.51	YEAR'S TOTAL 45.58
Rain Days.	14	18	27	10	11	6	18	13	9	12	18	21	177

W. 8,000. X. 14.

Exe D.L.

1915

FORM A. BRITISH RAINFALL.

15. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Wollaston House. Dorchester
in the County of Dorset
by Capt J. E. Acland. F.S.A

Lat. 50.43 N. Long. 2.26 W.
Time of Observation 9.0. A.M
Nearest Railway Station Dorchester
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·31	—	—	·02	—	—	·30	·51	·32	·01	·34	1
2	·50	·19	·31	·12	—	—	—	·43	—	·28	—	·50	2
3	·23	·05	·25	·03	·19	·03	—	—	—	·10	—	·61	3
4	·02	—	—	—	·01	—	—	·07	—	—	—	·32	4
5	·20	·45	—	·04	—	·02	—	·23	—	—	—	·62	5
6	·88	·11	—	·51	—	—	·75	·02	—	—	—	·13	6
7	·22	·79	—	·05	—	·02	·15	—	—	—	—	·61	7
8	·04	·66	—	·01	—	—	—	·05	—	—	·16	·10	8
9	—	·06	—	·09	—	—	—	·01	—	—	·36	1.02	9
10	·36	—	·03	·02	—	—	—	—	—	·05	·02	·18	10
11	·10	·20	—	·01	—	—	—	—	—	—	1.58	—	11
12	·14	·40	—	·05	·54	—	—	—	—	·07	·42	—	12
13	—	·32	—	—	·86	—	·01	—	·09	—	·06	·04	13
14	·04	·02	—	—	—	—	·34	·02	·11	—	·01	2·02	14
15	·11	—	—	—	·18	—	·21	·01	·01	·05	·07	·30	15
16	—	1·46	—	—	·40	—	1.67	·10	—	—	—	·23	16
17	—	·54	—	—	·06	—	—	·10	—	—	—	·01	17
18	—	·20	—	—	—	—	·01	—	—	—	—	—	18
19	·01	—	—	—	·24	—	·12	—	—	—	—	—	19
20	·26	—	—	·03	—	·02	—	·01	—	·07	—	·05	20
21	·14	·48	—	·01	—	—	·63	—	·09	·28	—	·12	21
22	·10	—	·47	·03	—	·05	1.04	—	·04	—	—	·33	22
23	—	·10	·07	—	—	—	·02	—	·22	1.42	—	·75	23
24	—	—	—	·05	—	—	·02	—	·63	·64	—	·68	24
25	—	—	·03	·05	—	·40	—	—	·03	·01	—	·32	25
26	·01	·20	—	—	—	·02	·14	—	·05	—	—	1.13	26
27	—	·01	—	—	—	·08	—	—	·01	·70	—	·01	27
28	—	·01	—	—	—	·20	·01	·01	·54	·11	·02	·04	28
29	—	—	—	—	—	·05	·01	·01	·01	·05	·39	·23	29
30	·20	X	—	—	—	·02	—	—	—	·75	·90	·36	30
31	—	X	—	X	—	X	·07	·23	X	·96	X	·25	31
Total	3·71	6·56	1.16	1.10	2.50	0·91	5.20	1.60	2·34	5·86	4·00	11·30	YEAR'S TOTAL 46·24
Rain Days.	19	20	6	15	9	11	16	15	13	16	12	27	179

W. 8,000. X. 15.

Extd

1684

FORM A.
BRITISH RAINFALL.
16. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Wollaston House . Dorchester

in the County of Dorset

by Capt J. E. Acland F. S. A

Lat. 50 . 43 N Long. 2 26 W

Time of Observation 9 . 0 A. M

Nearest Railway Station Dorchester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·28	—	0·25	—	0·25	0·02	—	—	0·62	0·20	0·35	—	1
2	·30	0·15	·01	—	—	—	—	—	·01	·31	·12	—	2
3	·05	·82	—	—	·05	—	—	—	·02	·80	·18	—	3
4	·18	·23	—	—	·05	·50	—	—	·01	·05	·72	—	4
5	·02	·05	·01	—	·28	·05	—	—	—	·11	·35	—	5
6	·01	·08	—	—	·12	·15	·95	—	—	·04	1·00	—	6
7	·01	·02	Snow ·33	—	·05	·02	—	—	—	·05	1.31	·14	7
8	—	·06	·17	—	·45	—	—	—	—	—	·04	·36	8
9	—	·01	·03	—	·02	—	·01	—	—	—	·01	·10	9
10	·01	·61	—	0·03	·08	—	·04	—	·01	—	·10	·30	10
11	—	—	·02	·05	·01	—	—	—	—	—	—	·03	11
12	·05	·06	·11	·02	·09	—	·20	·06	—	·05	—	—	12
13	—	·24	·22	·05	—	—	—	·04	—	·01	—	—	13
14	·01	·66	·03	—	·05	—	—	·02	—	—	—	—	14
15	—	·34	·10	·03	—	—	—	·01	·01	·02	—	—	15
16	·15	·01	—	·17	—	—	·02	·22	—	·08	—	Snow ·16	16
17	·30	·14	—	·10	—	—	—	·13	·26	1.01	·45	—	17
18	·03	·11	·15	·02	—	—	—	·03	·18	·02	·10	·44	18
19	·16	—	·75	·05	—	—	—	—	·02	—	·13	·16	19
20	·10	·28	·22	·03	—	—	—	—	—	—	·07	1.84	20
21	—	·10	·38	—	·09	—	·03	—	—	—	·01	·15	21
22	—	—	·01	—	—	·05	—	—	—	·32	·03	·45	22
23	—	·05	—	—	—	·10	—	·15	—	·04	·20	—	23
24	—	·01	—	·05	·72	—	—	·14	—	·66	·06	·40	24
25	—	Snow ·39	·17	—	—	—	—	·40	·01	—	·10	·01	25
26	—	Snow ·13	·02	—	—	·21	—	·01	·94	1.03	—	—	26
27	—	·02	Snow ·94	—	—	·12	—	—	·35	·76	—	—	27
28	—	·15	—	·01	—	—	—	·14	·47	·41	·05	·54	28
29	—	·32	—	—	—	·68	—	2·30	·33	·17	·02	·44	29
30	—	X	·01	—	—	—	—	—	·01	·82	—	—	30
31	—	X	—	X	—	X	—	·15	X	·42	X	·02	31
Total	1·66	5.04	3·93	0·61	2·31	1·90	1·25	3.80	3·25	7·38	5.40	5·54	YEAR'S TOTAL 42·07
Rain Days.	15	25	20	12	14	10	6	14	15	22	21	16	190

W. 8,000, VIII. 16

1512

FORM A.
BRITISH RAINFALL.
18 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Wollaston House. Dorchester

in the County of Dorset

by Capt J. E. Acland

Lat. 50. 43 N Long. 2. 26 W

Time of Observation 9. 0 A M

Nearest Railway Station Dorchester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·08	·20	—	0·17	—	0·40	0·02	—	0·05	0·01	1
2	—	—	—	·10	—	—	—	·05	—	·01	·01	—	2
3	·06	·08	—	·04	—	—	·35	·01	—	·12	·56	—	3
4	—	—	·45	—	—	—	—	—	·12	·23	—	—	4
5	·14	—	·15	·23	—	·12	—	·30	—	·15	·10	—	5
6	—	—	·04	—	—	—	—	—	—	·15	·12	·05	6
7	·60	—	—	—	—	·01	·21	·61	—	·22	·04	·11	7
8	·30	—	·26	·02	—	—	·30	·70	·05	·48	·26	·24	8
9	—	—	·04	·01	·08	—	·02	·01	·04	·08	·05	·01	9
10	·20	—	·44	·29	·02	—	—	·19	—	—	—	—	10
11	·02	—	·48	·16	·06	—	—	·04	—	·50	·05	—	11
12	·05	—	·02	—	·18	—	—	—	—	·32	·01	—	12
13	—	—	·06	·01	—	—	—	·18	·02	·02	—	—	13
14	—	—	·10	·10	—	—	—	·04	—	—	—	—	14
15	—	—	—	·01	—	—	—	·10	·01	44	—	·45	15
16	—	·20	—	·10	—	—	—	—	—	1·27	—	·35	16
17	—	·01	—	·18	—	·10	·26	·22	·90	·12	—	—	17
18	—	·14	—	—	·01	·06	·16	—	·63	—	—	—	18
19	—	·57	·06	—	—	·03	—	—	·30	—	—	—	19
20	—	·03	·04	—	·31	·03	—	—	·10	—	—	—	20
21	—	—	·25	—	·01	—	—	·04	—	·10	—	—	21
22	—	—	·10	—	—	·03	—	·10	—	·10	—	—	22
23	—	·22	—	—	·10	—	—	·11	—	·04	—	·02	23
24	—	·12	—	—	—	—	·25	·01	—	·28	·06	—	24
25	—	·03	·01	—	—	—	·10	·10	·11	·02	—	—	25
26	—	—	·04	—	·21	—	—	·61	·16	—	·04	—	26
27	—	—	—	—	·49	·28	—	1·25	—	—	—	·01	27
28	—	—	·10	—	·08	·36	—	·20	—	—	·01	·04	28
29	—		·08	—	—	·11	·05	·04	—	·58	—	·10	29
30	—	X	·22	—	—	—	·58	·31	—	—	·01	·01	30
31	—	X	·06	X	—	X	·02	·04	X	·27	X	—	31
Total	1·38 ✓	1·40 ✓	3·08 ✓	1·45 ✓	1·55 ✓	1·30 ✓	2·30 ✓	5·66 ✓	2·46 ✓	5.50 ✓	1·37 ✓	1·40 ✓	YEAR'S TOTAL 28·85 ✓
Rain Days.	8 ✓	9 ✓	21 ✓	13 ✓	11 ✓	11 ✓	11 ✓	24 ✓	12 ✓	21 ✓	14 ✓	12 ✓	167 ✓

W. 8,000, IX. 17.

1·11

29

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.
11.1.19

Kept at Wollaston House. DORCHESTER

in the County of DORSET

by Capt John Acland. F.S.A

Lat. 50·43 N Long. 2.26 W

Time of Observation 9.0. A M

Nearest Railway Station Dorchester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·15	—	·03	·05	—	—	·82	—	—	·82	·01	1
2	—	·30	—	·05	—	—	—	·10	—	—	·13	·30	2
3	—	·10	·02	·20	·21	—	—	—	·02	·08	·07	·02	3
4	—	·03	·01	—	—	—	—	·12	·38	·02	1.08	·23	4
5	—	·06	·15	·09	·35	—	—	·40	·16	·28	—	·04	5
6	·22	·27	·01	·25	—	—	—	·01	·10	·14	—	·20	6
7	—	·23	—	—	·13	—	—	·03	·32	—	·30	·08	7
8	snow ·01	·08	—	—	—	—	—	—	·04	·35	—	·02	8
9	—	—	—	·10	—	·12	·77	—	·76	·12	—	·70	9
10	·02	—	—	·20	—	—	·53	—	·80	·43	·01	·42	10
11	—	—	—	·03	—	—	·11	—	·12	·07	·03	·04	11
12	—	·15	—	—	·52	—	·15	—	·08	·03	—	·01	12
13	·05	—	—	—	·01	—	·85	—	·81	·04	—	·02	13
14	·26	—	—	—	·02	·08	·02	—	·52	·40	—	·08	14
15	1.48	—	—	·38	—	·08	·20	—	·02	—	—	·21	15
16	·42	—	·02	·04	—	·02	·01	—	·40	—	—	·02	16
17	·20	—	·02	·10	—	—	·34	·02	·02	—	—	·28	17
18	·91	—	—	—	—	·90	·02	—	·28	—	—	·26	18
19	·10	—	·18	—	—	—	·36	·01	·05	—	—	·04	19
20	—	·30	—	·11	—	—	·11	·01	·42	·09	—	·02	20
21	·12	·04	—	·01	—	—	·02	—	·98	·07	—	·30	21
22	·05	—	—	—	—	—	·76	—	·14	—	·01	·10	22
23	·23	·02	—	—	·08	—	·14	—	·08	—	·10	·02	23
24	·01	·23	—	—	—	—	—	—	·32	—	·09	·04	24
25	—	—	—	·01	—	—	·02	·73	—	—	·11	—	25
26	—	·02	—	—	—	—	·25	·01	·04	·02	·15	·41	26
27	—	·13	—	—	—	—	·10	·05	·36	·03	·16	—	27
28	·01	—	·28	—	—	·02	—	—	·01	·03	·01	·02	28
29	—		·30	·01	—	—	—	—	2·10	—	·01	·04	29
30	—		·52	—	—	—	—	—	·19	·07	·14	—	30
31	·01		·30		—		—	—		·10		—	31
Total	4·10	2·11	1.81	1.61	1·37	1·22	4·76	2·31	9·52	2·37	3.22	3·93	YEAR'S TOTAL 38.33
Rain Days.	16	15	11	15	8	6	18	12	27	18	16	27	1,89

W, 6,500, VII. 18. w w c

1516

12 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wollaston House Dorchester
in the County of Dorset
by Capt. John Acland F.S.A

Lat. 50°43 N. Long. 2.26 W
Time of Observation 9.0. A M
Nearest Railway Station Dorchester
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·72	—	·10	—	·02	—	·30	—	·06	·10	·03	·92	1
2	·20	—	·01	—	·08	—	·26	—	·24	—	·01	·06	2
3	·68	—	·75	—	·10	—	—	—	·25	—	—	·12	3
4	·30	·30	·61	—	—	—	·04	·03	·72	—	·10	·06	4
5	·03	·31	·24	—	·06	—	—	—	·08	—	·11	·14	5
6	·62	·13	·22	·02	—	—	—	—	—	—	·02	·30	6
7	·22	—	·50	·11	—	—	—	—	—	—	—	—	7
8	·40	—	·23	—	—	—	—	—	—	—	—	—	8
9	·13	—	·02	·39	·10	—	—	—	—	—	·38	—	9
10	·31	—	·31	—	·02	—	—	—	—	—	·01	·20	10
11	·11	—	·08	·26	·28	—	·15	—	—	·02	—	·04	11
12	·19	—	—	·02	—	—	·05	—	—	·15	·05	·02	12
13	·15	·12	·05	·78	—	—	·01	—	—	·03	—	·14	13
14	·75	·14	—	·52	·09	—	·10	—	·03	·02	—	·22	14
15	·33	·11	—	·05	·01	—	—	—	—	·13	—	·38	15
16	·02	1·12	—	—	—	—	—	—	—	—	·15	—	16
17	·11	·20	—	—	—	—	—	·01	—	—	·15	·06	17
18	·06	·12	·72	—	·06	—	·21	·10	—	—	·20	·01	18
19	1·21	·41	·60	—	—	·10	·86	·40	·12	—	·10	·04	19
20	·34	·02	·11	—	—	·45	—	·19	—	—	·03	·06	20
21	·02	1·00	·01	—	—	—	·12	—	·08	—	·02	·08	21
22	—	·01	—	—	—	—	·12	—	·54	—	—	·02	22
23	—	—	·02	—	—	—	—	·01	—	·55	·06	·02	23
24	—	—	—	·02	—	·08	—	—	—	1.30	·04	·20	24
25	·10	·02	—	·10	—	·02	—	·31	—	—	—	·04	25
26	·03	·06	·13	·10	—	—	—	—	·10	—	·02	·76	26
27	·13	·02	·06	·35	—	—	·16	1.55	—	—	—	·02	27
28	—	—	·47	·01	—	—	—	·55	—	—	·84	·74	28
29	—		—	·05	—	—	—	·15	—	·05	—	·10	29
30	—		—	·10	—	·10	—	·72	—	—	·78	·83	30
31	—		·01		—		—	—		—		·37	31
TOTAL	7·16	4·09	5·25	2.88	0·82	0·75	2·38	4·02	2·22	2·35	3·10	5·95	YEAR'S TOTAL 40·97
Days with ·01 in. or more	24	16	21	15	10	5	12	11	10	9	19	27	179
Days with ·04 in	20	12	16	11	7	4	11	8	9	6	12	22	138

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

14630

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wollaston House Dorchester
in the County of DORSET
by Capt J. E. Acland. F.S.A

Lat. 50°43 N Long 2°26 W
Time of Observation 9 . 0 A.M
Nearest Railway Station Dorchester
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	·06	·10	·40	—	·41	·02	·04	·57	·30	·65	1
2	·52	—	·01	·10	·01	—	·04	·22	·02	·10	—	·21	2
3	·03	·11	—	·03	—	—	·58	—	·02	·43	—	·03	3
4	—	·01	·01	·02	—	—	·40	·82	—	·10	—	—	4
5	—	—	·20	·18	·04	—	·62	·10	—	·26	—	·01	5
6	—	—	·19	·05	·44	—	·20	—	—	·01	—	—	6
7	·05	—	·05	·38	·02	—	·30	—	—	—	—	—	7
8	·05	·02	—	·18	·08	—	·26	·02	—	—	—	—	8
9	·82	·03	—	·02	—	·10	·14	—	—	—	—	—	9
10	·~~2~~80	·10	·30	·15	—	·44	·72	—	—	—	—	—	10
11	·28	—	·15	·64	·24	·01	·23	—	—	—	—	—	11
12	·24	·05	·01	·56	·02	·35	·02	—	—	—	·20	6" Snow	12
13	·16	·02	·61	·10	—	·01	—	—	—	—	·01	= ·50	13
14	·06	·01	·50	·72	—	—	·05	—	·41	·33	·78	—	14
15	·08	04	·03	·28	·06	·41	—	—	·06	·37	·01	—	15
16	·02	—	·05	—	·01	·11	·20	—	·10	·03	—	—	16
17	·02	—	·01	·10	·34	·01	·04	—	·39	—	—	—	17
18	·18	—	—	·04	·01	·20	—	·48	·06	—	—	·01	18
19	·02	—	—	·51	—	·19	—	—	·31	—	—	—	19
20	—	·10	—	·19	—	·44	·01	—	—	—	—	·42	20
21	—	—	—	·04	—	—	·36	—	·02	·10	—	·03	21
22	·03	—	—	·28	—	·01	·04	—	—	·02	—	·40	22
23	·02	—	—	—	—	—	·20	·02	—	—	—	·76	23
24	·03	·01	·20	—	—	—	—	—	—	—	·15	·23	24
25	—	·02	·21	—	·10	—	·78	—	—	—	·02	·01	25
26	·10	—	·19	—	—	—	·01	—	—	—	·18	·14	26
27	·52	—	·13	·10	—	·14	—	—	—	—	·05	·21	27
28	1.00	·03	·06	·01	·04	·02	·33	—	—	—	—	·12	28
29	·33	—	·36	04	—	·02	—	—	—	—	·28	·38	29
30	·22		—	—	·01	·20	·07	—	·55	—	·42	·70	30
31	·05		·20		—		·01	—		·70		·25	31
TOTAL	5.68	·55	3·53	4·82	1.82	2·66	6·02	1·68	1·98	3·02	2·40	5·06	YEAR'S TOTAL 39·22
Days with ·01 in. or more	25	13	21	24	15	16	24	7	11	12	11	19	198
Days with ·04 in. or more	18	5	16	20	9	10	20	4	8	9	8	14	141

DORSET.

DORCHESTER.

"WARMWELL HOUSE"

1911–1914, 1916

REC 1911

FORM A2. BRITISH RAINFALL.

2 - JAN 1912

Kept at Warm

in the County of D

by Lord W

f top 5" in.

op above Ground — ft. 10 in.

„ Sea Level 155 ft.

n 9 am.

tation Name Moreton

Distance 3 mls Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	·02	—	—	—	—	·01	—	—	·07	·04	1
2	—	—	—	·45	·41	—	—	·06	—	·06	·15	·34	2
3	—	—	—	—	·18	—	—	—	·09	—	·07	·10	3
4	—	—	·10	—	—	—	—	—	—	·01	·31	·43	4
5	·08	—	—	·02	—	·03	—	·09	—	·34	·09	—	5
6	·37	—	·24	—	—	—	—	—	—	·08	·14	·66	6
7	·17	—	·01	—	—	—	—	·01	—	—	·48	·02	7
8	·02	·02	·24	—	—	—	—	—	—	—	·19	·62	8
9	·04	—	·03	—	—	—	—	—	—	—	·07	·34	9
10	·16	·09	·65	—	—	—	—	—	—	—	—	·25	10
11	·60	·01	·03	—	—	—	—	—	—	—	1·48	—	11
12	—	—	1·07	—	—	—	—	—	—	—	·04	·19	12
13	—	—	·01	—	—	—	—	—	·22	—	—	·57	13
14	—	·10	—	—	—	—	—	—	—	—	—	·58	14
15	—	—	·05	—	—	·02	—	—	—	—	·31	·08	15
16	—	—	·03	—	—	·62	—	—	—	—	·68	·29	16
17	·02	·02	·27	·06	·28	—	—	—	—	—	·68	·29	17
18	—	·14	·08	—	—	·25	—	—	—	·11	·03	·30	18
19	—	·03	—	—	—	·19	—	—	·24	·13	—	·47	19
20	·04	·04	·21	·04	—	—	—	—	·07	·13	—	·60	20
21	·03	·27	·01	·02	—	·07	—	—	·03	·38	—	·07	21
22	·24	·03	·02	·06	—	·15	—	—	·09	·41	·09	·55	22
23	·02	·12	·07	—	—	·23	—	—	·32	·33	—	·27	23
24	·04	·22	—	—	—	·34	—	29	—	·46	—	·36	24
25	—	·04	·02	·22	—	·07	—	—	·03	·08	·01	·02	25
26	—	·09	—	·45	·05	—	—	·04	—	·34	—	·50	26
27	—	·74	·05	·04	—	·03	—	—	·08	·90	·11	·13	27
28	—	·42	—	·57	—	—	—	·19	—	—	·16	—	28
29	—		—	·38	·12	·29	·28	—	·23	·64	—	·01	29
30	—		—	·04	—	·03	—	·13	—	·25	·12	—	30
31	—		·01		—		—	—		—		—	31
Total	1·85	2·38	3·22	2·35	1·04	2·32	0·28	0·82	1·40	4·65	5·28	8·08	TOTAL for year.
No. of Rain Days.	14	16	21	12	5	13	1	8	10	16	20	26	33·67 on 162 days

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REC[illegible] 1911

Kept at Warmwell House

in the County of Dorchester Dorset

by Lord Wynford

RAIN GAUGE
Pattern
Diameter of top 5" in.
Height of top above Ground — ft. 10 in.
" " " Sea Level 155 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Moreton
Distance 3 miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·02	—	—	—	—	·01	—	—	·07	·04	1
2	—	—	—	·45	·41	—	—	·06	—	·06	·15	·34	2
3	—	—	—	—	·18	—	—	—	·09	—	·07	·10	3
4	—	—	·10	—	—	—	—	—	—	·01	·31	·43	4
5	·08	—	—	·02	—	·03	—	·09	—	·34	·09	—	5
6	·37	—	·24	—	—	—	—	—	—	·08	·14	·66	6
7	·17	—	·01	—	—	—	—	·01	—	—	·48	·02	7
8	·02	·02	·24	—	—	—	—	—	—	—	·19	·62	8
9	·04	—	·03	—	—	—	—	—	—	—	·07	·34	9
10	·16	·09	·65	—	—	—	—	—	—	—	—	·25	10
11	·60	·01	·03	—	—	—	—	—	—	—	1·48	—	11
12	—	—	1·07	—	—	—	—	—	—	—	·04	·19	12
13	—	—	·01	—	—	—	—	—	·22	—	—	·57	13
14	—	·10	—	—	—	—	—	—	—	—	—	·58	14
15	—	—	·05	—	—	·02	—	—	—	—	·31	·08	15
16	—	—	·03	—	—	·62	—	—	—	—	·68	·29	16
17	·02	·02	·27	·06	·28	—	—	—	—	—	·68	·29	17
18	—	·14	·08	—	—	·25	—	—	—	·11	·03	·30	18
19	—	·03	—	—	—	·19	—	—	·24	·13	—	·47	19
20	·04	·04	·21	·04	—	—	—	—	·07	·13	—	·60	20
21	·03	·27	·01	·02	—	·07	—	—	·03	·38	—	·07	21
22	·24	·03	·02	·06	—	·15	—	—	·09	·41	·09	·55	22
23	·02	·12	·07	—	—	·23	—	—	·32	·33	—	·27	23
24	·04	·22	—	—	—	·34	—	29	—	·46	—	·36	24
25	—	·04	·02	·22	—	·07	—	—	·03	·08	·01	·02	25
26	—	·09	—	·45	·05	—	—	·04	—	·34	—	·50	26
27	—	·74	·05	·04	—	·03	—	—	·08	·90	·11	·13	27
28	—	·42	—	·57	—	—	—	·19	—	—	·16	—	28
29	—		—	·38	·12	·29	·28	—	·23	·64	—	·01	29
30	—		—	·04	—	·03	—	·13	—	·25	·12	—	30
31	—		·01		—		—	—		—		—	31
Total	1·85	2·38	3·22	2·35	1·04	2·32	0·28	0·82	1·40	4·65	5·28	8·08	TOTAL for year. 33·67 on 162 days
No. of Rain Days.	14	16	21	12	5	13	1	8	10	16	20	26	

W. 8,000, X. '11.

corr by Dorset F.C. 27·11·13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

2 JAN 1913

Kept at Warmwell House
Dorchester
in the County of Dorset

3

by Lord Wynford's Gardener.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Moreton, 3 m.
Diameter of Rain Gauge 5 in. in.
Height of top of Gauge above Ground ft. 3½ in.
" " " " Sea Level 155 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·01	·01	·14			·03	1·06		·38	1
2			·25				·14				·02		2
3			·06			·56	·03	·59	·04		·02	·04	3
4	·32	·07	·62		·01	·10		·11			·25		4
5	·73	·24	·21					·62				·16	5
6	·55	·02	·01		·36	·07		·54				·03	6
7	·02	·50	·10		·25	·64		·03				·10	7
8	·57	·17	·19	·01			·01	·01				·02	8
9	·07	·04	·25	·03		·03	·03	·18				·68	9
10	·01	·07				·06	·01	·16			·05	·43	10
11	·07	·12						·03				·58	11
12	·03	·26	·43	·02	·94	·01	·03	·32					12
13			·06					·07		·04	·05	·07	13
14	·14		·28		·03			·13			·02	·01	14
15	·24	·20		·01	·06	·54		·03				·44	15
16	1·25	·03	·37		·10	·01		·54		·16	·19		16
17	·91		·45			·19		·86				·08	17
18	·10	·02	·22			·01		·37			·01	·01	18
19	·02	·03	·21			·05	·05	·39			·01		19
20	·03	·09	·44		·13	·02	·05	·03		·35	·01		20
21		·36	·32		·59			·10		·13			21
22	·54	·58	·13			·26	·07	·16		·14	·02	·06	22
23	·27	·26	·34			·02		1·20		·27	·21	·42	23
24	·26	·10	·01			·20		·20				·34	24
25	·24		·01			·14		·15		·22	·36	·60	25
26		·11					·31	·04		·40	·42	·28	26
27		·03				·31	·50	·01		·73		·52	27
28		·10				·10	·08	·59	·08	·66	·37	·59 58+	28
29		·08				·01	·10	·16	1·67	·64		·01	29
30			·07		·02	·02	·05	·03	·79	·15			30
31			·67				·23	·07		·03		·12	31
Total	6·37	3·48	5·72	·08	2·50	3·49	1·69	7·72	2·61	4·98	2·01	~~5·97~~ 46·62	YEAR'S TOTAL 46·62
Rain Days.	20	22	24	5	11	22	15	29	5	14	15	23 ~~182~~	~~182~~ 205

W. 7,500, XI. 12

Ex JL

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

- JAN 1914

Kept at Warmwell House.
Dorchester,
in the County of Dorset.
by The Rt. Hon. The Lord Wynford.

3

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Moreton, L. & S. W. R.
Diameter of Rain Gauge 5 in. in.
Height of top of Gauge above Ground 10 in. ft. in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·41	·13	·24					·19	·05	·20	·01	1
2	·02	·09		·04	·05		·03			·06	·11	·06	2
3	·03	·01	·06	·05	·25						·01	·16	3
4	·65		·08		·19				·12	·39	·10	·06	4
5	·22	·10			·16	·15			·86	·21	·24	·18	5
6	·03	·23	·05		·01	·20	·12			1·62		·65	6
7	·01	·43	·04		·42	·11	·26			·19	·27	·01	7
8	·01	·42			·20	·03	·03			·03	·01	·14	8
9		·06			·02		·05	·11	·01	·01	·18	·02	9
10	·39	·01			·03					·22	·44		10
11	·83			·10	·36					·10	·72	·07	11
12					·40				·05		·65		12
13	·21	·01	·06		·01				·55		·32		13
14	·41	·01	·12	·02					·37				14
15	·56	·04	·47	·50			·24	·02	·37		~~·02~~	·02	15
16	·15		·50	·16		·01			·04		·03		16
17	·15	·03	·02	·04							·02		17
18	·01		·14	·09	·01		·02				·08		18
19	·74		·03			·04			·43	·01			19
20	·14		·30	·15						·37	·10		20
21			·22	·36	·05					·11	·85		21
22	·38		·20	·02			·03	·12	·22			·15	22
23	·05					·03					·17	·68	23
24	·66			·09							·02		24
25		·11		·27						·01		·01	25
26				·22				·34		·01		·16	26
27	·06		·25	·06									27
28	·17		·13	·33						·22			28
29	·16	×	·36	·45	·18			·04		·35			29
30	·76	×							·01	·25			30
31	·11	×		×		×	·01	·71	×	·13	×		31
Total	6·34	1·96	3·16	3·19	2·34	·57	·79	1·34	3·22	4·34	4·52	2·38	YEAR'S TOTAL 34·15
Rain Days.	26	14	18	18	15	7	9	6	12	19	19	15	178

W.7,000, XI. 13

Ex 8 L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Warmwell House, Dorchester.
in the County of Dorset. 3
by Lord Wynford's Gardener

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Moreton L&SWR
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 3½ in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·15				·15	·64			·22	·13	1
2						·05	·65				·93	·31	2
3			·07	·19	·61		·07	·08			·04	·02	3
4	·05		·01	·28	·07		·21	1·12			·38	45	4
5	·06		·09	·23	·05		·78				·28		5
6		·26	·01	·29	·07		·10	·07			·02	·40	6
7	·02	·43	·25	·11	·02		·31	·08	·02			·32	7
8	·06	·24	·61	·04	·05	·09		·19				·03	8
9	·02	·01	·47	·14	·05	·05		·05	27			·11	9
10	·12	·26	·06	·08	·19	·05			·42		·02	·02	10
11		·15	·68		·04	·02	·31					·74	11
12		·08	·24						·52	·09		·48	12
13		·55	·42						·14	·10	·22	·72	13
14		·35	·23			·80	·30	·89	·01	·34	·39	·32	14
15	·01		·27				·04	·34	·02	·21	·49		15
16							·06		44				16
17	·01	·88	·15						·01			·93	17
18		·07	·19				·22		·05			·54	18
19		·18	·60				95		·13		·07	·12	19
20		·44	·11			·08						·56	20
21		·61	·10							·31			21
22		·04	·05		·41		·12	·13		·07			22
23		·08	·45				·04			·36		·04	23
24		·11	·01		·04					·17	·10	·01	24
25	·02	·01	·29					·55		·53	·15	·54	25
26			·08				·05	·07		·15	·35	·60	26
27	·04	·01									·20	·29	27
28	·02		·44				·23			·03	·21	·85	28
29	·58		·18	·12	·11		·03			·20	·56	·03	29
30	·01		·10	·08						·25	·75	·49	30
31	·07						·11			·76		·04	31
Total	1·09	4·76	6·31	1·56	1·71	1·14	4·73	4·21	2·03	3·57	5·38	9·09	YEAR'S TOTAL 45·58
Rain Days.	14	19	27	10	12	7	19	12	11	14	18	26	189.

W. 8,000. X. 14.

end for auth ~~W~~ 7. W.

REGISTER OF RAINFALL IN 1916

BRITISH RAINFALL FORM A.
2 JAN 191

K[illegible]t Warmwell Ho
in the County of Dorset
by Lilian Wyndham

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·3

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	·4	·12	—	·34	—	—	—	·64	·31	·30	—	1
2	·23	·15	—	—	—	—	·1	—	·1	·26	·20	—	2
3	·4	·64	—	—	·5	—	—	—	·1	·81	·80	—	3
4	·12	·27		—	·4	— 3	—	—	—	·8	"	—	4
5	—	·4	·01	·1	·25	·45	—	—	—	·14		·1	5
6	—	·8	·03	—	·18	·12	—	—	—	·6	·19	—	6
7	—	·5	·40	—	·2	·6	·84	—	—	·5	·75	—	7
8	—	·6	·36	—	·45	·1	—	—	—	—	·92	·20	8
9	—	·4	—	—	·5	·5	—	—	—	—	·6	·40	9
10	—	·76	—	·3	·23	—	·2	—	—	·3	·2	·20	10
11	—	—	—	·8	—	—	·1	—	—	—	·2	·5	11
12	—	·9	·25	·6	·3	·1		·8	—	·4	—	·4	12
13	—	·26		·2	—	—	·24	·2	—	·8	—	·1	13
14	—	·67	·8	—	—	—	·1	·3	—	—	—	—	14
15	—	·5	—	·6	—	—	—	·1	—	—	—	—	15
16	—	—	—	·18	—	—	—	·37	—	·3	—	snow	16
17	—	·14	—	·6	—	—	—	·4	·19	·95	—	snow	17
18	—	·13	—	·1	—	—	—	·7	·24	—	·55	"	18
19	·22		—	—	—	—	—	—	·1	—	·8	"	19
20	·8	·40	—	—	—	—	—	—	—	—	·12	thaw	20
21	—	·21	·40	—	·5	—	—	—	—	—	·37	"	21
22	—	—	—	—	—	—	—	—	—	·35	·2	·24	22
23	—	·11	—		—	·6	—	·15	—	·13	·2		23
24	—	·5	—	—	·34	·4	—	·18	—	·34	·16		24
25	—	·32	·9	—	—	—	—	·39	—	—	·11		25
26	—	·13	·5	—	—	—	—	·1	—	·60	·8	2·02	26
27	·4	·2	·89	—	—	·11	—	·11	1·26	·40	—		27
28	—	·20		·36	—	·14	—	·38	·50	·35	—		28
29	—	·48	—	—	—	—	—	2·12	·20	·26			29
30	—	X	·3	—	—	·57	—	—	·30	·49	·3	44	30
31		X		X		X		·46	X	·73	X	·1	31
Total	·88	5·59	~~1·83~~ 2·71	·87	~~1·13~~ 2·03	1·62	1·12 1·13	~~2·9~~ 4·02	~~2·32~~ 3·36	~~6·46~~ 6·36	~~4·~~ 4·86	~~1·82~~ 3·62	YEAR'S TOTAL 36·99
Rain Days.	7	25	18 9	10	12	11	16	15	10	21	19	~~232~~ 66 11	~~189~~

8,000. X. 15.   48 31 614 31·14 25 39 (61) ·61 2·09 16 2 112

TELEGRAMS - WARMWELL.
STATION - MORETON. 3 M.

WARMWELL HOUSE,
DORCHESTER.

Jan. 1st. 1917

Lady Wynford presents her compliments to Dr Mill & greatly regrets that owing to Col. Lord Wynford's absence at the front the rain guage register has not been kept in as orderly a manner as possible as it has several times had to be changed from one person's charge to another, but Lady Wynford believes the register to be accurate.

from Dorsel Fi

REGIS ll

Lat 50° 38' N
Lon 2° 12' W

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

DORSET.

EAST LULWORTH.

1911 – 1918

Kept at The Vicarage East

in the County of Dorset

by Rev W. D. Fillow

5 in.

bove Ground - ft. 9 in.

„ Sea Level 173 ft.

9.30 am

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at **9** a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.01				.04	1
2				.21	.07			.04		.18	.23	.25	2
3					.21						.16	.07	3
4			.08						.10	.02	.30	.41	4
5	.08			.03				.09		.72	.08		5
6	.42									.01	.15	.64	6
7	.10		.12								.36	.03	7
8	0.5	.02	.22								.25	.64	8
9			.08								.06	.41	9
10	.07	.07	.53									.30	10
11	.42										1.29		11
12			1.02					.10			.13	.08	12
13			.01						.13			.55	13
14		.11								.03		.36	14
15		03	.03								.25		15
16						.04					.56	.25	16
17			.44		.54	.21					.89	.32	17
18		.18	.05	.06		.05				.09	.11	.40	18
19		.02				.34			.23	.07	.05	.71	19
20			.16	.01		.08			.07	.12		.63	20
21	.26	.24	.01			.02			.06	.55		.10	21
22				.03		.15			.03	.51		.70	22
23		.14	.03			.28			.33	.55	.11	.31	23
24	.03	.20				.32		.23		.50		.33	24
25	.01	.04	.01	.20		.07			.03	.14		.01	25
26		.05		.41		.01				30		.53	26
27		.61	.04	.03					.07	1.30	.15	.13	27
28		.34	.01	.50				.21			.19	.01	28
29				.47	.19	.33	.24		.14	.56		.01	29
30					.04	.03	.02	.39		.32	.06		30
31													31
Total	1.44	2.05	2.84	1.95	1.05	1.93	.26	1.07	1.19	5.97	5.38 5.38	8.22 8.22	TOTAL for year 33.35
No. of Rain Days	11	13	16	10	5	13	2	7	10	17	19	26	149

9,000, IX. '10.

from Dorset F

REGIS ll

Lat 50° 38' N
Lon 2° 12' W

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

Kept at The Vicarage East Lulworth

in the County of Dorset 3

by Rev W. D. Filliter (A Stilwell)

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground - ft. 9 in.
" " " Sea Level 173 ft.

Time of Observation 9·30 am

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.01				.04	1
2				.21	.07			.04		.18	.23	.25	2
3					.21						.16	.07	3
4			.08						.10	.02	.30	.41	4
5	.08			.03				.09		.72	.08		5
6	.42									.01	.15	.64	6
7	.10		.12								.36	.03	7
8	0.5	.02	.22								.25	.64	8
9			.08								.06	.41	9
10	.07	.07	.53									.30	10
11	.42										1.29		11
12			1.02					.10			.13	.08	12
13			.01						.13			.55	13
14		.11								.03		.36	14
15		.03	.03								.25		15
16						.04					.56	.25	16
17			.44		.54	.21					.89	.32	17
18		.18	.05	.06		.05				.09	.11	.40	18
19		.02				.34			.23	.07	.05	.71	19
20			.16	.01		.08			.07	.12		.63	20
21	.26	.24	.01			.02			.06	.55		.10	21
22				.03		.15			.03	.51		.70	22
23		.14	.03			.28			.33	.55	.11	.31	23
24	.03	.20				.32		.23		.50		.33	24
25	.01	.04	.01	.20		.07			.03	.14		.01	25
26		.05		.41		.01				30		.53	26
27		.61	.04	.03					.07	1.30	.15	.13	27
28		.34	.01	.50				.21			.19	.01	28
29				.47	.19	.33	.24		.14	.56		.01	29
30					.04	.03	.02	.39		.32	.06		30
31													31
Total	1.44	2.05	2.84	1.95	1.05	1.93	.26	1.07	1.19	5.97	538 5·38	822 8·22	TOTAL for year 33·35
No. of Rain Days	11	13	16	10	5	13	2	7	10	17	19	26	149

9,000, IX. '10.

Copy from A ret 3 to

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

1 MAR 1913

Kept at E. Lulworth The Vicarage

in the County of Dorset 3

by Rev. W. D. Filliter

Dorset Field Club

Lat. 50 38 N Long. 2.12 W

Time of Observation 9.30 am

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground . ft. 9 in.

" " " " Sea Level 173 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.08				1.15		.28	1
2			.18	.01	.14	.02	.34			.03			2
3			.04			.35	.02	.58	.04			.02	3
4	.29		.56		.02	.46		.06			.26		4
5	.68	.25	.15					.75				.21	5
6	.57				.42	.09		.51				.06	6
7		.49	.14		.28			.02				.11	7
8	.64	.16											8
9		.03	.35	.04	.02	.07		.23				.45	9
10	.01					.12		.04			.05	.46	10
11	.06					.06		.08			.03	.46	11
12		.48	.25		.63			.23			.02		12
13												.05	13
14	.23		.27									.01	14
15	.25	.26			.10	.68						.40	15
16	1.20	.04	.37		.07	.01		.55		.15	.15		16
17	.58	.01	.43		.01	.18		.74				.10	17
18	.34		} .65					.13		.02			18
19		.03				.04	.10	.50					19
20		.07	.47				.08	.18		.48	.02		20
21		.39	.49		.29			.16		.08			21
22	.49	.49			.53	.03	.04	.16		.08		.08	22
23	.41	.20	.45		.04			1.17		.40		.20	23
24	.20	.08	.01			.28		.25			.15	.34	24
25	.09		.01			.10		.21		.35	.35	} .75	25
26		.09					.32	.11		.37	.41		26
27		.08				.22	.72	.03		.68		.48	27
28		.12				.37	.08	.56	.07	.65	.45	.46	28
29		.12				.01	.43	.02	1.97	.16		.01	29
30			.10		.06				.95	.15			30
31			.78		.05		.22	.05				.05	31
Total	6.04	3.39	5.70	.05	2.66	3.17	2.35	7.32	3.03	4.75	1.89	4.98	YEAR'S TOTAL 45.33
Rain Days.	15	18	19	2	14	18	10	24	4	14	10	21	169

W. 7,500, XI. 12

Copied from Dorset Field Club.

Dorset Field Club.

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.

23 MAR 1914

Ex. Wf.

Kept at The Vicarage, E. Lulworth

in the County of Dorset. 3

by Rev. W.D. Filliter

R. Stevenson Henshaw.

Lat. 50° 38′ N Long. 2° 12′ W.

Time of Observation 9·30 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 173 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·43	·14	·29	—	—	—	—	—	·05	·30	—	1
2	·02	·11	·01	·01	·02	—	—	—	·41	—	·08	—	2
3	·10	—	·05	·03	·26	—	—	—	—	·02	—	·13	3
4	·62	—	·08	·01	·20	—	—	—	·20	·59	·06	·10	4
5	·35	·18	·01	—	·10	·18	—	—	·89	·17	·23	·13	5
6	—	·18	·02	—	—	·16	·21	—	—	·88	·04	·70	6
7	—	·32	·02	—	·37	·06	·18	—	—	·31	·20	—	7
8	—	·27	—	—	·13	·01	·03	—	—	·03	—	·20	8
9	—	·03	—	—	—	—	·07	1·60	—	—	·16	·03	9
10	·28	—	—	—	—	—	—	—	—	·25	·40	—	10
11	·78	—	—	·09	·35	—	—	—	—	·02	·38	·06	11
12	—	—	—	—	·30	—	—	·02	—	—	·43	—	12
13	·02	—	} ·16	—	·01	—	—	—	·20	—	·25	—	13
14	·23	—		·02	·31	—	—	—	·33	—	—	—	14
15	·23	·11	·29	·37	·01	—	·21	·05	·11	—	—	—	15
16	·12	—	·47	·06	—	·03	—	—	—	—	—	—	16
17	·17	—	·02	·02	—	—	—	—	—	—	·04	—	17
18	—	—	·17	·08	—	—	·02	—	—	—	·03	—	18
19	·48	—	·05	—	·05	—	—	—	·45	—	—	—	19
20	·05	—	·20	·15	—	—	—	—	—	·35	·79	—	20
21	·44	—	} ·20	·38	—	—	—	—	—	·17	·17	—	21
22	·01	—		—	—	—	·04	·18	·26	·03	—	—	22
23	·09	—	—	—	—	·06	—	—	—	—	·06	·85	23
24	—	—	—	·15	—	—	—	—	—	—	·06	—	24
25	—	·10	—	·30	—	—	—	—	—	—	—	—	25
26	—	—	—	·21	—	—	—	·30	—	·04	—	·22	26
27	·07	—	·19	·05	—	—	—	·01	—	·03	—		27
28	·29	—	·63	·16	—	—	—	—	—	·23	—		28
29	·21	—	·39	·68	·29	—	—	·05	—	·31	—		29
30	·61		·01	·01	—	—	—	—	—	·97	—		30
31	·02		—		—			·72		·02			31
Total	5·19	1·73	2·51	3·07	2·40	·50	·76	2·93	2·85	4·47	3·68	2·42	YEAR'S TOTAL 32·51
Rain Days.	21	9	21	19	13	6	7	8	8	18	17	9	156

W.7,000, XI. 13

Copied from ~~original returned to obs~~ Dorset FC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
20 APR 1915

Kept at The Vicarage East Lulworth

in the County of Dorset 3 Ex LM

by Rev W D Felliler (Dorset FC)

Lat. 50° 38' N Long. 2° 12' W
Time of Observation 9.30 am
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 9 in.
" " " " Sea Level 173 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	·45	-	-	·21	·28	1
2	-	-	-	-	-	·04	·36	·01	-	-	1·41	·09	2
3	-	-	·04	·28	·41	-	·07	·29	-	-	·01	·07	3
4	·04	-	·01	·33	·06	-	·22	·43	-	-	·23	·42	4
5	·04	-	·09	·21	·03	-	·85	-	-	-	·90		5
6	-	·15	-	·19	·09	-	·05	·10	-	-	·01	·42	6
7	·04	·46	-	·08	·01	-	·32	-	-	-	-	·31	7
8	·04	·37	·68	·08	-	·03	-	·01	·03	-	-	·06	8
9	-	-	·59	·15	·04	·04	-	·19	·38	-	-	·54	9
10	·14	·28	-	·09	·25	-	-	·19	·39	-	·02	·02	10
11	-	·16	·55	-	-	-	·46	-	·01	-	·02	·65	11
12	-	-	·30	-	-	-	-	-	·44	·45	·08	·37	12
13	-	·51	·44	-	-	-	-	-	·18	·03	·14	·48	13
14	-	·18	·18	-	-	·36	·19	·78	·01	·50	·46	·28	14
15	-	-	·27	-	-	-	·02	·37	-	·28	·47		15
16	-	-	·16	-	-	-	-	·01	·32	-	-		16
17	-	·85	-	-	-	-	-	-	·01	-	-	·58	17
18	-	·03	·19	-	-	-	·37	-	·04	-	-	·63	18
19	-	·15	·54	-	-	-	·95	-	·03	-	·14	·12	19
20	-	·49	·37	-	-	·18	-	-	-	-	-	·38	20
21	-	·53	·02	-	-	-	-	-	-	·23	-	·01	21
22	-	·03	·04	-	·38	·02	} ·23	·21	-	·19	-	·05	22
23	-	·23	·44	-	-	-	}	-	-	·23	-		23
24	-	-	-	-	·06	-	-	·01	-	·23	·18		24
25	-	-	·27	-	-	-	·01	·60	-	·46	·04	·59	25
26	-	-	·07	-	-	-	·05	·04	-	·21	·32	·47	26
27	·04	·04	-	-	-	-	·01	-	·01	·03	·08	·23	27
28	·02	·09	·46	-	} ·05	-	·13	-	-	·17	·17	·56	28
29	·56	-	·09	·17	}	-	-	-	-	·33	·30	·01	29
30	-	✕	·08	-	-	·07	-	-	-	·31	·70	·50	30
31	·10	✕	·01	✕	-	✕	·04	-	✕	·72	✕	·05	31
Total	1·02	4·55	5·89	1·58	1·38	·74	4·33	3·69	1·85	4·37	5·89	8·17	YEAR'S TOTAL 43·46
Rain Days.	9	16	23	9	11	7	18	15	12	15	20	26	181

W. 8,000. X. 14.

[illegible] [illegible] 19.VI.16

1702

FORM A.
BRITISH RAINFALL.
20 JUN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Vicarage, East Lulworth,

in the County of Dorset

by Rev. W. D. Filliter
(Per H. H. T. Bassett.)

Lat. 50'38 N Long. 2'12 W
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 173 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·24	·02		·05			·12		·31	·01	·05	1
2	·60	·26	·22	} ·21				·17	·31	·26		·59	2
3	·16	·02	·27		·08	·02		·03		·23		·56	3
4	·02			·12		·01		·02				·42	4
5	·08	·33				·01		·53				·57	5
6	·95	·16		·52			·77	·03				·20	6
7	·15	·60		·09			·12					·27	7
8	·02	·62						·05				·17	8
9		·07		·03							·45	·91	9
10	·22	·16	·07	·03						·03		·21	10
11	·10		·02	·08							1·04		11
12		·46		·13	·68			·05		·10	·30		12
13	·16	·43			1·30				·09		·04		13
14	·06						·30	·01	·10			1·05	14
15					·15		·06				·09	·28	15
16		·98		·01	·13		1·60 ←	·05				·29	16
17		·32			·18			·35					17
18		·22	·02					·01					18
19	·01				·28						·01		19
20	·33			·10		·06				·22		·05	20
21	·07	·16		–		·01	·30		·12	·16		·01	21
22	·09	·14	·48	·04		·02			·03			·23	22
23			·06	·01			·01		·45	1·09		·80	23
24				·08			·10		·65	1·13		·37	24
25			·05			·46						·27	25
26	·02	·07				·08	·15					1·09	26
27		·03				·06				·43		·01	27
28						·15			·56	·04			28
29								·01		·06	·33	·27	29
30	·27	✕				·04				·42	·84	·38	30
31		✕		✕		✕	·03	·40	✕	1·26	✕	·28	31
Total	3·63	5.27 5·27	1·21	1·45	2·85	·92	3·44	1·83	2·31	5·74	3·11	9·33	YEAR'S TOTAL 41·09 41·09
Rain Days.	18	18	9	14	8	11	10	14	8	14	9	24	157

W. 8,000. X. 15.

Escd 7/W

1670

FORM A.
BRITISH RAINFALL.

9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Vic, East-Lulworth

in the County of Dorset

by Rev W D Filliter

Lat. 50·38 N Long. 2·12 W

Time of Observation 9·30 am

Nearest Railway Station Wool 4 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 173 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·02	·30	—	·39	·03	·01	—	·60	·52	·38	—	1
2	·27	·16	·01	—	·02	—	—	—	·01	·25	·07	—	2
3	·02	·78	—	—	·01	—	—	—	·01	·83	·20	—	3
4	·09	·12	—	—	·06	·32	—	—	·02	·12	·48	—	4
5	·08	·03	·01	—	·26	·20	—	—	—	·10	·52	—	5
6	·01	·07	—	—	·06	—	·74	—	—	·01	·76	—	6
7	—	·02	·32	—	·07	—	—	—	—	·08	·90	·15	7
8	—	·07	·43	—	·32	—	—	—	—	—	·02	·28	8
9	—	·05	·04	—	·05	—	—	—	—	—	·04	·15	9
10	—	·79	·01	—	·03	·06	—	—	—	—	—	—	10
11	—	—	·06	·15	—	·10	—	—	—	·03	—	—	11
12	—	·05	·28	·05	·16	—	·16	·04	—	·10	—	—	12
13	—	·16	·31	—	—	—	—	—	—	·01	—	—	13
14	—	50	·01	—	10	—	—	·02	—	·01	—	—	14
15	·05	·25	·11	·12	—	—	—	—	—	—	—	·27	15
16	·15	·05	—		—	—	—	·31	—	·11	—		16
17	·19	·13	—	·04	—	—	—	·04	·23	·65	·58	—	17
18	—	·10	·13	·02	—	—	—	·05	·13	·02	·17	·75	18
19	·15	—	·70	·02	—	—	—	—	·01	—	·12	·30	19
20	·06	·38	·18	—	—	—	—	—	—	—	·11	1·56	20
21	—	—	·13	·04	—	—	—	—	—	—	—	46	21
22	—	—	--	—	—	·03	·01	—	—	·21	·02	·75	22
23	—	·01	·01	—	—	·04	—	·10	—	·02	·16	—	23
24	—	·13	—	—	·11	—	—	·15	—	·30	·11	·49	24
25	—	·38	·18	—	—	—	—	·62	—	—	·09		25
26	·08	·23	·03	—	—	·05	—	—	·98	—	—	—	26
27	·01	·08	·85	—	—	—	·19	—	·80	·20	—	·46	27
28	—	·25	—	·22	—	—	—	·22	·25	·24	·01	·54	28
29	—	·51	—	·04	—	·39	—	3·11	·38	·18	—	·43	29
30	—	X	—	—	—	—	—	—	·01	·56	—	·01	30
31	—	X	—	X	—	X	—	·13	X	·31	X	·01	31
Total	1·23	5·32	4·10	·70	1·64	1·22	1·11	4·79	3·43	4·86	4·74	6·61	YEAR'S TOTAL 39·75
Rain Days.	13	25	20	10	13	9	5	11	12	22	18	16	174

T.0

W. 8,000, VIII. 16

1597

FORM A.
BRITISH RAINFALL.

9 JAN

REGISTER OF RAINFALL IN 1917

Kept at East-Lulworth Vic
in the County of Dorset
by Rev W D Gillite.

Lat. 50.38 N Long. 2.12 W
Time of Observation 9.30 am
Nearest Railway Station Wool 4 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~173~~ ft. 9 in.
" " " " Sea Level 173 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.10	.14	—	.10	—	.85	—	—	.02	—	1
2	—	—	—	-snow & rain .40	—	—	.30	.05	—	—	.01	—	2
3	—	—	—	.01	—	—	—	.02	—	.11	.57	—	3
4	—	—	.57	.01	—	—	—	—	.01	.27	—	—	4
5	—	—	.02	.14	—	.20	—	—	.10	.17	.06	.01	5
6	—	—	.05	—	—	—	—	—	—	.07	.17 }	.03	6
7	.63	—	—	—	—	—	.49	.16	—	.27		.08	7
8	.35		(snow) .01	.02	—	—	.20	1.48	.06	.52	.26	.20	8
9	—	—	.33	—	.03	—	—	—	.03	.05	.05		9
10	.22	—	.32	.08	—	—	—	.47	—	.32	—	—	10
11	.03	—	.38	.21	.08	—	—	—	—	.11	.02	—	11
12	—	—	.07	—	.28	—	—	—	—	.02	-	—	12
13	—	—	.21	.04	—	.05	—	.27	.03	—	—	—	13
14	—	—	.07	.05	—	—	—	.04	—	—	—	—	14
15	—	—	—	—	—	—	—	.02	—	.25	—	.16	15
16	—	.42	—	.06	—	—	—	—	.02	1.76	—	.54	16
17	—	.03	—	.12	.01	.17	.30	.31	.45	.25	—	—	17
18	—	.15	—	—	—	.23	.07	—	.32	—	—	—	18
19	—	.43	.08	—	—	.01	—	—	.48	—	—	—	19
20	—	.01	.06	—	.32	} .07	—	—	—	—	—	.05	20
21	01	—	.37	—	—		—	—	—	.12	—	—	21
22	—	—	.02	—	.01	.01	—	.04	—	.11	—	—	22
23	—	.25	—	—	.09	—	—	.18	—	.06	—	—	23
24	—	.22	.01	—	—	—	.71	—	—	.35	—	—	24
25	—	.01	—	—	—	—	—	—	.01	—	—	—	25
26	—	—	—	—	.73	—	—	.48	.18	—	—	—	26
27	—	—	—	—	1.11	.30	—	.93	—	—	.07	.03	27
28	—	—	.07	—	.10	.71	—	.13	—	—	.01	—	28
29	—	✕	.03	—	.14	.13	.05	.01	—	.28	—	.10	29
30	—	✕	.33	—	—	—	.72	.27	—	—	—	—	30
31	—	✕	.11	✕	—	✕	.10	.07	✕	.50	✕	.02	31
Total	1.24	1.52	~~3.41~~ 3.21	~~1.25~~ 1.28	2.90	1.98	2.94	5.78	~~16.9~~ 1.69	5.59	1.24	1.22	YEAR'S TOTAL 30.59
Rain Days.	5	8	20	12	11	12	9	18	11	19	11	10	146

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at The Vicarage East-Lulworth
in the County of Dorset
by Rev W D Filliter

Lat. 50·38 N Long. 2.12 W
Time of Observation 9·30 am
Nearest Railway Station Wool 4 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~1~~ ft. 9 in.
" " " " Sea Level 173 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·15	—	—	—	—	—	·61	—	—	·45	·03	1
2	—	·15	—	—	·02	—	—	—	—	—	·21	·20	2
3	—	·06	·01	·51	·17	—	—	·08	—	·01	·07	—	3
4	—	·05	·01	·02	—	—	—	·05	·12	—	·80	·08	4
5	—	·04	—	—	·42	—	—	·55	·03	·20	·03	·04	5
6	·35	·14	—	·20	·21	·01	—	·06	·03	·07	—	·12	6
7	—	·15	—	·01	—	—	—	—	·24	·05	·21	·01	7
8	—	·04	—	—	—	—	—	—	·10	·29	—	—	8
9	—	—	—	·14	—	·03	·15	—	·50	·15	—	·54	9
10	—	—	—	·17	—	·01	·33	—	·16	·45	·03	·49	10
11	·04	—	—	·04	—	—	·18	—	·14	·07	·07	·10	11
12	—	—	—	—	·59	—	—	—	·05	·01	—	·04	12
13	—	—	—	—	—	—	·84	—	·45	·05	—	—	13
14	·44	—	—	—	·01	·04	·03	—	·72	·20	—	·06	14
15	1·15	—	—	·38	·04	—	·15	—	—	—	—	·13	15
16	·52	—	·22	·05	—	·01	—	—	·19	—	—	—	16
17	·19	—	—	·15	—	—	·54	—	—	—	—	·15	17
18	·62	—	—	—	—	·63	·58	—	·99	—	—	·19	18
19	·04	·15	·19	·01	—	—	—	—	·04	·04	—	·05	19
20	·01	—	—	·18	—	—	·13	—	·46	·09	—	·29	20
21	·14	·18	—	—	—	—	·01	—	·64	—	—	—	21
22	·07	·07	—	—	·05	—	·51	—	·24	·17	·01	·18	22
23	·15	—	—	—	·07	—	·20	—	—	—	·20	—	23
24	·01	—	—	—	—	—	—	—	·30	—	·09	·02	24
25	—	—	—	·05	·28	—	·01	·60	—	—	·07	—	25
26	—	·15	—	—	—	—	·24	·10	·03	·07	·13	·23	26
27	—	·20	·01	·01	—	—	·01	—	·25	—	·07	—	27
28	—	—	·20	·03	—	—	—	—	—	—	·01	·01	28
29	—	X	·18	·02	—	—	—	—	1·65	·07	~~[illegible]~~	·03	29
30	—	X	·62	—	—	—	—	—	·01	—	·13	·06	30
31	—	X	·03	X	—	X	—	·04	X	·11	X	—	31
Total	3·73	1·53	1·47	1·97	1·86	·73	3·91	2·09	7·34	2·10	2·58	3·05	YEAR'S TOTAL 32·36
Rain Days.	13	13	9	16	10	6	15	8	22	17	16	22	167

W. 8,000, IX. 17.

DL

Stilwell

REG

FORM A2.
BRITISH RAINFALL.
26 JAN 1912
307

EVERSHOT

MELBURY HSE

DORSET

1911 - 1920

Kept at Melbury

in the County of Dorset

by R. Rintoul

in.

ound ft. in.

Level ft.

ne

ance Direction

IMPORTANT NOTE.- e result entered to the previous day. If an Obser sal rule, he is earnestly requested to add the reading in the space provided for it at the end of this of rain, the selection and placing Rainfall Organization are given in " lication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·02	·04	1
2	·10			·12	·60			·18			·19	·63	2
3					·29					·08	·19	·12	3
4			·05					·03			·23	·63	4
5	·12							·09		·13	·13		5
6	·58		·13							·02	·13	1·09	6
7	·07										·45		7
8	·02		·20								·17	·81	8
9	·14										·07	·58	9
10	·13	·04	·63		·05							·58	10
11	·74				·08						99		11
12			1·09					·10			·09	·44	12
13									·31			·47	13
14		·04										1·00	14
15		·02									·50		15
16						·37					·63	·62	16
17		·04	·08	·15	·04	·19					·23	·80	17
18		·20	·04	·06	·03	·15				·03	·06	·75	18
19	·08	·03				·23			·34	·20	·18	·31	19
20		·05	·16	·01						·13		·92	20
21		·24	·04			·05			·24	1·17		·13	21
22	·28	·02	·06			·04			·09	·42		·44	22
23		·21	·01			·07			·05	·22	·02	·55	23
24		·10				·41		·17	·02	·37		·24	24
25	·02			·12		·12		·19	·11	·02		·06	25
26		·11		·48	·38			·07		·29		·29	26
27		·57	·09	·02				·05	·09	·47	·08	·10	27
28		·39		·35				·12			·09		28
29				·53		·13	·08			·39			29
30						·07			·14	·34	·34		30
31													31
Total	2·28	2·06	2·58	1·84	1·47	1·83	·08	1·00	1·39	4·28	4·79	11·60	TOTAL for year 35·20
No. of Rain Days	11	14	12	9	7	11	1	9	9	15	20	23	141

9,000, IX. '10.

98

Stilwell c o [illegible]

REG[illegible]

307

FORM A2. BRITISH RAINFALL.

26 JAN 1912

Kept at Melbury House

in the County of Dorsetshire

by R. Rintoul

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											.02	.04	1
2	.10			.12	.60			.18			.19	.63	2
3					.29					.08	.19	.12	3
4			.05					.03			.23	.63	4
5	.12							.09		.13	.13		5
6	.58		.13							.02	.13	1.09	6
7	.07										.45		7
8	.02		.20								.17	.81	8
9	.14										.07	.58	9
10	.13	.04	.63		.05							.58	10
11	.74				.08						.99		11
12			1.09					.10			.09	.44	12
13									.31			.47	13
14		.04										1.00	14
15		.02									.50		15
16						.37					.63	.62	16
17		.04	.08	.15	.04	.19					.23	.80	17
18		.20	.04	.06	.03	.15				.03	.06	.75	18
19	.08	.03				.23			.34	.20	.18	.31	19
20		.05	.16	.01						.13		.92	20
21		.24	.04			.05			.24	1.17		.13	21
22	.28	.02	.06			.04			.09	.42		.44	22
23		.21	.01			.07			.05	.22	.02	.55	23
24		.10				.41		.17	.02	.37		.24	24
25	.02			.12		.12		.19	.11	.02		.06	25
26		.11		.48	.38			.07		.29		.29	26
27		.57	.09	.02				.05	.09	.47	.08	.10	27
28		.39		.35				.12			.09		28
29				.53		.13	.08			.39			29
30						.07			.14	.34	.34		30
31													31
Total	2.28	2.06	2.58	1.84	1.47	1.83	.08	1.00	1.39	4.28	4.79	11.60	TOTAL for year 35.20
No. of Rain Days	11	14	12	9	7	11	1	9	9	15	20	23	141

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

2 - JAN 1913

Kept at Melbury House Gardens

in the County of Dorset

by R R Milton

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Evershot
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. .... in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			27	16		33	14		·5	72		50	1
2			50			·4	·2	·5	·2				2
3			13			53	·2	57	·2				3
4	16		1·26			20	·1	·2			33	10	4
5	67	27	30		28			73				20	5
6	48				·9	·9		71				13	6
7		50	21			68	28	11				27	7
8	50	3·5	53	3			71	·5				10	8
9	·6	·6	13			12	·6	·7				43	9
10	·5	13					·2	17				37	10
11	·4	·9						·2				69	11
12		49	31	·9			·2	14					12
13								·1				·5	13
14	30		50		·2			·7		·4		·4	14
15	37	23			13	60						35	15
16	95	·2	73		·6			31		12	·8	·1	16
17	50		22			·3		1·52				·2	17
18	·9	·1	17			·4		16		·3	·1	·1	18
19	63	·7	·9			·2	·8	18					19
20			44		·6		·1	39		26			20
21	·3	26	43		45			15		12			21
22	37	75	·8		·3			·7		10	·2	12	22
23	27	50	19			12		57		15	15	36	23
24	5	·3				45		·6				30	24
25	20					26		31		13	34	82	25
26		·7					8	·8		52	72	39	26
27		·3				32	·5	53		1·30		50	27
28			·1			17	39	·6	20	·72	73	71	28
29		15					11	·1	68	49		1	29
30					·4		11	·1	49	26			30
31			30				25			2		10	31
Total	5·72	4·01	6·80	·28	1·16	4·00	2·36	7·13	1·46	5·18	2·38	6·58	YEAR'S TOTAL 47·66
Rain Days.	18	18	20	3	9	16	17 16	28	6	15	(12) 8	24	186

W. 7,500, XI. 12

47·06

corrd by Dorset F.C. 16·III·14

307

FORM A. BRITISH RAINFALL.
27 JAN 1914

REGISTER OF RAINFALL IN 1913

W. 1806

Kept at Melbury House

in the County of Dorsetshire

by R. Rintoul

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·37	·32	·11					·47		·57		1
2	·14	·17	·01	·03	·07				·02	·17	·16	·03	2
3	·18		·03	·01	·28		·05		·09	·35		·21	3
4	1·37		·19		·39				·28	·05	·09	·06	4
5	·17	·04	·01		·10	·12	·04		·75	1·41	·24	·17	5
6	·07	·13	·19		·41	·39	·10			·72	·01	·57	6
7		·59	·02		·42	·07	·04				·33	·01	7
8		·18			·13							·02	8
9		·03			·02		·02	·65			·35		9
10	·27		·01		·08	·02		·02		·36	·24		10
11	1·00			·14	·34					·15	·50	·02	11
12		·02									·19		12
13	·10		·01					·04	·60		·15		13
14	·23		·14	·02					·28	·01	·08		14
15	·50	·05	·39	·91			·12	·02	·08		·02		15
16	·13		·44	·11					·18				16
17	·02		·02	·01					·08		·01		17
18	·04		·53	·13			·05				·11		18
19	1·00		·07			·12			·50				19
20	·11		·11	·10						·13	·47		20
21			·04	·39			·01			·16	1·11		21
22	·42		·32	·12		·02		·05	·19	·06		·14	22
23	·01		·02			·07					·14	·69	23
24				·07				·11					24
25		·12		·17									25
26				·61				·23				·19	26
27	·05		·28	·47									27
28	·14		·08	·43						·17			28
29	·05		·66	·35	·02			·05	·08	·33			29
30	·77									·57			30
31	·08		·01				·25	·96		·10			31
Total	6·90	1·70	3.90 3·98 ✓	4·18	2·26	·81	·68	2·13	3·60	✓4·74	4·77	2·11	YEAR'S TOTAL 37·78
Rain Days.	23	10	23 ✓	18	11 12	7	9	9	13	15	18	11	166

W. 7,500, XI. ·12

FORM A2.
BRITISH RAINFALL.
4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Melbury House Gardens

in the County of Dorset

by R Rintoul

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·3	·1		·1		29			22	12	1
2			·		·8			43			1·21	33	2
3			·3	13	73			14			·7	·2	3
4	25		·7	38	·8		51	·4			16	64	4
5	·4		·9	25	17		30	69			17	·2	5
6		31		15	·3		·6					50	6
7	·1	1·12	·5	·6	·8	·4	·2	15				70	7
8	·7	·3	65	·2	·8	·6	14	32	48			16	8
9	·1		61	45	·6	1·38		12	35				9
10		70		·6	·9	·2						·6	10
11		23	64		·7	16	13		38		·1	70	11
12		16	·7						16		·1	70	12
13		97	56						·3	23	22	56	13
14		58	44				·6	93		24	46		14
15	·8		21			63	25	25		·6	16		15
16			·1						63				16
17		92	29									1·40	17
18		·2	11						11			43	18
19		·5	18				40		10		·9	13	19
20		63	58				96			25		35	20
21		93				40				40		·5	21
22		·5				·3				13			22
23		22	45		17		·9	·1		32			23
24		·8	·4		·1		·4			71	·6	10	24
25	·7				·6					·6	·9	65	25
26	15		36				·5	61		·1	50 (62)	62	26
27	·1		13				33	31		·2	15	35	27
28	46	24	38		·1		·1			21	42	1·11	28
29	·2		33		18					17	95	·1	29
30	18		24		·3		·9			79	70	1·04	30
31												22	31
Total	1·35	7·24	6·49	1·57	1·93	2·73	3·44	4·29	2·24	3·58	5·65	10·99	TOTAL for year 51·42
No. of Rain Days.	12	17	24	9	15	9	16	13	8	14	18	25	181

W. 8,000, X. '11.

Corrd by C 17.2.16.

1687

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

4. JAN 1916

Kept at Melbury House Gardens

in the County of Dorset

by R Ruitonl

Lat. ______ Long. ______

Time of Observation 9 a.m

Nearest Railway Station Evershot

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	81	19						52	13	23		42	1
2	80	26	16	14	3	2		73	2	5		25	2
3	3	22	18	9	17		2	4		16		43	3
4	3	12			1			1				30	4
5	3	87		21			2	18				65	5
6	68	9		70			73	1				12	6
7	24	86		5			24					35	7
8	8	52					2	6				5	8
9		1		6						2	60	61	9
10	31	2	2	4				1				13	10
11	5	7		7				6		12	82	1	11
12	13	73		12	53			1	7				12
13	1	52			97			13	3		60	2	13
14	2	9					21	2		20	12	1.96	14
15	11				21		11					25	15
16		1.81			22		1.32		·01		9	12	16
17		54			14			18					17
18		57											18
19		·1			28		11			2			19
20	26			13		5			5	74		7	20
21	2	26					11					24	21
22	32	8	31				1·01		38	1·79		42	22
23		·2	5				10		43	69		24	23
24				9			83					27	24
25			1	4		23	4					17	25
26		22				12	10		1	66		1·01	26
27		6				28	14		49	13		14	27
28		6				15			3			1	28
29						29	10			72	47	4	29
30	·14	X				4	1			1·16	54	38	30
31		X		X		X	9		X		X	58	31
Total	4·07	8·08	·73	1·74	2·56	1·18	5·31	1·96	1·65	6·69	3·25	9·94	YEAR'S TOTAL 47·16
Rain Days.	18	24	6	12 ~~7~~	9	8	19	13	11	14 ~~13~~	7	27	16~~2~~ 168

W. 8,000. X. 15.

woly c ~~W.~~ 045 1656

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Kept at Melbury House Gardens
in the County of Dorset
by R Rentoul

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	22	·2	·2		33		·1		39	18	58		1
2	22	12	·1		·1					28	11		2
3	·6	1·02			·8				·3	76	49		3
4	21	35	·3		·3	34			·4	14	84		4
5		10			18	·5				·4	48		5
6	·1	13	·5		21	·6	68			23	1·30		6
7	·6	·1	·8		·2	14	11				90	17	7
8		·2	21		30					13	11	20	8
9		·4			·4	·8	·1				3	27	9
10		52	·1	·5	·6					14	2	·2	10
11			15	·4	·1								11
12	·3	·2	15	·1	·5		19	·1					12
13		25	·3				·8	29		·5			13
14		66						·7					14
15		18	·7					24	·1	·9			15
16	·8	·9		21			·4	35		20			16
17	28	17		·8				45	21	60	32	23	17
18		·2	16						18		10	·7	18
19	18		64	·3							35	1·75	19
20	14	27	28								·1	·43	20
21		13	33			·3	·5				·4	56	21
22					·8	10				50			22
23	2			·2				23		13	33	33	23
24				25	78			·5		1·34	·7		24
25		·7	·7			33		67			11		25
26		26	·6			·1		37	68	85			26
27			1·10					·3	29	62		37	27
28		36	·7			52		·8	60	61		27	28
29		50	·1					2·90	56	50			29
30		✕								89			30
31		✕		✕		✕		13	✕	60	✕		31
Total	1·51	5·25	3·53	·69	2·18	1·66	1·17	5·87	2·99	8·88	6·39	4·69	YEAR'S TOTA ~~44·6~~ 99
Rain Days.	12	23	20	8	14	10	8	14	10	21	18	12	~~165~~

170

W. 8,000, VIII. 16

81 1581 ~~44~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Melbury House
in the County of Dorsetshire
by R. Rintoul

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10			·19		·51	·02		·04	·01	1
2				·24		·18		·12	·01		·05		2
3				·07			·39			·20	·26		3
4			·34	·03				·03		·26			4
5			·29			·01		·03	·14	·06	·18		5
6	·11		·06	·42		·05				·17	·08	·01	6
7							·41	·34		·18	·02	·07	7
8	·28						·32	·73	·12	·31	·12	·16	8
9	·15		·28	·05			·03	·12	·02	·05	·11		9
10	·15		·47					·20					10
11	·02		·54	·21	·04					·29	·02		11
12				·39	·46					·24			12
13			·10			·03		·37	·03				13
14				·02			·94	·14					14
15			·17	·15			·10		·02	·47		·46	15
16				·12						1·02		·29	16
17		·29		·25			·32	·18	1·12	·19			17
18		·9		·01			·21		·65				18
19		·61	·04						·27				19
20		·02				·10		·02	·10				20
21					·28					·06			21
22			·34					·26		·02			22
23		·16			·11			·42		·14			23
24						·07	·07	·10		·12			24
25		·11					·07	·06	·11	·01			25
26					·22			·76	·13	·01	·03	·20	26
27					·50	·12		1·30				·03	27
28		·01	·11		·11	·99		·18		·64		·05	28
29			·11		·32	·31	·05						29
30		×	·30				·62	·18		·02			30
31		×	·11	×		×			×	·10	×		31
Total	·71	1·29	3·36	~~1·96~~ ~~2·06~~ 2·06	2·04	2·05	3·53 ~~3·52~~	6·05	2·74	4·56	·91	1·28	YEAR'S TOTAL 30·58 30·57
Rain Days.	5	7	15	12	8	19 ~~12~~	12	20	13 ~~14~~	21	10	9	142

130

W. 8,000, VIII. 16

Dh

Cor. ~~for auth.~~ 17.3.19.

~~235~~ 1

FORM A.
BRITISH RAINFALL.
30·1·19

REGISTER OF RAINFALL IN 1918

Kept at Melbury House

in the County of Dorsetshire

by R. Rintoul

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·12			·05			·57			1·09	·10	1
2		·42	—	·08				·13		·02	·11	·35	2
3		·14		·04	·18			·02		·10	·04	·01	3
4		·05		·01				·06	·27		1·50	·38	4
5	·17	·01	·27		·16			·36	·25	·25		·05	5
6		·15		·24				·15	·15	·08		·27	6
7		·19			·23				·30	·01	·38	·31	7
8	·02	·30					·03		·16	·20		·03	8
9	·02			·11		·43	·49		·70	·14		·66	9
10	·05			·30			·30		·18	·53	·02	·55	10
11							·75		·13	·20	·06	·02	11
12		·10	·04		·37		·23		·09				12
13		·02			·05		·35		·60	·05		·01	13
14	·50				·03	·22	·02		·20	·20		·12	14
15	1·40			·34	·04		·32		·01			·36	15
16	·30			·24			·03		·46			·03	16
17	·45			·15			·20		·02			·36	17
18	1·01					·75	·12		·14			·14	18
19	·17		·03				·15		·03			·03	19
20	·01	·21		·08		·02			·48	·12			20
21	·05	·03					·02		·58	·07		·20	21
22	·04				·03		·85		·12	·01		·07	22
23	·10				·16		·55	·01	·03		·10	·06	23
24	·01	·13				·02	·16		·12		·08		24
25	·01						·07	·62			·05		25
26							·22		·02	·01	·06	·36	26
27		·10	·03				·01	·10	·11		·09		27
28		·09	·39										28
29			·15						1·25			·02	29
30		X	·72						·05	·13	·07		30
31		X	·16	X		X		·04	X		X		31
Total	4·31	2·06 ~~1·97~~	1·79	1·59	1·30	1·44 ~~1·47~~	4·87	2·06	6·45	2·12	3·65	4·49	YEAR'S TOTAL 36·13 ~~36·04~~
Rain Days.	16	15 ~~14~~	8	10	10	5	19	10 ~~9~~	25	16 15	13	23	170 169

~~36·04~~
36·13

W. 8,000, IX. 17.

~~W.~~ 1806 . only Box. 1484

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Melbury House Gardens
in the County of Dorset
by R Rintoul for Lord Ilchester

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station 2 miles
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	65		12	.5	.6		56		.4	30	.2	1.37	1
2	23				.1		17		27		.1	.2	2
3	60		28		.3				21		5	.9	3
4	32	39	57						93		.1	.7	4
5	.7	21	62				.3	10	21		.6	.3	5
6	70	4									.2	18	6
7	43		50	11									7
8	35		18	.4									8
9	15		.3	21	.5						33		9
10	12		50							2		35	10
11	.3		25	19	44		26					11	11
12	.9		.2			.7	.2			.9		12	12
13	10			85			.2			.2		15	13
14	95	.3		60	.7		13			.5		33	14
15	25	.9		.6	.1				.2	16	19	32	15
16	.3	80						12			12		16
17		22									10	.3	17
18		32	65				.6	.7			12		18
19	95	34	66				86	33	21			.3	19
20	65	.1	10			37		48					20
21		1.09					.4		4			.9	21
22		.2					13		28			.2	22
23										35		.1	23
24						.5	.1			73		32	24
25	.2							27			30	15	25
26	15	.4	.8					14			.3	40	26
27	14	.2	.8	28				92				.3	27
28			35					69			30	35	28
29				10				11				.2	29
30				14		22		69		1	77	1.01	30
31												20	31
TOTAL	6.98	3.67	4.97	2.63	.67	.71	2.29 ~~2.27~~	3.92	2.21	4.73	2.45	6.11	38.34 YEAR'S TOTAL ~~35.[illegible]~~
Days with ·01 in. or more	21	14	16	11	7	4	12	11	9	9	15	25	154

W 1404

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Melbury House Gardens
in the County of Dorset
by R Rintoul

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Evershot
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·2			26	60		64			14	28	72	1
2	50		·5	11			·2	36	14	17		28	2
3	17	15		·4			22			82		2	3
4				·5			35	1·01		20			4
5			20	·8	·4		37	20		11			5
6			23	·4	22		22			·8			6
7	·3			24			47						7
8	·9	15		28	·5		32						8
9	40		·1	·4		·5	·8						9
10	88	10	24	·4		32	84						10
11	28		·9	62	20	·1	15						11
12	25	14		40	·3	28	·3					·7	12
13	24	·3	54	10							13		13
14	·3		33	1·05					16	63	63		14
15		17	·4	·57	·9	·7			·6	27	·7		15
16			·1	·4		·1	25		·9	·3			16
17	·1			18	30		·3		34				17
18	12			·2	·7	20	14	34	20			·3	18
19	·2			37		18			·5			60	19
20	·1	13		27		38			·1			·3	20
21							17			·2			21
22	·3			23				·5				36	22
23	·2						70					43	23
24	·3		37								22	20	24
25		·3	15		·3		70						25
26	28		27			·2	·2				11	15	26
27	80		·3	23		16						52	27
28	70		22	·9	·3	·2	16						28
29	50		18	·6							67	45	29
30	15	☒			·5	25	2		58		44	50	30
31	·7	☒	27	☒		☒			☒	47	☒	34	31
TOTAL	5·63	·90	3·23	5·41	1·71	1·95	5·90	1·96	1·60	2·94	2·55	4·70	YEAR'S TOTAL 38·48
Days with ·01 in. or more													
Days with ·04 in. or more	24	18	17	24	12	13	21	5	9	11	8	15	167
	15	6	14	23	8	9	16	5	8	9	8	12	134

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1627

FONTWELL MAGNA
DORSET
1913-15, 1920.

1916-19

1913

FORM A.
BRITISH RAINFALL.

18 JUL 1914

Kept at Fontw

in the County of

by Dr J.

Long. 2°11′W

Station Shillingstone

on 9 a.m.

Gauge 8 in.

Gauge above Ground 1 ft. 8 in.

" Sea Level about 260 ft.

NOTE.—Rain sho … day. Full instructions for the measurement of rain and particular … infall Observers," sent post-free on application to Dr. H. R. Mill, 6…

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·20	·12	·06	—	·16	—	—	·29	—	·09	·25	1
2	·04	·05	—	·07	·04	—	—	—	·01	·21	·14	·01	2
3	·15	·01	—	·08	·42	—	—	—	·02	—	—	·08	3
4	·71	—	·01	—	·52	—	—	—	1·18	·15	—	·07	4
5	·14	·04	—	—	—	·09	·17	—	·67	—	·11	·04	5
6	·05	·04	·16	—	·24	·12	·31	—	·01	·97	·08	·41	6
7	·03	·18	·20	—	·10	·07	·05	·02	—	·41	·13	—	7
8	—	·02	—	—	·42	—	·04	—	—	·04	—	·01	8
9	—	·08	—	—	·07	·02	·04	·27	·06	·01	·12	·01	9
10	·05	—	·02	—	·05	—	—	·03	—	·35	·38	—	10
11	·95	—	—	·26	·05	—	—	—	—	·11	·44	—	11
12	—	—	—	—	·54	—	—	—	·02	—	·29	—	12
13	·11	—	·03	—	—	—	—	·02	·21	—	·18	—	13
14	·34	—	·21	—	·11	—	—	—	·06	—	·21	—	14
15	·25	·08	·35	·25	—	—	·12	·03	·16	—	·01	—	15
16	·21	—	·23	·05	—	—	—	—	·03	—	·01	—	16
17	·02	—	·01	·06	—	·05	—	—	—	—	—	—	17
18	·05	—	·25	·04	—	—	·02	—	—	—	·06	—	18
19	·95	—	·01	—	·03	·21	·01	—	·41	—	—	—	19
20	·03	—	·10	·10	—	—	—	—	—	·30	·04	—	20
21		—	·32	·28	—	·01	·05	—	—	·04	·73	—	21
22	·63	—	·23	·17	—	—	·01	·07	·25	—	—	—	22
23	—	—	—	—	—	·06	—	~~·07~~	—	—	·02	·72	23
24	—	—	—	·05	—	—	—	·08	—	—	·01	—	24
25	—	·23	—	·12	—	—	—	—	—	—	—	·02	25
26	—	—	—	·47	—	—	—	·34	—	·04	—	·23 ~~·02~~	26
27	·03	—	·22	·10	—	—	—	—	—	·01	—	—	27
28	·08	—	·12	·19	—	—	—	—	—	·33	—	·01	28
29	·15		·53	·57	·06	—	—	·12	—	·27	—	·04	29
30	·33		—	·06	—	—	—	—	—	·36	—	—	30
31	·05		·03		—		—	1·21	—	·01	—	—	31
Total	5·35	·93	3·15	2·98	2·65	·79	·82	2·19	3·38	3·61	3·05	1·90	TOTAL for year 30·80
No. of Rain Days	22	10	19	18	13	9	10	10	14	16	18	13	172

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.

1913

18 JUL 1914

Kept at Fontmell Magna, Shaftesbury
in the County of Dorset 4
by Dr J. Appleyard

Long. 2°11' W
Nearest Railway Station Shillingstone
Time of Observation 9 a.m.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " Sea Level about 260 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·20	·12	·06	—	·16	—	—	·29	—	·09	·25	1
2	·04	·05	—	·07	·04	—	—	–	·01	·21	·14	·01	2
3	·15	·01	—	·08	·42	—	—	–	·02	—	—	·08	3
4	·71	—	·01	—	·52	—	—	–	1·18	·15	—	·07	4
5	·14	·04	—	—	—	·09	·17	—	·67	—	·11	·04	5
6	·05	·04	·16	—	·24	·12	·31	—	·01	·97	·08	·41	6
7	·03	·18	·20	—	·10	·07	·05	·02	—	·41	·13	—	7
8	—	·02	—	—	·42	—	·04	—	—	·04	—	·01	8
9	—	·08	—	—	·07	·02	·04	·27	·06	·01	·12	·01	9
10	·05	—	·02	—	·05	—	—	·03	—	·35	·38	—	10
11	·95	—	—	·26	·05	—	—	—	—	·11	·44	—	11
12	—	—	—	—	·54	—	—	—	·02	—	·29	—	12
13	·11	—	·03	—	—	—	—	·02	·21	—	·18	—	13
14	·34	—	·21	—	·11	—	—	—	·06	—	·21	—	14
15	·25	·08	·35	·25	—	—	·12	·03	·16	—	·01	—	15
16	·21	—	·23	·05	—	—	—	—	·03	—	·01	—	16
17	·02	—	·01	·06	—	·05	—	—	—	—	—	—	17
18	·05	—	·25	·04	—	—	·02	—	—	—	·06	—	18
19	·95	—	·01	—	·03	·21	·01	—	·41	—	—	—	19
20	·03	—	·10	·10	—	—	—	—	—	·30	·04	—	20
21		—	·32	·28	—	·01	·05	—	—	·04	·73	—	21
22	·63	—	·23	·17	—	—	·01	·07	·25	—	—	—	22
23	—	—	—	—	—	·06	—	~~·07~~	—	—	·02	·72	23
24	—	—	—	·05	—	—	—	·08	—	—	·01	—	24
25	—	·23	—	·12	—	—	—	—	—	—	—	·02	25
26	—	—	—	·47	—	—	—	·34	—	·04	—	·23 ~~·02~~	26
27	·03	—	·22	·10	—	—	—	—	—	·01	—	—	27
28	·08	—	·12	·19	—	—	—	—	—	·33	—	·01	28
29	·15		·53	·57	·06	—	—	·12	—	·27	—	·04	29
30	·33		—	·06	—	—	—	—	—	·36	—	—	30
31	·05		·03		—		—	1·21	—	·01	—	—	31
Total	5·35	·93	3·15	2·98	2·65	·79	·82	2·19	3·38	3·61	3·05	1·90	TOTAL for year 30·80
No. of Rain Days	22	10	19	18	13	9	10	10	14	16	18	13	172

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
18 FEB 1915

Kept at Fontmell Magna

in the County of Dorset 4

by James Applegard

Lat. 2°11'W 50·57'N Long. 2°11'W

Time of Observation 9 a.m.

Nearest Railway Station Shillingstone

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 20 in.

" " " " Sea Level about 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~·12~~	—	·05	—	—	—	—	·55	—	—	·28	·11	1
2	~~·01~~	—	·03	—	—	—	·73	·11	—	—	·1·37	·18	2
3	—	—	·09	·11	·37	—	·18	—	—	—	·02	·02	3
4	·12	—	·03	·17	·03	—	·20	·87	—	—	·49	·35	4
5	·01	—	·12	·30	·19	—	·38	·07	—	—	·43	·03	5
6	—	·24	·01	·11	·02	·04	·05	—	—	—	·03	·21	6
7	—	·83	·03	·05	—	·03	·14	·08	·01	—	—	·24	7
8	·05	·04	·43	—	·24	·19	—	·15	·01	—	·01	·03	8
9	·05	·01	·33	·28	·04	·34	—	·06	·69	—	—	·11	9
10	·02	·45	·01	·06	·06	—	—	·03	·27	—	·01	·02	10
11	—	·22	·35	—	·22	·04	·44	—	·27	—	·03	·63	11
12	—	·06	·14	—	—	—	—	—	·29	·04	—	·50	12
13	—	·27	·26	—	—	—	—	—	·08	·22	·24	·49	13
14	—	·17	·23	—	—	·46	·41	·43	—	·42	·32	·29	14
15	—	—	·14	—	—	—	·15	·28	—	·05	·25	—	15
16	·01	—	—	—	—	—	·08	—	·13	—	—	—	16
17	·03	·34	·18	—	—	—	—	—	·02	—	—	·26	17
18	—	—	·11	—	—	·07	·07	—	—	—	—	·44	18
19	—	·08	·50	—	—	—	1·39	—	—	—	·09	·06	19
20	—	·47	·14	—	—	·07	—	—	—	—	—	·40	20
21	—	—	·01	—	—	·08	—	—	—	·21	—	·03	21
22	—	·17	·02	—	·37	·04	·09	·02	—	·27	—	—	22
23	—	·23	·16	—	·01	·10	·04	—	—	·13	—	·09	23
24	—	·14	·03	—	·07	—	·15	·01	—	·16	·08	—	24
25	·07	—	·25	—	—	—	·29	·17	—	·20	·04	·19	25
26	—	—	·06	—	—	—	·04	·05	—	·06	·17	·69	26
27	·09	—	—	—	—	—	—	—	—	·04	·05	·27	27
28	—	·04	·18	—	·03	—	·06	—	—	·01	·40	·70	28
29	·21	✕	·12	—	·11	—	—	—	—	·35	·39	·03	29
30	·01	✕	·03	—	—	—	—	—	—	·19	·39	·85	30
31	·05	✕	—	✕	·01	✕	·07	—	✕	·78	✕	·16	31
Total	·72	3·76	4·04	1·08	1·77	1·46	4·96	2·88	1·77	3·13	5·09	7·38	YEAR'S TOTAL 38·04
Rain Days.	12	16	28	7	14	11	19	14	9	15	20	27	192

W. 8,000. X. 14.

cod fr ault 5.V.16 [illegible]

1768

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Fontmell Magna

in the County of Dorset

4

by D. J. Applegarth

Lat.
Long.
Time of Observation 9 a.m.
Nearest Railway Station Shillingstone
Diameter of Funnel of Rain Gauge ……in.
Height of top of Gauge above Ground ……ft. ……in.
" " " " Sea Level ……ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61	·16	·03		·03			·11	·30	·27	·09	·31	1
2	·49	·14	·17	·06		·08		·68		·15		·39	2
3	·40	·06	·08	·05	·05			·03		·02		·28	3
4	·02				·01							·22	4
5	·09	1·11		·05			·01	·14				·48	5
6	·62	·12		·40			·60	·14				·10	6
7	·27	·48	·01	·07	·25		·14					·17	7
8	·07	·47					·01	·07				·03	8
9	·01	·08		·29							·32	·40	9
10	·31	·07	·03	·03						·02		·19	10
11	·05	·03	·02	·06							·65		11
12	·13	·67		·18	·54			·07		·05	·22		12
13	·02	·46			·66			·10	·13		·08	·60	13
14		·03					·30	·28	·07			·32	14
15	·08	·46			·22		·13	·24		·02	·10	·05	15
16		1·01			·22		·85	·24					16
17		·24			·28		·01	·35					17
18		·15	·02		·11								18
19		·01			·11		·10					·21	19
20	·27	·33		·16	·07	·01						·25	20
21	·07	·29					·03			·66			21
22	·10	·05	·36	·03			·82						22
23			·07				·08		·13	1·26	·01	·15	23
24				·08			·11		·65	1·80		·83	24
25			·01	·08		·03	·13			·05		·15	25
26		·08				·02	·20					·60	26
27		·05				·20	·14			·32			27
28		·11				·06		·05	·58	·05			28
29						·59	·09		·06	·01	·19	·11	29
30	·04	✕				·03				·38	·48	·42	30
31	·09	✕		✕		✕	·01		✕	1·42	✕	·31	31
Total	3·74	5·66	·80	1·54	2·55	1·02	3·76	2·50	1·92	6·18	2·14 2·54	6·57	YEAR'S TOTAL 38·38
Rain Days.	19	24	10	13	12	8	18	13	7	15	9	22	170

W. 8,000. X. 15.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

4 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Fontmell Magna, Shaftesbury

in the County of Dorset

by Dr. Jas. Appleyard

Lat. 50. 57 N. Long. 2·12 W.

Time of Observation 9 a.m.

Nearest Railway Station Shillingstone

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32	0	·03	·15	·29	0	·39	·03	·07	·23	·43	·61	1
2	0	0	·04	·15	0	0	·58	·34	·13	·10	0	·08	2
3	·18	·09	0	·04	0	0	0	0	0	1·03	0	·02	3
4	0	·03	·02	·04	0	0	·58	·29	0	·28	0	0	4
5	0	0	·11	0	·03	0	·42	·75	0	·25	0	·03	5
6	0	0	·18	0	·15	0	·33	0	0	·03	0	0	6
7	·05	0	0	·37	·06	0	·35	0	0	0	0	0	7
8	·09	·11	0	·23	·03	0	·28	0	0	0	0	0	8
9	~~0~~ ·45	0	0	·02	0	·06	0	0	0	0	0	0	9
10	~~15~~ ·31	·11	·05	·01	0	·44	·36	0	0	0	·01	0	10
11	·24	0	·08	·72	·20	0	·20	0	0	0	0	·03	11
12	·23	0	0	·50	·03	·57	·01	0	0	0	·01	0	12
13	·24	·04	·55	·05	0	0	0	0	0	0	0	·01	13
14	0	0	·26	·69	0	0	·08	0	·19	0	·26	0	14
15	·07	·04	·06	·12	·03	·33	0	0	~~·15~~ 0	·11	·08	0	15
16	0	·01	·04	·07	0	·04	·10	0	·15	·40	0	0	16
17	0	0	0	·20	·17	·08	·04	0	·40	0	0	0	17
18	·04	0	0	·21	·03	·10	·18	·34	·02	0	0	0	18
19	·03	0	0	·10	0	·16	0	0	0	0	0	·01	19
20	·09	·07	0	·21	0	·46	0	0	0	0	0	·18	20
21	0	0	0	0	0	0	·36	0	·03	0	0	·08	21
22	0	0	0	·10	0	0	·01	0	0	0	0	·29	22
23	·01	0	0	0	0	0	·44	0	0	0	0	·23	23
24	·02	0	·15	0	0	0	0	0	0	0	·13	·03	24
25	0	·08	·09	0	·05	0	·41	0	0	0	0	·01	25
26	·21	0	·10	·18	0	·05	·08	0	0	0	·13	0	26
27	·55	·12	·12	0	0	·12	·09	0	0	0	·02	·48	27
28	·62	·01	·06	·19	·06	0	·05	0	0	0	0	·07	28
29	·40	0	·15	·04	·03	0	·13	0	·02	0	·04	·09	29
30	·08	✕	0	0	·04	0	0	0	·35	0	·44	·23	30
31	·03	✕	·16	✕	0	✕	0	0	✕	·49	✕	·13	31
TOTAL	4·26	·71	2·25	4·34	1·20	2·41	5·47	1·75	1·36	2·92	1·55	2·61	YEAR'S TOTAL 30·83 ✓
Days with ·01 in. or more	21 17	11 8	18 18	22 19	14 8	11 11	22 20	5 4	9 6	9 8	10 7	18 11	170 137

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DORSET.

GILLINGHAM

1911-1920

1

REG 911

FORM A2. BRITISH RAINFALL.

11 - FEB 1912

Kept at Gillingham egretti

on 5 in.

above Ground 1 ft. 2 in.

in the County of Dorset „ Sea Level 244 ft.

9 am

by S. H. Stephens on { Name Gillingham

Distance ½ mile Direction S. E.

IMPORTANT NOTE.— measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	—	.04	.04	—	—	—	.01	—	—	.02	.04	1
2	.02	—	.02	.11	.31	—	—	.04	—	.02	.25	.16	2
3	—	—	—	.01	.26	—	—	—	—	—	.04	.14	3
4	—	.01	.08	.04	—	.06	—	—	—	.03	.16	.47	4
5	.07	—	—	.01	—	—	—	.18	—	.06	.16	—	5
6	.24	—	.22	—	—	—	—	—	—	.03	.03	.72	6
7	.02	—	—	.01	—	—	—	—	—	—	.33	—	7
8	.09	—	.22	—	—	—	—	—	—	—	.07	.50	8
9	.14	—	.01	—	—	—	—	—	—	—	.06	.54	9
10	.16	.09	.24	—	1.29	—	—	—	—	—	.01	.26	10
11	.35	—	—	—	.03	—	—	—	—	—	.80	.17	11
12	—	—	.93	—	—	—	—	—	—	—	.02	.38	12
13	—	—	.03	—	—	—	—	—	.27	—	—	.65	13
14	—	.08	—	—	—	—	—	—	—	—	—	.75	14
15	—	.04	.01	—	—	.02	—	—	—	—	.24	.09	15
16	—	—	—	—	—	.27	—	—	—	—	.47	.36	16
17	—	.03	.02	—	—	.07	—	—	—	—	.17	.44	17
18	—	.33	.06	.10	.19	.17	—	—	—	.04	.04	.36	18
19	—	.19	—	.02	—	.33	—	—	.17	.25	.01	.55	19
20	.04	.02	.09	—	—	.01	—	—	.36	.10	—	.60	20
21	.01	.44	.02	.11	—	.01	—	.10	.05	.60	—	.25	21
22	.16	.05	.17	.02	—	.03	—	—	—	.35	—	.40	22
23	—	.14	.14	—	—	.09	—	—	.12	.09	.03	.20	23
24	.02	.22	—	—	—	.59	—	.12	—	.35	—	.21	24
25	—	.12	.01	.15	—	.09	—	.20	.03	—	—	.30	25
26	—	.06	—	.31	.01	—	—	—	—	.12	.01	.35	26
27	—	.47	.13	.12	—	—	—	.06	.08	.03	—	.23	27
28	—	.34	—	.31	—	—	—	.21	—	—	.09	—	28
29	—	—	—	1.04	—	.28	.06	—	.16	.49	—	—	29
30	—	—	—	.01	—	.20	—	—	—	.21	.04	.02	30
31	—	—	—	—	—	—	—	—	—	.03	—	—	31
Total	1.42	2.63	2.44	2.41	2.09	2.22	0.06	0.92	1.24	2.80	3.05	9.14	TOTAL for year 30.42 ✓
No. of Rain Days.	13	16	18	16	6	14	1	8	8	16	21	26	163 ✓

W. 8,000, X. '11.

REGI 911

FORM A2. BRITISH RAINFALL.

11 - FEB 1912

Kept at Gillingham

in the County of Dorset 4

by S. H. Stephens.

RAIN GAUGE:
Pattern Negretti
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 244 ft.

Time of Observation 9 am.

Nearest Railway Station: Name Gillingham
Distance 1/2 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	—	.04	.04	—	—	—	.01	—	—	.02	.04	1
2	.02	—	.02	.11	.31	—	—	.04	—	.02	.25	.16	2
3	—	—	—	.01	.26	—	—	—	—	—	.04	.14	3
4	—	.01	.08	.04	—	.06	—	—	—	.03	.16	.47	4
5	.07	—	—	.01	—	—	—	.18	—	.06	.16	—	5
6	.24	—	.22	—	—	—	—	—	—	.03	.03	.72	6
7	.02	—	—	.01	—	—	—	—	—	—	.33	—	7
8	09	—	.22	—	—	—	—	—	—	—	.07	.50	8
9	.14	—	.01	—	—	—	—	—	—	—	.06	.54	9
10	16	.09	.24	—	1.29	—	—	—	—	—	.01	.26	10
11	.35	—	—	—	.03	—	—	—	—	—	.80	.17	11
12	—	—	93	—	—	—	—	—	—	—	.02	.38	12
13	—	—	.03	—	—	—	—	—	.27	—	—	.65	13
14	—	.08	—	—	—	—	—	—	—	—	—	.75	14
15	—	.04	.01	—	—	.02	—	—	—	—	.24	.09	15
16	—	—	—	—	—	.27	—	—	—	—	.47	.36	16
17	—	.03	.02	—	—	.07	—	—	—	—	.17	.44	17
18	—	.33	.06	.10	.19	.17	—	—	—	.04	.04	.36	18
19	—	.19	—	.02	—	.33	—	—	.17	.25	.01	.55	19
20	.04	.02	.09	—	—	.01	—	—	.36	.10	—	.60	20
21	.01	.44	.02	.11	—	.01	—	.10	.05	.60	—	.25	21
22	.16	.05	.17	.02	—	.03	—	—	—	.35	—	.40	22
23	—	.14	.14	—	—	.09	—	—	.12	.09	.03	.20	23
24	.02	.22	—	—	—	.59	—	.12	—	.35	—	.21	24
25	—	.12	.01	.15	—	.09	—	.20	.03	—	—	.30	25
26	—	.06	—	.31	.01	—	—	—	—	.12	.01	.35	26
27	—	.47	.13	.12	—	—	—	.06	.08	.03	—	.23	27
28	—	.34	—	.31	—	—	—	.21	—	—	.09	—	28
29	—	—	—	1.04	—	.28	.06	—	.16	.49	—	—	29
30	—	—	—	.01	—	.20	—	—	—	.21	.04	.02	30
31	—	—	—	—	—	—	—	—	—	.03	—	—	31
Total	1.42	2.63	2.44	2.41	2.09	2.22	0.06	0.92	1.24	2.80	3.05	9.14	TOTAL for year 30.42 ✓
No. of Rain Days.	13	16	18	16	6	14	1	8	8	16	21	26	163 ✓

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

22 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Gillingham

in the County of Dorset 4

by S. H. Stephens

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Gillingham L+S.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	010	—	—	026	045	—	001	092	—	037	1
2	—	—	042	002	—	010	030	003	—	001	003	—	2
3	—	—	019	—	—	045	003	038	003	—	002	005	3
4	021	002	068	—	002	056	—	001	—	—	026	—	4
5	072	013	013	—	001	003	—	061	001	—	002	013	5
6	060	008	002	—	013	—	015	076	—	—	—	014	6
7	002	028	018	—	032	044	030	011	—	—	—	014	7
8	038	020	038	001	—	009	004	020	002	—	—	004	8
9	002	003	013	007	—	004	003	016	—	—	—	042	9
10	—	010	—	—	—	001	001	008	—	—	008	032	10
11	010	019	001	—	—	003	—	003	—	—	—	030	11
12	009	038	008	003	—	—	004	001	—	—	002	—	12
13	—	002	002	—	—	002	001	014	—	—	003	008	13
14	021	—	033	—	004	—	—	008	—	001	—	—	14
15	015	011	002	—	011	061	—	003	—	—	001	040	15
16	081	—	030	—	014	—	—	008	—	007	005	004	16
R+S. 17	1.25	—	014	—	001	003	—	058	—	—	—	005	17
R+S. 18	0.20	—	027	—	—	—	—	027	—	005	003	015	18
19	003	018	012	—	—	010	009	031	—	—	003	—	19
20	003	003	036	—	002	001	009	055	—	035	004	—	20
21	—	016	019	—	074	—	001	024	—	034	—	—	21
22	034	023	008	—	003	008	006	030	—	007	—	005	22
23	013	040	023	—	001	001	001	077	—	004	020	023	23
24	009	001	002	—	—	043	002	022	—	001	—	028	24
25	010	001	—	—	—	016	—	025	—	018	023	057	25
26	—	005	—	—	—	—	045	018	—	031	050	022	26
27	—	—	—	—	—	012	091	—	—	071	—	038	27
28	—	006	—	—	—	013	006	025	011	056	045	060	28
29	—	016	003	—	—	032	016	006	1.00	025	—	—	29
30	—		—	—	—	036	013	—	042	024	—	—	30
31	—		053		002		022	002		004		008	31
Total	5.48	2.83	4.96	013	1.60	4.39	3.57	6.71	1.60	4.16	2.00	5.04	YEAR'S TOTAL 42.47
Rain Days.	19	21	25	4	13	23	22	28	7	17	16	22	217

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
-9 FEB 19

REGISTER OF RAINFALL IN 1913

Exd [illegible]

Kept at Gillingham

in the County of Dorset 4

by S. H. Stephens

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Gillingham L.S.W.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~2~~ ft. 14 in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	022	009	003	—	007	—	—	026	001	028	036	1
2	002	009	001	014	003	—	—	—	004	005	014	003	2
3	010	—	003	008	049	—	—	—	—	009	—	020	3
4	078	—	001	—	047	—	—	—	1.39	025	003	015	4
5	013	003	002	—	—	007	—	—	041	—	007	015	5
6	007	005	006	—	038	020	013	—	001	063	007	075	6
7	001	021	001	—	028	004	—	001	—	038	019	001	7
8	—	004	—	—	027	005	006	—	—	005	—	001	8
9	—	005	—	—	004	006	004	026	006	—	009	—	9
10	012	—	006	—	001	—	—	001	—	013	040	—	10
11	065	—	—	028	—	—	—	—	—	036	058	—	11
12	—	002	—	—	036	—	—	—	001	005	038	002	12
13	007	—	010	—	—	—	—	001	025	—	019	—	13
14	017	001	016	002	003	004	—	—	004	—	031	—	14
15	022	007	028	061	—	—	013	004	008	—	006	—	15
16	021	—	036	007	—	—	001	—	014	—	—	—	16
17	—	001	002	005	—	—	001	—	001	—	001	—	17
18	010	—	018	011	001	—	—	—	—	—	005	—	18
19	081	—	015	—	008	016	002	—	053	—	—	—	19
20	002	—	005	004	—	—	—	—	—	027	019	—	20
21	—	—	026	030	002	—	003	—	—	013	073	002	21
22	070	—	026	—	—	—	—	004	026	—	—	—	22
23	—	—	~~002~~	—	—	008	—	—	—	—	003	071	23
24	003	—	—	009	—	—	—	007	—	—	005	—	24
25	—	025	—	014	—	—	—	—	—	—	—	005	25
26	—	002	—	035	—	—	—	027	—	002	—	032	26
27	004	—	023	010	—	—	—	—	—	018	—	001	27
28	009	—	017	031	—	—	—	—	—	022	—	003	28
29	012		057	063	009	—	—	005	—	026	—	001	29
30	046		—	—	—	—	—	001	—	035	—	—	30
31	023		005		—		—	090		003		—	31
Total	5.15	1.07	3.15	3.35	2.56	0.77	0.43	1.67	3.49	3.46	3.85	2.83	YEAR'S TOTAL 31.78
Rain Days.	22	13	23	17	14	9	8	11	14	18	19	16	184

W. 7,500, XI. 12

Ex. LMCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
18 FEB 1915

Kept at Gillingham

in the County of Dorset 4

by S. H. Stephens

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Gillingham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	009	—	—	—	007	047	—	—	015	003	1
2	—	—	003	001	—	—	087	004	—	—	099	020	2
3	—	—	024	017	033	—	025	—	—	—	016	005	3
4	007	—	003	015	002	—	020	076	—	—	047	049	4
5	009	—	025	032	011	—	040	011	—	—	045	002	5
6	—	027	003	028	002	001	—	003	—	—	002	022	6
7	—	053	002	020	014	001	023	008	—	—	001	025	7
8	008	002	048	001	020	011	—	027	004	—	—	006	8
9	017	—	034	027	005	065	—	010	041	—	—	002	9
10	003	023	003	006	008	001	—	001	034	—	001	001	10
11	—	019	064	001	008	012	020	—	036	—	005	045	11
12	—	013	018	—	—	—	—	—	027	—	—	032	12
13	—	029	031	—	—	—	—	—	008	025	038	036	13
14	—	018	015	—	—	012	013	040	001	027	026	018	14
15	001	—	014	—	—	—	085	047	007	006	011	—	15
16	—	—	—	—	—	—	007	—	018	—	—	—	16
17	—	046	022	—	—	—	001	—	—	—	—	046	17
18	—	—	012	—	—	—	006	—	001	—	—	047	18
19	—	009	067	—	—	—	1.21	—	004	—	010	010	19
20	—	038	014	—	—	002	—	—	—	—	—	045	20
21	—	088	001	—	—	001	—	—	—	016	—	003	21
22	—	—	—	—	035	005	002	003	—	075	—	—	22
23	—	014	021	—	004	009	002	—	—	014	—	004	23
24	—	—	004	—	005	—	035	—	—	018	014	—	24
25	008	—	036	—	001	—	009	027	—	024	006	033	25
26	—	—	—	—	—	—	005	006	—	004	026	053	26
27	011	—	—	—	—	—	—	—	—	002	011	016	27
28	002	009	023	—	001	—	037	—	—	001	021	092	28
29	031		011	—	013	—	—	—	—	025	029	—	29
30	—	×	007	—	—	—	—	—	—	018	034	084	30
31	005	×	—	×	—	×	010	—	×	061	×	020	31
Total	1.02	3.88	5.14	1·48	1.62	1.20	5.55	3.10	1.81	3.16	4.57	7.19	YEAR'S TOTAL 39.72
Rain Days.	11	14	26	10	15	11	20	14	11	14	20	26	192

W. 8,000. X. 14.

1772

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

9 MAR 1916

Kept at Gillingham
in the County of Dorset
by S. H. Stephens

Lat. .... Long. ....
Time of Observation 9 a. m
Nearest Railway Station Gillingham L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	070	029	—	—	002	—	—	028	019	030	004	018	1
2	072	026	022	011	—	004	—	058	—	016	—	049	2
3	017	006	015	005	007	—	001	004	—	009	—	038	3
4	001	001	—	—	—	—	—	—	—	—	—	024	4
5	008	068	—	011	—	—	—	009	—	—	—	033	5
6	069	011	—	035	—	—	062	006	—	—	—	024	6
7	034	038	—	006	—	—	034	—	—	—	—	033	7
8	016	046	—	—	—	—	—	006	—	—	—	~~000~~	8
9	001	003	—	025	—	—	—	002	—	—	040	059	9
10	029	—	004	005	—	—	—	012	—	002	—	014	10
11	005	—	005	003	—	—	—	060	—	—	066	003	11
12	016	053	—	012	060	—	—	018	—	013	031	—	12
13	002	067	—	—	075	—	—	008	013	—	003	003	13
14	003	—	—	—	—	—	025	025	011	—	—	079	14
15	015	029	—	—	018	—	009	001	001	005	003	025	15
16	—	066	—	—	032	—	1.00	030	001	—	—	005	16
17	—	024	—	—	040	—	—	008	—	—	—	—	17
18	—	025	001	—	008	—	—	—	—	—	—	—	18
19	—	003	—	—	007	—	017	—	—	—	—	—	19
20	035	—	—	007	004	—	—	—	—	—	—	008	20
21	009	006	—	—	—	—	008	—	—	049	—	037	21
22	009	023	050	007	—	—	079	—	—	002	—	023	22
23	—	008	012	—	—	—	011	—	018	1.88	—	032	23
24	—	—	—	007	—	—	024	—	048	079	—	040	24
25	—	—	003	005	—	008	048	—	013	001	—	024	25
26	—	007	—	—	—	008	018	—	—	—	—	074	26
27	—	011	—	—	—	015	015	—	—	039	—	002	27
28	—	010	—	—	—	010	—	—	073	004	—	—	28
29	—		—	—	—	041	006	008	005	—	021	004	29
30	011	X	—	—	—	007	—	—	—	0.75	037	024	30
31	003	X	—	X	—	X	001	—	X	1.12	X	033	31
Total	4.25	5.60	1.12	1.39	2.53	0.93	4.58	2.83	2.02	6.24	2.05	7.08	YEAR'S TOTAL 40.62
Rain Days.	20	22	8	13	10	7	16	16	10	15	8	25	170

W. 8,000. X. 15.

End PW

1731

FORM A.
BRITISH RAINFALL.
6. FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Gillingham
in the County of Dorset
by S. H. Stephens

Lat. .... Long. ....
Time of Observation 9 a. m
Nearest Railway Station Gillingham
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	018	001	001	—	048	003	002	—	030	042	032	—	1
2	023	010	001	—	002	—	—	—	001	036	005	—	2
3	002	096	—	—	002	—	—	—	007	046	030	—	3
4	019	030	—	—	010	038	027	—	022	003	088	—	4
5	013	007	003	—	041	037	—	—	—	006	063	—	5
6	003	016	011	—	003	—	086	—	—	021	080	—	6
7	004	004	020	—	015	002	048	—	—	003	061	018	7
8	001	016	002	—	025	—	—	—	—	—	005	012	8
9	—	—	—	—	023	014	002	—	—	011	007	022	9
10	003	060	—	009	005	002	016	—	—	—	002	010	10
11	002	—	005	013	—	021	—	—	—	—	—	—	11
12	009	002	003	014	011	—	008	—	—	020	—	—	12
13	—	027	017	004	—	—	—	038	—	—	001	—	13
14	003	041	002	005	010	—	—	022	—	006	—	—	14
15	001	018	013	005	—	—	—	017	—	—	—	—	15
16	004	006	—	023	004	—	001	1·12	—	006	—	—	16
17	017	027	—	014	—	—	—	007	037	064	022	—	17
18	—	022	014	017	—	—	—	—	005	006	022	031	18
19	004	001	047	015	—	—	—	—	—	—	023	008	19
20	018	004	039	001	—	—	—	—	—	—	010	154	20
21	002	006	016	—	008	—	—	—	—	—	001	038	21
22	003	001	—	—	—	004	—	—	—	044	—	042	22
23	—	015	—	007	—	010	—	015	—	013	017	021	23
24	—	002	002	002	043	021	—	003	—	038	006	020	24
25	—	075	009	—	001	—	—	051	—	—	015	—	25
26	—	008	006	—	—	030	—	038	058	069	—	—	26
27	002	007	123	—	—	016	005	2·48	083	040	—	—	27
28	—	021	004	—	—	—	—	010	057	026	003	022	28
29	—	043	001	—	—	030	—	166	047	033	003	020	29
30	—	X	005	—	—	—	—	002	—	060	—	002	30
31	—	X	—	X	—	X	—	007	X	017	X	004	31
Total	1·51	5·61	3·44	1·29	2·51	2·23	1·95	7·36	3·47	6·10	4·96	4·24	YEAR'S TOTAL 44·67
Rain Days.	20	27	22	13	16	13	9	14	10	22	21	15	202

W. 8,000, VIII. 16

1654

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

Kept at The Mill, Gillingham
in the County of Dorset
by Mrs S. H. Stephens

Lat. Long.
Time of Observation 9 a.m. Summer time 10 a.m.
Nearest Railway Station Gillingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	.00	.015	.18	.00	.14	.00	.64	.04	.00	.11	.00	1
2	.00	.00	.00		.00	.02	.00	.08	.00	.02	.02	.00	2
3	.00	.00	.00	.15	.00	.00	.41	.02	.00	.18	.02	.00	3
4	.00	.16	.20	.00	.00	.06	.03	.04	.02	.34	.00	.00	4
5	.29	.00	.20	.28	.00	.00	.00	.04	.20	.23	.13	.00	5
6	.00	.00	.28	.14	.00	.00	.00	.00	.00	.05	.12	.02	6
7	.34	.00	.00	.02	.00	.00	.14	.14	.00	.44	.00	.00	7
8	.44	.00	.14	.00	.00	.00	1.65	.81	.08	.33	.18	.05	8
9	.00	.00	.05	.00	.01	.00	.00	.13	.03	.09	.24	.00	9
10	.14	.00	.30	.22	.00	.00	.00	.12	.00	.00	.00	.00	10
11	.05	.00	.42	.29	.00	.00	.00	.00	.00	.34	.02	.00	11
12	.00	.00	.00	.00	.42	.00	.00	.00	.00	.43	.02	.00	12
13	.00	.00	.19	.26	.00	.02	.00	.20	.04	.00	.00	.00	13
14	.00	.00	.26	.15	.00	.00	.24	.02	.00	.00	.00	.00	14
15	.00	.00	.00	.00	.00	.00	.08	.04	.01	.28	.00	.34	15
16	.00	.14	.00	.15	.00	.00	.00	.01	.00	.58	.02	.31	16
17	.04	.02	.00	.21	01.2	.00	.38	.04	.80	.19	.00	.00	17
18	.00	.02	.10	.00	.00	.08	.21	.00	.34	.00	.00	.00	18
19	.01	.43	.00	.00	.00	.01	.00	.00	.11	.00	.03	.00	19
20	.00	.05	.09	.00	.21	.13	.00	.36	.04	.00	.03	.00	20
21	.00	.00	.24	.00	.00	.06	.00	.00	.00	.09	.00	.00	21
22	.00	.01	.06	.00	.00	.00	.00	.08	.00	.15	.00	.00	22
23	.00	.20	.00	.00	.00	.00	.00	.24	.00	.00	.00	.10	23
24	.00	.09	.00	.00	.00	.00	.03	.16	.08	.25	.03	.00	24
25	.00	.04	.03	.00	.00	.00	.00	.10	.00	.03	.00	.00	25
26	.00	.00	.05	.00	.29	.03	.00	.59	.14	.01	.04	.00	26
27	.00	.00	.00	.00	1.25	.12	.00	.89	.00	.02	.00	.01	27
28	.00	.00	.11	.00	.00	4.44	.00	.59	.00	.00	.00	.00	28
29	.00		.14	.00	.00	.04	.05	.02	.00	.44	.00	.13	29
30	.00		.22	.00	.00	.00	.40	.04	.00	.08	.00	.00	30
31	.00		.10		.00		.00	.02		.18		.04	31
Total	1.34	1.16	3.39	2.05	2.30	5.25	4.32	5.60	1.99	5.14	1.44	1.03	YEAR'S TOTAL 34.61
Rain Days.	4	10	20	12	6	12	11	25	13	22	14	8	159

W. 8,000, IX. 17.

1.49

Smady

Good ?e

71

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
13 1 19

Kept at Gillingham
in the County of Dorset
by Mrs S H Stephens

Lat. 51. 1 N Long. 2.12 W
Time of Observation 9 a.m. 10 Summer time
Nearest Railway Station Gillingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	000	·00	·00	·00	·06	·00	·00	·65	·01	·00	·00	·03	1
2	000	·05	·00	·31	·00	·00	·00	·34	·10	·01	·82	·11	2
3	000	·07	·02	·15	·15	·00	·00	·18	·02	·03	·05	·02	3
4	000	·04	·07	·02	·00	·00	·00	·09	·10	·08	·02	·15	4
5	·00	·03	·00	·04	·05	·00	·00	·30	·24	·16	·70	·04	5
6	22	·24	·00	·07	·00	·00	·00	·01	·12	·09	·02	·08	6
7	00	·16	·00	·00	·45	·00	·00	·02	·20	·04	·00	·03	7
8	00	·22	·00	·20	·00	·00	·00	·00	·15	·26	·39	·04	8
9	00	·12	·00	·00	·00	·29	·51	·00	·55	·13	·00	·33	9
10	12	·00	·00	·00	·00	·00	·44	·00	·12	·26	·00	·46	10
11	00	·00	·00	·00	·00	·00	·82	·00	·17	·02	·00	·10	11
12	00	·06	·00	·01	·42	·00	·20	·00	·15	·06	·03	·01	12
13	33	·00	·00	·00	·18	·00	·80	·00	·84	·11	·00	·10	13
14	11	·00	·03	·00	·01	·18	·00	·00	·14	·01	·00	·15	14
15	1·17	·00	·00	·35	·00	·03	·42	·00	·02	·00	·00	·16	15
16	·48	·00	·05	·15	·00	·00	·01	·00	·22	·00	·00	·09	16
17	·31	·00	·00	·00	·00	·00	·28	·00	·05	·00	·00	·18	17
18	·75	·00	·00	·03	·00	·55	·19	·01	·15	·00	·00	·36	18
19	·13	·02	·13	·00	·00	·00	·14	·00	·00	·00	·00	·10	19
20	·04	·10	·00 ·50	·20 ·30	·00	·01	·20	·04	·20	·00	·00	·00	20
21	·09	·02	·00	·00	·00	·06	·04	·00	·40	·01	·00	·17	21
22	·03	·00	·00	·00	·03	·00	·59	·00	·08	·05	·00	·34	22
23	·20	·00	·00	·00	·30	·02	·58	·00	·11	·13	·04	·11	23
24	·00	·28	·00	·00	·00	·02	·09	·00	·14	·01	·28	·00	24
25	·00	·00	·00	·01	·00	·00	·40	·00	·00	·00	·03	·00	25
26	·00	·00	·00	·04	·00	·00	·69	1·24	·08	·00	·10	·31	26
27	·00	·22	·03	·00	·00	·00	·07	·00	·19	·02	·13	·03	27
28	·00	·04	·17	·00	·00	·01	·00	·19	·05	·01	·23	·10	28
29	·00		·05	·00	·00	·00	·00	·00	1·13	·00	·00	·02	29
30	·00	X	·54	·00	·00	·00	·00	·03	·02	·00	·07	·03	30
31	·00	X	·02	X	·00	X	·00	·08	X	·03	X	·00	31
Total	3·98 ✓	1·67 ✓	1·11 ✓	1·58 ✓	1·65 ✓	1·17 ✓	6·17 ✓	3·18 ✓	5·75 ✓	1·52 ✓	2·91 ✓	3·65 ✓	YEAR'S TOTAL 34·34
Rain Days.	13	15	10	13	9	9	18	13	28	20	14	27	189

W, 6,500, VII. 18. W W C

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.06			.65	.01		.82	.03	1
2		.05		.31				.34	.10	.01	.05	.11	2
3		.07	.02	.15	.15			.18	.02	.03	.02	.02	3
4		.04		.02				.09	.10	.08	.70	.15	4
5		.03	.07	.04	.05			.30	.24	.16	.02	.04	5
6	.22	.24		.07				.01	.12	.09		.08	6
7		.16			.45			.02	.20	.04	.39	.03	7
8		.22		.20					.15	.26		.04	8
9		.12				.29	.51		.55	.13		.33	9
10	.12						.14		.12	.26		.46	10
11							.82		.17	.02	.03	.10	11
12		.06		.01	.42		.20		.15			.01	12
13	.33				.18		.80		.84	.06		.10	13
14	.11		.03		.01	.18			14	.11		.15	14
15	1.17			.38		.03	.42		.02	.01		.16	15
16	.48		.05	.15			.01		.22			.09	16
17	.31						.28		.05			.18	17
18	.75			.03		.55	.19	01	.15			.36	18
19	.13	.02	.13				.14					.10	19
20	.04	.10		.20		.01	.20	.04	.20				20
21	.09	.02				.06	.04		.40	.01		.17	21
22	.03				.03		.59		.08	.05		.34	22
23	20				.30	.02	.58		.11	.13	.04	.11	23
24		.28				.02	.09		.14	.01	.28		24
25				.01			.40	1.24			.03		25
26				.01			.69		.08		.10	.31	26
27		.22	.03				.07		.19	02	.13	.03	27
28		.04	.17			.01		.19	.05	01	.23	.10	28
29			.05						1.13			02	29
30			.54					.03	02		07	03	30
31			.02					.08		.03			31
Total	3.98	1.67	1.11	1.58	1.65	1.17	6.17	3.18	5.75	1.52	2.91	3.65	YEAR'S TOTAL 34.34
Rain Days	13	15	10	13	9	9	18	13	28	20	14	27	189

W, 6,500, VII. 18. W W C

1558

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Town Mill Gillingham
in the County of Dorset
by Mrs S H Stephens

Lat. 51. 1N Long. 2.12 W
Time of Observation 9 a m
Nearest Railway Station Gillingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	.01	.13	.02	.13	— —	.34	— —	.36	.12	— —	1.01	1
2	.13	— —	— —	.03	.10	— —	— —	— —	.06	— —	.03	.19	2
3	1.04	— —	.26	.03	.06	— —	.01	— —	.20	— —	.04	.30	3
4	.17	.20	.68	— —	— —	— —	— —	— —	.26	— —	— —	.07	4
5	.01	.47	.39	— —	.10	— —	.02	.11	.31	— —	.08	.49	5
6	.65	.06	.14	— —	.09	— —	.25	— —	— —	— —	.04	.28	6
7	.19	— —	.36	— —	— —	— —	— —	— —	— —	— —	— —	— —	7
8	.29	— —	.22	.09	— —	— —	— —		— —	— —	— —	— —	8
9	.05	— —	.04	— —	.03	— —	— —	— —	— —	— —	.09	.01	9
10	.13	— —	.25	.12	— —	— —	— —	— —	— —	.02	— —	.24	10
11	.02	— —	.11	.05	.13	— —	— —	— —	— —	— —	— —	— —	11
12	.07	— —	— —	.17	— —	— —	.25	— —	— —	.08	.10	.02	12
13	.05	.02	.03	.07	— —	.02	.06	— —	— —	.01	— —	.14	13
14	.49	.06	— —	.32	03	— —	.04	— —	.02	.03	— —	.08	14
15	.19	.03	— —	.54	— —	— —	.08	— —	— —	.09	— —	.39	15
16	.05	.64	— —	.02	~~.03~~	— —	— —	— —	— —	— —	.20	.02	16
17	— —	.17	— —	— —	— —	— —	— —	.03	— —	— —	.32	.01	17
18	— —	.04	— —	— —	— —	— —	— —	— —	01	— —	.30	03	18
19	.50	.22	.61	— —	— —	— —	.03	— —	.27	— —	.22	.06	19
20	.21	.05	.84	— —	— —	.03	.69	.22	— —	— —	— —	.06	20
21	— —	.70	.05	— —	— —	.27	— —	.19	.02	— —	— —	.13	21
22	— —	.02	— —	— —	— —	— —	.41	— —	.63	— —	.01	.42	22
23	— —	— —	— —	— —	— —	— —	.19	— —	— —	.18	— —	.16	23
24	— —	— —	.01	— —	— —	— —	— —	01	— —	1.03	.08	.38	24
25	.13	— —	— —	.03	— —	.19	— —	.28	— —	— —	.02	.19	25
26	.03	.09	— —	.10	— —	.03	— —	.19	.08	— —	— —	.27	26
27	.10	— —	.10	.11	— —	— —	— —	.56	— —	— —	— —	.06	27
28	.03	— —	— —	.38	— —	— —	.02	.74	— —	— —	.68	.38	28
29	.91		.48	— —	— —	— —	— —	.09	— —	.10	— —	.02	29
30	— —	✕	— —	.03	— —	.13	— —	.80	— —	.02	.50	.49	30
31	— —	✕	02	✕	— —	✕	— —	01	✕	— —	✕	.48	31
TOTAL	5.02	2.78	4.72	2.11	.67	.67	2.39	3.23	2.22	1.68	2.71	6.38	YEAR'S TOTAL 34.58
Days with ·01 in. or more	23	15	18	16	8	6	13	12	11	10	15	28	17~~4~~5

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 1473

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

30 MAR 21

Kept at Town Mills Gillingham

in the County of Dorset

by Mrs S. H. Stephens per Bays

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·20	·25		·45	·11	·10				1
2	·20	·09		·15			·37	·77	·07				2
3	·04	·10		·07			·73		·01				3
4			·04	·07			·39	·26					4
5				·04	·10		·54	·47					5
6			·15	·01	·19		·15						6
7	·08		·04	·59	·01		·27						7
8	·12	·11		·20	·03		·43						8
9	·71	·08	·02	·04		·07	·02						9
10	·45	·22	·13	·12		·35	·35						10
11	·33		·08	·55	·27	·07	·20						11
12	·29	·03		·37	·01	·54							12
13	·17	·03	·50	·13									13
14	·12	·02	·24	·63			·02		·16				14
15	·04	·08	·06	·30	·02	·25	·14		·01				15
16			·11	·25		·01	·02		·13				16
17	·03		·01	·28	·24		·02		·22				17
18	·06		·02	·02	·07	·06		·39	·17				18
19	·05			·26		·18			·09				19
20	·12	·11		·11		·48							20
21							·26						21
22	·01			·14			·04	·02					22
23							·62						23
24			·12		·16								24
25	·02	·05	·12		·04		·37						25
26	·15		·17				·17						26
27	·42	·02	·08	·31	·01	·16	·01						27
28	·70	·01	·04	·11	·11		·07						28
29	·35	·01	·18		·04	·01							29
30	·10			·02	·11	·26	·27		·40				30
31	·09		·19										31
Total	4.65	·96	2.33	4.97	1.66	2.44	5.94	2.02	1.36				Year's Total
Days with ·01 in. or more	23	14	20	24	16	12	23	6	10				
Days with ·04 in. or more	20	8	16	21	11	10	18	5	8				

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Stilwell ✓

GUSSAGE

ST MICHAEL MANOR

DORSET

1911 —— 1920

FORM A2.
BRITISH RAINFALL.

JAN 1912

ll

rowdon

Kept at Guss

in the County of

by Miss Ell

p 5 in.

bove Ground 1 ft. in.

„ Sea Level 200 ft.

9 a.m.

Name Verwood

Distance 7 Direction

IMPORTANT ... nd the result entered to the previous day. If a ... niversal rule, he is earnestly requested to add the ... year in the space provided for it at the end of ... ement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·07							·01	·1	1
2				·27	·45			·04		·04	·26	·27	2
3				·08	·15						·11	·08	3
4											·24	·59	4
5	·06					·57		·07		·18	·03	1.00	5
6	·42		·19							·17	·02	·14	6
7											·51		7
8	·05		·25								·14	·65	8
9	·09										·04	·46	9
10	·06	·07	·41		·69						·01	·41	10
11	·57				·06						·88		11
12			·86								·11	·27	12
13									·30			·48	13
14		·06										·35	14
15		·02	·06								·2		15
16						·35					·57	·48	16
17											·56	·57	17
18		{·27	·09			{·61				·05	·03	·55	18
19									{·14	·3	·02	·3	19
20	·07		·17					·08		·01		·44	20
21		·19								·73		·15	21
22	·14	·09	·23	·05		·27				·24		·45	22
23		·24				·14			·25	·15	·08	·45	23
24		·18				·40		·11		·43		·15	24
25		·06		{·37				·10	·09			·07	25
26		·56			·30					·29		·43	26
27				·13				·02	·08	·28		·21	27
28				·43				·12				·15	28
29				·27			·13	·02	·14	·36			29
30					·12					·22		·01	30
31										·04			31
Total	1·51	1·74	2·26	1·67	1·77	2.34	·13	·56	1.00	3·49	3·82	9·21	TOTAL for year 2950
No. of Rain Days	9	11	8	9	6	7	1	8	7	15	18	26	125

9,000, IX. '10.

Stilwell

FORM A2.
BRITISH RAINFALL.

JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Gussage St Michael

in the County of Dorset

by Miss Ellen Good

Rain Gauge: Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 200 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Verwood
Distance 7 Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·07							·01	·1	1
2				·27	·45	—		·04	—	·04	·26	·27	2
3				·08	·15						·11	·08	3
4											·24	·59	4
5	·06					·57		·07		·18	·03	1.00	5
6	·42		·19							·17	·02	·14	6
7											·51		7
8	·05		·25								·14	·65	8
9	·09										·04	·46	9
10	·06	·07	·41		·69						·01	·41	10
11	·57	—			·06						·88		11
12			·86								·11	·27	12
13									·30			·48	13
14		·06										·35	14
15		·02	·06								·2		15
16						·35					·57	·48	16
17											·56	·57	17
18		{·27	·09			{·61				·05	·03	·55	18
19									{·14	·3	·02	·3	19
20	·07		·17			—		·08		·01		·44	20
21		·19								·73		·15	21
22	·14	·09	·23	·05		·27				·24		·45	22
23		·24				·14			·25	·15	·08	·45	23
24		·18				·40		·11		·43		·15	24
25		·06		{·37				·10	·09			·07	25
26		·56			·30					·29		·43	26
27				·13				·02	·08	·28		·21	27
28				·43				·12				·15	28
29				·27			·13	·02	·14	·36			29
30					·12					·22		·01	30
31										·04			31
Total	1·51	1·74	2·26	1·67	1·77	2·34	·13	·56	1·00	3·49	3·82	9·21	TOTAL for year 29·50
No. of Rain Days	9	11	8	9	6	7	1	8	7	15	18	26	125

9,000, IX. '10.

S made ✓

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
JAN 1 1913

Kept at Gussage St Michael Manor

in the County of Dorsetshire 4

by (Miss) Ellen Good

RAIN GAUGE { Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. 4½ in.
" " " Sea Level 200 ft.

Time of Observation 9. a m

Nearest Railway Station { Name Verwood
Distance 7 mile Direction S E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
- .03 -

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.09			.32	.47		.01	.60		.38	1
2			.25	.02		.03	31			.01	01		2
3			.13	[illegible]		.40	01	.70	.01	02	02	10	3
4	.11	[illegible]	85	01		.45		05			}		4
5	.47	.14	.22			51		85			.24 }	14	5
6	60	.05	.05		.17		14	39			07	03	6
7		39	.11		31		01	09				11	7
8	.59	26	06			32		09				02	8
9	.04	.03	10	10		17	04	10				44	9
10		12	03			02	01	21			08	39	10
11		.11				06		25				41	11
12	.15	46	08		57	08	05	26			02	07	12
13		04					04	03				07	13
14	.21		.24					16		01			14
15	.19	.21	.01		.05	.60		01		01		33	15
16	.90	02	.39		12	05		11		02	01		16
17	note .93		.24					91				06	17
18	10		21					36				04	18
19		.13	20			02	Note	74			01		19
20	.05	.08	.47		.09	.03	.10	20		25	03		20
21		14	.35		23			08		01			21
22	27	.45	03		05	08		19				07	22
23	.16	.23	23				.04	66		11	25	20	23
24	26	06				16	02	21		12		25	24
25	20					31		24			24	57	25
26		.06					.47	21		49	61	29	26
27		.01				.15	25			69		36	27
28		.06					.23	61	26	79	56	46	28
29		18				09	16	06	1.37	43		02	29
30			.11			23	07	02	.55	40			30
31			55				32			04		08	31
Total	5.23	3.23	5. .	. 13	1.59	4.08	2.74	7.79	2.20	4. .	2.15	4.89	TOTAL for year 43.03
No. of Rain Days.	16	21	23	3	8	20	19	27	5	16	14	23	195.

W. 8,000, X. '11.

Smo
Dorset Fc. ca
Ovs
Walter x
July 10
19.3.14

July 10 est^d. 17.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Gussage St Michael Manor
in the County of Dorset 4
by Miss Ellen Good

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Verwood
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
„ „ „ „ Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. none

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.19	.14	.11					.56		.38	.17	1
2		.09		.03					.02	.40	.19	.03	2
3	.17		.01	.07	.53							.13	3
4	1.03		.04		.53				1.53	.33	.09	.07	4
5	.18	.05			.08	.05	.15		.77		.21	.09	5
6	.04	.11	.08		.11	.16	.12			.90		.64	6
7	.02	.38			.37	.11				.35	.22		7
8		.10			.27	.02	.05			.12			8
9		.8			.05		.15	.40	.04		.15		9
10	.13				.06		X (·25)			.26	.70		10
11	.95			.27	.09					.10	.68		11
12					.70						.60	.06	12
13	.16		.05						.36		.17		13
14	.30		.18			.03			.05		.16		14
15	.20	.14	.32	.58			.38		.18		.02		15
16	.27		.35			.06			.02				16
17	.04			.04							.04		17
18	.01		.37	.06			.02				.10		18
19	.75		.03		.08	.15			.33				19
20	.08		.07	.28						.39	.20		20
21			.33	34	.01					.04	87		21
22	.63		.17					.17	.27			.07	22
23			.16			.07					.04	.77	23
24	.03	.04		.15				.04					24
25		.18		.16									25
26		.01		.57				.25	.02	.10		.29	26
27	.02		.24	.10						.04			27
28	16		.06	.19						.54		.01	28
29	16		.39	.41	.08			.10		.48			29
30	52									.68			30
31	.05		.04					1.47		.03			31
Total	5.93	1.37	3.03	3.36	2.96	.65	(1·12) ~~.87~~	2.43	4.15	4.76	4.82	2.33	YEAR'S TOTAL 36.91
Rain Days.	23	11	18	15	13	8	7	6	12	15	17	11	156

36-91

W.7,000, XI. 13

Ex LMC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Gussage Manor

in the County of Dorset 4

by Miss Ellen Good

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Verwood

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .40

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.12					.37			.25	.14	1
2		.01	.01		.02		.27	.02			2.17	.18	2
3			.09	.10	.45		.10	.04			.02	.02	3
4	.11			.24	.16		.11	1.03			.68	.36	4
5	.04		.11	29	.16		.43	1.04			.78		5
6	.01	.28	.01	.09			.01	.04			.02	.40	6
7	.01	63	.04	.13			.13	.11	.01			.40	7
8	.04	.14	.44		.14			.23	.02			.04	8
9	.04	.01	.36	25	.02	.05		.01	.52			.38	9
10	.05	.61		11	23	.14			.32			.01	10
11		22					.37		.15		.09	.59	11
12		.06	.63			.01			.34	.11	.01	52	12
13		55	.19						.08	.05	.22	68	13
14		.32	.27			.32	.27	40		.34	.32	25	14
15	.06		.36				.29	.31	.03	.03			15
16			.20				.09		.31				16
17		.41										.65	17
18			.19			.09	.13					.60	18
19		.08	.10				1.15		.03		.08	.15	19
20		.73	.49			.14				.26		.30	20
21		.83	21			.04		.01				.02	21
22		.06			.29	.06	.13			.17			22
23		.13			.01	.08	.05			.20			23
24		.03	.31				.10			.09	.08		24
25	.08		.07		.03		.23	.35		.30	.03	.19	25
26			.45				.08	.25		.05	.30	.77	26
27	07									.01	.22	.41	27
28			.03		.02		.01				.26	1.12	28
29	.29		.26		.08					.27	.53	.03	29
30	.02	✕	.22			.05				.16	.82	.75	30
31	.16	✕	11	✕		✕	.07		✕	.96	✕	.07	31
Total	.98	5.10	5.27	1.21	1.61	.98	4.02	4.21	1.81	3.00	6.88	9.03	YEAR'S TOTAL 44.10
Rain Days.	13	17	24	7	12	10	19	14	10	15	18	25	184

W. 8,000. X. 14.

1763

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Gussage Manor
in the County of Dorset 4
by Miss Ellen Good

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Verwood
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .16

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	27			03			02	.64	29		.31	1
2	38	22	22	07		08		47	04	28		.36	2
3	53	05	12	04	12			03		06		.32	3
4	02											35	4
5	08	91		04				14				61	5
6	62	16		50			62	02				18	6
Snow 7	33	65		07	73		23					23	7
8	05	56				01		06			.03	03	8
9		10		34							41	66	9
10	28	01	01	06						02		17	10
11	11		02	09						01	78	04	11
12	14	65		09	54			06		05	33		12
13	01	50			78				14		05		13
14	02	03					1.02	14	09			1.02	14
15	11	02			18		18	21		04	12	36	15
16		1.14			32		1 02	02				18	16
17		45			33			14				.02	17
18		19			03			09					18
19		02			17		15						19
20	30			12	20					01		05	20
21	03	40			01		07		04	56		42	21
22	10	13	38	08			80			01		29	22
23		04	14				19		.22	1.10		34	23
24			01	06			25		.54	2.28		63	24
25				04		03	09					15	25
26		15				06	20					83	26
27		04				11				.50		04	27
28		12				12			55	04		02	28
29						23	19				.26	10	29
30	16	X								.52	84	.33	30
31		X		X		X	.02	01	X	1.25	X	46	31
Total	3.67	6.81	.90	1.60	3.44	.64	5.03	1.41	2.26	7.02	2.82	8.50	YEAR'S TOTAL 44.10
Rain Days.	18	23	7	13	12	7	14	13	8	16	8	27	166.

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Gussage Manor
in the County of Dorset
by (Miss) Ellen Good

Lat. Long.
Time of Observation 9 a.m (Solar)
Nearest Railway Station Verwood
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. none

Date	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	.17	.05		.69				.62	.21	.30		1
2	.21	.22	.04		.06	.04			.02	.25	.07		2
3	.02	1.14				.01			.03	.66	.42		3
4	.28	.11			.10	.24			.30	.04	.75		4
5	.14	.06	.03		.29	.20	.24			.15	70		5
6		.12	.04		.09	.02	.83			.30	90		6
7	.04	.02	.25		.04	.06					1.04	.04	7
8		.08	.02		.26	.14					.05	.26	8
9					.01	.18	.02			.05	.03	.19	9
10		.65		.07	.01		.14				.02	.34	10
11			.02	.12		.13						.03	11
12	.11	.02	.01	.11	.11		.07			.11			12
13		.23	.12	.10				.12		.02			13
14		.50		.07	.09			22		.04			14
15		.14		.01						.03			15
16	.05	.09	.07	.19			.02	.47		.06			16
17	.25	.21		.13					.25	.95	.27		17
18	.02	.11	.14	.12					.06	.10	.13	.23	18
19	.09		.46	.07		.02					12	.07	19
20	.28	.10	.50	.29								1.81	20
21	.01	.10	.22									.49	21
22	.03				.10	.03				.35		.59	22
23		.03		.01		.18		.15			.28	.08	23
24					.33			.05		.40	.08	.29	24
25		.58	.13					.76	.04	.04	.10		25
26		.16	.09			.22		.10	.29	.68			26
27		.03	.88			.06	.21	.01	.55	56			27
28		.24	.05	.37				.11	.29	26	.08	.21	28
29		.54	.01			.35		1.92	.42	27	.04	.25	29
30		X						.74		68		.07	30
31		X		X		X		.04	X	26	X	.04	31
Total	1.69	5.65	3.13	1.66	2.18	1.88	1.53	4.09	2.87	6.47	5.33	4.99	YEAR'S TOTAL 41.47
Rain Days.	14	24	19	13	13	16	7	13	11	23	18	16	187

W. 8,000, VIII. 16

Amade

1649

FORM A.
BRITISH RAINFALL.
2

REGISTER OF RAINFALL IN 1917

Kept at Gussage Manor
in the County of Dorset
by Miss Ellen Good

Lat. Long.
Time of Observation 9 a m Solar
Nearest Railway Station Verwood
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
none

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.26		.14		.78	.04	.21	.10		1
2			.12	$ .47		.10		.06			.02		2
3	.01			$ .09				.04		.21	.13		3
4		$ .05	.33				.33			.28		.02	4
5	.16		.45	.31		.11		.06	.19	.23	.10		5
6											.11	.01	6
7	.43						.29	.10		.34	.01	.05	7
8	.66		$ .16	.16			.38	.64	.09	.31	.19	.16	8
9			.07				.04	.05	.04		.13	.01	9
10	.14		.41	$ .04	.02								10
11	.04		.45	.25	.02					.30	.01		11
12			.03	.20	.23					.27			12
13			.20	.03				.14	.02	.03			13
14			.09	.07			.03	.06					14
15							.06	.23		.12		.26	15
16	.01	.20		~~at~~ .21	.06		.01	.02		1.06		$ .63	16
17					.09		.42	.20	.67	.19			17
18		.07			.02	.11			.51				18
19		.35	.17			.17		.13	.21				19
20		.08	$ .15		.32	.06			.08		.02		20
21		.02	$ .14			.19				.02			21
22			.05				.29	.06		.08			22
23		.20			.15	.02		.13				.03	23
24		.37				.02	.07	.05		.21			24
25							.19	.02	.06	.04			25
26			.06		.83			.67	.09	.11			26
27					.85	.08		1.17					27
28			.04			1.33		.20			.02		28
29			.15			.06	.07			.75		.14	29
30	$ .02	✕	$ .23				.44	.08				.02	30
31		✕	.06	✕		✕	.01	.04	✕	.25	✕	.02	31
Total	1.47	1.34	3.37	2.09	2.59	2.39	2.63	4.93	2.00	5.01	.84	1.35	YEAR'S TOTAL 30.01
Rain Days.	8	9	20	12	10	12	14	22	11	21.	13	11	163.

W. 8,000, IX. 17.

EXMP

FORM A. BRITISH RAINFALL.

10

67

REGISTER OF RAINFALL IN 1919

Kept at Gussage Manor

in the County of Dorset

by Miss Ellen Good

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Verwood

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·44

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03		.03	.09			.76			.87	.03	1
2		.24		.21				.27				.11	2
3		.11	.11	.27	.33			.15		.03	.04	.03	3
4		.07						.20	.12		1.08	.12	4
5		.16		.04	.12			.37	.24	.24		.07	5
6	.03	.11		.16								.10	6
7		.19		.06	.39				.20	.10	.43	.17	7
8		25							.09	.34	.04		8
9		.01		.20		.18	.23			.18		.29	9
10	.28			.10			.44	02	.10	.14		.41	10
11				.01			.28		7	.04	.08	.08	11
12		.07			.47		.04		.23			.01	12
13	$ .38				.05		.59		.38	.07			13
14	.24		.04		.02	.12	.03		.26	.24		.14	14
15	1.38			.45	.03	.05	.24		.01	.01		.13	15
16	.51		.05	.14			.01		.22			.03	16
17	.21		.01	.13			.61		.66			.18	17
18	.76					.57	.07					.14	18
19	.10		.16	.03		.07	.19		.03	.03		.11	19
20	.03	.08		.18			.02		.30	.09			20
21	.22	.04					.02		.60	.14		.26	21
22	.11				.11		.83		.10	.01		.19	22
23	18				.09				.12	.02	.04		23
24		.27				.11	.05		.09	.02	.12		24
25	.05						.12	.55			.03		25
26		.06					.45				.11	.38	26
27	F 01	.05	.08			.02	.10	12	.06		.17	.04	27
28	F 01		.22					02	.04	.01	.12	.12	28
29									1.34			.01	29
30		X	.53							.09	.11		30
31		X	.12	X		X			X	.06	X		31
Total	4.50	1.74	1.32	1.91	1.70	1.12	4.32	2.46	5.26	1.86	3.24	3.15	YEAR'S TOTAL 32.58
Rain Days.	16	15	9	14	10	7	19	10	23	19	14	24	180

W. 8,000, IX. 17.

1554

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

8 JAN 20

Kept at Gussage St Michael Manor
in the County of Dorset
by Miss Ellen Good

Lat. Long.
Time of Observation 9. A. M.
Nearest Railway Station Verwood
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .11

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44		.12				.15		.08	.07	.08	1.03	1
2	.23								.40		.02	.05	2
3	1..07		.40		.08	.02			.19			.22	3
4	.31	.19	.77				✓	.04	.26		.04	.11	4
5	.01	.46	.72		.05						.11	.23	5
6	.56	.12	.17		14							.26	6
7	33		.43						.05	.02		.06	7
8	.39		27	{27}							.01		8
9	.08		.02						D02		.10		9
10	.06		.47	{21}	03							.38	10
11	11		15		15							.11	11
12	.08						.31			.04	✓ 08	.16	12
13	11	.03		.79			.02			.04			13
14	.66	.05		.21	04					.08		.22	14
15	.37	.06								.12		.55	15
16	.11	.99						.19			.16		16
17	.06	.21									.18	.02	17
18		✓ .16	.64				.03	.04	.01			.03	18
19	.61	.39	.97			.10	85	.20	08		.24	.03	19
20	.41					37		27			.11	.04	20
21	.13	.87					.17		03			.05	21
22							.13		30			.28	22
23										.15	.04	.02	23
24		.03				09	11			64	.06	28	24
25	.14			.05				.19				.28	25
26	.02		.13	.10				.04	06		21	.33	26
27	.11	.11	.02	23				1.20				.06	27
28		10	.43					.34			.65	.47	28
29				.01				.21				.07	29
30		X	.03	.11		12		.43		.07	57	.71	30
31		X		X		X			X		X	.42	31
TOTAL	6.40	3.77	5.74	1.98	.49	.70	1.77	3.15	1.48	1.23	2.66	6.47	YEAR'S TOTAL 35.84
Days with ·01 in. or more	23	14	16	11	6	5	9 8	11	~~10~~ 11	9	16	27	157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1468

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sussage St Michael Manor
in the County of Dorset
by Miss Ellen Goad

Lat. Long.
Time of Observation 9 A M
Nearest Railway Station Verwood
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .50

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11			.12	.31		.52	.08	.05	.31	.33	.48	1
2	.22			.11			.03	.23	.08	.09		.17	2
3		.07		.04			.79			.28		.03	3
4		08		.01			.37	.42		+✓ .66			4
5			.16	.21	.05		.49	.41		+✓			5
6				.07	.15		.27						6
7	.08			.35	.08		.68						7
8	.12	.06		.15	.14		.35	.01					8
9	.40	.04		.03		.06	.06						9
10	.68	+✓	.06	.10		.42	.48						10
11	.08	- .18	.10	.73		.07	.19					.03 8	11
12	.23	+✓	.02	.27		.70	.02				.02		12
13	.28	.04	.52	.03			.06						13
14	.06		.31	.63					.21	.38	.38		14
15	.04	.04	.07	.18	.08	.11	.05		.03	.37	.08		15
16		.01	.03	.03		.09	.04		.10				16
17	.03			.06	.30		.02		+✓ .32				17
18	.11			.05		.08	.03	.30	+✓				18
19	.03			.38			.84						19
20		.10		.21	.06	.48	.24					.17	20
21							.05		.04			.11	21
22	.11			.21			.01					.33	22
23	.01						.40					.35	23
24	.02	.03	.21		.03						.18	.07	24
25	.03	.01	.15	.02	.14		.53					.08	25
26	.14		.25			.04	.07				.08	.12	26
27	.50	.07	.11	.19	.01	.14	.03					.27	27
28	.56		.03	.07	.01	.02	.06				.04	+✓ .32	28
29	.65	.02	.14		.03	.02					.17	+✓ 10	29
30	.07	╳	.01	.01	.02	.04	.11		.35		.45	.44	30
31	.05	╳	.13	╳		╳	.10		╳	.38	╳	.26	31
Total	4.61	.75	2.30	4.26	1.41	2.27	6.89	1.45	1.18	2.47	1.73	5.28	Year's Total 32.60
Days with ·01 in. or more	24	~~15~~ 14	16	25	14	13	28	6	9	8	9	16	~~183~~ 182
Days with ·04 in. or more	19	~~9~~ 10	13	19	9	11	23	5	8	8	8	14	~~146~~ 147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGIST 2

DORS~~ET~~.

HERRINGSTON HOUSE.

1912 – 1913

FORM A.
BRITISH RAINFALL
22 JAN 1913

Kept at Herringston 0 a.m.

in the County of Dors Dorchester

believed in 5 inches

by Miss H. G. Wi

bove Ground ft. in.

Sea Level ft.

IMPORTANT NOTE.—R nd the result entered to the previous day. If an Observer universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	—	—	·14	—	—	·03	1·22	—	·33	1
2	—	—	·43	—	—	—	·12	—	—	—	·01	—	2
3	—	—	·09	—	—	·50	—	·62	·05	—	—	·04	3
4	·26	—	·62	—	—	·24	—	·02	—	—	·30	—	4
5	·91	·30	·19	—	·02	—	—	·55	—	—	—	·17	5
6	·48	—	—	—	·37	·16	—	·47	—	—	—	—	6
7	·02	·53	·30	—	·22	·68	—	·05	—	—	—	·35	7
8	·80	·20	·15	·01	—	—	—	—	—	—	—	·09	8
9	—	—	·20	·03	—	·03	·03	·23	—	—	—	·74	9
10	·05	·11	—	—	—	·03	—	·04	—	—	·07	·46	10
11	·07	·15	—	—	—	—	—	—	—	—	—	·66	11
12	—	·26	·45	·02	·20	—	·04	·40	—	—	—	—	12
13	—	—	—	—	—	·01	—	—	—	·02	·06	·07	13
14	·09	·02	·33	—	·10	—	—	·05	—	—	—	—	14
15	·27	·36	—	—	·02	·57	—	—	—	—	—	·47	15
16	1·51	—	·60	—	·10	—	—	·56	—	·15	·15	—	16
17	·52	—	·45	—	—	·21	—	·90	—	—	—	·03	17
18	·45	—	·13	—	—	—	—	·22	—	·02	—	—	18
19	·46	·07	·22	—	—	—	·07	·33	—	—	—	—	19
20	—	·13	·58	—	·22	—	·05	—	—	·30	—	—	20
21	—	·59	·36	—	1·15	·02	—	—	—	·20	—	—	21
22	·52	·45	·16	—	—	—	—	·30	—	·24	—	·27	22
23	·21	·34	·33	—	—	—	—	1·25	—	·12	·26	·22	23
24	·11	·06	—	—	—	·38	—	·09	—	—	—	·26	24
25	·31	·02	—	—	—	·04	—	·14	—	·37	·39	·62	25
26	—	—	—	—	—	—	·25	·10	—	·35	—	·23	26
27	—	·12	—	—	—	·18	·76	·02	—	·60	·29	·49	27
28	—	·08	—	—	—	·15	·21	·64	·13	·74	·78	·78	28
29	—	·10	—	—	—	—	·10	·20	1·30	·55	—	—	29
30	—		·05	—	·10	·02	·22	—	·73	·35	—	—	30
31	—		·63		—		·13	·05		·03		·16	31
Total	7·04	3·89	6·29	·06	2·50	3·36	1·98	7·23	2·24	5·26	2·31	6·44	YEAR'S TOTAL 48·60
Rain Days.	17	18	20	3	10	16	11	22	5	15	9	19	165

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
22 JAN 1913

REGIST 2

Kept at Herrington House
in the County of Dorset 3
by Miss H. G. Williams

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station Dorchester
Diameter of Rain Gauge believed in 5 inches
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	—	—	·14	—	—	·03	1·22	—	·33	1
2	—	—	·43	—	—	—	·12	—	—	—	·01	—	2
3	—	—	·09	—	—	·50	—	·62	·05	—	—	·04	3
4	·26	—	·62	—	—	·24	—	·02	—	—	·30	—	4
5	·91	·30	·19	—	·02	—	—	·55	—	—	—	·17	5
6	·48	—	—	—	·37	·16	—	·47	—	—	—	—	6
7	·02	·53	·30	—	·22	·68	—	·05	—	—	—	·35	7
8	·80	·20	·15	·01	—	—	—	—	—	—	—	·09	8
9	—	—	·20	·03	—	·03	·03	·23	—	—	—	·74	9
10	·05	·11	—	—	—	·03	—	·04	—	—	·07	·46	10
11	·07	·15	—	—	—	—	—	—	—	—	—	·66	11
12	—	·26	·45	·02	·20	—	·04	·40	—	—	—	—	12
13	—	—	—	—	—	·01	—	—	—	·02	·06	·07	13
14	·09	·02	·33	—	·10	—	—	·05	—	—	—	—	14
15	·27	·36	—	—	·02	·57	—	—	—	—	—	·47	15
16	1·51	—	·60	—	·10	—	—	·56	—	·15	·15	—	16
17	·52	—	·45	—	—	·21	—	·90	—	—	—	·03	17
18	·45	—	·13	—	—	—	—	·22	—	·02	—	—	18
19	·46	·07	·22	—	—	—	·07	·33	—	—	—	—	19
20	—	·13	·58	—	·22	—	·05	—	—	·30	—	—	20
21	—	·59	·36	—	1·15	·02	—	—	—	·20	—	—	21
22	·52	·45	·16	—	—	—	—	·30	—	·24	—	·27	22
23	·21	·34	·33	—	—	—	—	1·25	—	·12	·26	·22	23
24	·11	·06	—	—	—	·38	—	·09	—	—	—	·26	24
25	·31	·02	—	—	—	·04	—	·14	—	·37	·39	·62	25
26	—	—	—	—	—	—	·25	·10	—	·35	—	·28	26
27	—	·12	—	—	—	·18	·76	·02	—	·60	·29	·49	27
28	—	·08	—	—	—	·15	·21	·64	·13	·74	·78	·78	28
29	—	·10	—	—	—	—	·10	·20	1·30	·55	—	—	29
30	—		·05	—	·10	·02	·22	—	·73	·35	—	—	30
31	—		·63		—		·13	·05		·03		·16	31
Total	7·04	3·89	6·29	·06	2·50	3·36	1·98	7·23	2·24	5·26	2·31	6·44	YEAR'S TOTAL 48·60
Rain Days.	17	18	20	3	10	16	11	22	5	15	9	19	165

W. 7,500, XI. 12

Copied from Dorset Field Club.

Dorset Field Club.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

23 MAR 1914

Kept at Herringston House

in the County of Dorset. 3

by Miss H. F. Williams

R. Stevenson Henshaw.

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·37	·18	·14	—	—	—	—	·17	·08	·36	—	1
2	—	·08	—	·10	·11	—	—	—	—	—	·11	·08	2
3	·10	·02	·05	·07	·37	—	—	—	—	·14	—	·10	3
4	·88	—	·07	—	·22	·09	—	—	·25	·31	—	·06	4
5	·30	·08	—	—	·21	·18	—	—	1·00	·11	·30	·19	5
6	·04	·14	·06	—	·03	·20	·05	—	—	1·65	—	·62	6
7	·01	·44	·05	—	·45	·12	·11	—	—	·30	·31	·05	7
8	—	·40	—	—	·17	·03	·06	—	—	·02	·20	·13	8
9	—	·06	—	—	—	—	—	·08	—	—	—	·03	9
10	·50	—	—	—	·04	—	—	—	—	—	·40	—	10
11	·88	—	—	·08	·57	—	—	—	—	—	·34	—	11
12	—	—	—	—	·34	—	—	—	·60	·53	·62	—	12
13	·23	—	·05	·02	—	—	—	—	—	—	·35	—	13
14	·37	—	·12	—	·16	—	—	—	—	—	·04	·04	14
15	·43	·06	·45	·46	—	—	·20	·07	·67	—	—	·02	15
16	·16	—	·38	·08	—	—	—	—	·03	—	—	—	16
17	·08	—	—	·03	—	—	—	—	—	—	·03	—	17
18	1·13	—	·16	·09	—	·02	—	—	—	—	·04	—	18
19		—	·05	—	·03	—	·02	—	·54	·04	—	—	19
20	·17	—	·18	·37	—	·06	—	—	—	·30	·27	—	20
21	—	—	·27	·18	—	—	—	—	—	·14	·60	—	21
22	·42	—	·11	·20	—	—	—	·08	·25	·05	—	·06	22
23	—	—	·01	—	—	—	—	—	—	—	·14	·60	23
24	·04	—	—	·06	—	·07	—	—	—	—	·02	—	24
25	—	·16	—	·29	—	—	—	—	—	—	—	—	25
26	—	—	—	·22	—	—	—	·37	—	—	—	·30	26
27	·09	—	·35	·19	—	—	—	—	—	—	—	—	27
28	·33	—	·05	·43	—	—	—	—	—	·20	—	—	28
29	·17		·45	·34	—	—	—	·11	—	·23	—	—	29
30	·76		—	—	—	—	—	—	·34	·27	—	—	30
31	·16		—		—		—	·71		·27		—	31
Total	7·25	1·81	3·04	3·35	2·70	·77	·44	1·42	3·85	4·64	4·13	2·28	YEAR'S TOTAL 35·68
Rain Days.	22	10	18	18	12	8	5	6	9	16	16	13	153

ORM A. 2 METEOROLOGIC … ATION.

REGIS

1582

HOLTON HEATH
DORSET
1920 – ~~80~~

1923

Kept at Holton H … W

in the County of Dorset

by

… e 8 in.

… und 1 ft. – in.

… Level 64 ft.

IMPORTANT NOTE.—Rai … to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.2	-	0.3	2.4	6.5	-	14.0	0.9	0.5	7.5	7.5	13.8	1
2	3.6	-	-	2.4	-	-	3.1	5.8	2.2	4.8	-	3.1	2
3	0.4	0.8	-	0.4	-	-	28.2	-	0.1	7.6	-	0.5	3
4		1.8	0.4	-	-	-	3.3	11.2	-	5.7	-	0.0	4
5	-	-	4.7	3.4	-	-	9.4	3.5	-	5.6	-	0.0	5
6	-	0.2	2.7	-	6.8	-	7.1	-	-	-	-	0.0	6
7	0.3	0.2	-	4.5	0.7	-	8.4	-	-	0.2	-	0.0	7
8	1.1	1.2	-	1.3	1.1	-	10.4	0.5	-	0.1	-	0.0	8
9	8.4	-	1.0	1.1	-	1.1	0.2	-	-	-	-	0.0	9
10	28.8	1.0	1.3	2.2	-	8.3	14.0	-	-	-	-	0.0	10
11		-	2.2	16.4	5.6	4.5	4.3	-	-	-	-	0.0	11
12	3.8	0.7	-	4.2	-	9.8	-	-	-	0.2	1.6	0.7	12
13	5.3	0.2	9.5	1.6	-	-	-	-	-	0.2	1.0	0.0	13
14	0.6	0.1	10.3	11.3	-	-	-	-	7.3	9.3	11.1	0.0	14
15	0.5	0.6	1.0	1.9	1.2	10.2	-	-	0.8	15.5	0.9	0.0	15
16	-	0.2	0.3	1.2	-	0.2	1.5	-	4.5	0.5	-	0.0	16
17	2.4	-	-	2.7	7.3	-	0.3	-	9.8	-	-	0.0	17
18		0.3	0.5	0.7	2.5	2.0	-	9.2	0.6	-	-	0.0	18
19	0.4	-	-	7.1	-	4.6	-	-	1.9	-	-	0.1	19
20	0.3	0.9	-	4.5	-	13.8	-	-	-	-	-	3.2	20
21	-	-	-	-	-	-	8.0	-	0.1	-	-	6.0	21
22	1.5	-	-	3.3	-	-	0.2	-	0.9	-	-	8.4	22
23	0.1	-	-	-	-	-	5.3	-	-	-	-	10.6	23
24	0.3	0.6	5.6	-	-	-	-	-	-	-	0.3	3.1	24
25	0.5	0.9	1.3	-	2.1	-	12.0	-	-	-	-	0.2	25
26	3.4	-	6.3	-	-	-	-	-	-	-	2.4	2.7	26
27	11.3	-	1.2	0.6	-	1.4	8.9	-	-	-	-	5.5	27
28	13.2	0.2	1.0	0.2	-	-	1.3	-	-	-	-	1.7	28
29	12.0	0.3	4.1	4.5	-	-	-	-	-	-	6.6	9.4	29
30	2.3	✕	-	-	-	2.0	0.6	-	8.5	-	12.0	14.1	30
31	0.5	✕	2.2	✕	-	✕	-	-	✕	9.5	✕	5.8	31
TOTAL	103.2 ✓	10.2 ✓	55.9 ✓	77.9 ✓	33.8 ✓	57.9 ✓	140.5 ✓	31.1 ✓	37.2 ✓	~~66.5~~ 66.7 ✓	43.4 ✓	88.9 ✓	YEAR'S TOTAL 746.7
Days with 0·2 mm. or more	~~225~~ 26	16 ✓	19 ✓	22 ✓	9 ✓	11 ✓	20 ✓	6 ✓	10 ✓	12 ✓	9 ✓	16 ✓	~~175~~ 176

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied 16 from 3 M 3202. 18 8 10 16 4 6 8 7 13 124

FORM A. 2. METEOROLOGIC ATION.

REGISTER OF RAINFALL IN 1920.

Kept at Holton Heath (Mo)

in the County of Dorset

by

Lat 50° 43' N Long 2° 5' W

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 64 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.2	-	0.3	2.4	6.5	-	14.0	0.9	0.5	7.5	7.5	13.8	1
2	3.6	-	-	2.4	-	-	3.1	5.8	2.2	4.8	-	3.1	2
3	0.4	0.8	-	0.4	-	-	28.2	-	0.1	7.6	-	0.5	3
4		1.8	0.4	-	-	-	3.3	11.2	-	5.7	-	0.0	4
5	-	-	4.7	3.4	-	-	9.4	3.5	-	5.6	-	0.0	5
6	-	0.2	2.7	-	6.8	-	7.1	-	-	-	-	0.0	6
7	0.3	0.2	-	4.5	0.7	-	8.4	-	-	0.2	-	0.0	7
8	1.1	1.2	-	1.3	1.1	-	10.4	0.5	-	0.1	-	0.0	8
9	8.4	-	1.0	1.1	-	1.1	0.2	-	-	-	-	0.0	9
10	28.8	1.0	1.3	2.2	-	8.3	14.0	-	-	-	-	0.0	10
11		-	2.2	16.4	5.6	4.5	4.3	-	-	-	-	0.0	11
12	3.8	0.7	-	4.2	-	9.8	-	-	-	0.2	1.6	0.7	12
13	5.3	0.2	9.5	1.6	-	-	-	-	-	0.2	1.0	0.0	13
14	0.6	0.1	10.3	11.3	-	-	-	-	7.3	9.3	11.1	0.0	14
15	0.5	0.6	1.0	1.9	1.2	10.2	-	-	0.8	15.5	0.9	0.0	15
16	-	0.2	0.3	1.2	-	0.2	1.5	-	4.5	0.5	-	0.0	16
17	2.4	-	-	2.7	7.3	-	0.3	-	9.8	-	-	0.0	17
18		0.3	0.5	0.7	2.5	2.0	-	9.2	0.6	-	-	0.0	18
19	0.4	-	-	7.1	-	4.6	-	-	1.9	-	-	0.1	19
20	0.3	0.9	-	4.5	-	13.8	-	-	-	-	-	3.2	20
21	-	-	-	-	-	-	8.0	-	0.1	-	-	6.0	21
22	1.5	-	-	3.3	-	-	0.2	-	0.9	-	-	8.4	22
23	0.1	-	-	-	-	-	5.3	-	-	-	-	10.6	23
24	0.3	0.6	5.6	-	-	-	-	-	-	-	0.3	3.1	24
25	0.5	0.9	1.3	-	2.1	-	12.0	-	-	-	-	0.2	25
26	3.4	-	6.3	-	-	-	-	-	-	-	2.4	2.7	26
27	11.3	-	1.2	0.6	-	1.4	8.9	-	-	-	-	5.5	27
28	13.2	0.2	1.0	0.2	-	-	1.3	-	-	-	-	1.7	28
29	12.0	0.3	4.1	4.5	-	-	-	-	-	-	6.6	9.4	29
30	2.3	X	-	-	-	2.0	0.6	-	8.5	-	12.0	14.1	30
31	0.5	X	2.2	X	-	X	-	-	X	9.5	X	5.8	31
TOTAL	103.2	10.2	55.9	77.9	33.8	57.9	140.5	31.1	37.2	~~66.5~~ 66.7	43.4	88.9	YEAR'S TOTAL 746.7
Days with 0·2 mm. or more	~~25~~ 26	16	19	22	9	11	20	6	10	12	9	16	~~175~~ 176

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied to from 3 M 3202. 18 8 10 16 4 6 8 7 13 124

1912

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

F 11

HOLWELL
WESTROW HSE
DORSET

1911 — 1920

Kept at Westrow 5 in.
in the County of D ve Ground 1 ft. in.
Sea Level 252 ft.
by H. Caines for 8. a.m.
Name Sherborne
Distance 7 Direction W.

IMPORTANT NO d the result entered to the previous day. If an O versal rule, he is earnestly requested to add the re year in the space provided for it at the end of th ement of rain, the selection and plac ritish Rainfall Organization are given i application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	13	-	01	-	-	-	-	-	-	-	01	08	1
2	02	-	-	25	36	-	-	07	-	-	21	31	2
3	02	-	-		18	-	-	-	-	-	10	12	3
4	-	-	07	04	-	-	-	-	-	01	14	60	4
5	-	-		03	-	-	-	-	-	15	07	-	5
6	05	-	19	-	-	-	-	08	-	12	12	101	6
7	03	-		-	-	-	-	-	-	-	46	02	7
8	01	-	16	-	-	-	-	-	-	-	09	83	8
9	24	-	15	-	-	-	-	-	-	-	12	49	9
10	-	08	28	-	31	-	-	-	-	-	04	60	10
11	03	-		-	12	-	-	-	-	-	67	04	11
12	50	-	85	-	01	-	-	03	-	-	20	34	12
13	-	-	-	-		-	-	-	30	-	-	45	13
14	-	-	-	-	-	-	-	-	-	03	-	96	14
15	-	12	07	-	-	-	-	-	-	-	36	09	15
16	-	02		-	-	33	-	-	-	-	32	44	16
17	-	02	09	-	43	13	-	-	-	-	30	71	17
18	-	17	14	06	09	14	-	-	-	05	06	70	18
19	-	12		03		29	-	-	17	13	18	20	19
20	06	05	18		-	-	-	-	10	12	-	112	20
21	03	09	03	03	-	-	-	-	05	146	-	21	21
22	23	03	12	-	-	08	-	-	03	20	-	41	22
23		17	02	-	-	-	-	-	10	14	13	30	23
24	02	10	01	-	-	40	-	07	-	36	-	21	24
25	02	06		06	-	05	-	25	07		-	18	25
26	-	02		19	26	-	-	02	-	23	02	25	26
27	-	31	14	10	-	21	-	-	12	40	05	18	27
28	-	26	-	32	-	-	-	23	-		12	01	28
29	-		-	67	-	-	13	-	13	20	01	-	29
30	-		-	-	-	09	-	-	-	29	06	-	30
31	-		-		-		-	-				-	31
Total	139	162	251	178	176	172	13	75	107	389	384	1086	TOTAL for year 3132
No. of Rain Days.	14	15	16	11	8	9	1	7	9	15	23	27	185

W. 8,000, X. '11.

R 11

FORM A2.
BRITISH RAINFALL.

16 JAN 1912

Kept at Westrow Holwell

in the County of Dorset 4

by H. Caines for W. Warry Esq.

Rain Gauge	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. in.
	,, ,, ,, Sea Level	252 ft.
Time of Observation		8. a.m.
Nearest Railway Station	Name	Sherborne
	Distance	7 Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	13	-	01	-	-	-	-	-	-	-	01	08	1
2	02	-	-	25	36	-	-	07	-	-	21	31	2
3	02	-	-		18	-	-	-	-	-	10	12	3
4	-	-	07	04	-	-	-	-	-	01	14	60	4
5	-	-		03	-	-	-	-	-	15	07	-	5
6	05	-	19	-	-	-	-	08	-	12	12	101	6
7	03	-		-	-	-	-	-	-	-	46	02	7
8	01	-	16	-	-	-	-	-	-	-	09	83	8
9	24	-	15	-	-	-	-	-	-	-	12	49	9
10	-	08	28	-	31	-	-	-	-	-	04	60	10
11	03	-		-	12	-	-	-	-	-	67	04	11
12	50	-	85	-	01	-	-	03	-	-	20	34	12
13	-	-	-	-		-	-	-	30	-	-	45	13
14	-	-	-	-	-	-	-	-	-	03	-	96	14
15	-	12	07	-	-	-	-	-	-	-	36	09	15
16	-	02		-	-	33	-	-	-	-	32	44	16
17	-	02	09	-	43	13	-	-	-	-	30	71	17
18	-	17	14	06	09	14	-	-	-	05	06	70	18
19	-	12		03		29	-	-	17	13	18	20	19
20	06	05	18		-	-	-	-	10	12	-	112	20
21	03	09	03	03	-	-	-	-	05	146	-	21	21
22	23	03	12	-	-	08	-	-	03	20	-	41	22
23		17	02	-	-	-	-	-	10	14	13	30	23
24	02	10	01	-	-	40	-	07	-	36	-	21	24
25	02	06		06	-	05	-	25	07		-	18	25
26	-	02		19	26	-	-	02	-	23	02	25	26
27	-	31	14	10	-	21	-	-	12	40	05	18	27
28	-	26	-	32	-	-	-	23	-		12	01	28
29	-	×	-	67	-	-	13	-	13	20	01	-	29
30	-	×	-	-	-	09	-	-	-	29	06	-	30
31	-	×	-	×	-	×	-	-	×		×	-	31
Total	139	162	251	178	176	172	13	75	107	389	384	1086	TOTAL for year 3132
No. of Rain Days.	14	15	16	11	8	9	1	7	9	15	23	27	185

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 2 JAN 1914

Kept at Westrow House Holwell

in the County of Dorset 4

by W. Warry

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·33							·19		·35		1
2		·13	·09	·23	·04		·02		·02		·16		2
3	·25			·05	·19				·08	·09		·25	3
4	·78				·51	·16			1·00	·11	·06	·12	4
5	·26	·04			·08		·07		·81	·09	·21	·25	5
6	·08	·08	·16		·14	·25	·49		·01	1·57	·02	·73	6
7		·40			·44	·08	·04			·35	·24		7
8		·08			·43		·04					·02	8
9		·03			·02			·73			·18		9
10								·04		·28	·35		10
11	·84			·25	·38					·14	·58		11
12					·23						·41		12
13			·03					·03	·61		·20		13
14	·20		·15	·03	·01				·27				14
15	·35	·08	·35	·74			·20	·04	·35				15
16	·45		·30	·05							·15		16
17	·04		·03	·04							·02		17
18	·06		·35	·03	·07				·40		·14		18
19	·84		·18			·24							19
20	·08		·28	·13						·16	·54		20
21	·05		·31	·22			·07			·23	·61		21
22	·50		·12			·07			·26		·10		22
23								·08				·80	23
24		·05		·08									24
25		·24		·28									25
26	·09	·01		·39	·03			·31		·01		·24	26
27	·88		·28	·30						·14		·05	27
28		·18	·10	·37						·22			28
29	·13	×	·48	·41	·05			·12	·03	·51			29
30	·53	×	·01	·10	·12					·51			30
31	·13	×		×		×	·03	1·16	×	·15	×		31
Total	5·74	1·65	3·22	3·70	27·4	·80	·96	9·51	4·03	4·56	4·32	2·46	YEAR'S TOTAL 36·69
Rain Days.	19	12	16	17	14 15	6 5	8	8	12	15	17	8	152

W.7,000, XI. 13

Ex LMC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL 2 JAN 1915

Kept at Holwell

in the County of Dorset 4

by W. Warry.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			08				14	25			22	15	1
2							65	13			86	36	2
3			08	09	49		14				17	10	3
4	16			25	02		17	84			28		4
5	03		.17		19		37				22	09	5
6		25	02	17	01			01			01	71	6
7		88	04	03	03		15	03	07			30	7
8		03	68	19	15	19		21	01				8
9			45	35	08	68		08	1·34				9
10	14	56		05	07	02			22				10
11		21	40		02	12	24					65	11
12		21	12						17			49	12
13		60	58						10	23	36	51	13
14		38	39			36	04	52		22	34	23	14
15			16				63	38		10	31	05	15
16			01				04		27				16
17		51	27				– ~~37~~					85	17
18		02	12				07		03				18
19		03	57				1·70					12	19
20		55	22			02					11	27	20
21		1·02				11				33		14	21
22		19			28	07	05			38			22
23		18	18			12	03			16			23
24		03	04		19					08	10		24
25	11		32		05		27	26		04	03	09	25
26		02	12				26				27	71	26
27	14	09					03			02	06	33	27
28	02		28		01		02	01			37	86	28
29			25		23					35	72	04	29
30	23		10							21	70	97	30
31	10				03		15			66		29	31
Total	·93	5·76	5·65	1·13	1·85	1·69	5·15	2·72	2·21	2·78	5·13	8·31	YEAR'S TOTAL 43·31
Rain Days.	8	18	24	7	15	9	19	11	8	12	17	22	170

W. 8,000. X. 14.

1761

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 19*15*

Kept at *Holwell*

in the County of *Dorset* 4

by *W. Warry*

Lat. ______ Long. ______

Time of Observation *as before*

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·67	·12						·47	·45	·20		·42	1
2	·69	·24	·14	·07	·02	·07		·50		·17		38	2
3	·21	·16	·07	·13	·24			·01		02		·32	3
4	·01	·11			·01							·27	4
5	·01	·79		·18			·14	·23				·51	5
6	·68	·16		·36			·58	·10				·22	6
7	·19	·61		·06			·15					·20	7
8	·06	·64										·04	8
9		·08		·18				·11			·35	·48	9
10	·17	·01	·04	·05								·12	10
11		·01		·03							·80	·02	11
12	·17	·70		·18	·65			·05			·39		12
13	·05	·58			·63				·10		·11		13
14	·02	·08					·39	·23	·08			1·04	14
15	·14				·23		·12	·01		·23		·17	15
16		1·54			·17		·71						16
17		·22			·15			·20					17
18		·45			·10								18
19		·01			·15		·12						19
20	·25			·15		·04				·07		·20	20
21	·10	·19	·02				·04		·04	·55		·36	21
22	·14	·18	·30	·02		·06	·67			·02		·37	22
23		·03	·10				·20		·14	1·78		·30	23
24				·11			·15		·42	1·14		·65	24
25			·03			·29	·04			·02		·10	25
26		·09		·04		·02	·28		·02			·88	26
27		·04				·39	·20			·47		·03	27
28		·08				·09			·65		·01	·03	28
29						·25	·28		·10		·23	·23	29
30	·14					·09				1·11	·48	·14	30
31							·03			1·20		·60	31
Total	3·70	7·12	·70	1·56	2·35	1·30	4·10	1·91	2·00	6·98	2·37	8·08	YEAR'S TOTAL 42·17
Rain Days.	~~17~~	~~24~~	~~7~~	~~13~~	~~10~~	~~9~~	~~16~~	~~10~~	~~9~~	~~13~~	~~7~~	~~25~~	~~160~~

W. 8,000. X. 15.

1722

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Holwell
in the County of Dorset
by W. Warry.

Lat. .... Long. ....
Time of Observation .... as before
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

191

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14				·67	·01	·02		·40	·23	·48		1
2	·15	·13			·03					·23	·03		2
3	·02	1.40			·07				·09	·52	·36		3
4	·23	·29				·30	·31		·13	·05	·87		4
5	·05	·04	06		·14	·10				·07	·44		5
6	·02	·12	10		·08	·11	·57			·06	·97		6
7	·03	·08	59		·07	·09	·10			·03	·78	·13	7
8		08			·17	·11					·20	·14	8
9		18			·06		·02			·07	·01	·15	9
10	·03	59		·07	·03	·05	·05			·01			10
11			·07	·10		·02			·01				11
12			·09	·03	·04		·12			·03			12
13		·23	·12	·02			·03	·27		·04			13
14		·52	·04	·03	·05			·01		·06			14
15	·05	·18	·12	·04			~~·10~~	·45					15
16	·05	·09		·12			·01	·17		·08			16
17	·17	·25		·09				·10	·27	·56	59		17
18	·05	·07	·15	·01					·31	·07	21	·10	18
19	·10		·68	·14							·05	·13	19
20	·04	·18	·35	·14								1·77	20
21		·10	·22	·11	·07		·08					·15	21
22		02		·01		·04				·50		·70	22
23	·01	13				·10		·15		·18	·23	·10	23
24		04		·05	·62			·09		·51	·03	·28	24
25		101	·09					·~~7~~43	·03		·26		25
26		08	·15			·23		·28	1·00	·87			26
27		12	1·27			·01		·01	·55	·45			27
28		36		·01				·09	·66	·45	·05	·11	28
29		124	·07			·24		2·40	·52	·23		·23	29
30		×						·05		·53			30
31		×		×		×			×	·31	×	·04	31
Total	1·14	7·53	4·17	0·95	2·10	1·41	1·31	4·50	3·97	6·14	5·56	4·03	YEAR'S TOTAL 42.81
Rain Days.	15	24	16	15	13	13	10	13	11	24	16	13	183

W. 8,000, VIII. 16

✓

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

2 JAN

Kept at Holwell

in the County of Dorset

by W. Warry

Lat. Long. } as before

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·08	~~(1½ in snow)~~ ·15		·15		·63			·06		1
2	·03			(½ in snow) 05		·05		·19		·01			2
3							·52			·07	·21		3
4		[illegible]	·29					·01		·35			4
5	·06		·19	·42		·12		·04	·09	·14	·13		5
6			·13							·04	·12	·01	6
7	·30						·11	·36		·29	·05	·03	7
8	·37		·08	·05			·36	·47	·14	·26	·13	·14	8
9	·03		~~(1 in snow)~~ ·09	~~(½ in snow)~~ 01	·01		·04	·03	·02	·07	·19		9
10	·08		·30	·15				·18					10
11	·03		·43	·40	·05					·22	·01		11
12	·01			·01	·18	·01				·22			12
13	·02		·12					·55	·01	·04			13
14			·28				·26	·12	·01				14
15							·09	·22		·23		·42	15
16		·25					·13			·45		(1 in ·10 snow)	16
17				·30	·03		·34	·12	·58	·17			17
18	·03	·03			·01	·04	·10	·01	·35				18
19		·29	·12					·19	·20				19
20		·04			·42	·33		·01	·03				20
21			~~(4 in snow)~~ 35			·01							21
22			~~(1 in snow)~~ 91					·10		·09			22
23		·15			·13			·29				·04	23
24						·08	·04	·02		·34	·06		24
25		·16	·06				·07	·01	·02		·01		25
26					·17	·01		·72	·06		·01		26
27					·99	·11		·94				·01	27
28		·01			·08	1·32		·09					28
29		×	·19			·06	·04			·50		·11	29
30		×	·21				·66	·11					30
31		×	·09	×		×			×	·17	×		31
Total	·96 ✓	·93 ✓	3·02 ~~2·49~~ ✓	~~1·49~~ ~~1·53~~ 1·54	2·07 ✓	2·29 ✓	2·76 ✓	5·41 ✓	1·51 ✓	3·66 ✓	·98 ✓	~~·76~~ ·86 ✓	YEAR'S TOTAL ~~25·15~~ 25·99
Rain Days.	10 ✓	7 ✓	13 ✓	6 ✓	10 ✓	12 ✓	13 ✓	23 ✓	11 ✓	18 ✓	11 ✓	7 ✓	141 ✓

W. 8,000, IX. 17.

Exd M.S.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
8. I. 19

Kept at Holwell
in the County of Dorset
by W. Warry

Lat. Long.
Time of Observation as before
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05			·03			·62		·01	·95	·02	1
2		·13		·17				·35				·16	2
3	·05	·10		·11	·19			·14	·01	·05	15		3
4		·05						·65	·10		131	·24	4
5			·22		·05			·24	·34	·19	40	·03	5
6		·06		·16				·17		·01	—	·04	6
7		·13			·37				·42	·07		·10	7
8		·23					·04		·12	·20		·04	8
9	·05			·21		·13	·59		·54	·06		·26	9
10	·15			·14			·26		·32	·31		·56	10
11							·35		·10			·05	11
12		·05			·26		·19		·07				12
13	~~3 in. snow~~ ·25		·01		·11		·46		·36	·07			13
14	·28	·01			·01	·37	·01		·14	08		·17	14
15	1·30			·36		·02	·30			·02		·19	15
16	·42		·04	·17			·01		33			·10	16
17	·30			·17			·30		·04	·06		·14	17
18	·80					·59	·04		·11			·13	18
19	·12		·06	·01			·15					·06	19
20	·05	·05		·16			·02		·44	·07			20
21	·15	·03							·54			·17	21
22	·04				·04		·51		·18		·12	·13	22
23	·05				·08		·58		·17		·08	·07	23
24		·25					·06		·11		·09		24
25							·03	·49			·03		25
26							·25				·05	·30	26
27		·11	·22				·10	·09	·12	·01	·15		27
28		·10	·12	·01					·01		·05	·08	28
29		✕	·03						1·07		·01		29
30		✕	·42					·02	·01	·10	·06		30
31		✕	·12	✕		✕			✕	·02	✕		31
Total	~~3·76~~ 4·01	1·35	1·24	1·67	1·14	1·11	4·25	2·77	5·65	1·33	3·45	3·04	YEAR TOTAL ~~30·76~~ 31·01
Rain Days	13	14	9	11	9	4	19	9	23	16	13	21	161

W. 6,500, VII. 18. W W C

ex-9?

1537

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Holwell
in the County of ~~N~~ Dorset
by Mr. W. Warry.

Lat. Long.
Time of Observation as before
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	41		06		06		48		01	28	02	97	1
2	20				07		02		25		06	11	2
3	98		37						27		10	06	3
4	19	18	38			02			60			20	4
5	03	38	33		12		15	03	24			10	5
6	69	28	10									35	6
7	22		34	09									7
8	38		20	06									8
9	14			10	03						19		9
10	10		37	01						06		32	10
11	04		19	18	19		25					01	11
12	06		01	09		04	06			05			12
13	05	09	02	75			03			06		05	13
14	54	06		47	15		16					25	14
15	28	01								10		40	15
16	10	66						44			21		16
17	05							02			19		17
18	01	39	57				04				10		18
19	63	35	70			04	72	·18	16		07	09	19
20	38	03	08			37		40					20
21	12	99				02	08		04				21
22		01					22		14		01		22
23						03				25			23
24						15	02			1·29	22	40	24
25	10	05				02		15				28	25
26	09		08					15			06	20	26
27	15	01	06	25			03	1·11			44	06	27
28			33					59				20	28
29				05				14		10		08	29
30				13		25		70			1·02	68	30
31										05		42	31
TOTAL	5·94	3·49	4·19	2·18	0·62	0·94	2·26	3·91	1·71	2·24	2·69	5·23	YEAR'S TOTAL 35·40
Days with ·01 in. or more	22	14	17	11	6	9	13	11	8	9	13	20	155

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3 JAN 1921

1466

REGISTER OF RAINFALL IN 1920

Kept at Westrow House, Holwell,
in the County of Dorset
by W. Warry.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.
as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			04	15	38		21	01	03	27	14	69	1
2	49			11			02	25	07	04		14	2
3	02	10		06			37		01	92		02	3
4		05	03	07			48	45		24			4
5			10	03	04		35	56		18			5
6			17	05	15		20			01			6
7	03		04	25	08		41						7
8	05	13		22	01		28						8
9	33			06		07	03						9
10	55	03	07	13		37	45						10
11	14		09	66	15		12						11
12	16	09	03	37	03	45	01				03		12
13	20	02	48	10									13
14	01	01	26	107			02		09	16	32		14
15		07	04	36	12	25			01	31	06		15
16				03		01	12		11	01			16
17				24	22		06		26				17
18	09		07	01	05	11	22	31				* 06	18
19	06			24		22							19
20		12		12	13	35						26	20
21							14		01	17		09	21
22	01			16				01				25	22
23							63	04				20	23
24			22								55	08	24
25	01	05	12	03	02		48					01	25
26	20		26			02	02				08	19	26
27	61	05	13	23		10	02				01	29	27
28	1·07		05	06	05		02					09	28
29	52		20	24		01					18	24	29
30	07			01	08	19	12		41	95	45	43	30
31	05		25									15	31
Total	4·64	·72	2·65	5·06	1·51	2·15	4·78	1·63	1·00	3·26	1·82	3·19	Year's Total 32·44
Days with ·01 in. or more	20	11	19	26	14	12	23	7	9	11	9	16	177
Days with ·04 in. or more	15	8	17	21	11	9	16	5	5	9	* 7	14	137

* snow + sleet

Cons (June fo[illegible]

DORSET.

HORTON VICARAGE.

1911 – 1920

REC[illegible] 1911

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

Snowdon

Kept at Horton Vi[illegible] of top 5 in.

top above Ground 1 ft. – in.

in the County of Dorse[illegible] „ „ Sea Level 133 ft.

on 9 A.m.

by Rev George [illegible] Station Name Verwood

Distance 3¾ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·01	·11	–	–	–	–	–	–	·02	·10	1
2	·03	–	–	·16	·24	–	–	·01	·01	·08	·32	·26	2
3	–	–	–	–	·16	–	–	·01	–	–	·12	·12	3
4	·02	–	·05	·01	–	–	–	–	–	·04	·15	·35	4
5	·07	–	–	–	–	–	–	·06	–	·11	·01	·02	5
6	·01	–	·16	–	–	–	–	–	–	·42	·02	1·00	6
7	·06	–	·01	–	–	–	–	–	–	–	·40	–	7
8	·01	–	·21	–	–	–	–	–	–	–	·14	·52	8
9	·05	–	·01	–	–	–	–	–	–	–	·02	·49	9
10	·03	·07	·29	–	1·31	–	–	–	–	–	–	·25	10
11	·33	–	·01	–	·09	–	–	–	–	–	·91	·01	11
12	–	·01	·75	–	·02	–	–	·09	–	–	·08	·11	12
13	–	–	·01	–	–	–	–	–	·28	–	·01	·29	13
14	–	·04	–	–	–	–	–	–	–	–	–	·29	14
15	–	·02	·03	–	–	·02	–		–	–	·20	·02	15
16	·01	–	–	–	–	·13	–		–	–	·50	·26	16
17	–	·01	·03	–	–	·04	–		–	–	·61	·30	17
18	–	·12	·07	·03	–	·18	–		–	·04	·06	·48	18
19	–	·10	·01	–	–	·24	–		·12	·33	·01	·24	19
20	·05	·02	·14	·01	–	–	–		·09	·03	–	·56	20
21	·01	·18	·04	–	–	–	–		·10	·45	–	·12	21
22	·13	·04	·40	·01	–	·10	–	·74	–	·13	–	44	22
23	–	·18	–	–	–	·14	–		·10	·24	·03	·47	23
24	·01	·11	–	–	–	·47	–	✓	–	·42	–	·18	24
25	·01	·06	–	·07	–	·01	–	✓	·06	·02	–	·05	25
26	–	–	–	·28	·34	–	–		–	·27	–	·32	26
27	–	·45	·06	·11	–	–	–		·05	·39	·04	·19	27
28	–	·18	–	·37	–	–	–	✓	–	·01	·07	–	28
29	–		–	·22	–	·16	·15		·15	·28	–	–	29
30	–		–	·01	·01	·03	–		–	·20	·02	·01	30
31	–		–		–		–			·01		–	31
Total	·83	1·59	2·29	1·39	2·17	1·52 1·52	·15	·91	·96	3·47	3·74	7·45	TOTAL for year
No. of Rain Days.	15	15	18	12	7	11	1	~~7~~ 5	9	18	21	27	26·50 159

W. 8,000, X. '11.

REC 1911

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

Kept at Horton Vicarage

in the County of Dorset 4

by Rev George Wellington

RAIN GAUGE: Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 133 ft.

Time of Observation 9 am

Nearest Railway Station: Name Verwood
Distance 3¾ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·01	·11	—	—	—	—	—	—	·02	·10	1
2	·03	—	—	·16	·24	—	—	·01	·01	·08	·32	·26	2
3	—	—	—	—	·16	—	—	·01	—	—	·12	·12	3
4	·02	—	·05	·01	—	—	—	—	—	·04	·15	·35	4
5	·07	—	—	—	—	—	—	·06	—	·11	·01	·02	5
6	·01	—	·16	—	—	—	—	—	—	·42	·02	1·00	6
7	·06	—	·01	—	—	—	—	—	—	—	·40	—	7
8	·01	—	·21	—	—	—	—	—	—	—	·14	·52	8
9	·05	—	·01	—	—	—	—	—	—	—	·02	·49	9
10	·03	·07	·29	—	1·31	—	—	—	—	—	—	·25	10
11	·33	—	·01	—	·09	—	—	—	—	—	·91	·01	11
12	—	·01	·75	—	·02	—	—	·09	—	—	·08	·11	12
13	—	—	·01	—	—	—	—	—	·28	—	·01	·29	13
14	—	·04	—	—	—	—	—	—	—	—	—	·29	14
15	—	·02	·03	—	—	·02	—		—	—	·20	·02	15
16	·01	—	—	—	—	·13	—		—	—	·50	·26	16
17	—	·01	·03	—	—	·04	—		—	—	·61	·30	17
18	—	·12	·07	·03	—	·18	—		—	·04	·06	·48	18
19	—	·10	·01	—	—	·24	—		·12	·33	·01	·24	19
20	·05	·02	·14	·01	—	—	—		·09	·03	—	·56	20
21	·01	·18	·04	—	—	—	—		·10	·45	—	·12	21
22	·13	·04	·40	·01	—	·10	—	·74	—	·13	—	44	22
23	—	·18	—	—	—	·14	—		·10	·24	·03	·47	23
24	·01	·11	—	—	—	·47	—	✓	—	·42	—	·18	24
25	·01	·06	—	·07	—	·01	—	✓	·06	·02	—	·05	25
26	—	—	—	·28	·34	—	—		—	·27	—	·32	26
27	—	·45	·06	·11	—	—	—		·05	·39	·04	·19	27
28	—	·18	—	·37	—	—	—	✓	—	·01	·07	—	28
29	—		—	·22	—	·16	·15		·15	·28	—	—	29
30	—		—	·01	·01	·03	—		—	·20	·02	·01	30
31	—		—		—		—			·01		—	31
Total	·83	1·59	2·29	1·39	2·17	1·5~~5~~ 1·52	·15	·91	·96	3·47	3·74	7·45	TOTAL for year
No. of Rain Days.	15	15	18	12	7	11	1	~~7~~ 5	9	18	21	27	26·50 159

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL
16 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Horton Vicarage

in the County of Dorset 4

by The Rev George Wellington

Lat. — Long. —

Time of Observation 9 a.m.

Nearest Railway Station Verwood

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·07	·01	·01	·28	·53	·01	·05	·61	—	·22	1
2	—	—	·23	—	—	·03	·43	·03	—	·01	·03	—	2
3	—	—	·09	—	—	·36	—	·68	—	—	·02	—	3
4	·09	—	·35	—	—	·33	—	·02	—	—	·15	—	4
5	·41	·16	·21	—	—	—	—	·57	—	—	·07	·14	5
6	·38	·03	·04	—	·20	·01	·19	·16	—	—	—	·08	6
7	·01	·40	·16	—	·23	·47	·26	·03	—	—	—	·10	7
8	·31	·22	·35	·01	—	·01	·01	·07	—	—	—	·02	8
9	·02	·04	·13	·07	—	·04	·01	·06	—	—	—	·43	9
10	—	·10	·02	—	—	·14	·03	·18	—	·01	·06	·34	10
11	·07	·12	·01	—	—	·20	—	·32	—	—	—	·15	11
12	·07	·20	·07	·02	·68	·25	·06	·34	—	·01	·01	—	12
13	—	·02	·01	—	—	·01	·01	·12	—	—	·01	·06	13
14	·15	—	·21	—	—	—	—	✓	—	·01	—	—	14
15	·20	·18	·05	—	·06	·52	—	—	—	—	—	·20	15
16	·79	·01	·42	—	·09	·02	—	✓	—	·05	·05	—	16
17	·81	—	·30	—	·01	·03	—	✓	—	—	—	·04	17
18	·08	—	·18	—	—	—	—	✓ 2.42	—	—	—	·04	18
19	·02	·08	·25	—	—	·08	·05	✓	—	·01	·01	—	19
20	·04	·04	·36	—	·04	·02	·10	✓	—	·32	·03	—	20
21	—	·13	·27	—	·18	—	—	✓	—	·10	—	—	21
22	·25	·39	·03	—	·02	—	·01	✓	—	·01	—	·06	22
23	·12	·18	·20	—	—	—	·01	✓	—	·06	·26	·32	23
24	·28	·03	·01	—	—	·12	·01	✓	—	·07	—	·30	24
25	·15	·01	—	—	—	·29	—	✓	—	·10	·22	·47	25
26	—	·02	—	—	—	—	·29	2.31	—	·34	·19	·20	26
27	—	·01	—	—	—	·11	·16	✓	—	·72	—	·29	27
28	—	·09	—	—	—	·13	·10	—	·11	·59	·55	·58	28
29	—	·09	—	—	—	·05	·18	✓	1·49	·29	·03	·01	29
30	—		·09	—	—	·09	·08	·01	·47	·18	—	—	30
31	—		·42		—		·32	·01		·03		·03	31
Total	4·25	2·55	4·53	·11	1·52	3·59	2·84	7·34	2·08	3·52	1·69	4·08	YEAR'S TOTAL 38·10
Rain Days.	19	22	26	4	10	23	20	29	4	19	15	21	212

W. 7,500, XI. 12

[illegible] Dorset Pc. 17-11-14

FORM A.
BRITISH RAINFALL.

17 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Horton Vicarage

in the County of Dorset 4

by The Rev George Wellington

Lat. — Long. —

Time of Observation 9 a.m.

Nearest Railway Station Verwood

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·24	·13	·09	—	·03	—	—	✓	—	·15	·07	1
2	·62	·05	·01	·02	—	—	—	—	✓	·13	·15	·02	2
3	·23	·01	·01	·05	·39	—	—	—	—	·07	—	·06	3
4	·82	—	·03	—	·22	—	—	—	✓ 2.78	·33	·06	·07	4
5	·21	·04	—	—	·04	·05	·09	—	✓	·17	·16	·09	5
6	·01	·13	·03	—	·09	·08	·08	—	—	·69	·03	·54	6
7	—	·38	·01	—	·26	·13	·02	—	—	·64	·19	—	7
8	—	·07	—	—	·17	·01	—	—	—	·01	—	·04	8
9	—	·06	—	—	·01	—	·10	·32	·07	·03	·16	·01	9
10	·11	·01	—	·01	·02	—	·43	·01	—	·07	·48	—	10
11	·92	—	—	·21	·19	—	—	—	—	·16	·31	·01	11
12	—	—	—	—	·49	—	—	—	—	·01	·40	—	12
13	·16	—	·08	—	—	·01	—	—	·21	—	·18	—	13
14	·20	·01	·08	—	—	—	—	—	·13	—	·10	—	14
15	·33	·09	·24	·30	—	—	·27	—	·34	—	·01	—	15
16	·13	—	·25	·05	—	·03	—	—	·03	—	·01	—	16
17	·02	·01	·01	·05	—	—	·01	—	—	—	·01	—	17
18	·03	—	·26	·04	—	—	·01	—	—	—	·03	—	18
19	·63	—	·06	—	·04	·12	·03	—	·30	—	—	—	19
20	·15	—	·18	·11	—	—	—	—	—	·27	·14	—	20
21	—	—	·20	·27	·01	—	·02	—	—	·03	·75	·01	21
22	·52	—	·25	·02	—	—	·01	·15	·27	—	·01	·03	22
23	—	—	·18	—	—	·01	—	—	·01	—	·04	·78	23
24	·07	·01	·01	·18	—	—	—	—	—	—	·07	—	24
25	—	·19	—	·16	—	—	—	✓	—	·01	—	·02	25
26	—	·01	—	·42	—	—	—	—	—	·11	—	·21	26
27	·04	—	·20	·04	—	—	—	—	—	·03	—	·01	27
28	·14	—	·12	·12	—	—	—	—	—	·35	—	—	28
29	·14		·26	·39	·14	—	—	✓	—	·47	—	—	29
30	·22		—	·02	·01	—	—	✓ 1.07	—	·74	—	—	30
31	·03		·04		—		—	✓		·03		—	31
Total	5·14	1·31	2·6~~1~~4	2·55	2·08	·47	1·07	2·35	4·14	4·35	3·38	1·97	YEAR'S TOTAL 31·45
Rain Days.	23	15	22	19	14	9	11	(7)	(12)	20	21	15	(188)

W.7,000, XI. 13

2·64

31·45

Ex DL

[illegible] 21/4/15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 27 JAN 1915

Kept at Horton Vicarage
Wimborne
in the County of Dorset
4
by Rev George Wellington

Lat. — Long. —
Time of Observation 9.0.
Nearest Railway Station Verwood
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·04	—	—	—	—	·45	—	—	·23	·10	1
2	—	—	—	—	·01	·01	·20	·01	—	—	1·18	·11	2
3	—	—	·05	·09	·27	—	·07	·01	—	—	·04	·05	3
4	·07	—	·01	·24	·09	—	·09	·91	—	—	·74	·30	4
5	·02	—	·05	·22	·14	—	·35	·21	—	—	·84	·01	5
6	—	·24	·01	·04	·04	—	·01	·02	—	—	·02	·49	6
7	·02	·15	·02	·11	·01	} ·05	·17	·08	—	—	—	·13	7
8	·03	·14	·28	·03	·04		—	·16	·05	—	—	·06	8
9	·02	·01	·28	·22	·03	·07	—	·02	·34	—	—	·42	9
10	·03	·30	·01	·04	·10	—	—	—	·30	—	—	·01	10
11	—	·20	·59	—	·03	—	·32	—	·05	—	·02	·43	11
12	—	·02	·18	—	—	—	—	—	·25	·15	·02	·44	12
13	·01	·56	·15	—	—	—	—	—	·09	·01	·17	·40	13
14	—	·29	·14	—	—	·59	·22	·35	—	·28	·42	·25	14
15	·01	—	·16	—	—	—	·19	·32	—	·05	·26	·01	15
16	—	—	·01	—	—	—	·12	—	·32	—	·01	—	16
17	—	·41	·10	—	—	—	—	—	·01	—	—	·33	17
18	—	·02	·08	—	—	·09	·10	—	—	—	—	·61	18
19	—	·03	·56	—	—	—	1·08	—	—	—	·07	·12	19
20	—	·37	·07	—	—	·04	—	—	—	—	—	·32	20
21	—	·57	·01	—	—	·02	—	—	—	·30	—	·02	21
22	—	·05	·03	—	·30	·06	·11	·04	—	·14	—	—	22
23	—	·12	·14	—	—	·23	·01	—	—	·14	—	—	23
24	—	·02	·03	—	·04	—	·03	—	—	·07	·05	—	24
25	·04	—	·13	—	—	—	·21	·27	—	·18	·03	·15	25
26	—	—	·01	—	—	—	·03	·08	—	·04	·24	·68	26
27	·04	·01	·06	—	—	—	—	—	—	—	·11	·15	27
28	—	·04	·31	—	·04	—	—	—	—	·03	·28	·58	28
29	·17		·11	·01	·05	—	—	—	—	·24	·14	·02	29
30	·01	X	·08	—	—	—	—	—	—	·14	·71	·84	30
31	·02	X	—	X	·01	X	·05	—	X	·72	X	·04	31
Total	·49	3·55	3·70	1·00	1·20	1·16	3·36	2·93	1·41	2·49	5·58	7·07	YEAR'S TOTAL 33·94
Rain Days.	13	19	29	9	15	9	18	14	8	14	20	27	195

W. 8,000. X. 14.

G. Leaky

1760

FORM A.
BRITISH RAINFALL

28 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Horton Vicarage
in the County of Dorset
by The Rev George Wellington

Lat. — Long. —
Time of Observation 9 oc am
Nearest Railway Station Verwood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	·14	·01	—	·03	—	—	·01	·53	·31	—	·20	1
2	·44	·17	·21	·06	—	·06	—	·47	—	·31	—	·40	2
3	·28	·01	·08	·04	·05	—	—	·02	—	·10	—	·42	3
4	·01	—	·01	—	—	—	—	—	—	—	—	·32	4
5	·04	·81	—	·02	—	—	—	·16	—	—	—	·58	5
6	·55	·12	—	·42	—	—	·58	·02	—	—	—	·23	6
7	·20	·35	—	·04	·08	—	·23	—	—	—	—	·36	7
8	·03	·76	—	·01	—	—	—	·05	—	—	·03	·05	8
9	—	·04	—	·26	—	·01	—	—	—	—	·44	·72	9
10	·17	—	·02	·02	—	—	—	—	—	·02	—	·15	10
11	·08	—	·37	·09	—	—	—	—	—	·01	·87	·01	11
12	·09	·49	—	·09	·55	—	—	·02	—	·05	·27	—	12
13	·01	·33	—	—	·88	—	—	·30	·10	·01	·03	—	13
14	·02	·02	—	—	—	—	·53	·19	·08	—	—	1·03	14
15	·07	—	—	—	·16	—	·21	·38	—	·03	·11	·37	15
16	—	1·20	—	—	·31	—	1·18	·01	—	—	—	·14	16
17	—	·25	—	—	·32	—	—	·04	—	—	—	·01	17
18	—	·13	·01	—	·03	—	—	·05	—	—	—	—	18
19	—	·02	—	—	·16	—	·11	—	—	—	—	—	19
20	·39	—	—	·09	·09	—	—	—	—	·01	—	·03	20
21	·02	·26	·01	—	·02	—	·05	—	·11	·53	—	·28	21
22	·11	·10	·30	·05	—	—	·77	—	·02	·01	—	·29	22
23	·01	·02	·17	—	—	·01	·10	—	·30	1·17	—	·26	23
24	—	—	·01	·04	—	—	·73	—	·56	1·92	—	·55	24
25	—	—	·01	·04	—	·05	—	—	·01	·01	—	·17	25
26	—	·09	—	—	—	·04	·52	—	—	—	—	·82	26
27	—	·02	—	—	—	·05	—	—	—	·47	—	·01	27
28	—	·10	—	—	—	·07	—	—	·54	·07	·01	·01	28
29	—	X	—	—	—	·21	—	—	—	·07	·23	·06	29
30	·23	X	—	—	—	·04	—	—	—	·58	·80	·39	30
31	·01	X	—	X	—	X	·02	·20	X	1·13	X	·51	31
Total	3·07	5·43	1·21	1·27	2·68	·54	5·03	1·92	2·25	6·81	2·79	8·37	YEAR'S TOTAL 41·37
Rain Days.	20	21	12	14	12	9	12	14	9	19	9	27	178

W. 8,000. X. 15.

1721

FORM A.
BRITISH RAINFALL.

20. JAN. 1917

REGISTER OF RAINFALL IN 1916

Kept at Horton Vicarage

in the County of Dorset

by Rev George Wellington

Lat. ✓ Long. ✓

Time of Observation 9. a.m.

Nearest Railway Station Verwood

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	·09	·02	—	·44	·03	—	—	·78	·12	·57	—	1
2	·19	·25	·04	—	·04	—	—	—	—	·30	·14	—	2
3	·01	1·21	·01	—	·01	·02	—	—	—	·69	·33	—	3
4	·22	·18	—	—	·04	·17	—	—	·30	·05	·64	—	4
5	·09	·05	·02	—	·24	·15	·02	—	—	·12	·52	—	5
6	—	·07	·02	—	·06	·03	·58	—	—	·13	1·03	—	6
7	·02	·01	·35	—	·03	·14	—	—	—	·03	·94	·14	7
8	—	·08	·02	—	·26	—	—	—	—	—	·03	·22	8
9	—	—	—	—	·01	·05	·01	—	—	—	·02	·17	9
10	·01	·59	—	·05	·02	·08	·19	—	—	·01	—	·13	10
11	·01	·01	·04	·11	—	·10	—	—	—	—	—	·04	11
12	·04	·02	·02	·65	·14	—	·10	·02	—	·09	—	—	12
13	—	·26	·10	·03	—	—	—	·17	—	—	·02	—	13
14	—	·64	·01	·03	·07	—	—	·06	—	·03	—	—	14
15	—	·12	·04	·02	—	—	—	·65	—	·03	—	—	15
16	·03	·11	·01	·18	—	—	·02	·64	—	·05	—	—	16
17	·18	·18	—	·10	—	—	—	·13	·19	1·08	·30	—	17
18	·03	·05	·11	·08	—	—	—	—	·08	·08	·20	·16	18
19	·09	—	·47	·04	—	—	—	—	—	—	·13	·09	19
20	·19	·07	·38	·20	—	—	—	—	—	—	·02	2·08	20
21	·01	·17	·22	·02	·11	—	—	—	—	—	—	·20	21
22	—	·01	·01	—	—	—	—	·16	—	·29	·01	·47	22
23	·01	·07	—	·02	—	·15	—	—	—	·01	·28	·03	23
24	—	—	—	·01	·29	—	—	·04	—	·46	·10	·37	24
25	—	·68	·12	—	—	—	—	·90	·03	·04	·12	—	25
26	—	·19	·03	—	—	·16	—	·11	·15	·67	—	—	26
27	—	—	·91	·19	—	·54	·16	·02	·64	·57	—	—	27
28	—	·31	·05	—	—	—	—	·09	·38	·30	·02	·13	28
29	—	·60	·03	—	—	·29	—	2·86	·39	·18	·03	·22	29
30	—	✕	—	—	—	—	—	·29	—	·71	—	·04	30
31	—	✕	—	✕	—	✕	—	·03	✕	·30	✕	·02	31
Total	1·28	6·02 6·02	3·03	1·13	1·76	1·91	1·08	6·17	2·94	6·34	5·39	4·51	YEAR'S TOTAL 41·56 41·56
Rain Days.	16	25	23	15	14	13	7	15	9	24	20	16	197

W. 8,000, VIII. 16

only our Key originals
CW
1642

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

-2 JAN 1918

Kept at Horton

in the County of Dorset

by Rev Geo. Wellington first half year
Rev Richard de Bary subsequently

Lat. Long.
Time of Observation
Nearest Railway Station No change
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·11	·14		08		1·07		~~1·43~~	~~085~~		1
2			·01	·75				03	03	~~19~~	·085		2
3				·04			·35	05		~~01~~	02		3
4		·03	·31					01	007	·16	16		4
5	·12		·08	·20		08		05	·305 ~~9·05~~	·21			5
6			·25							·15	10		6
7	·40			01			33	09	[illegible]	~~025~~	14		7
8	·54		16	07			43	66		·14	007	05	8
9	·01		06	01	07			04	·070	·27	22	15	9
10	·14		·40	31	02			44	·035	·04		015	10
11	·03		·48	22	02								11
12			·03	02	05			01					12
13			·17	07				20		20			13
14			·05	·03				10	·015	04			14
15				·08			04	11		~~19~~			15
16		·13		·12						19		60	16
17		·02				08	41	·25		1·43			17
18		·03			03	22	23		·49	~~19~~			18
19		·29	·10		·04			11	·509	01			19
20		·05	·08		40	~~23~~			·155	025			20
21		·01	·29						·05 ·0(05)		003		21
22	·04	–	·08			03		·8		055			22
23		·20			04			16					23
24		·23				03	·12	·02				015	24
25		·07	·04			07	·04	[illegible]	~~·06~~	25	·56	15	25
26			~~02~~		·54	10		·56	·03 ~~06~~	025	·06		26
27			nil [illegible]		88	1·09		1·09	09				27
28			02		02	05		22					28
29			·05		01		08					03	29
30		X	·30				·56	·13		·72		16	30
31		X	·10	X		X	05	·06	X	·22	X	18	31
Total	1·28	1·06	3·19	2·04	2·06	1·83	2·64	5·49 5·48	~~4·486~~ 1·686	~~4·415~~ 4·385	1·355	1·35	YEAR'S TOTAL 28·386 30·89
Rain Days.	7	10	22	14	12	10	11	23	12	18	~~10~~ 9	9	~~168~~ 157

W. 8,000, IX. 17.

1646

2 JAN 1918

ackd 6/1

HORTON VICARAGE,
WIMBORNE.

Jan 1/1918

Dear Sir

The Rev George Wellington left here the last week in June.

Mrs Seeviour of the Post Office took observations from June 25th to the end of August. Since then I have taken them: I note that you only register to the 2nd decimal. But as I had put down third decimals (1000ths)

I have copied them on to the form sent me because in any case these fractions should be added to the whole.

If you observe any large discrepancy on any day ~~I will~~ between our record and that of neighbours I will examine the records of the dates in question again because I have not been quite sure about Mrs Seviour's figures.

I am Sir

Yours truly

Richard de Bary

ansd 4.IV.'08

an
HORTON VICARAGE,
WIMBORNE,
DORSET.

March 26/08

Dear Sir

In reply to yours of the 23rd I beg to say that the first four alternatives correspond with my records as kept here, but in the case of that of Nov 25 ·56 is what I have got

In sending in my Report to the Dorset Society I noticed the instruction, which you also

---

the previous day all the neighbouring recorders would have had it as under Sept 16th

If that is the case then I fear the entire list that I sent up until the end of the year from Sept 1 ought to be put back by one day.

This you will discover at once on making the comparison I enclose the record as taken by ~~myself~~ Mrs Seviour till September and my own in the initial stages

I am Yours truly
Richard de Bary

give to put down under Nov 25, for instance, the reading taken on Nov 26 9 a.m. I am certain I have always done that since Jan 1. But between September 1 and Jan 1 (exclusive) I am not sure whether or not I did not put down the record of rainfall as belonging to the day on which I actually recorded them.

You could easily verify this by comparing say, my record of

Oct 16	·1
Oct 17	1·43

with that of any neighbours For if I wrote down one inch 43 hundredths on Oct 17 and this heavy fall really occurred

British Rainfall Organization.

HUGH ROBERT MILL, D.Sc.
Chairman of Trustees and Director.
CARLE SALTER, *Assistant Director.*
BRITISH RAINFALL.
SYMONS'S METEOROLOGICAL MAGAZINE.

Telephone: North 142.

62, Camden Square,
London, N.W.

23rd March 1918

Rev. Richard de Bary
Horton Vicarage
Wimborne

Dear Sir

During examination of the register of rainfall at Horton in 1917 which you kindly sent to Dr Mill in January last our attention has been drawn to one or two entries which appear to require confirmation.

Sep. 5	2.05 in.	? .205	right
" 9	.70 "	? .070	
" 10	.35 "	? .035	
Nov 25	.56 ← right	? .056	

In all cases the suggested alternative readings would be greatly more harmonious with records obtained elsewhere in the neighbourhood. Perhaps you would be so kind as to let us know what you think on the point.

Should it prove that the decimal point has been misplaced as suggested, may I venture to take advantage of the opportunity of suggesting conformity with par. 12 of the enclosed "Rules". This was drawn up for the express purpose of avoiding risk of this type of slip.

With apologies for troubling you

Yours sincerely

Carle Salter
asst-Director

Enc. R.

[illegible]

64

FORM A. BRITISH RAINFALL 4.1.19

REGISTER OF RAINFALL IN 1918

Kept at Horton

in the County of Dorset

by Rev Richard de Bary

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge ..... in.
Height of top of Gauge above Ground ..... ft. ..... in.
" " " " Sea Level ..... ft.

No change

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-		-	-	-	-	-	·72	·09	[illegible]	·64	·01	1
2	-	·09	-	·21	·05	-	-	31	-	-		·12	2
3	-	24	-	11	·32	-	-	·12	-	·01	·17	·02	3
4	-	10	-	-		-		·17		-	13	·08	4
5	-	11	-	-	·19	-		·59	-	-	1·20	·07	5
6	·20	·06	·12	·21		-	-	13	·11	·21	[illegible]	12	6
7	-	24	01	·06	·36	-	-	·01		10	35	·02	7
8	-	·13	-	·21		-	-		·62	12		·15	8
9	-	-	-	·16		15	-	-	-	29		·28	9
10	-	-	-	01		·01	·18	-	=	24		54	10
11	·06	-	-				·10	-			·10	·04	11
12	-	·11	-		·47		·40	-	·26	31	-	02	12
13	-	-	-		01		75	-	29	-	-	10	13
14	·34	-	-			·17	05	-	25	-	-	14	14
15	·23	-	-			·11	22	-	20	-	-	13	15
16	1·58	-	-			·56	01	-	-	-	-	18	16
17	·38	-	-				[illegible]	-	-	-	-	-	17
18	·36	-	-					-	-	-	-	-	18
19	·64		-	(·78)			03	-	·11	-	-	10	19
20	·16	·08	-			01	31		·44	·93		·63	20
21		·02	-				[illegible]	-	·77	·75		·21	21
22	·23	·29	-		05		·48	-	18			·19	22
23		-	-		·11	·01	·38				·10		23
24	-	-	-						12	[illegible]	·10		24
25	-	-	-				09	-					25
26	-	-	-			·01	·52				·11	·29	26
27	-	·01	·01	-	-	-	·04	-	·10	[illegible]			27
28	-	·09	·21	-	-	-					07	·02	28
29	-	-	·07	-	-	-	-	-	1·23	[illegible]		·07	29
30	-	X	·51	-	-	-	-	-		·07	·13	·01	30
31	-	X	·06	X		X	-	-	X	·06	X	·01	31
Total	4·18	1·57	~~1·79~~	~~·44~~	1·56	1·03	4·24	2·03	4·77	~~1·68~~	~~3·72~~	3·25	YEAR'S TOTAL 30·19
Rain Days	10	13	4	7	8	8	5	4	14	11	11	25	126
			·99	(1·75)			15			1·69	3·13		

W. 6,500, VII. 18. W W C

Cnd for auth

~~W~~ 155

// M

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Horton, Wimborne

in the County of Dorset

by Richard de Bary

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Verwood

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30		·11				16			·15		1·20	1
2	·34		02		05		07		33			01	2
3	1·17 1·17	30	42		05				(34)			21	3
4	31 ·31	35	93					02	24		08	13	4
5	01	15	59		09				02			19	5
6	41 ·41		12		18							25	6
7	30		43									04	7
8	30		32										8
9	12		~~14~~	14							08	49	9
10	11		36	05									10
11	10		09	20	16		18						11
12	07			02			14			03			12
13	05			51			02			02			13
14	63	06		23			05					25	14
15	47	01		02	02				12			60	15
16	07	1·01									14		16
17	-	20						25			08		17
18	53	12	58								22		18
19	55	34	93			08	1·01	·05	·09			05	19
20	05	01				44		31			09	05	20
21	02 ·02	22					13	06	01				21
22							17	17	28		12	19	22
23										18			23
24							08	21		60	10	19	24
25		12				04							25
26		26	·10			03					54	66	26
27													27
28			40					88				46	28
29								12				10	29
30		✕				·13				05	55	80	30
31		✕	24	✕		✕			✕	05	✕	30	31
TOTAL	~~6·01~~ 5·91	3·15	5·44	1·17	0·55	0·72	2·01 2·01	1·98	1·43 1·43	1·03	2·00	6·20	YEAR'S TOTAL 31·54 ~~32·24~~
Days with ·01 in. or more	20	13	15	7	6	5	8	8	8	9	10	19	125

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

max daily fall 1.20 in, on Dec 1.

1465

[illegible] [illegible]

17 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Horton Vicarage, Wimborne
in the County of Dorset
by Richard de Bary

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

No change except moved 150 paces south, same level

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	25	·05		·14			·45		·02	·18		·50	1
2				·08	·28		·01		·06	40			2
3	02	·04		15			37	·23	02	60			3
4		·07	03		·17		33	·42		30			4
5			18				32	·12		40			5
6				20			47			03			6
7				·04	·16		25						7
8			05	30			·86						8
9	·39	06	08	·09	10		15						9
10	·61	04	09	·03			49						10
11	·21			·05	[illegible]	50	19						11
12	·19	08		·68	[illegible]	09	02						12
13	·24		50	21	·21	·80							13
14	·05		35	07					·16	23	·01		14
15	·05	08	17	50			01		·02	53	·33		15
16			02	17	07	10	07		·12	01	·15		16
17	·08						01		+✓	·26			17
18				20		09	12	·36	·57				18
19		·17		04		19	01		+✓				19
20	·02			32		64	26		·10			·21	20
21				17		01	✓+					·11	21
22	·07	[illegible]					+					·31	22
23		[illegible]		25			✓+					·32	23
24		[illegible]	25									·08	24
25			23				+✓					·15	25
26	19					·05	(1·04) +✓				·02	·23	26
27	63	·03	25			·21	+✓				·05		27
28	51	·03		10		[illegible]	+✓						28
29	61	·01	14	04	·14	[illegible]	+					·29	29
30	09	✕		05		·12	·07		·24		·68	·45	30
31		✕	17	✕	·17	✕			✕	·61	✕	·22	31
TOTAL	4·21	·66	~~2·41~~ 2·51	3·88	~~1·97~~ 1·29	2·80	5·50	~~1·03~~ 1·13	1·31	3·55	1·24	2·87	YEAR'S TOTAL ~~30·85~~ (30·95)
Days with ·01 in. or more	17	11	14	22	8	11	~~19~~ 27	4	~~8~~ 11	11	6	11	~~141~~ 142 ✓ 153
Days with ·04 in. or more	15	8	12	21	8	10	~~14~~ 19	4	~~5~~ 7	9	4	11	~~121~~ ✓ 128

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DORSET

IWERNE COURTNAY.

"THE RECTORY"

1919 - 1920

FORM A. 1. **METEOROLOG** **ORGANIZATION.**

REG 1919.

Long 2. 12 W.

Kept at The Rectory . Iwer 9 a.m.

tion Shillingstone

in the County of Dorset of Rain Gauge 4 7/8 in.

ge above Ground 1 ft 2 1/2 in.

by The Reverend R Hug ,, Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47		·07				·27		·04	·19		1·10	1
2	·17		·10				·03		·24		·13	·08	2
3	·95								·26			·15	3
4	·25	·34	·45			·02			·55		·03	·12	4
5		·37			·06		·05		·09		·12	·30	5
6	·66	·32	·47		·05							·19	6
7	·33		·35	·10									7
8	·28		·20	·06									8
9	·48		·05	·11							·25		9
10			·11	·15						·06	·01	·58	10
11	·10			·05	·13		·30					·03	11
12	·06		·07				·09			·04		·08	12
13	·05						·02			·09			13
14	·46						·10		·05	·02		·28	14
15	·30	·05										·45	15
16	·03							·29			·03		16
17	·09	·88									·32		17
18	·04	·10					·05		·06		·24		18
19	·71					·10	·71	·15			·07	·10	19
20	·66	·55	·71			·46		·30				·07	20
21	·09		·81				·16		·20				21
22		·87	·04				·20				·02	·15	22
23	·51									·28	·01	·03	23
24	·10					·20	·05			·93	·13	·37	24
25		·07	·08			·05		·30				·07	25
26	·03	·03		·33				·03	·07		·07	·30	26
27	·07		·33					1·12				·04	27
28	·10							·70				·38	28
29								·17		·10	·08	·03	29
30			·15			·20		·73		·01	1·80	·80	30
31												·43	31
TOTAL	6·99	3·58	3·99	·80	·24	1·03	2·03	3·79	1·56	1·72	3·31	6·13	YEAR'S TOTAL 35·17
Days with ·01 in. or more	24	10	15	6	3	6	12	9	9	9	15	23	141

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Rectory Iwerne Courtney
in the County of Dorset
by The Reverend R Hugh Gundry

Lat 50 54 39 N Long 2 . 12 W.
Time of Observation 9 a.m
Nearest Railway Station Shillingstone
Diameter of Funnel of Rain Gauge 47/8 in.
Height of top of Gauge above Ground 1 ft 2½ in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47		·07				·27		·04	·19		1·10	1
2	·17		·10				·03		·24		·13	·08	2
3	·95								·26			·15	3
4	·25	·34	·45			·02			·55		·03	·12	4
5		·37			·06		·05		·09		·12	·30	5
6	·66	·32	·47		·05							·19	6
7	·33		·35	·10									7
8	·28		·20	·06									8
9	·48		·05	·11							·25		9
10			·11	·15						·06	·01	·58	10
11	·10			·05	·13		·30					·03	11
12	·06		·07				·09			·04		·08	12
13	·05						·02			·09			13
14	·46						·10		·05	·02		·28	14
15	·30	·05										·45	15
16	·03							·29			·03		16
17	·09	·88									·32		17
18	·04	·10					·05		·06		·24		18
19	·71					·10	·71	·15			·07	·10	19
20	·66	·55	·71			·46		·30				·07	20
21	·09		·81				·16		·20				21
22		·87	·04				·20				·02	·15	22
23	·51									·28	·01	·03	23
24	·10					·20	·05			·93	·13	·37	24
25		·07	·08			·05		·30				·07	25
26	·03	·03		·33				·03	·07		·07	·30	26
27	·07		·33					1·12				·04	27
28	·10							·70				·38	28
29								·17		·10	·08	·03	29
30		✗	·15			·20		·73		·01	1·80	·80	30
31		✗		✗		✗			✗		✗	·43	31
Total	6·99	3·58	3·99	·80	·24	1·03	2·03	3·79	1·56	1·72	3·31	6·13	Year's Total 35·17
Days with ·01 in. or more	24	10	15	6	3	6	12	9	9	9	15	23	141

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

and Sept 3 – no support. 1470

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Iwerne Courtney Rectory
in the County of Dorset
by Rev: R. Hugh Gundry.

Lat 50. 54. 39 N Long 2. 12 W.
Time of Observation 9 A.M.
Nearest Railway Station Shillingstone
Diameter of Funnel of Rain Gauge 4 7/8 in.
Height of top of Gauge above Ground 1 ft. 2½ in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07		.05	.13	.38		.31		.10	.29	.25	.55	1
2	.38			.15			.05	.29	.09	1.10		.18	2
3	.09	.09		.05			.35		~~1.08~~	.33			3
4			.04	.02			.44	.44					4
5			.18		.03		.44	.60		.26		.08	5
6			.33	.15	.15		.24			.04			6
7			~~.29~~	.29			.45						7
8	.10	.19		.19	.09		.20	.02					8
9	.47	.01	.01	.03		.05	.10						9
10	.37	.08	.04	.14		.48	.40						10
11	.20		.09	.78	.21	.07	.17						11
12	.20	.06	.01	.43		.47	.01				.04		12
13	.25	.01	.58	.11									13
14	.01		.29	.78			.13		.20	.35	.31		14
15	.02	.06	.07	.31	.03	.21			.02	.48			15
16		.02	.02	.01		.03	.12		.13	.06			16
17	.01			.27	.22		.03		.50		.05	.02	17
18	.08	.01	.01	.05	.03	.10	.05	.31	.07				18
19	.03			.32		.21							19
20	.02	.07		.17		.50						.10	20
21							.32			.01		.26	21
22	.03			.22		.01						.29	22
23	.01						.56					.26	23
24			.25								.16	.03	24
25	.01	.05	.13		.07		.55				.01	.03	25
26	.24		.21			.02	.03				.16	.11	26
27	.75	.10	.10	.29		.10	.04				.05	.45	27
28	.60	.01	.08	.14	.10	.01	.04					.07	28
29	.63	.01	.18	.03			.12				.23	.23	29
30	.08	╳			.06	.12			.38		.41	.51	30
31	.05	╳	.15	╳		╳			╳	.54	╳	.15	31
TOTAL	4.70	.77	2.81	5.06	1.37	2.38	5.15	1.66	1.49	3.46	1.67	3.32	YEAR'S TOTAL 33.85.
Days with ·01 in. or more	24	14	20	23	11	14	23	5	9	10	10	16	179
Days with ·04 in. or more	16	8	16	19	8	10	20	4	8	9	9	13	140.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DORSET.

IWERNE MINSTER.

1911 – 1920

REGIS

FORM A2.
BRITISH RAINFALL.

13 JAN 1912

Kept at Iwerne Minster H

in the County of Dorset.

by W. Neish for James Is

5" in.

ove Ground 1 ft.

Sea Level 244 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	–	·01	·05	–	–	–	–	–	–	·03	·04	1
2	·02	–	·03	·19	·34	–	–	·01	–	·02	·21	·35	2
3	–	–	–	03	13	–	–	–	–	–	·08	·13	3
4	·01	–	·10	–	–	–	–	–	–	·04	·21	·62	4
5	·04	–	·02	·03	–	47	–	13	–	·16	·06	–	5
6	·30	–	·19	–	–	–	–	–	–	·18	·02	1·07	6
7	·01	–	–		–	–	–	–	–	–	·42	·02	7
8	·05	–	25	–	–	–	–	–	–	–	·09	·64	8
9	·08	–	·01	–	–	–	–	–	–	–	·04	·70	9
10	·10	·03	25	–	·58	–	–	–	–	–	·01	·56	10
11	·63	·01	·01	–	–	–	–	–	–	–	·72	·02	11
12	–	–	90	–	–	–	–	–	–	–	·10	·33	12
13	–	–	·02	–	–	–	–	–	·64	–	·01	·42	13
14	–	·04	–	–	–	–	–	–	–	–	–	·80	14
15	–	·02	–	–	–	–	–	–	–	–	·22	08	15
16	·02	–	·02	–	–	·44	–	–	–	–	·63	·57	16
17	–	·02	·06	–	·21	·19	–	–	–	–	·29	·68	17
18	·01	·14	·11	·11	·03	·12	–	–	–	·06	·04	64	18
19	–	·16	–	·01	–	·36	–	43	·20	·26	–	50	19
20	·05	·01	·16	·01	–	–	–	–	10	·12	–	1·00	20
21	·02	·19	·12	–	–	·15	–	–	·11	·75	–	·22	21
22	·12	·03	27	·02	–	·03	–	–	–	31	–	52	22
23	·01	·23	·09	·01	–	13	–	–	·15	·08	·11	28	23
24	–	·18	–	–	–	·45	–	·12	·02	·37	–	·12	24
25	·01	·06	–	·13	–	·10	–	·10	·05	·24	–	·09	25
26	–	·02	–	·21	·05	–	–	–	–	·02	–	37	26
27	–	45	·16	·10	–	–	–	·02	·12	23	–	·17	27
28	–	·22	–	·35	–	–	–	·13	–	–	13	–	28
29	–		–	·83	–	·28	·24	–	·18	·33	·01	–	29
30	–		–	·02	–	–	–	–	–	23	·03	–	30
31	–		–		–		–	–		·02		·01	31
Total	1·60	1·81	2·78	2·10	1·34	2·72	·24	·94	1·57	3·42	3·46	10·95	TOTAL for year 32·93
No. of Rain Days.	17	16	19	15	6	11	1	7	9	17	21	27	166

W. 8,000, X. '11.

REGIS ll

FORM A2.
BRITISH RAINFALL.

13 JAN 1912

Kept at Iwerne Minster House Gardens

in the County of Dorset. 4

by W. Neish for James Ismay Esq

RAIN GAUGE
Pattern Symons
Diameter of top 5" in.
Height of top above Ground 1 ft.
" " " Sea Level 244 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	-	·01	·05		-		-	-	-	·03	·04	1
2	·02	-	·03	·19	·34	-	-	·01	-	·02	·21	·35	2
3	-	-	-	03	13	-	-	-	-	-	·08	13	3
4	·01	-	·10	-	-	-	-	-	-	·04	·21	·62	4
5	04	-	·02	·03	-	47	-	13	-	16	·06	-	5
6	·30	-	19	-	-	-	-	-	-	·18	02	1·07	6
7	·01	-	-	-	-	-	-	-	-	-	42	02	7
8	05	-	25	-	-	-	-	-	-	-	09	·64	8
9	·08	-	·01	-	-	-	-	-	-	-	04	·70	9
10	·10	·03	25	-	·58	-	-	-	-	-	01	·56	10
11	·63	01	01	-	-	-	-	-	-	-	·72	·02	11
12	-	-	90	-	-	-	-	-	-	-	·10	·33	12
13	-	-	02	-	-	-	-	-	64	-	·01	·42	13
14	-	04	-	-	-	-	-	-	-	-	-	·80	14
15	-	·02	-	-	-	-	-	-	-	-	·22	·08	15
16	·02	-	·02	-	-	·44	-	-	-	-	·63	·57	16
17	-	02	·06	-	·21	·19	-	-	-	-	·29	68	17
18	·01	·14	·11	·11	·03	·12	-	-	-	06	·04	64	18
19	-	·16	-	·01	-	·36	-	43	·20	·26	-	50	19
20	·05	·01	16	·01	-	-	-	-	10	12	-	1·00	20
21	·02	·19	12	-	-	·15	-	-	11	75	-	22	21
22	12	·03	27	·02	-	03	-	-	-	31	-	52	22
23	·01	·23	·09	01	-	13	-	-	15	08	11	28	23
24	-	18	-	-	-	·45	-	12	·02	37	-	·12	24
25	·01	06	-	·13	-	10	-	10	·05	24	-	09	25
26	-	·02	-	·21	·05	-	-	-	-	02	-	37	26
27	-	45	·16	·10	-	-	-	02	12	23	-	17	27
28	-	·22	-	·35	-	-	-	13	-	-	13	-	28
29	-		-	·83	-	·28	·24	-	18	33	01	-	29
30	-		-	·02	-	-	-	-	-	23	·03	-	30
31	-		-		-		-	-		·02		·01	31
Total	1·60	1·81	2·78	2·10	1·34	2·72	·24	·94	1·57	3·42	3·46	10·95	TOTAL for year 32·93
No. of Rain Days.	17	16	19	15	6	11	1	7	9	17	21	27	166

W. 8,000, X. '11.

EX ML

FORM A2. BRITISH RAINFALL.

13 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Iwerne Minster Gardens

in the County of Dorset 4

by W. Nash for James Ismay Esq

RAIN GAUGE
Pattern The Wilson Self Registering
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 244 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Shillingstone
Distance 4 Miles Direction S W
to The Crooflys – 3 "

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	–	·01	·03	–	–	–	–	–	–	·02	·03	1
2	·01	–	·02	·18	·35	–	–	·01	–	·01	·20	·34	2
3	–	–	–	3	·13	–	–	–	–	–	·08	·13	3
4	·01	–	·10	–	–	–	–	–	–	·02	·21	·62	4
5	·04	–	·02	·02	–	·50	–	·07	–	·12	·06	–	5
6	·31		·19	–	–	–	–	–	–	·16	·02	1·07	6
7	–	–	–	–	–	–	–	–	–	–	·42	·01	7
8	·05	–	·25	–	–	–	–	–	–	–	·13	·62	8
9	08	–	·01	–	–	–	–	–	–	–	·04	·61	9
10	08	·03	29	–	·60	–	–	–	–	–	·01	·56	10
11	64	–	·01	–	–	–	–	–	–	–	·69	·01	11
12	–	–	·95	–	–	–	–	–	–	–	·10	·35	12
13	–	–	·01	–	–	–	–	–	·64	–	·01	·42	13
14	–	·04	–	–	–	–	–	–	–	–	–	·78	14
15	–	·02	–	–	–	–	–	–	–	–	·22	08	15
16	01	–	·01	–	–	49	–	–	–	–	·63	·57	16
17	–	·12	05	–	–	·18	–	–	–	–	·29	·69	17
18	–	·14	·13	·11	·21	·12	–	–	–	·04	·04	·64	18
19	–	·16	–	·01	·02	·40	–	·31	·17	·20	–	·49	19
20	·05	·01	·16	–	–	–	–	–	09	·10	–	1·00	20
21	·01	·19	·12	–	–	·15	–	–	·14	·75	–	·22	21
22	·04	03	·28	·02	–	·03	–	–	–	·27	–	·52	22
23	–	·23	·08	·01	–	13	–	–	·14	·07	09	·28	23
24	–	·16	–	–	–	·45	–	·05	·02	27		·12	24
25	·01	·06	–	·13	–	10	–	·07	·03	·19	–	·07	25
26	–	·01	–	·23	·05	–	–	–	–	·02	–	·38	26
27	–	·34	·18	10	–	–	–	·02	·11	·25	–	·17	27
28	–	·23		·39	–	–	–	·13	–	–	·13	–	28
29	–		–	·85	–	·30	·23	–	·18	30	–	–	29
30	–		–	–	–	–	–	–	–	·21	·03	–	30
31	–		–		–		–	–		·02		·01	31
Total	1·46	1·77	2·87	2·41	1·36	2·85	·23	·66	1·52	3·00	3·42	10·79	TOTAL for year 32·04
From Jan 1 No. of Days.	1·46	3·23	6·10	8·21	9·57	12·42	12·65	13·31	14·83	17·83	21·25	32·04	
No of Days	14	15	19	13	6	11	1	7	9	17	20	27	159

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
15 JAN 1913

Wilson's Self Registering Gauge

Kept at Iwerne Minster House Gardens, Blandford

in the County of Dorset · 4

by W. Naish For James Ismay Esq

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Shillingstone
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 242 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·11	-	-	·62	·33	·01	·02	·71	-	·40	1
2	-	-	·40	·02	-	·03	·50	·10	-	·01	·01	-	2
3	-	-	·17	-	-	·70	-	·68	·01	-	-	·04	3
4	·11	·02	·95	-	-	·60	-	·02	-	-	·25	-	4
5	·50	·13	·18	-	-	-	-	·84	·02	-	·02	·30	5
6	·54	·07	-	-	·12	-	·05	·51	-	-	-	·02	6
7	·03	·43	·16	-	·35	·50	·05	·22	-	-	-	·22	7
8	·40	·25	·57	-	-	·15	-	·09	-	-	-	·03	8
9	·04	·05	·13	·07	-	·31	-	·07	-	-	-	·41	9
10	-	·11	·01	-	-	·02	-	·16	-	-	·05	·32	10
11	·06	·20	·01	-	-	-	-	·27	-	-	-	·38	11
12	·09	·47	·06	·02	-	-	-	·23	-	-	-	·06	12
13	-	-	-	·01	-	-	-	·07	-	-	·04	-	13
14	·20	-	·25	-	·03	·65	-	·03	-	·01	-	·28	14
15	·20	·13	·04	-	·07	·02	-	·02	-	-	-	-	15
16	1·03	·01	·35	-	·10	·04	-	·07	-	·03	·02	·01	16
17	1·42	-	·26	-	-	-	-	·73	-	-	·02	·05	17
18	·10	-	·27	-	·02	-	-	·31	-	·01	·02	·05	18
19	·03	·14	·07	-	-	-	·30	·37	-	·02	·02	-	19
20	·03	·04	·51	-	·02	-	·12	·10	-	·33	·01	-	20
21	-	·10	·18	-	·48	-	·01	·17	-	·23	-	-	21
22	·30	·23	·03	-	·02	·08	·04	·16	-	·03	·19	·02	22
23	·12	·29	·19	-	-	·01	·08	·72	-	·08	-	·10	23
24	·13	·02	-	-	-	·20	·04	·11	-	·05	·01	·38	24
25	·15	-	-	-	-	·28	-	·27	-	·09	·23	·69	25
26	-	·02	-	-	-	·15	·40	·26	-	·40	·58	·32	26
27	-	-	-	-	-	-	1·35	-	-	1·00	-	·28	27
28	-	·08	-	-	-	·11	·31	·59	·14	·90	·53	·38	28
29	-	·30	·01	-	-	·02	·12	·78	1·35	·71	·03	·04	29
30	-	X	·02	-	·07	·13	·06	-	·63	·30	-	-	30
31	-	X	·75	X	·04	X	·37	·01	X	·10	X	·03	31
Total	5·18	3·09	5·68	·12	1·32	4·62	4·13	7·37	2·19	5·00	2·03	4·81	YEAR'S TOTAL 45·54
Rain Days.	19	20	24	4	11	19	16	29	6	18	16	23	205

W. 7,500, XI. 12

FORM A2.
BRITISH RAINFALL.

15 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Iwerne Minster House Gardens. Blandford

in the County of Dorset 4

by W. Neish for James H Ismay Esq

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground ft. 12 in.
" " " Sea Level 244 ft.

Time of Observation 9 a.m as per your instructions

Nearest Railway Station
Name Shillingstone
Distance 4 Miles Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·11	–	–	·58	·33	·01	·02	·68		·40	1
2	–	–	·40	·02	–	·03	·46	·10	–	·02	·02	–	2
3	–	–	·17	–	–	·70	–	·68	·01	–	·01	·04	3
4	·14	·02	·95	–	–	·60	–	·02	–	–	·25	–	4
5	·52	·13	·18	–	–	–	–	·84	·02	–	·02	·30	5
6	·52	·07	–	–	·15	–	·05	·51	–	–	–	·02	6
7	·03	·47	·16	–	·34	·50	·05	·21	–	–	–	·23	7
8	·42	·25	·57	–	–	·15	–	·09	·01	–	–	·03	8
9	·04	·04	·13	·07	–	·31	–	·07	–	–	–	·42	9
10	–	·11	·01	–	–	·03	–	·16	–	–	·05	·32	10
11	·06	·20	·01	–	–	–	–	·25	–	–	–	·38	11
12	·10	·47	·06	·02	–	–	–	·23	–	–	–	·06	12
13	–	–	–	·01	–	–	–	·07	–	–	04	–	13
14	·20	–	·25	–	·03	–	–	·03	–	·02	–	28	14
15	·21	·13	·04	–	·09	·68	–	·02	–	–	–	–	15
16	1·03	·01	·35	–	·10	·02	–	·07	–	·03	·02	·02	16
17	1·15	–	·26	–	–	·04	–	·73	–	–	·02	·05	17
18	·07	·01	·27	–	·02	–	–	·31	–	·01	·02	·04	18
19	·03	·19	·07	–	–	–	·30	·37	–	·02	·02	–	19
20	·03	·04	·53	–	·02	–	·12	·10	–	·33	·01	–	20
21	–	·10	·18	–	·48	–	·01	·17	–	·23	–	–	21
22	30	28	03	–	·02	·08	·04	·16	–	·03	–	·02	22
23	·14	·29	·19	–	–	·01	·10	·72	–	·08	·20	·10	23
24	·13	·02	–	–	–	·20	·04	·11	–	·05	·01	·38	24
25	·15	–	–	–	–	·28	–	·26	–	·09	·25	·69	25
26	–	02	–	–	–	·16	·40	·25	–	·40	·54	·32	26
27	–	–	–	–	–		1·28	–	–	·85	–	·28	27
28	–	·08	–	–	–	·11	·31	·56	·13	·85	·58	·40	28
29	–	·30	·01	–	–	·02	·12	·18	1·35	·74	·03	·03	29
30	–	X	·02	–	·07	·13	·06	–	·63	·30	–	–	30
31	–	X	·73	X	·04	X	·37	·01	X	·10	X	·03	31
Total	5·27	3·23	5·68	·12	1·36	4·63	4·04	7·29	2·17	4·83	2·09	4·84	TOTAL for year 45·63 45·55
No. of Rain Days.	19	21	24	4	11	19	16	29	7	18	17	23	208

W. 8,000, X. '11.

Iwerne
Self Registering ✓

FORM A.
BRITISH RAINFALL.
13 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Iwerne Minster House Garden

in the County of Dorset

by W. Neish for James H. Ismay Esq

4

Lat. ……… Long. ………

Time of Observation 9 a.m.

Nearest Railway Station Shillingstone

Diameter of Rain Gauge 8 in. Self Registering.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	30	·10	·03	-	-	-	-	·29	-	·26	·11	1
2	·01	-	·01	·07	·05	-	-	-	-	·07	·20	·01	2
3	·18	-	-	-	·45	-	-	-	·02	-	-	·14	3
4	1·01	-	·01	·03	·62	·01	-	-	1·35	·20	·06	·10	4
5	·14	·04	-	-	-	·16	·24	-	·75	-	·44	·04	5
6	·08	·06	·18	-	·20	·14	·24	-	-	·99	-	·48	6
7	05	·30	·07	-	·47	09	·04	·03	-	·44	·22	-	7
8	-	·02	-	-	·45	·03	-	-	-	-	-	-	8
9	-	·06	-	-	·07	·02	·06	-	·06	-	·16	·01	9
10	·16	-	·03	-	·06	-	-	-	-	·06	·43	-	10
11	1·04	-	·02	·04	·15	-	-	-	-	·42	·47	-	11
12	-	·02	-	-	·65	-	-	-	·03	-	·37	-	12
13	-	-	·03	-	-	-	-	·04	·29	-	·20	-	13
14	·45	-	·15	-	·04	-	-	-	·05	-	·20	-	14
15	·20	·06	·42	-	-	-	·15	·06	·32	-	·02	-	15
16	·30	-	·20	·54	-	·04	-	-	·02	-	-	-	16
17	·24	·01	·01	·08	-	·03	·02	-	-	-	-	-	17
18	·04	-	·33	·10	-	-	-	-	-	-	·08	-	18
19	1·18	-	·06	-	·05	·24	04	-	·47	-	-	-	19
20	·04	-	·15	·28	-	-	-	-	-	·42	20	-	20
21	·03	-	·37	·25	-	·02	·06	-	·27	·04	·65	-	21
22	·58	-	·37	03	-	-	-	·08	-	·01	-	·02	22
23	-	-	·01	-	-	-	-	-	-	-	·04	·78	23
24	·03	·04	-	06	-	-	-	·12	-	-	-	-	24
25	-	·16	-	·22	-	-	-	-	-	-	-	-	25
26	-	-	-	·50	-	-	-	·35	-	·03	-	·31	26
27	·03	-	·28	·17	-	-	-	-	-	·01	-	-	27
28	·14	-	·13	·22	-	-	-	-	-	·26	-	·01	28
29	·16	X	·62	·60	·11	-	-	·05	·01	·27	-	·02	29
30	·48	X	·06	·09	·01	-	-	-	-	·51	·01	-	30
31	·06	X	-	X	02	X	-	1·25	X	·01	X	-	31 2·03
Total	6·60	1·07	3·61	3·31	3·40	·78	·85	1·98	3·93	3·74	3·71	2·03	YEAR'S TOTAL 35·01
Rain Days.	24	11	22	17	15	10	8	8	13	15	17	12	172

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
13 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Iwerne Minster House Gardens

in the County of Dorset 4

by W. Nish for James H. Ismay Esq

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Shillingstone
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·10	·10	·03	-	-	-	-	·29	-	·26	·11	1
2	·02	·02	·01	·07	05	-	-	-	-	·07	·20	·03	2
3	·20	-	-	-	·45	-	-	-	·02	-	-	·14	3
4	1·01	-	·01	·03	·62	·01	-	-	1·32	·20	·07	·10	4
5	·17	04	-	-	-	·16	·24	-	·75	-	·15	·08	5
6	·08	·07	·18	-	·20	·14	·24	-	-	·97	-	·57	6
7	·05	·11	·06	-	·47	·09	·04	·03	-	·44	·22	·01	7
8	-	·03	-	-	·45	·03	-	-	-	-	·01	-	8
9	-	·06	-	-	·07	·02	·06	-	·06	-	·16	·01	9
10	·16	-	·03	-	·06	-	-	-	-	·06	·43	-	10
11	1·07	-	·02	28	·15	-	-	-	-	·42	·47	·01	11
12	·01	·02	-	-	·65	-	-	-	·03	·01	·37	-	12
13	-	-	·03	-	-	-	-	·04	·29	-	·21	-	13
14	·47	-	·15	-	04	-	-	-	·05	-	·20	-	14
15	·23	·06	·42	-	-	-	·15	·06	·32	-	·02	-	15
16	·30	-	·20	·54	-	·04	-	-	·02	-	-	-	16
17	·28	·01	·01	·08	-	·03	·02	-	-	-	·01	-	17
18	·07	-	·32	·10	-	-	-	-	-	-	·08	-	18
19	1·18	-	·06	-	05	·24	·04	-	·47	-	-	-	19
20	·05	-	·15	·28	-	-	-	-	-	·40	·20	-	20
21	·03	-	·37	·25	-	·02	·06	-	·27	·04	·65	-	21
22	·52	-	·37	·03	-	-	-	·08	-	-	-	·02	22
23	-	-	·02	-	-	-	-	-	-	-	·04	·70	23
24	·02	·04	-	·06	-	-	-	·12	-	-	·01	-	24
25	-	·16	-	·22	-	-	-	-	-	·01	-	-	25
26	-	-	-	·50	-	-	-	·35	-	·03	-	·31	26
27	·03	-	28	·17	-	-	-	-	-	·02	-	-	27
28	·12	-	·13	·22	-	-	-	-	-	·26	-	·01	28
29	·13	X	·62	·60	·11	-	-	·05	·01	·29	-	·06	29
30	·32	X	·06	·09	·01	-	-	-	-	·51	·01	-	30
31	·06	X	-	X	·02	X	-	1·25	X	·02	X	-	31
Total	6·65	·72	3·60	3·55	3·40	·78	·85	1·98	3·90	3·75	3·77	2·10	YEAR'S TOTAL 35·05
Rain Days. Total from Jan 1st		7·37	10·97	14·52	17·92	18·70	19·55	21·53	25·43	29·18	32·95	35·05	

Rain days 25 - 12 - 22 - 17 - 15 - 10 - 8 - 8 - 13 - 16 - 20 - 14 - 180

number of Rain days

W.7 XI. 13

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN

Kept at Iwerne Minster House Gardens.
in the County of Dorset. 4
by W. Neish for James Ismay Esq

Lat. Long
Time of Observation 9 a.m.
Nearest Railway Station Shillingstone S + D Rly
Diameter of Rain Gauge Eight in. Wilson's Self Registering
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	—	·01	—	—	·60	—	—	·40	·07	1
2	·02	—	—	—	—	—	·40	·13	—	—	1·43	·25	2
3	—	—	·08	·11	·49	—	·11	—	—	—	·02	·08	3
4	·16	—	·03	·28	·04	—	·21	·90	—	—	48	41	4
5	·02	—	·10	·29	·20	—	43	·25	—	—	·38	—	5
6	—	·28	·02	·10	·02	·03	—	·03	—	—	·04	38	6
7	·02	·35	·05	·08	02	—	15	·03	·01	—	—	27	7
8	—	·03	54	·02	·20	·18	—	·19	—	—	—	·05	8
9	·03	—	·37	·34	04	·32	—	·06	·94	—	—	·10	9
10	·02	·60	·02	·04	—	—	—	—	·20	—	—	—	10
11	—	·28	·50	—	·12	—	·63	—	·16	—	·05	·75	11
12	—	·09	·15	—	—	—	—	—	·30	·14	·01	·52	12
13	—	45	38	—	—	—	—	—	·10	·22	·28	·52	13
14	—	29	·45	—	—	·44	·42	·53	—	·37	·38	·32	14
15	·02	—	·15	—	—	—	·29	—	—	·04	·26	—	15
16	—	—	·01	—	—	—	07	·30	·22	—	—	01	16
17	—	50	·19	—	—	—	·01	—	—	—	—	·58	17
18	—	—	·12	—	—	·06	·10	—	—	—	—	·53	18
19	—	·09	·37	—	—	—	1·30	—	—	—	·09	25	19
20	—	·70	·12	—	—	·09	—	—	—	—	—	·28	20
21	—	·86	—	—	—	—	—	—	—	·25	—	·02	21
22	—	·13	·01	—	·33	·08	—	·03	—	·30	—	—	22
23	—	·12	·21	—	·01	·11	·10	—	—	·12	—	—	23
24	—	·06	·06	—	·10	—	·10	—	—	·12	·08	—	24
25	·07	—	·28	—	—	—	35	·20	—	·08	·03	·25	25
26	—	—	·03	—	—	—	·07	·10	—	·08	·28	·71	26
27	·09	—	—	—	—	—	—	—	—	·05	·08	35	27
28	·01	·04	·21	—	02	—	—	—	—	·01	·63	71	28
29	·24		·17	—	·13	—	—	—	—	·31	·67	·05	29
30	—	X	—	—	—	—	—	—	—	·16	·68	·92	30
31	·06	X	—	X	—	X	·25	—	X	·91	X	20	31
Total	·76	4·87	4·64	1·26	1·73	1·31	4·99 4·49	3·35	1·93	3·16	6·27	8·58	YEAR'S TOTAL 42·85
Rain Days.	12	16	26	8	14	8	17	13	7	15	19	25	180

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN. 1915

Kept at Iwerne Minster House Gardens

in the County of Dorset 4

by W. Neish. For James Ismay Esq

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Shillingstone. S&DR.

Diameter of Rain Gauge five. in. (Symons)

Height of top of Gauge above Ground one ft. in.

" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·03	–	·01	–	–	·63	–	–	·40	·07	1
2	·02	·01	–	–	–	–	·64	·13	–	–	1·43	·25	2
3	–	–	·08	·11	·49	–	·11	–	–	–	·02	·08	3
4	·18	–	·03	·28	·04	–	·21	·90	–	–	·48	·41	4
5	03	–	·10	·29	·20	–	43	·25	–	–	·38	–	5
6	–	·30	·02	·12	·02	·03	–	03	–	–	·04	·38	6
7	·02	·72	·05	·08	·02	02	·15	·03	·01	–	–	·27	7
8	·02	·05	·56	·02	·20	·18	–	·19	–	–	–	·5	8
9	·03	–	·37	·34	·04	·32	–	·06	·94	–	–	·10	9
10	·03	55	02	·06	–	–	–	–	·20	–	–	–	10
11	–	·30	·50	–	·12	·02	·63	–	·16	–	·05	75	11
12	–	·02	·15	–	–	–	–	–	30	·04	·01	·52	12
13	–	·47	·38	–	–	–	–	–	·10	·20	·28	·52	13
14	–	·31	·54	–	–	·44	·42	·48	–	·37	·38	·32	14
15	·04	–	·15	–	–	–	28	·35	–	·04	·26	–	15
16	–	–	·01	–	–	–	·07	·01	·24	–	–	·01	16
17	–	·50	·18	–	–	–	·01	–	–	–	–	·58	17
18	–	·01	·12	–	–	·06	·10	–	·01	–	–	·53	18
19	–	·10	·46	–	–	–	1·34	–	–	–	·09	·25	19
20	–	72	·12	–	–	·09	–	–	–	–	–	·28	20
21	–	90	·01	–	–	–	–	–	–	·25	–	·02	21
22	–	13	·02	–	·33	·08	–	·03	–	·30	–	–	22
23	–	·12	·21	–	·02	·11	·10	–	–	·12	–	–	23
24	–	08	·06	–	·10	–	·10	–	–	·12	·08	–	24
25	08	01	·28	–	–	–	·35	·20	–	·08	·03	25	25
26	–	–	03	–	–	–	·06	·10	–	·08	·28	·74	26
27	·10	–	–	–	–	–	–	–	–	·05	·08	·35	27
28	·02	·04	·22	–	·03	–	–	–	–	·01	·63	·71	28
29	·25	–	·18	–	·13	–	–	–	–	·31	·67	·05	29
30	·02	╳	07	–	–	–	–	–	–	·16	·68	·92	30
31	·06	╳	–	╳	–	╳	·25	–	╳	91	╳	·20	31
Total	·90	5·34	4·95	1·30	1·75	1·35	5·25	3·39	1·96	3·04	6·27	8·61	YEAR'S TOTAL 44·11
Rain Days.	14	19	28	8	14	10	17	14	8	15	19	25	191

W. 8,000. X. 14.

Esed. Ho.

1766

FORM A.
BRITISH RAINFALL

16 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Iwerne Minster House Gardens, Blandford

in the County of Dorset

by W. Neish for James H Ismay Esq

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Shillingston

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. in.

" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·64	·19	·02	-	·02	-	-	·15	·51	·33	·07	·32	1
2	·46	·28	·16	·10	-	·07	-	·73	-	·14	-	·44	2
3	·40	·07	·09	·07	·06	-	-	·02	-	·02	-	·32	3
4	·01	-	-	-	-	-	-	-	-	-	-	·18	4
5	·11	1·26	-	·07	-	-	-	·18	-	-	-	54	5
6	·62	·14	-	·47	-	-	·61	·04	-	-	-	25	6
7	·20	·68	-	·06	·17	-	·15	-	-	-	·01	15	7
8	·05	·50	-	-	-	-	-	·06	-	-	-	·06	8
9	-	·11	-	·21	-	-	-	-	-	-	·32	40	9
10	·40	·03	·03	·02	-	·02	-	-	-	·02	-	·19	10
11	·07	-	·01	·05	-	-	-	-	-	-	72	·02	11
12	·12	80	-	·16	·48	-	-	·32	-	·04	·25	-	12
13	·03	·43	-	-	·75	-	-	·04	·12	-	11	-	13
14	·02	·01	-	-	-	-	·29	·30	-	-	-	·93	14
15	·09	·25	-	-	·21	-	·03	-	-	-	10	·35	15
16	-	1·35	-	-	·21	-	·94	·32	-	·03	-	·18	16
17	-	·37	-	-	·25	-	-	65	-	-	-	·02	17
18	-	·20	-	-	·08	-	-	-	-	-	-	-	18
19	-	·01	-	-	·10	-	·10	-	-	-	-	-	19
20	·28	-	-	·16	·15	-	-	-	-	-	-	·05	20
21	·05	·40	-	-	·01	-	·05	-	-	58	-	·40	21
22	·11	27	·39	·03	-	-	·78	-	·06	-	-	·33	22
23	-	·04	·10	-	-	-	·14	-	·13	1·27	-	·37	23
24	·01	-	-	·07	-	-	·15	-	-	1·35	-	·66	24
25	-	-	·01	·09	-	·04	·25	-	-	-	-	·12	25
26	-	·12	-	-	-	·01	·22	-	-	-	-	·74	26
27	-	·05	-	-	-	·11	·11	-	·03	·46	-	·02	27
28	-	·11	-	-	-	·03	-	·02	·56	·10	·02	-	28
29	-		-	-	-	·31	-	-	-	·02	·21	·04	29
30	·13		-	-	-	-	·06	-	-	67	·56	·45	30
31	-		-		-		·01	·04		1·53		·56	31
Total	3·80	7·67	·81	1·56	2·49	·59	3·89	2·87	1·41	6·56	2·37	8·03	YEAR'S TOTAL 42·05
Rain Days.	19	23	8	13	12	7	15	13	6	14	10	26	166

W. 8,000. X. 15.

1727

FORM A.
BRITISH RAINFALL.
29. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Gardens Iwerne Minster House

in the County of Dorset

by W. Neish for James Ismay Esq

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Shillingstone

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1' ft. in.

" " " " Sea Level 244' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·04	·05	–	·32	·04	·01	–	·41	·19	36	–	1
2	·21	·20	·04	–	·04	–	–	–	·01	·31	–	–	2
3	–	1·35	·01	–	·03	–	–	–	·11	52	·51	–	3
4	·07	·30	·01	–	·07	·31	·28	–	·20	–	1·01	–	4
5	·10	·02	·05	–	·30	·30	·15	–	–	·10	·66	–	5
6	–	·12	·04	–	·07	·02	1·13	–	–	·15	1·24	–	6
7	05	·03	·34	–	·05	·10	·21	–	–	·06	1·38	·18	7
8	·02	·18	–	–	·41	·04	–	–	–	–	·10	·16	8
9	–	·61	01	–	·02	·16	·05	–	–	·03	·05	·20	9
10	·02	·63	·01	·07	·03	·02	·17	–	–	–	·01	·16	10
11	·02	–	·05	·03	·01	·19	–	–	–	–	–	·03	11
12	·05	·01	·01	·18	·04	–	·05	–	–	·08	·01	–	12
13	–	·22	·10	·03	–	–	–	·30	–	·01	–	–	13
14	·01	·54	02	·01	·09	–	–	·03	–	·04	–	–	14
15	–	·10	16	·02	·01	–	–	·32	–	·07	–	–	15
16	·03	·12	·01	·21	–	–	–	·63	–	·04	–	–	16
17	·18	·19	–	·08	–	–	–	·14	·24	·73	·50	–	17
18	·04	·10	·75	·07	–	–	–	–	·12	·08	·27	·30	18
19	·06	–	·57	·08	–	–	–	–	·02	–	·12	·20	19
20	·20	·22	·45	·01	–	–	–	–	–	–	·05	1·49	20
21	·02	·09	·17	·01	–	–	·03	–	–	–	–	1·03	21
22	–	·02	·01	–	–	·01	–	T	–	·52	·01	·57	22
23	·01	·12	–	–	–	·12	–	·11	–	·02	·24	·06	23
24	–	·03	–	·04	·49	–	–	·02	–	·56	·04	·37	24
25	–	1·35	·10	–	–	–	–	·63	–	·05	·07	–	25
26	–	17	·06	–	–	·24	–	·38	·47	·90	–	–	26
27	–	·08	1·40	–	–	·54	–	·06	·55	·54	–	·18	27
28	–	·23	·05	–	–	–	–	·08	·21	·35	·04	·17	28
29	–	·67	·01	–	–	·23	–	1·92	·39	·29	–	·13	29
30	–	X	–	–	·01	–	–	–	–	·64	–	·02	30
31	–	X	–	X	01	X	–	·03	X	·35	X	·04	31
Total	1·27	7·14	3·88	·84	2·00	2·32	2·08	4·65	2·73	6·63	6·67	5·29	YEAR'S TOTAL 45.50
Rain Days.	17	27	25	13	17	14	9	13	11	24	19	17	206

W. 8,000, VIII. 16

ExdC

1651

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

16. JAN 1918

Kept at Swerne Minster House Gardens Blandford.
in the County of Dorset
by Wm Neish for James H. Ismay Esq

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Shillingstone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·11	·23	–	·09	–	·95	–	–	·07	–	1
2	–	–	·02	·21	–	·07	–	·05	–	·02	·02	–	2
3	–	–	–	·04	–	–	·62	·19	–	·12	·12	–	3
4	–	–	·36		–	–	–	–	–	·30	–	·01	4
5	·18	–	·09	·43	–	·09	–	·21	·18	·18	·16	–	5
6		–	–		–	–	–	–	–	·05	·10	–	6
7	·27	–	–		–	–	·20	·10	–	·26	–	·04	7
8	·45	–	·25	·14	–	–	·29	·86	·08	·29	·22	·14	8
9	–	–	·14	·03	·13	–	–	·03	·05	·07	·18	·01	9
10	·10	–	·43	·23	·03	–	–	·15	–	–	–	–	10
11	·05	–	·43	·33	·02	–	–	–	–	·21	·01	–	11
12	·01	–	·02	·01	·29	–	–	–	–	·25	–	·01	12
13	–	–	·14	·02	–	–	–	·20	–	–	·02	–	13
14	–	–	·17	·10	–	–	–	·06	·02	–	–	·01	14
15	–	–	·01		–	–	–	·08	–	·21	–	·22	15
16	–	·11	–	·08	·01	–	·28	·03	·01	·65	–	–	16
17	–	–	–	·12	·04	·02	·11	·20	·49	·12	·01	–	17
18	·06	·03	–	–	·06	·12	39	·02	·34	·03	–	–	18
19	–	·37	·17	–	–	·01	–	·05	·18	–	–	–	19
20	–	·07	·09	–	·40	·01	–	–	–	–	·01	–	20
21	–	–	·35	–	·01	·13	–	–	–	·05	·01	–	21
22	–	–	·03	–	–	–	–	·12	–	–	–	–	22
23	–	·26	·01	–	·16	–	–	·13	–	·07	–	·02	23
24	–	·10	·02	–	–	·06	·10	–	–	·14	·12	·02	24
25	–	·05	·03	–	–	–	·07	·01	–	–	–	–	25
26	–	·01	·03	–	·11	–	–	·59	·06	–	·01	–	26
27	–	–	·03	–	1·59	·12	–	1·00	·01	–	·01	·02	27
28	·02	–	·09	–	·22	1·35	–	·35	–	–	–	05	28
29	–	×	·03	–	·63	–	·05	·01	·01	·78	–	·08	29
30	–	×	·23	–	–	–	·60	·07	–	–	–	–	30
31	–	×	·06	×		×	·03	·03	×	·22	×	·04	31
Total	1·14	1·00	3·34	1·97	3·70	2·07	2·74	5·49	1·43	4·02	1·07	·67	YEAR'S TOTAL 28·64
Rain Days.	8	8	25	13	14	11	11	24	11	19	15	13	172

W. 8,000, IX. 17.

1.87

68

FORM A.
BRITISH RAINFALL.

17. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Iwerne Minster House, Blandford
in the County of Dorset.
by W. Neish for James H. Ismay Esq

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Shillingstone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·13	·07	-	-	·80	·01	·02	1·08	·05	1
2	·01	·02	-	·11	-	-	-	21	-	-	·08	·17	2
3	-	·18	·03	·21	20	-	-	21	·01	-	·02	·02	3
4	-	·13	·01	-	-	-	-	·21	·15	·07	1·26	·08	4
5	·17	-	·15	·05	-	-	-	·25	·72	·16	·01	·05	5
6	-	·03	·01	·17	-	-	-	·07	·01	·07	-	·04	6
7	·02	·09	-	·06	·41	-	-	-	·30	·03	·34	·12	7
8	-	·03	-	-	-	-	-	-	·08	·17	·02	·05	8
9	-	·17	-	·23	-	-	·48	-	·38	·03	·01	·32	9
10	·04	·19	-	·07	-	·19	·45	-	·24	·20	·01	·41	10
11	-	-	-	·62	-	-	·70	-	·12	·03	·10	·01	11
12	·01	·03	-	-	·34	-	·20	-	·16	·01	-	-	12
13	·33	-	-	-	-	-	·70	-	·15	·04	-	-	13
14	·22	-	-	-	·31	-	·02	-	·30	·19	-	·15	14
15	1·19	-	-	·40	-	-	·14	-	·03	·03	-	·16	15
16	·41	-	·06	·18	-	-	·05	-	·23	·02	-	·04	16
17	·34	-	-	·17	-	-	·35	-	·15	-	-	·10	17
18	·73	-	-	·01	-	·65	·08	-	·37	-	-	·18	18
19	·10	·01	·20	·02	-	-	·10	-	·05	·03	-	·10	19
20	·05	·06	-	·18	-	·02	·04	-	·27	·04	-	·04	20
21	·18	·03	-	-	-	-	·04	·01	·43	·19	-	·20	21
22	·04	-	-	-	·12	-	·75	-	·24	·10	-	·16	22
23	·10	-	-	-	·14	-	20	·01	·08	-	·04	·04	23
24	·01	·25	-	-	-	·03	36	-	·03	·05	·10	-	24
25	·01	-	-	-	-	-	·15	·63	·05	-	·01	-	25
26	·01	·03	-	-	-	-	·43	-	·02	·02	·06	·35	26
27	-	11	·06	-	-	·01	·03	·10	·07	·01	·12	·04	27
28	-	·01	·29	-	-	-	-	-	·01	-	·10	·08	28
29	·01		·13	-	-	-	-	-	1·18	-	·01	-	29
30	·01	X	·53	-	-	-	-	-	-	·11	·01	-	30
31	-	X	·10	X	-	X	-	-	X	·04	X	·02	31
Total	3·99	1 37	1·57	2·61	1·59	·90	5·27	2·50	5·84	1·66	3·38	2·98	YEAR'S TOTAL 33·66
Rain Days.	21	16	11	15	7	5	19	10	28	23	18	25	198

W. 8,000, IX. 17.

1553

7 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Iwerne Minster House Gardens
in the County of Dorset
by W. Neish for James H. Ismay Esq

Lat. Long.
Time of Observation 9. a. m. G. time
Nearest Railway Station Shillingstone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	–	·10	–	·05	–	·12	–	·03	·17	·04	1·32	1
2	·15	–	·42	–	·01	–	·03	–	·22	–	·05	·04	2
3	1·00	–	·46	–	·05	–	–	–	·33	–	·04	·21	3
4	·25	·22	·57	–	–	·01	–	–	·48	–	·03	·15	4
5	·02	·38	·42	–	·06	–	·01	–	·10	–	·13	·31	5
6	·64	·23	·12	–	·08	–	–	–	·02	–	·01	·15	6
7	·31	·04	·34	·08	–	–	–	–	–	–	–	·02	7
8	·53	–	·22	·04	–	–	–	–	–	–	–	–	8
9	·02	–	·03	·12	·01	–	–	–	–	–	·26	–	9
10	·09	–	·23	·01	·01	–	–	–	–	·02	–	56	10
11	·10	–	·11	·15	·13	·01	·22	–	–	–	–	·03	11
12	·06	–	·02	·06	–	–	·14	–	–	·07	·10	·01	12
13	·07	–	·02	·74	–	–	·04	–	–	·04	–	·01	13
14	·40	·03	–	·36	–	–	·10	–	·05	·06	–	·29	14
15	28	·01	–	·04	–	–	–	–	–	·01	–	·45	15
16	·06	·70	–	·01	–	–	–	·20	–	–	·16	·02	16
17	·03	·04	–	–	–	–	–	–	–	–	·21	–	17
18	–	·16	·83	–	–	–	–	–	–	·01	·24	·02	18
19	·76	·08	·88	–	–	·05	·76	·09	·14	–	·10	·07	19
20	·40	·40	·05	–	–	·40	[illegible]	·31	–	–	–	·03	20
21	17	·81	–	–	–	–	·18	–	·01	–	–	·08	21
22	–	·01	–	–	–	–	·11	–	·19	–	·01	·23	22
23	–	·01	·02	–	–	–	–	·02	–	·15	·01	·03	23
24	–	·04	–	·02	–	·18	·13	–	·01	1·00	·12	·34	24
25	·07	–	–	·08	–	·06	–	·26	–	·01	·01	·25	25
26	·03	·07	·10	·02	–	–	·01	·09	·06	·01	07	20	26
27	·15	–	–	·34	–	–	–	1·29	–	–	–	·5	27
28	–	–	·38	–	–	–	–	·53	–	–	1·17	·40	28
29	–		–	–	–	–	–	·18	–	·15	–	·03	29
30	–		·03	16	–	·21	–	·87	–	·01	·54	·75	30
31	–		·01		–		–	·01		–		46	31
Total	6·07	3·23	5·36	2·23	·40	·92	1·85	3·85	1·64	1·71	3·30	6·51	Year's Total 37·07
Days with ·01 in. or more	23	16	21	15	8	7	12	11	12	13	19	28	185

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1469

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Iwerne Minster House Gardens

in the County of Dorset

by W. Neish For James H Ismay Esq

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Shillingstone

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	·03	12	38	—	·32	·01	·12	·20	·27	·58	1
2	·42	·07	·4	18	—	—	·06	30	·08	8		·15	2
3	·09	·04	—	·03	—	—	·36	—	—	1·14		·04	3
4	—	—	·02	·07	—	—	·47	39	·01	·33		—	4
5	—	—	·14	·01	·06	—	·59	·94	·01	·26		·01	5
6	—	—	·31	·06	·14	—	·15	—	—	—			6
7	·03	11	·01	·30	·06	—	·44	—	—	—			7
8	·16	1	—	26	·06	—	·19	—	—	—			8
9	·43	8	01	·02	—	·05	·03	—	—	—			9
10	49	—	·04	·10	—	·46	·39	—	—	—			10
11	·25	—	·09	99	19	·02	·17	—	—	—			11
12	·23	·04	·02	16	—	·54	·01	—	—	—	·03	03	12
13	·26	·02	·54	11	—	—	—	—	—	—	—	—	13
14	·03	·03	·29	·80	—	—	10	—	·18	·27	·30	·03	14
15	·02	·01	·04	·26	·03	·19	—	—	—	·37	·08		15
16	—	·02	·03	·01	—	·01	·10	—	·19	·04	—		16
17	·01	—	—	·26	·21	—	·02	—	·44	—	—		17
18	·06	·01	·01	·03	·03	·09	·12	·33	·04	—	·01	·03	18
19	03	—	—	·33	—	·25	—	—	—	—	—	—	19
20	·08	·05	—	15	—	45	1	—	—	—	—	·28	20
21	·07	—	—	[illegible]	—	—	·34	—	·01	—	—	·09	21
22	·02	—	—	·21	—	·01	—	—	·01	—	—	·24	22
23	·01	—	—	—	—	—	·46	—	—	—	—	·24	23
24	01	01	·20	—	·04	—	—	—	—	—	·15	·03	24
25	—	06	·12	—	·05	—	·53	—	—	—	·01	·03	25 !
26	·21	—	·19	—	—	·02	·03	—	—	—	·14	·10	26
27	·48	·13	·15	·31	—	·12	·07	—	—	—	·02	·44	27
28	·61	1	·15	·14	·08	1	—	—	—	—	—	·07	28
29	·50	—	17	·07	·01	1	—	—	—	—	·19	·20	29
30	·08	✕	—	—	·04	·16	·16	—	·43	—	·44	·41	30
31	05	✕	·15	✕		✕	—	—	✕	50	✕	11	31
Total	4·53	·70	2·75	4·98	1·38	2·39	5·12	1·97	1·52	3·19	1·64	3·11	Year's Total 33·28 ✓
Days with ·01 in. or more	26	16	22	24	14	15	23	5	11	9	11	19	195 ✓
Days with ·04 in. or more	16 [illegible]	8	15	~~18~~ 19	11	9	18	4	7	9	7	13	~~13~~ 6

136

KINGSON

EGLINTON

DORSET

1919 — 1920

FORM A. 1. METEORO GANIZATION.

19.

Kept at 45

in the County of Bournemouth

by

ain Gauge 5 in.

bove Ground ft. 6 in.

„ Sea Level 45 ft.

IMPORTANT NO entered to the previous day.

If an Observer prefers quested to add the reading at 9 a.m. on t at the end of this paragraph. Full ins of rain gauges, and particulars as to th *nfall Observers,"* sent post-free on applic on, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
40

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	1	0	1	12	0	11	0	1	0	0	42	1
2	45	0	4	0	1	0	11	0	0	6	0	133	2
3	38	0	3	0	15	0	2	0	55	0	0	2	3
4	111	0	40	0	5	0	1	0	.38	0	2	14	4
5	65	24	42	0	0	5	0	1	10	0	8	10	5
6	1	49	41	0	4	0	0	0	1	0	16	15	6
7	48	14	12	2	13	0	1	0	1	0	1	13	7
8	16	0	44	3	0	0	0	0	0	0	0	10	8
9	24	0	23	4	0	0	0	0	0	0	9	0	9
10	43	0	1	14	3	0	0	0	2	0	25	0	10
11	23	0	28	4	3	0	0	0	0	3	0	31	11
12	9	0	4	18	8	0	2	0	0	0	0	4	12
13	6	0	2	0	1	0	28	0	0	5	3	0	13
14	5	0	5	21	0	0	2	0	0	2	0	11	14
15	65	14	0	24	0	0	5	0	5	5	0	10	15
16	23	13	0	6	0	0	0	0	0	4	0	54	16
17	3	103	0	0	0	0	0	2	0	0	25	0	17
18	4	5	0	0	1	0	0	0	0	0	9	4	18
19	0	10	65	0	0	0	0	6	0	0	22	2	19
20	65	34	95	0	0	8	104	18	6	1	4	2	20
21	48	2	12	0	0	50	1	24	3	0	0	2	21
22	2	41	2	0	0	0	1	0	2	0	1	4	22
23	0	2	1	0	0	0	13	0	33	0	0	13	23
24	0	0	1	0	0	0	0	0	0	10	4	2	24
25	0	4	0	4	0	4	10	2	0	65	10	18	25
26	4	5	0	2	0	5	1	35	4	1	0	15	26
27	4	16	12	6	0	0	0	5	0	0	8	56	27
28	11	2	0	44	0	0	0	48	0	0	1	3	28
29	0		52	1	0	0	0	96	0	0	60	45	29
30	0		0	0	0	0	0	19	0	4	0	10	30
31	0		1		0		0	42		1		85	31
TOTAL	.01 ~~6.69~~ 6.70	- ~~3.42~~ 3.71	.01 ~~5.23~~ 5.24	.12 ~~1.43~~ 1.84	- ~~.69~~ .57	.11 ~~.45~~ .86	- ~~1.93~~ 1.82	.01 ~~3.61~~ 3.62	- ~~1.64~~ 1.63	- 1.04	.72 ~~2.02~~ 2.74	.40 ~~6.43~~ 6.11	35.91 YEAR'S TOTAL ~~35.56~~
Days with ·01 in. or more	~~23~~ 24	~~14~~ 16	~~22~~ 23	15	~~11~~ 10	~~5~~ 6	~~15~~ 14	~~12~~ 13	~~13~~ 12	12	~~10~~ 17	24	~~188~~ 189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Kinson

in the County of Dorset

by A Chas Kevil

Lat. Long.

Time of Observation 8.45

Nearest Railway Station Bournemouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 40

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	1	0	1	12	0	11	0	1	0	0	42	1
2	45	0	4	0	1	0	11	0	0	6	0	133	2
3	38	0	3	0	15	0	2	0	55	0	0	2	3
4	111	0	40	0	5	0	1	0	·38	0	2	14	4
5	65	24	42	0	0	5	0	1	10	0	8	10	5
6	1	49	41	0	4	0	0	0	1	0	16	15	6
7	48	14	12	2	13	0	1	0	1	0	1	13	7
8	16	0	44	3	0	0	0	0	0	0	0	10	8
9	24	0	23	4	0	0	0	0	0	0	9	0	9
10	43	0	1	14	3	0	0	0	2	0	25	0	10
11	23	0	28	4	3	0	0	0	0	3	0	31	11
12	9	0	4	18	8	0	2	0	0	0	0	4	12
13	6	0	2	0	1	0	28	0	0	5	3	0	13
14	5	0	5	21	0	0	2	0	0	2	0	11	14
15	65	14	0	24	0	0	5	0	5	5	0	10	15
16	23	13	0	6	0	0	0	0	0	4	0	54	16
17	3	103	0	0	0	0	0	2	0	0	25	0	17
18	4	5	0	0	1	0	0	0	0	0	9	4	18
19	0	10	65	0	0	0	0	6	0	0	22	2	19
20	65	34	95	0	0	8	104	18	6	1	4	2	20
21	48	2	12	0	0	50	1	24	3	0	0	2	21
22	2	41	2	0	0	0	1	0	2	0	1	4	22
23	0	2	1	0	0	0	13	0	33	0	0	13	23
24	0	0	1	0	0	0	0	0	0	10	4	2	24
25	0	4	0	4	0	4	10	2	0	65	10	18	25
26	4	5.	0	2	0	5	1	35	4	1	0	15	26
27	4	16	12	6	0	0	0	5	0	0	8	56	27
28	11	2	0	44	0	0	0	48	0	0	1	3	28
29	0		52	1	0	0	0	96	0	0	60	45	29
30	0	X	0	0	0	0	0	19	0	4	0	10	30
31	0	X	1	X	0	X	0	42	X	1	X	85	31
TOTAL	·01 ~~6.69~~ 6.70	– ~~3.40~~ 3.71	·01 ~~5.23~~ 5.24	·12 ~~1.43~~ 1.84	– ~~.69~~ ·57	·11 ~~.75~~ ·86	– ~~1.93~~ 1.82	·01 ~~3.61~~ 3.62	– ~~1.64~~ 1.63	– 1.04	·72 ~~2.02~~ 2.74	·40 ~~6.43~~ 6.71	YEAR'S TOTAL 35.91 ~~35.56~~
Days with ·01 in. or more	~~23~~ 24	~~14~~ 16	~~22~~ 23	15	~~11~~ 10	~~5~~ 6	~~15~~ 14	~~12~~ 13	~~13~~ 12	12	~~10~~ 17	24	~~188~~ 189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1456

18 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192.

Kept at Kinson

in the County of Dorset

by [illegible]

Lat. Long.

Time of Observation 8.45 a.m.

Nearest Railway Station Bournemouth W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·22

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	40	1	1	13	0	0	15	0	0	34	25	22	1
2	44	0	4	10	19	0	45	1	5	19	35	63	2
3	18	0	1	11	1	0	28	32	12	8	0	19	3
4	2	4	0	15	0	0	44	0	3	43	0	3	4
5	0	6	4	1	0	0	12	40	0	22	0	0	5
6	0	1	23	13	0	0	38	22	0	41	0	1	6
7	0	0	8	1	21	0	41	0	0	2	0	0	7
8	3	0	0	20	10	0	25	0	0	3	0	0	8
9	2	6	0	6	10	0	65	4	0	0	0	0	9
10	34	2	4	6	1	5	2	0	0	0	0	0	10
11	85	4	6	4	0	50	39	0	0	0	0	0	11
12	15	0	10	52	16	2	29	0	0	0	0.	2	12
13	19	6	1	15	0	49	1	0	0	0	4	1	13
14	23	2	41	3	0	1	0	0	0	0	3	2	14
15	5	3	34	60	0	0	0	0	5	39	50	0	15
16	6	5	4	9	6	20	0	0	22	64	4	0	16
17	1	2	3	2	0	2	0	0	40	1	0	0	17
18	1	0	0	22	25	0	5	0	24	0	0	0	18
19	10	1	1	3	15	11	4	42	9	0	0	0	19
20	3	0	0	18	1	4	0	0	11	0	0	1	20
21	2	5	0	21	4	40	0	0	1	0	0	11	21
22	0	0	0	1	0	0	62	0	2	0	0	31	22
23	11	0	0	25	0	0	1	0	3	0	0	45	23
24	1	0	1	0	0	0	48	0	0	0	0	44	24
25	2	0	18	0	0	0	1	1	0	0	9	16	25
26	1	4	5	0	5	0	53	0	0	0	1	1	26
27	8	0	35	0	1	3	3	0	0	0	5	13	27
28	54	4	2	5	1	6	0	1	0	0	2	20	28
29	61	1	1	1	0	1	14	0	0	0	0	5	29
30	60	✕	13	15	0	15	0	0	0	0	20	41	30
31	9	✕	0	✕	1	✕	10	0	✕	1	✕	54	31
	·08	·01	·13	-		·15	-		·34	·25	·22	·22	32.34
TOTAL	~~5.20~~ 4.81	.54	~~2.26~~ 2.38	~~3.52~~ 3.39	1.34	~~2.62~~ 2.77	~~5.85~~ 5.70	1.43	~~1.34~~ 1.71	~~2.80~~ 2.71	~~1.58~~ 1.55	3.95	YEAR'S TOTAL ~~32.52~~
Days with ·01 in. or more	[illegible]	17	22	25	16	15	~~23~~ 22	8	13	12	11	20	208
Days with ·04 in. or more	16	9	15	18	10	10	17 ~~18~~	5	9	8	8	13	138

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.